
	PROGRAM
TECHNICAL WORKING PARTY	<ol> <li>Introduction to UPOV</li> <li>Introduction to the UPOV Technical Working Parties</li> </ol>
FOR FRUIT CROPS Thirty-ninth Session	3. Overview of the General Introduction (document TG/1/3 and TGP documents)
Lisbon, Portugal, June 2 to 6, 2008	4. Test Guidelines (document TGP/7) (a) Introduction
PREPARATORY WORKSHOP	(b) Guidance on drafting trafacteristics (c) Method of observation (V/M; G/S) (d) Asterisked, grouple and TQ characteristics (e) Example variets
June 1, 2008	(f) The process of developing UPOV Test Guidelines 5. The UPOV website
	6. Agenda for the TWP meeting





# Members of the Union States Intergovernmental Organization(s) Organs established by the Convention Council Office of the Union

Other Bodies










# TLOL


#### **UPOV MISSION STATEMENT**

"To provide and promote an *effective system* of plant variety protection, with the aim of encouraging the development of *new varieties of plants*, for the *benefit of society*"




# UPOV)


2. INTRODUCTION TO THE UPOV TECHNICAL WORKING PARTIES (THE DUS EXAMINATION)






**NO OTHER CONDITIONS!** 










# UPOV)

# **UPOV provides guidance by:**


- The "General Introduction" (TG/1/3)
  - General technical principles
  - Organization of DUS Testing
  - Associated "TGP" Documents (e.g. statistical methods)







TLAN	PROGRAM
1.	Introduction to UPOV
2.	Introduction to the UPOV Technical Working Parties
3.	Overview of the General Introduction (document TG/1/3 and TGP documents)
4.	Test Guidelines (document TGP/7)
	<ul> <li>(a) Introduction</li> <li>(b) Guidance on drafting characteristics</li> <li>(c) Method of observation (V/M; G/S)</li> <li>(d) Asterisked, grouping and TQ characteristics</li> <li>(e) Example varieties</li> <li>(f) The process for developing UPOV Test Guidelines</li> </ul>
5.	The UPOV website
6.	Agenda for the TWP meeting



## UPOV)


#### UPOV provides guidance by:

- The "General Introduction" (TG/1/3)
  - General technical principles
  - Organization of DUS Testing
  - Associated "TGP" Documents (e.g. statistical methods)
    - .g. statistical methods)


AND


#### "Test Guidelines"


- Species/Crop-specific recommendations developed by crop experts
- TGP/7 "Development of Test Guidelines" adopted











# 1. Introduction

Purpose of document TGP/7:

to provide guidance on the development of <u>UPOV TEST GUIDELINES</u>

\*to provide guidance on the development of INDIVIDUAL AUTHORITIES' TEST GUIDELINES, in the absence of UPOV Test Guidelines



# The TG Template


(Annex I of document TGP/7)

•Format of the cover page,


•Universal Standard wording of 10 Chapters,

•Format of the Table of Characteristic (Chapter 7),


•Format of the Technical Questionnaire (Chapter10)








Char. No. (*) (+) (QL/QN/PQ)		English	français	deutsch	español	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	Note/ Nota
{GN 18 Order of characteristics in the Table of Characteristic s}		{GN 24 Heading of a characteristic}					
{GN 19 Asterisked characteristics}	{GN 22 Recommendati ons for conducting the examination}	{GN 25 States of expression of a characteristic}	{GN 12 Example varieties }	{GN 26 Notes}			
{GN 20 Explanation of the characteristic}	{GN 23 Growth stage}	{GN 25 States of expression of a characteristic}	{GN 12 Example varieties }	{GN 26 Notes}			
{GN 21 Type of expression of the characteristic}	{Other}	{GN 25 States of expression of a characteristic}	{GN 12 Example varieties }	{GN 26 Notes}			






# UPOV

#### **Selection of Characteristics**

The basic requirements that a characteristic should fulfill before it is used for DUS testing or producing a variety description are that its expression (TG/1/3: Section 4.2.1) :

- (a) results from a given genotype or combination of genotypes; (b) is sufficiently consistent and repeatable in a particular environment:
- (c) exhibits sufficient variation between varieties to be able to establish distinctness;
- (d) is capable of precise definition and recognition;
- (e) allows uniformity requirements to be fulfilled;

(f) allows **stability requirements** to be fulfilled, meaning that it produces consistent and repeatable results after repeated propagation or, where appropriate, at the end of each cycle of propagation.




Selection	on of Ch	aracteri	stics	
Criteria	Fruit: color	Leaf: shape	Yield	Straw strength
(a) results from a given genotype or combination of genotypes	Yes	Yes	Yes	Yes
(b) sufficiently consistent and repeatable in a particular environment	Yes	Yes	(No)	(No)
(c) exhibits sufficient variation between varieties to be able to establish distinctness	Yes	Yes	???	???
(d) is capable of precise definition and recognition	Yes	Yes	(No)	???
(e) allows uniformity requirements to be fulfilled	Yes	Yes	???	???
(f) allows stability requirements to be fulfilled	Yes	Yes	???	???
Commercial value	Yes	No	Yes	Yes
ACCEPTABILITY	Yes	Yes	No	No

Special Ch	aracteristics: Disease Resistance
Criteria	Disease Resistance
(a) results from a given genoty combination of genotypes	pe or *Knowledge of nature of genetic control of resistance is important
(b) sufficiently consistent and n in a particular environment	*Standardize conditions (greenhouse / laboratory) & methodology *Standardize inoculum *Ring-test
(c) exhibits sufficient variation varieties to be able to establish distinctness	
(d) is capable of precise definit recognition	ion and *Define and recognize races and strains
(e) allows uniformity requirements fulfilled	ents to be see above
(f) allows stability requirement fulfilled	s to be see above
	Difficult and expensive

Straw strength

Yield



# UPOV


# TYPE OF EXPRESSION OF CHARACTERISTICS (QL, QN, PQ)

#### UPOV

#### **Qualitative Characteristics**

"Qualitative characteristics" are those that are **expressed in discontinuous states** (e.g. sex of plant: dioecious female (1), dioecious male (2), monoecious unisexual (3), monoecious hermaphrodite (4)).

These states are self-explanatory and independently meaningful. All states are necessary to describe the full range of the characteristic, and every form of expression can be described by a single state. The order of states is not important. As a rule, the **characteristics are not influenced by environment**.



#### UPOV

#### Qualitative Characteristics

In qualitative characteristics, **the difference between two varieties may be considered clear if one or more characteristics have expressions that fall into two different states in the Test Guidelines**. Varieties should not be considered distinct for a qualitative characteristic if they have the same state of expression.

(e.g. sex of plant: dioecious female (1), dioecious male (2), monoecious unisexual (3), monoecious hermaphrodite (4)).

## T POV


#### **Quantitative Characteristics**


"Quantitative characteristics" are those where the expression covers the full range of variation from one extreme to the other. The **expression can be recorded on a one-dimensional**, **continuous or discrete, linear scale**. The range of expression is divided into a number of states for the purpose of description (e.g. length of stem: very short (1), short (3), medium (5), long (7), very long (9)). The division seeks to provide, as far as is practical, an even distribution across the scale. The Test Guidelines do not specify the difference needed for distinctness. The states of expression should, however, be meaningful for DUS assessment.

# TLAL

#### Quantitative Characteristics

Quantitative characteristics are considered for distinctness according to the method of observation and the features of propagation of the variety concerned.








#### UPOV


#### Pseudo-Qualitative Characteristics

In the case of "pseudo-qualitative characteristics," the **range of expression is at least partly continuous, but varies in more than one dimension** (e.g. shape: ovate (1), elliptic (2), circular (3), obovate (4)) and cannot be adequately described by just defining two ends of a linear range. In a similar way to qualitative (discontinuous) characteristics – hence the term "pseudo-qualitative" – each individual state of expression needs to be identified to adequately describe the range of the characteristic.












→ (above middle)








	POV	Q		Characterist al cases)	ics	
Char No.	Method of Framination Full and the second se	français	deutsch	español	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	Note/ Nota
1. (*) QL	MS Plant: ploid C diploid tetraploid	dy				2
3. (*) QL	VG Stem: anth coloration absent present	ocyanin			Gumpoong Chunpoong, Gopoong	1
					Copoolig	


UPOV		Quantitative C weak/ short/I small/	stro	ong g	istics
	Note	State	1	Note	State
	1	very weak (or: absent or very weak)		1	very small (or: absent or very small)
	2	very weak to weak		2	very small to small
	3	weak		3	small
	4	weak to medium		4	small to medium
	5	medium		5	medium
	6	medium to strong		6	medium to large
	7	strong		7	large
	8	strong to very strong		8	large to very large
	9	very strong	J	9	very large


	Quantitative Ch	aracteristics	
Standard Range Version 1 1 very weak	Standard Range Version 2	Standard Range Version 3 -	Standard Range Version 4 -
(or: absent or very weak) 3 weak	(or: absent or very weak) 3 weak	3 weak	3 weak
5 medium 7 strong 9 very strong	5 medium 7 strong	5 medium 7 strong 9 very strong	5 medium 7 strong


0 P 0		<u>Quantitati</u>	ve Characteristi	<u>cs</u>
State	Example 1 Size relative to:	Example 2 Angle:	Example 3 Position:	Example 4 Length in relation to:
1	much smaller	very acute	at base	equal
3	moderately smaller	moderately acute	one quarter from base	slightly shorter
5	same size	right angle	in middle	moderately shorter
7	moderately larger	moderately obtuse	one quarter from apex end	much shorter
9	much larger	very obtuse	at apex	very much shorter





<u>Pseudo-qualitative Characteristics</u> (typical examples)							
24. (+)	Flower: color of the center	Fleur: couleur du centre	Farbe der Mitte	Flor: color del centro			
PQ	green	vert	grün	verde	1		
	yellow	jaune	gelb	amarillo	2		
	orange	orange	orange	naranja	3		
	pink	rose	rosa	rosa	4		
	red	rouge	rot	rojo	5		
	purple	pourpre	purpum	púrpura	6		


















		Note/ Nota
1.	Plant: ploidy	
	diploid	2
	tetraploid	4
	hexaploid	6
	octoploid	8



TPOT			
3	8. F	Plant: rhizomes	
	8	ibsent	1
	p	present	9
_			




5.	Leaf blade: ratio length/width	
	very small	1
	small	3
	medium	Į
	large	
	very large	(

6.	Petal: color	
	white	1
	yellow	2
	orange	3
	red	4
	pink	5
	purple	6

7.	Leaf blade: intensity of green color of upper side	
	light	3
	medium	5
	dark	7

8.	Leaf blade: shape of base	
	acute	1
	obtuse	2
	truncate	3
	cordate	4


THOM			
	9.	Petal: color	
		RHS Colour Chart (indicate reference number)	





11.	Flower: position of stigma relative to anthers	
	below	1
	same level	2
	above	3


UPOV			
	12.	Petal: shape (excluding claw)	
		broad elliptic	1
		circular	2
		oblate	3

# 4. TEST GUIDELINES (document TGP/7) (c) Method of observation (visual / measurement; single record / several records)













Standard Test Guidelines Characteristic				
Function	Criteria			
1.Characteristics that are <b>accepted by</b> <b>UPOV for examination of DUS</b> and from which members of the Union can select those suitable for their particular circumstances.	1.Must satisfy the criteria for use of any characteristic for DUS as set out in <b>Chapter 4, section 4.2</b> .     2.Must have been <b>used</b> to develop a variety description <b>by at least one member of the</b> <b>Union</b> .     3.Where there is a long list of such characteristics and, where considered appropriate, there may be an indication of the extent of use of each characteristic.			



	Function	Criteria			
ona	acteristics in which the documented states of expression, even where recorded at different locations, can be used either individually or in combination with other such characteristics: to select varieties of common knowledge that can be excluded from the growing trial used for examination of distinctness, and/or	1.(a) Qualitative characteristics or (b) Quantitative or pseudo-qualitative characteristics which provide useful discrimination between the varieties of common knowledge from documented states of expression recorded at different locations. 2.Must be useful for functions 1 and 2. 3.Should be an <b>asterisked characteristic</b> and/or included in the <b>Technical</b> <b>Questionnaire</b> or application form.			
<b>(b)</b>	to organize the growing trial so that similar varieties are grouped together				








1.	Branch: length	
	short (<15cm)	1
QN	medium (16-45cm)	2
	long (>45cm)	3

2.	Flower: petaloid stamens	
QN	absent	1
	few (>0 - 20%)	2
	medium (>20-95%)	3
	many (>95%)	4


THOL	(+) position		year-old shoot: on of vegetative n relation to shoot	i l			
	PQ	adpres	ssed	1			
		slightl	ly held out	2			
		marke	edly held out	3			
				2 dighty held	9	anthetity held our	




	lenticels	
QL in	conspicuous	1
co	onspicuous	2

6.	Scape: shape of top		
QL	acute	1	
	obtuse	2	

UPOT			
7. (*)	Leaf: shape	e	
QL	elliptic	Esmamerica	1
	ovate	Barfast	2





UPO					
	9. (*)	VG	Stem: position of long side branches		
	PQ		mainly lower third	1	
			mainly middle third	2	
			along whole stem	3	





UPOV	7. <u>Ta</u>	ble of Characterist	Lettuce ics/Tableau des cara	TG/139 /Laitue/Salat/Lechuga, - 7 - actères/Merkmalstal		eteres.	
		English	français	Deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note' Nota
	1. (*)	Seed: color	Semence: couleur	Samen: Farbe	Semilla: color		
		white	blanche	weiß	blanco	Verpia	1
		yellow	jaune	gelb	amarillo	Durango	2
		black	noire	schwarz	negro	Kagraner Sommer	3
	2. (*) (*)	Seedling: anthocyanin coloration	Plantule: pigmentation anthocyanique	Keimpflanze: Anthocyanfärbung	Plántula: pigmentación antociánica		
		absent	absente	fehlend	ausente	Verpia	1
		present	présente	vorhanden	presente	Pirat	9
	3.	Seedling: size of cotyledon (fully developed)	Plantule: taille du cotylédon (à complet développement)	Keimpflanze: Größe des Keimblatts (voll entwickelt)	Plántula: tamailio del cotiledón (plenamente desarrollado)		
		small	petit	klein	pequeño	Romance	3
		medium	moyen	mittel	medio	Expresse	5
		large	grand	groß	grande	Verpia	7


			Perilla/Péril	TG/219/1 le/Perilla/Perilla, 2004 - 10 -	-03-31		
		English	français	deutsch	español	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	No No
14.	VG	Leaf blade: intensity of purplish color of <u>lower</u> side	Limbe: intensité de la couleur pourpre de la face inférieure	Blattspreite: Intensität der Purpurfarbe der Unterseite	Limbo: intensidad del color purpúreo del envés		
QN	(a)	very light	très claire	sehr hell	muy claro		1
		light	claire	hell	claro	Perlime	3
		medium	moyenne	mittel	medio		5
		dark	foncée	dunkel	oscuro	Perro	7
		very dark	très foncée	sehr dunkel	muy oscuro	Bora, Purple	9
15.	VG	Leaf blade: profile	Limbe: profil	Blattspreite: Profil	Limbo: perfil		
QN	(a)	concave	concave	konkav	cóncavo	Perro	3
		plane	plan	flach	plano	Pergro, Saeyeupsil	5
		convex	convexe	konvex	convexo		7














































	Beisp	ples/ ielssorten/ dades ejemplo	Note/ Nota
(+) <u>bushy</u> Plant:	varieties with growth type: predominant le of stems		
QN (a) uprigh semi u		?	1


		English	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	Note/ Nota
5. (*) (+)		Plant: width including flowers		
QN	(a)	narrow	?	3
		medium		5
		broad		7




		English	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	Note/ Nota	
7. (*) (+)		Leaf: length			
QN	(a) (b)	short	9	3	
		medium	-	5	
		long		7	
		very long		9	










PRIORITY for UPOV Test Guidelines
<b>PRIORITY</b> for species or crops with high:
<ul> <li>number of authorities receiving PBR applications;</li> </ul>
- number of PBR applications;
<ul> <li>number of foreign applications received by UPOV members;</li> </ul>
- economic importance;
- level of breeding activity

EXAMPLE (New Test Gu	<u>idelines)</u>
Test Guidelines: <i>Plantus magnifica</i> (Common na	
Technical Working Party: <b>TWX</b>	
TWX (2005): TWX (2006): TWX (2007):	Alpha (proj. <b>1</b> ) Alpha (proj. <b>2</b> ) Alpha (proj. <b>3</b> )
Enlarged Editorial Committee (2008): Technical Committee (2008): Final adopted document (2008):	Alpha (proj. <b>4</b> ) Alpha (proj. <b>5</b> ) <b>TG/500/1</b>



# UPOV Website http://www.upov.int (e-mail: upov.mail@upov.int)




UPOV Mission Statement	INTERNATIONAL-BREAR FOR THE PROTECTION OF NEW VARIETIES OF PLANTS Home ( About uppy), uppy documents   publications   news 6 events
Introduction Introduction UPOV Convention Membership UPOV Bodies Legal Resources Key Issues Contact Us	MISSION STATEMENT To provide and promote an effective system of plant variety protection, with the aim of encouraging the development of new varieties of plants, for the benefit of society.
Links	● UPOV 2002



KEY ISSUES	
	TION UPOV Report on the Impact of Plant Variety Protection (UPOV Publication 353(E))
	Executive Summary
Breeder's exemp	tion Breeder's exemption in the 1978 and the 1991 Act of the UPOV Convention ( <u>Adobe POP</u> )
Notion of Breed Common Knowle	r and The Notion of Breeder and Common Knowledge
	(Adobe PDE)
Genetic Resourd Benefit-Sharing	
	Access to Genetic Resources and Benefit-Bharing (Reply of UPO/t to the Notification of June 36, 2003, from the Executive Becretary of the Convention on Biological Eversity (CBD) (AdDet PDP) (AdDet Dy the Council of UPOV, October 23, 2003)
	Position of the International Union for the Protection of New Varieties of Plants (UPOV) concerning Decision VUS of the Conference of the Parties to the Convention on Biological Diversity (CBD) (April 11, 2003) (Adube RDP)
	UPOV and IPGRI to Intensify Cooperation: Meeting on May 13 and



HOME ABOUT UPOV UPOV DOCUM	ENTS PUBLICATIONS	HE TO DETENTO
	$\sim$	
UPOV Convention		LIST OF UPOV PUBLICATIONS*
List of Publications		
Gazette & Newsletter	are available on re	quest:
Laws & Treatles Abbreviations:		
List of Taxa Protected		
Plant Variety A = Arabic, C = Chinese, D = Du Protection Statistics C = German, I = Italian, J = Jap		= French, FEG = French/English/German, ese, R = Russian, S = Spanish
General Introduction to DUS 221	(Å)	International Convention for the Protecti
TGP Documents	(C)	Plants,
Test Guidelines	(D)	text of 1991 only
Practical Technical	(E) (F)	
Knowledge	(G)	
Cooperation in	(I)	
Examination	(P) (R)	



UPOV	INTERNATIONAL AND THE PROTECTION OF NOW DANIETIES OF PLANES   Nome   Addit uppy   uppy documents   publications   news & events	
Calendar	DRAFTER'S KIT FOR TEST GUIDELINES	
Restricted area	General Introduction to DUS	
	Test Guidelines in Word format	
	TGP/7 "Development of Test Guidelines"	
	Electronic TG Template	
	TGP/7 Annex 4:	
	User notes     Index     Collection of Approved Characteristics	
	Additional Characteristics	

