

UPOV

TG/HOSTA(proj.6)

ORIGINAL: English

DATE: 2012-07-02

INTERNATIONAL UNION FOR THE PROTECTION OF NEW VARIETIES OF PLANTS

Geneva

DRAFT

HOSTA

UPOV Code: HOSTA

Hosta Tratt.

GUIDELINES

FOR THE CONDUCT OF TESTS

FOR DISTINCTNESS, UNIFORMITY AND STABILITY

prepared by experts from the Netherlands

to be considered by the

*Technical Working Party for Ornamental Plants and Forest Trees
at its forty-fifth session, to be held in Jeju, Republic of Korea, from August 6 to 10, 2012*

Alternative Names:^{*}

<i>Botanical name</i>	<i>English</i>	<i>French</i>	<i>German</i>	<i>Spanish</i>
<i>Hosta</i> Tratt.	Funkia, Hosta, Plantain Lily	Funkia, Hémérocalle du Japon	Funkie	Hosta

The purpose of these guidelines ("Test Guidelines") is to elaborate the principles contained in the General Introduction (document TG/1/3), and its associated TGP documents, into detailed practical guidance for the harmonized examination of distinctness, uniformity and stability (DUS) and, in particular, to identify appropriate characteristics for the examination of DUS and production of harmonized variety descriptions.

ASSOCIATED DOCUMENTS

These Test Guidelines should be read in conjunction with the General Introduction and its associated TGP documents.

^{*} These names were correct at the time of the introduction of these Test Guidelines but may be revised or updated. [Readers are advised to consult the UPOV Code, which can be found on the UPOV Website (www.upov.int), for the latest information.]

<u>TABLE OF CONTENTS</u>	<u>PAGE</u>
1. SUBJECT OF THESE TEST GUIDELINES	3
2. MATERIAL REQUIRED	3
3. METHOD OF EXAMINATION	3
3.1 NUMBER OF GROWING CYCLES	3
3.2 TESTING PLACE	3
3.3 CONDITIONS FOR CONDUCTING THE EXAMINATION	3
3.4 TEST DESIGN	3
3.5 ADDITIONAL TESTS.....	4
4. ASSESSMENT OF DISTINCTNESS, UNIFORMITY AND STABILITY	4
4.1 DISTINCTNESS	4
4.2 UNIFORMITY	5
4.3 STABILITY.....	5
5. GROUPING OF VARIETIES AND ORGANIZATION OF THE GROWING TRIAL.....	5
6. INTRODUCTION TO THE TABLE OF CHARACTERISTICS.....	6
6.1 CATEGORIES OF CHARACTERISTICS	6
6.2 STATES OF EXPRESSION AND CORRESPONDING NOTES.....	6
6.3 TYPES OF EXPRESSION	6
6.4 EXAMPLE VARIETIES	7
6.5 LEGEND	7
7. TABLE OF CHARACTERISTICS/TABLEAU DES CARACTÈRES/MERKMALSTABELLE/TABLA DE CARACTERES	8
8. EXPLANATIONS ON THE TABLE OF CHARACTERISTICS.....	22
8.1 EXPLANATIONS COVERING SEVERAL CHARACTERISTICS.....	22
8.2 EXPLANATIONS FOR INDIVIDUAL CHARACTERISTICS	22
9. LITERATURE	29
10. TECHNICAL QUESTIONNAIRE.....	30

1. Subject of these Test Guidelines

These Test Guidelines apply to all varieties of *Hosta* Tratt..

2. Material Required

2.1 The competent authorities decide on the quantity and quality of the plant material required for testing the variety and when and where it is to be delivered. Applicants submitting material from a State other than that in which the testing takes place must ensure that all customs formalities and phytosanitary requirements are complied with.

2.2 The material is to be supplied in the form of two years old plants ready to flower and able to express all their characteristics in the first year of examination.

2.3 The minimum quantity of plant material, to be supplied by the applicant, should be:

20 plants.

2.4 The plant material supplied should be visibly healthy, not lacking in vigor, nor affected by any important pest or disease.

2.5 The plant material should not have undergone any treatment which would affect the expression of the characteristics of the variety, unless the competent authorities allow or request such treatment. If it has been treated, full details of the treatment must be given.

3. Method of Examination

3.1 *Number of Growing Cycles*

The minimum duration of tests should normally be two independent growing cycles.

3.2 *Testing Place*

Tests are normally conducted at one place. In the case of tests conducted at more than one place, guidance is provided in TGP/9 "Examining Distinctness".

3.3 *Conditions for Conducting the Examination*

3.3.1 The tests should be carried out under conditions ensuring satisfactory growth for the expression of the relevant characteristics of the variety and for the conduct of the examination.

3.3.2 *Observation of color by eye*

Because daylight varies, color determinations made against a color chart should be made either in a suitable cabinet providing artificial daylight or in the middle of the day in a room without direct sunlight. The spectral distribution of the illuminant for artificial daylight should conform with the CIE Standard of Preferred Daylight D 6500 and should fall within the tolerances set out in the British Standard 950, Part I. These determinations should be made with the plant part placed against a white background. The color chart and version used should be specified in the variety description.

3.4 *Test Design*

3.4.1 Each test should be designed to result in a total of at least 20 plants.

3.4.2 The design of the tests should be such that plants or parts of plants may be removed for measurement or counting without prejudice to the observations which must be made up to the end of the growing cycle.

3.5 *Additional Tests*

Additional tests, for examining relevant characteristics, may be established.

4. Assessment of Distinctness, Uniformity and Stability

4.1 *Distinctness*

4.1.1 General Recommendations

It is of particular importance for users of these Test Guidelines to consult the General Introduction prior to making decisions regarding distinctness. However, the following points are provided for elaboration or emphasis in these Test Guidelines.

4.1.2 Consistent Differences

The differences observed between varieties may be so clear that more than one growing cycle is not necessary. In addition, in some circumstances, the influence of the environment is not such that more than a single growing cycle is required to provide assurance that the differences observed between varieties are sufficiently consistent. One means of ensuring that a difference in a characteristic, observed in a growing trial, is sufficiently consistent is to examine the characteristic in at least two independent growing cycles.

4.1.3 Clear Differences

Determining whether a difference between two varieties is clear depends on many factors, and should consider, in particular, the type of expression of the characteristic being examined, i.e. whether it is expressed in a qualitative, quantitative, or pseudo-qualitative manner. Therefore, it is important that users of these Test Guidelines are familiar with the recommendations contained in the General Introduction prior to making decisions regarding distinctness.

4.1.4 Number of Plants / Parts of Plants to be Examined

Unless otherwise indicated, for the purposes of distinctness, all observations on single plants should be made on 10 plants or parts taken from each of 10 plants and any other observations made on all plants in the test, disregarding any off-type plants.

4.1.5 Method of Observation

The recommended method of observing the characteristic for the purposes of distinctness is indicated by the following key in the second column of the Table of Characteristics (see document TGP/9 "Examining Distinctness", Section 4 "Observation of characteristics"):

MG: single measurement of a group of plants or parts of plants

MS: measurement of a number of individual plants or parts of plants

VG: visual assessment by a single observation of a group of plants or parts of plants

VS: visual assessment by observation of individual plants or parts of plants

Type of observation: visual (V) or measurement (M)

"Visual" observation (V) is an observation made on the basis of the expert's judgment. For the purposes of this document, "visual" observation refers to the sensory observations of the experts and, therefore, also includes smell, taste and touch. Visual observation includes observations where the expert uses reference points (e.g. diagrams, example varieties, side-by-side comparison) or non-linear charts (e.g. color charts). Measurement (M) is an objective observation against a calibrated, linear scale e.g. using a ruler, weighing scales, colorimeter, dates, counts, etc.

Type of record: for a group of plants (G) or for single, individual plants (S)

For the purposes of distinctness, observations may be recorded as a single record for a group of plants or parts of plants (G), or may be recorded as records for a number of single, individual

plants or parts of plants (S). In most cases, "G" provides a single record per variety and it is not possible or necessary to apply statistical methods in a plant-by-plant analysis for the assessment of distinctness."

In cases where more than one method of observing the characteristic is indicated in the Table of Characteristics (e.g. VG/MG), guidance on selecting an appropriate method is provided in document TGP/9, Section 4.2.

4.2 *Uniformity*

4.2.1 It is of particular importance for users of these Test Guidelines to consult the General Introduction prior to making decisions regarding uniformity. However, the following points are provided for elaboration or emphasis in these Test Guidelines:

4.2.2 For the assessment of uniformity of vegetatively propagated varieties, a population standard of 1% and an acceptance probability of at least 95% should be applied. In the case of a sample size of 20 plants, 1 off-type is allowed."

4.3 *Stability*

4.3.1 In practice, it is not usual to perform tests of stability that produce results as certain as those of the testing of distinctness and uniformity. However, experience has demonstrated that, for many types of variety, when a variety has been shown to be uniform, it can also be considered to be stable.

4.3.2 Where appropriate, or in cases of doubt, stability may be further examined by testing a new plant stock to ensure that it exhibits the same characteristics as those shown by the initial material supplied.

5. Grouping of Varieties and Organization of the Growing Trial

5.1 The selection of varieties of common knowledge to be grown in the trial with the candidate varieties and the way in which these varieties are divided into groups to facilitate the assessment of distinctness are aided by the use of grouping characteristics.

5.2 Grouping characteristics are those in which the documented states of expression, even where produced at different locations, can be used, either individually or in combination with other such characteristics: (a) to select varieties of common knowledge that can be excluded from the growing trial used for examination of distinctness; and (b) to organize the growing trial so that similar varieties are grouped together.

5.3 The following have been agreed as useful grouping characteristics:

- (a) Leaf blade: shape (characteristic 11)
- (b) Leaf blade: color one (characteristic 14) with the following groups:
 - white
 - light yellow
 - medium yellow
 - dark yellow
 - light green
 - medium green
 - dark green
 - blue green
- (c) Leaf blade: color two (characteristic 18) with the following groups:
 - white
 - light yellow
 - medium yellow
 - dark yellow
 - light green
 - medium green
 - dark green
 - blue green

5.4 Guidance for the use of grouping characteristics, in the process of examining distinctness, is provided through the General Introduction and document TGP/9 “Examining Distinctness”.

6. Introduction to the Table of Characteristics

6.1 *Categories of Characteristics*

6.1.1 Standard Test Guidelines Characteristics

Standard Test Guidelines characteristics are those which are approved by UPOV for examination of DUS and from which members of the Union can select those suitable for their particular circumstances.

6.1.2 Asterisked Characteristics

Asterisked characteristics (denoted by *) are those included in the Test Guidelines which are important for the international harmonization of variety descriptions and should always be examined for DUS and included in the variety description by all members of the Union, except when the state of expression of a preceding characteristic or regional environmental conditions render this inappropriate.

6.2 *States of Expression and Corresponding Notes*

6.2.1 States of expression are given for each characteristic to define the characteristic and to harmonize descriptions. Each state of expression is allocated a corresponding numerical note for ease of recording of data and for the production and exchange of the description.

6.2.2 In the case of qualitative and pseudo-qualitative characteristics (see Chapter 6.3), all relevant states of expression are presented in the characteristic. However, in the case of quantitative characteristics with 5 or more states, an abbreviated scale may be used to minimize the size of the Table of Characteristics. For example, in the case of a quantitative characteristic with 9 states, the presentation of states of expression in the Test Guidelines may be abbreviated as follows:

State	Note
small	3
medium	5
large	7

However, it should be noted that all of the following 9 states of expression exist to describe varieties and should be used as appropriate:

State	Note
very small	1
very small to small	2
small	3
small to medium	4
medium	5
medium to large	6
large	7
large to very large	8
very large	9

6.2.3 Further explanation of the presentation of states of expression and notes is provided in document TGP/7 “Development of Test Guidelines”.

6.3 *Types of Expression*

An explanation of the types of expression of characteristics (qualitative, quantitative and pseudo-qualitative) is provided in the General Introduction.

6.4 *Example Varieties*

Where appropriate, example varieties are provided to clarify the states of expression of each characteristic.

6.5 *Legend*

- | | | |
|----------------|--|---------------------|
| (*) | Asterisked characteristic | – see Chapter 6.1.2 |
| QL | Qualitative characteristic | – see Chapter 6.3 |
| QN | Quantitative characteristic | – see Chapter 6.3 |
| PQ | Pseudo-qualitative characteristic | – see Chapter 6.3 |
| MG, MS, VG, VS | | – see Chapter 4.1.5 |
| (a)-(e) | See Explanations on the Table of Characteristics in Chapter 8.1 | |
| (+) | See Explanations on the Table of Characteristics in Chapter 8.2. | |

7. Table of Characteristics/Tableau des caractères/Merkmalstabelle/Tabla de caracteres

	English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
1. VG (*) (+)	Plant shoot: color of first scaly leaves					
PQ (a)	green					1
	purple				El Capitan	2
	brown					3
2. VG/ (*) MG/ MS	Plant: height (inflorescence excluded)					
QN (a)	short				Great Escape	3
	medium				Paradise Island	5
	tall				Fragrant Queen	7
3. VG/ (*) MG/ MS	Plant: width					
QN (a)	very narrow				Desert Mouse, Pandora's box	1
	narrow				Secret Ambition	3
	medium				Paradise Island	5
	broad					7
	very broad				Big Boy	9
4. VG/ (*) MG/ MS	Petiole: length					
QN (a)	very short				Desert Mouse	1
	short				Time Tunnel	3
	medium				Earth Angel	5
	long				Blue Circle	7
	very long				Big Boy, Flower Power, Green Acres	9
5. VG	Petiole: shape in cross-section					
PQ (a)	flat				Alba (H.sieboldii), Peter Pan	1
	V-shape				H. kiyosumiensis	2
	U-shape				June, Red Oktober	3

	English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
6. VG	Petiole: color					
PQ (a)	yellow				White Christmas	1
	yellow green				Desert Mouse	2
	light green				Fragrant Queen	3
	medium green				Stirfry	4
	dark green				Devon Green	5
	blue green				Bressingham Blue	6
	blue grey				Gran Marquee	7
7. VG	Petiole: distribution of anthocyanin coloration					
PQ (a)	none				Desert Mouse	1
	flush				Pilgrim	2
	spotted				Paradise Island	3
8. VG/ (*) MG/ MS	Leaf blade: length					
QN (a)	very short				Desert Mouse	1
	short				Little Treasure, Secret Ambition	3
	medium				Heat Wave	5
	long				Blue Circle	7
	very long				Big Boy	9
9. VG/ (*) MG/ MS	Leaf blade: width					
QN (a)	very narrow				Desert Mouse	1
	narrow				Secret Ambition	3
	medium				Risky Business	5
	broad					7
	very broad				Big Boy, Sum and Substance	9

	English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
10.	VG	Leaf blade: position of the broadest part				
	(+)					
QN	(a)	in the middle				1
		slightly towards base				2
		moderately towards base				3
		strongly towards base				4
11.	VG	Leaf blade: shape				
	(*)					
	(+)					
PQ	(a)	very narrow ovate			Stiletto	1
		narrow ovate				2
		medium ovate			Desert Mouse, Sagae	3
		broad ovate			Sum and Substance	4
		very narrow elliptic				5
		narrow elliptic			Saishu Jima	6
		medium elliptic			Pineapple Poll	7
		round			Abiqua Drinking Gourd	8
		broad elliptic				9
12.	VG	Leaf blade: shape of base				
	(*)					
	(+)					
PQ	(a)	acute			Saishu Jima, Sea Octopus	1
		obtuse			Hoosier Harmony	2
		truncate			H. nakaiana	3
		cordate			Minnie Klopping, Pacific Blue Edger	4
13.	VG	Leaf blade: shape of apex (excluding tip)				
	(+)					
PQ	(a)	acute			Otome-no-ka	1
		obtuse			Oriana	2
		rounded			Great Expectations, Tokudama Aureonebulosa	3

	English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
14.	Leaf blade: color 1					
(*)						
PQ	(a) RHS Colour Chart (b) (indicate reference number)					
15.	Leaf blade: area of color 1 as a proportion of the total leaf area					
VG						
QN	(a) small				Esmerald Tiara	3
	medium				Little Treasure	5
	large				Desert Mouse	7
16.	Leaf blade: distribution of color 1					
VG						
PQ	(a) at base				Night Before Christmas	1
	at centre				Desert Mouse, Holy Mouse Ears	2
	at top				Cherry Berry	3
	at margin				Pizzazz	4
	scattered					5
17.	Leaf blade: color pattern of color 1					
(+)						
PQ	(a) equal					1
	flamed				June, Little Sun Spot	2
	striped				H. sieboldiana 'Thunderbolt', On stage, Spilt Milk	3
	spotted				Kiwi Forest	4
	in sectors				Pin Stripe Sister	5
	marbled				H. sieboldiana 'Northern Mist'	6
	marginated					7

	English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
18.	VG	Leaf blade: color 2 (if present)				
PQ	(a)	RHS Colour Chart				
	(b)	(indicate reference number)				
19.	VG	Leaf blade: area of color 2 as a proportion of the total leaf area				
QN	(a)	small			Desert Mouse	
		medium			June, Little Treasure	
		large			Liberty	
20.	VG	Leaf blade: distribution of color 2				
PQ	(a)	at base				1
		at centre			June	2
		at top			Liberty	3
		at margin				4
		scattered				5
21.	VG	Leaf blade: color pattern of color 2				
(+)						
PQ	(a)	flamed			June, Little Sun Spot	1
		striped			H. sieboldiana 'Thunderbolt', On stage, Spilt Milk	2
		spotted			Kiwi Forest	3
		in sectors			Pin Stripe Sister	4
		marbled			H. sieboldiana 'Northern Mist'	5
		marginated				6

	English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
22. VG (*)	Leaf blade: color 3 (if present)					
PQ (a) (b)	RHS Colour Chart (indicate reference number)					
23. VG	Leaf blade: area of color 3 as a proportion of the total leaf area					
QN (a)	small				Desert Mouse	3
	medium				Anne, Liberty	5
	large				Holy Mouse Ears	7
24. VG	Leaf blade: distribution of color 3					
PQ (a)	at base				Anne	1
	at centre				Liberty	2
	at top					3
	at margin				Desert Mouse, June	4
	scattered					5
25. VG (+)	Leaf blade: color pattern of color 3					
PQ (a)	flamed				June, Little Sun Spot	1
	striped				H. sieboldiana 'Thunderbolt', On stage, Spilt Milk	2
	spotted				Kiwi Forest	3
	in sectors				Pin Stripe Sister	4
	marbled				H. sieboldiana 'Northern Mist', Striptease	5
	marginated				Desert Mouse	6
26. VG (*)	Leaf blade: color 4 (if present)					
PQ (a) (b)	RHS Colour Chart (indicate reference number)					

	English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
27.	VG	Leaf blade: area of color 4 as a proportion of the total leaf area				
QN	(a)	small				3
		medium				5
		large				7
28.	VG	Leaf blade: distribution of color 4				
PQ	(a)	at base				1
		at centre				2
		at top				3
		at margin				4
		scattered				5
29.	VG	Leaf blade: color pattern of color 4				
(+)						
PQ	(a)	flamed			June, Little Sun Spot	1
		striped			H. sieboldiana 'Thunderbolt', On stage, Spilt Milk	2
		spotted			Kiwi Forest	3
		in sectors			Pin Stripe Sister	4
		marbled			H. sieboldiana 'Northern Mist', Striptease	5
		marginated				6
30.	VG	Leaf blade: color 5 (if present)				
(*)						
PQ	(a)	RHS Colour Chart				
	(b)	(indicate reference number)				
31.	VG	Leaf blade: area of color 5 as a proportion of the total leaf area				
QN	(a)	small				3
		medium				5
		large				7

	English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
32.	VG	Leaf blade: distribution of color 5				
PQ	(a)	at base				1
		at centre				2
		at top				3
		at margin				4
		scattered				5
33.	VG	Leaf blade: color pattern of color 5				
(+)						
PQ	(a)	flamed			June, Little Sun Spot	1
		striped			H. sieboldiana 'Thunderbolt', On stage, Spilt Milk	2
		spotted			Kiwi Forest	3
		in sectors			Pin Stripe Sister	4
		marbled			H. sieboldiana 'Northern Mist', Striptease	5
		marginated				6
34.	VG	Leaf blade: cross section				
QN	(a)	convex			Big Daddy	1
		flat			Aphrodite, White Feather	2
		moderately concave			Desert Mouse	3
		strongly concave			Love Pat	4
35.	VG	Leaf blade: number of parallel veins				
(+)						
QN	(a)	few			Fragrant Queen	1
		medium			Frosted Mouse, Heat Wave	2
		many			Blue Circle	3

	English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
36.	VG					
(+)						
	Leaf blade: degree of bulging					
QN	(a)	absent or very weak			Peter Pan	1
		weak			Hyacinthina	2
		medium			Blue Circle	3
		strong			Ground Master	4
		very strong			Pizzazz	5
37.	VG					
(+)						
	Leaf blade: degree of blistering					
QN	(a)	absent or weak			Fragrant Queen	1
		medium			Sea Dream	2
		strong			Midas Touch	3
38.	VG					
(+)						
	Leaf blade: undulation of margin					
QN	(a)	absent or weak			Silvery Slugproof	1
		medium			American Sweetheart	2
		strong			Sparky	3
39.	VG					
(+)						
	Leaf blade: twisting					
QN	(a)	absent or weak			Devon Green, Earth Angel	1
		moderate			Blue Angel, Pizzazz	2
		strong			Green Power, White Christmas	3
40.	VG/ MG					
(+)						
	Inflorescence: length					
QN	(c)	short			Great Escape	3
		medium			Secret Ambition	5
		long			Fragrant Queen	7
41.	VG/ MG					
(+)						
	Inflorescence: number of flowers					
QN	(c)	few			Paradise Island	3
		medium			Secret Ambition	5
		many			Moonstruck	7

	English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
42.	VG	Inflorescence: attitude of flowers				
QN	(c)	erect				1
		horizontal			Diamond Tiara	2
		drooping			Halcyon, Georg Smith	3
43.	VG	Peduncle: color				
PQ	(c)	RHS Colour Chart (indicate reference number)				
44.	VG	Inflorescence: presence of bract				
QL	(c)	absent				1
		present			Moonstruck	9
45.	VG/ MG	Bract: length				
QN	(c)	short			Paradise Island	3
		medium			Grand Marque	5
		long			Secret Ambition	7
46.	VG/ MG	Bract: width				
QN	(c)	narrow			American Sweetheart	3
		medium			Risky Business	5
		broad			Earth Angel	7
47.	VG	Bract: cross section				
QN	(c)	concave			Desert Mouse	1
		flat				2
		convex				3
48.	VG	Bract: color				
PQ	(c)	RHS Colour Chart (indicate reference number)				
49.	VG/ MG	Pedicele: length				
(+)						
QN	(c)	short			Desert Mouse	3
		medium			Grand Marque	5
		long			Earth Angel	7

	English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
50. VG	Pedicel: color					
PQ (c)	RHS Colour Chart (indicate reference number)					
51. VG	Flower: type					
(+)						
QN (c)	single				Tropical Dancer Halcyon	1
	semi-double					2
	double					3
52. MG	Perianth: length					
(+)						
QN (c)	short				Desert Mouse	3
	medium				Secret Ambition	5
	long				Atlantis	7
53. MG	Perianth: width					
(+)						
QN (c)	narrow				Paradise Island	3
	medium				Secret Ambition	5
	broad					7
54. VG	Perianth: shape in side-view					
(+)						
PQ (c)	tubular					1
	flared					2
	funnel					3
	campanulate					4
55. MG	Tube: length					
(+)						
QN (c)	short					3
	medium				Great Escape	5
	long				American Sweetheart	7
56. VG	Tube: color of outer side					
PQ (c)	RHS Colour Chart (indicate reference number)					

	English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
57.	MG	Corolla: length of outer lobes				
	(+)					
QN	(c)	short			Earth Angel	3
		medium			Risky Business	5
		long			American Sweetheart	7
58.	VG	Corolla: shape of outer lobes				
	(+)					
PQ	(c)	very narrow ovate				1
		narrow ovate				2
		medium ovate			Desert Mouse, Lucky Mouse	3
		broad ovate				4
		narrow elliptic				5
		medium elliptic			Atlantis	6
		round				7
		broad elliptic				8
59.	VG	Corolla: color on outer side of outer lobes				
	(*)					
PQ	(c)	RHS Colour Chart (indicate reference number)				
60.	VG	Corolla: shape of apex of outer lobes				
PQ	(c)	acute			Atlantis, Fragrant Queen	1
		obtuse				2
		rounded				3
61.	MG	Corolla: length of inner lobes				
	(+)					
QN	(c)	short			Secret Ambition	3
		medium			Risky Business	5
		long				7

	English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
62.	VG	Corolla: shape of inner lobes				
	(+)					
PQ	(c)	very narrow ovate				1
		narrow ovate				2
		medium ovate			Atlantis, Lucky Mouse	3
		broad ovate				4
		narrow elliptic				5
		medium elliptic			Risky Business,	6
		round				7
		broad elliptic				8
63.	VG	Corolla: color on outer side of inner lobes				
PQ	(c)	RHS Colour Chart (indicate reference number)				
64.	VG	Corolla: shape of apex of inner lobes				
PQ	(c)	acute				1
		obtuse				2
		rounded			Atlantis, Desert Mouse	3
65.	MG	Filament: length				
QN	(c)	short			Heat Wave	3
		medium			Earth Angel	5
		long			American Sweetheart	7
66.	VG	Filament: color				
PQ	(c)	white or whitish			Atlantis	1
		light green			Roxsanne, Tattoo	2
		medium green				3

	English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
67. VG	Anther: color					
PQ (c)	yellow					1
	yellow with purple					2
	yellow brown				Desert Mouse	3
	purple				Atlantis, Secret Love	4
	brown purple				Paradise Island, Risky Business	5
68. MG	Style: length					
QN (c)	short				Desert Mouse	3
	medium				Secret Ambition	5
	long				American Sweetheart	7
69. VG	Style: color					
PQ (c)	white or whitish				Atlantis	1
	light green				Golden Meadows, Paradise Joyce	2
	medium green				Paradise Power	3
70. VG	Style: color of stigma					
PQ (c)	white or whitish				Atlantis, Desert Mouse	1
	light green				Last Dance, Liberty Hosta	2
	medium green				Roxsanne	3
	light yellow					4
	light purple				Liberty Hosta	5
	light violet blue				WAR 101	6
71. VG	Pollen: color					
PQ (c)	medium yellow				Fragrant Queen, Secret Ambition	1
	dark yellow				Roxsanne	2
	yellow orange				Earth Angel, Heat Wave	3
	orange				Atlantis, Desert Mouse	4

8. Explanations on the Table of Characteristics

8.1 *Explanations covering several characteristics*

Characteristics containing the following key in the second column of the Table of Characteristics should be examined as indicated below:

- (a) Plant, petiole and leaf characteristics should be observed before flowering.
- (b) The order of colors should follow the RHS Colour Chart: color 1 is the color with the lowest RHS Colour Chart number; color 2 is the second lowest RHS Colour Chart number; color 3 is the third lowest, etc.
- (c) Characteristics of the inflorescence should be observed when first flowers are open.
- (d) Length of peduncle should be observed when all flowers are open.
- (e) Characteristics on the bract should be observed on the bract of the first flower (when present).

A photograph of the leaf could be provided in conjunction with the description in order to clarify the color distribution and/or pattern. However, a warning should be added to this photograph, explaining that the primary intent of the photograph is to show the distribution and/or pattern of the colors on the plant part rather than the actual colors. Color on photographs can be affected by the technology of the camera and the facilities used to display the photograph (printer, overhead projector, etc.).

8.2 Explanations for individual characteristics

Ad. 1: Plant shoot: color of first scaly leaves

Characteristic should be observed at the moment the first shoots emerge and before opening.



Ad. 10: Leaf blade: position of broadest part



1
in the middle



2
slightly towards base



3
moderately towards base



4
strongly towards base

Ad 11: Leaf blade: shape



1
very narrow ovate



2
narrow ovate



3
medium ovate



4
broad ovate



5
very narrow elliptic



6
narrow elliptic



7
medium elliptic



8
round

9
broad elliptic

Ad. 12: Leaf blade: shape of base



1
acute



2
obtuse



3
truncate



4
cordate

Ad. 13: Leaf blade: shape of apex (excluding tip)



1
acute



2
obtuse



3
rounded

Ad. 17: Leaf blade: color pattern of color 1

Ad. 21: Leaf blade: color pattern of color 2

Ad. 25: Leaf blade: color pattern of color 3

Ad. 29: Leaf blade: color pattern of color 4

Ad. 33: Leaf blade: color pattern of color 5



1

flamed (green)



2

striped (light yellow)



3

spotted (light yellow)



4

in sectors (yellow green)



5

marbled (white)



6

marginated (white)

Ad. 35: Leaf blade: number of parallel veins



1

few



3

many

Ad.36: Leaf blade: degree of bulging



1
absent or very weak



5
very strong

Ad. 37: Leaf blade: degree of blistering



1
absent or very weak



2
medium



3
strong

Ad. 39: Leaf blade: twisting



1
absent or weak




2
moderate




3
strong

Ad. 40: Inflorescence: length




- Ad. 49: Pedicel: length
- Ad. 52: Perianth: length
- Ad. 53: Perianth: width
- Ad. 55: Tube: length
- Ad. 57: Corolla: length of outer lobes
- Ad. 61: Corolla: length of inner lobes



Ad. 51: Flower: type


Flowers with 6 corolla lobes are of the type single (1), flowers with 7 to 11 corolla lobes are of the type semi-double (2) and flowers with 12 or more corolla lobes are of the type double (3).

Ad. 54: Perianth: shape in side view



Ad. 58: Corolla: shape of outer lobes

Ad. 62: Corolla: shape of inner lobes



9. Literature

Grenfell, D., and Shadrack, M., 2004: The color encyclopedia of Hosta's, Timber Press, Inc., Cambridge, GB, ISBN 0-88192-618-3

10. Technical Questionnaire

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
		Application date: (not to be filled in by the applicant)
TECHNICAL QUESTIONNAIRE to be completed in connection with an application for plant breeders' rights		
1. Subject of the Technical Questionnaire		
1.1 Botanical name	<input type="text" value="Hosta Tratt."/>	
1.2 Common name	<input type="text" value="Hosta"/>	
2. Applicant		
Name	<input type="text"/>	
Address	<input type="text"/>	
Telephone No.	<input type="text"/>	
Fax No.	<input type="text"/>	
E-mail address	<input type="text"/>	
Breeder (if different from applicant)	<input type="text"/>	
3. Proposed denomination and breeder's reference		
Proposed denomination (if available)	<input type="text"/>	
Breeder's reference	<input type="text"/>	

#4. Information on the breeding scheme and propagation of the variety

4.1 Breeding scheme

Variety resulting from:

4.1.1 Crossing

(a) controlled cross []
(please state parent varieties)

(.....) x (.....)
female parent male parent

(b) partially known cross []
(please state known parent variety(ies))

(.....) x (.....)
female parent male parent

(c) unknown cross []

4.1.2 Mutation []
(please state parent variety)

4.1.3 Discovery and development []
(please state where and when discovered and how developed)

4.1.4 Other []
(please provide details)

Authorities may allow certain of this information to be provided in a confidential section of the Technical Questionnaire.

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
-------------------------	-----------------	-------------------

4.2	Method of propagating the variety	
4.2.1	Vegetative propagation	
(a)	cuttings	[]
(b)	<i>in vitro</i> propagation	[]
(c)	other (state method)	[]
	<input type="text"/>	
4.2.2	Seed	[]
4.2.3	Other	[]
	(please provide details)	
	<input type="text"/>	

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
-------------------------	-----------------	-------------------

5. Characteristics of the variety to be indicated (the number in brackets refers to the corresponding characteristic in Test Guidelines; please mark the note which best corresponds).

Characteristics	Example Varieties	Note
5.1 Plant: height (inflorescence excluded) (2)		
very short		1[]
very short to short		2[]
short	Great Escape	3[]
short to medium		4[]
medium	Paradise island	5[]
medium to tall		6[]
tall	Fragrant Queen	7[]
tall to very tall		8[]
very tall		9[]
5.2 Leaf blade: shape (11)		
very narrow ovate	Stiletto	1[]
narrow ovate		2[]
medium ovate	Desert Mouse, Sagae	3[]
broad ovate	Sum and Substance	4[]
very narrow elliptic		5[]
narrow elliptic	Saishu Jima	6[]
medium elliptic	Pineapple Poll	7[]
round	Abiqua Drinking Gourd	8[]
broad elliptic		9[]
5.3i Leaf blade: color one (14)		
RHS Colour Chart (indicate reference number)		

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
Characteristics	Example Varieties	Note
5.3ii Leaf blade: color one (by group) (14)		
white		1 []
light yellow		2 []
medium yellow		3 []
dark yellow		4 []
light green		5 []
medium green		6 []
dark green		7 []
blue green		8 []
5.3 Leaf blade: color pattern of color one (17)		
equal		1 []
flamed	June, Little Sun Spot	2 []
striped	H. sieboldiana 'Thunderbolt', On stage, Spilt Milk	3 []
spotted	Kiwi Forest	4 []
in sectors	Pin Stripe Sister	5 []
marbled	H. sieboldiana 'Northern Mist'	6 []
marginated		7 []
5.4i Leaf blade: color 2 (if present) (18)		
RHS Colour Chart (indicate reference number)		

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
-------------------------	-----------------	-------------------

6. Similar varieties and differences from these varieties

Please use the following table and box for comments to provide information on how your candidate variety differs from the variety (or varieties) which, to the best of your knowledge, is (or are) most similar. This information may help the examination authority to conduct its examination of distinctness in a more efficient way.

Denomination(s) of variety(ies) similar to your candidate variety	Characteristic(s) in which your candidate variety differs from the similar variety(ies)	Describe the expression of the characteristic(s) for the similar variety(ies)	Describe the expression of the characteristic(s) for your candidate variety
<i>Example</i>	<i>Flower color</i>	<i>orange</i>	<i>orange red</i>

Comments:

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
-------------------------	-----------------	-------------------

#7. Additional information which may help in the examination of the variety

7.1 In addition to the information provided in sections 5 and 6, are there any additional characteristics which may help to distinguish the variety?

Yes No

(If yes, please provide details)

7.2 Are there any special conditions for growing the variety or conducting the examination?

Yes No

(If yes, please provide details)

7.3 Other information

A representative **color image** of the variety should accompany the Technical Questionnaire.

8. Authorization for release

(a) Does the variety require prior authorization for release under legislation concerning the protection of the environment, human and animal health?

Yes No

(b) Has such authorization been obtained?

Yes No

If the answer to (b) is yes, please attach a copy of the authorization.

Authorities may allow certain of this information to be provided in a confidential section of the Technical Questionnaire.

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
-------------------------	-----------------	-------------------

9. Information on plant material to be examined or submitted for examination.

9.1 The expression of a characteristic or several characteristics of a variety may be affected by factors, such as pests and disease, chemical treatment (e.g. growth retardants or pesticides), effects of tissue culture, different rootstocks, scions taken from different growth phases of a tree, etc.

9.2 The plant material should not have undergone any treatment which would affect the expression of the characteristics of the variety, unless the competent authorities allow or request such treatment. If the plant material has undergone such treatment, full details of the treatment must be given. In this respect, please indicate below, to the best of your knowledge, if the plant material to be examined has been subjected to:

- | | | |
|---|---------|--------|
| (a) Microorganisms (e.g. virus, bacteria, phytoplasma) | Yes [] | No [] |
| (b) Chemical treatment (e.g. growth retardant, pesticide) | Yes [] | No [] |
| (c) Tissue culture | Yes [] | No [] |
| (d) Other factors | Yes [] | No [] |

Please provide details for where you have indicated "yes".

.....

9.3 Has the plant material to be examined been tested for the presence of virus or other pathogens?

Yes []
(please provide details as specified by the Authority)

No []

10. I hereby declare that, to the best of my knowledge, the information provided in this form is correct:

Applicant's name

Signature

Date

[End of document]