

Technischer Ausschuss**TC/58/27****Achtundfünfzigste Tagung
Genf, 24. und 25. Oktober 2022****Original:** englisch
Datum: 5. Oktober 2022**TEILÜBERARBEITUNG DER PRÜFUNGSRICHTLINIEN FÜR ROSE***von einem Sachverständigen aus der Europäischen Union erstelltes Dokument**Haftungsausschluss: dieses Dokument gibt nicht die Grundsätze oder eine Anleitung der UPOV wieder*

1. Zweck dieses Dokuments ist es, einen Vorschlag zur Teilüberarbeitung der Prüfungsrichtlinien für Rose (Dokument TG/11/8 Rev.) vorzulegen.

2. Der Hintergrund der vorgeschlagenen Teilüberarbeitung der Prüfungsrichtlinien für Rose ist in Dokument TC/58/2 „Prüfungsrichtlinien“ dargelegt.

3. Die Technische Arbeitsgruppe für Zierpflanzen und forstliche Baumarten (TWO) prüfte auf ihrer vierundfünfzigsten Tagung¹ einen Vorschlag für eine Teilüberarbeitung des Technischen Fragebogens der Prüfungsrichtlinien für Rose (*Rosa L.*) aufgrund von Dokument TWP/6/10 „Revision of Test Guidelines“, Absatz 25 und Anlage X. Die TWO vereinbarte, die Aufnahme und Streichung folgender Merkmale im Technischen Fragebogen vorzuschlagen (die vorgeschlagenen Änderungen werden nachstehend durch Hervorheben und Unterstreichen (Einfügungen) und Durchstreichen (Streichungen)) (vergleiche Dokument TWO/54/6 „Report“, Absatz 91):

Merkm. Nr.	(*)	Bezeichnung des Merkmals
1	(*)	Pflanze: Wuchstyp
6		<u>Stiel: Anzahl Stacheln (außer sehr kleine und haarähnliche Stacheln)</u>
7		<u>Stacheln vorwiegende Farbe (wie für 6)</u>
21	(*)	Blüte: Typ
22	(*)	<u>Blüte: Anzahl Blütenblätter</u>
23	(*)	Blüte: Farbgruppe
26	(*)	Blüte: Durchmesser
27	(*)	<u>Blüte: Form</u>
30		<u>Blüte: Duft</u>
40	(*)	Blütenblatt: Anzahl Farben der Innenseite (ohne basalen Fleck)
		<u>Blütenblatt: Hauptfarbe der Außenseite (nur wenn deutlich von der Innenseite verschieden)</u>
50	(*)	

4. Die vorgeschlagenen Änderungen werden nachstehend durch Hervorheben und Unterstreichen (Einfügungen) und Durchstreichen (Streichungen) angegeben (nur Englisch).

¹ Veranstaltet von Deutschland und auf elektronischem Wege abgehalten vom 13. bis 17. Juni 2022

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
5. Characteristics of the variety to be indicated (the number in brackets refers to the corresponding characteristic in Test Guidelines; please mark the note which best corresponds).		
Characteristics	Example Varieties	Note
5.1 Plant: growth type (1)		
miniature		1[]
dwarf	Korverlandus (G)	2[]
bed	Taneidol (G)	3[]
shrub	Kolmag (G)	4[]
climber	Noasafa (G)	5[]
ground cover	Meifafio (G)	6[]
5.2 Stem: number of prickles (excluding very small and hair-like prickles) (6)		
<u>absent or very few</u>	Ruiorg (G); Meibegil (P)	1[]
<u>very few to few</u>		2[]
<u>few</u>	Schremna (C); Kortionza (G); Poulcolop (P)	3[]
<u>few to medium</u>		4[]
<u>medium</u>	Selaurum (C); Bokramar (G); Kormisso (P)	5[]
<u>medium to many</u>		6[]
<u>many</u>	Meineble (G); Evera105 (P)	7[]
<u>many to very many</u>		8[]
<u>very many</u>	Deljam (G)	9[]
5.3 Prickles: predominant color (as for 6) (7)		
<u>greenish</u>	Presur (C); Kolmag (G); Poucar (P)	1[]
<u>yellowish</u>	Ruiy0775 (P)	2[]
<u>reddish</u>	Bokrarug (G); Delpajor (P)	3[]
<u>purplish</u>	Kornairol (G); Evera102 (P)	4[]

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
Characteristics	Example Varieties	Note
5.2.4 (21) Flower: type		
single	Noastrauss (G)	1[]
semi-double	Poulfiry (G); Poulnil (P)	2[]
double	TAN97103 (G); Korlobea (P)	3[]
5.5 (22) Flower: number of petals		
<u>very few</u>	<u>Noala (G); Delmitaf (P)</u>	<u>1[]</u>
<u>very few to few</u>		<u>2[]</u>
<u>few</u>	<u>Predesplen (C); Tananilov (G); Korbersoma (P)</u>	<u>3[]</u>
<u>few to medium</u>		<u>4[]</u>
<u>medium</u>	<u>Ruiy5451 (C); Poulcots (G); Ruiqlinko (P)</u>	<u>5[]</u>
<u>medium to many</u>		<u>6[]</u>
<u>many</u>	<u>Lexani (C); Ruiharl (G); Meiraktas (P)</u>	<u>7[]</u>
<u>many to very many</u>		<u>8[]</u>
<u>very many</u>	<u>Meiroupis (G); Poulwen (P)</u>	<u>9[]</u>

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
Characteristics	Example Varieties	Note
5.3.6 Flower: color group (23)		
white or near white	Korcilmo (C); Meilontig (G); Poulra022 (P)	1[]
white blend	Speclown (C); TAN98505 (C); TAN97123 (G); Rush (G)	2[]
green	Nirpgreenl (C); Korewala (P)	3[]
yellow	Korflapei (C); Poulyc004 (G); Delmitaf (P)	4[]
yellow blend (includes varieties which are primarily yellow, but show some tones of some other hues)	TAN00125 (C); Rumba (G); Ruiabri (P)	5[]
orange	Alsever (P); Tanoranbon (G)	6[]
orange blend (includes varieties which are primarily orange, but show some tones of some other hues)	Presur (C); Meishulo (P)	7[]
pink	Schremeen3001 (C); Noasia (G); Korfonsova (P)	8[]
pink blend (includes varieties which are primarily pink, but show some tones of some other hues)	Schremna (C); Korfeining (G); Poulmeno (P)	9[]
red	Predepass (C); Noafeuer (G); Ruikenre (P)	10[]
red blend (includes varieties which are primarily red, but show some tones of some other hues)	Meilambra (C); Interuspa (G); Delmigre (P)	11[]
red purple	Nirpillpro (C); Poulac016 (P)	12[]
purple	Olyung (C); Stebigpu (G)	13[]
violet blend (includes varieties which are primarily violet but show some tones of some other hues (like mauve and/or lavender))	Scholtec (C); Korflieder (P)	14[]
brown blend (includes varieties which are primarily brown but show some tones of some other hues (like red))	Simcho (G)	15[]
multicolored (varieties with more than one color in sharply defined contrasting zones which are primarily contrasting multicolored only (not blend colors))	Delmitaf (P)	16[]

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
Characteristics	Example Varieties	Note
5.4.7 (26) Flower: diameter		
very small	Noastrauss (G); Poulset (P)	1[]
<u>very small to small</u>		2[]
small	Interlis (C); Clb.canibo 82 (G); Meiraktas (P)	3[]
<u>small to medium</u>		4[]
medium	Schremna (C); Poulberg (G); Ruiz1491 (P)	5[]
<u>medium to large</u>		6[]
large	Selaurum (C); Adesmanod (G); Korewala (P)	7[]
<u>large to very large</u>		8[]
very large	Koranderer (G); Evera116 (P)	9[]
5.8 (27) Flower: shape		
<u>round</u>	Ruirovingt (C); Meiouscki (G); Evera101 (P)	1[]
<u>irregularly rounded</u>	Ruyi5451 (C); Kormarec (G); Korkallet (P)	2[]
<u>star-shaped</u>	Predesplen (C); Anakissi (G); Poula023 (P)	3[]
5.9 (30) Flower: fragrance		
<u>absent or weak</u>	Predesplen (C); Ruimats (G); Evera107 (P)	1[]
<u>medium</u>	Poulsolo (G); Korduftoro (P)	2[]
<u>strong</u>	Tananilov (G)	3[]
5.5.10 (40) Petal: number of colors on inner side (basal spot excluded)		
one	Selaurum (C), TAN98130 (G); Rubrei (P)	1[]
two	Baipeace (G); Delki (P)	2[]
more than two	Delstrisang (G)	3[]

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
Characteristics	Example Varieties	Note
5.6 i (50) Petal: main color on the outer side (only if clearly different from inner side) RHS Colour Chart (indicate reference number)		
5.6 ii (50) Petal: main color on the outer side (only if clearly different from inner side) green light yellow medium yellow orange pink red purple red brown red	1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 6 <input type="checkbox"/> 7 <input type="checkbox"/> 8 <input type="checkbox"/>	

[Ende des Dokuments]