



Disclaimer: unless otherwise agreed by the Council of UPOV, only documents that have been adopted by the Council of UPOV and that have not been superseded can represent UPOV policies or guidance.

This document has been scanned from a paper copy and may have some discrepancies from the original document.

Avertissement: sauf si le Conseil de l'UPOV en décide autrement, seuls les documents adoptés par le Conseil de l'UPOV n'ayant pas été remplacés peuvent représenter les principes ou les orientations de l'UPOV.

Ce document a été numérisé à partir d'une copie papier et peut contenir des différences avec le document original.

Allgemeiner Haftungsausschluß: Sofern nicht anders vom Rat der UPOV vereinbart, geben nur Dokumente, die vom Rat der UPOV angenommen und nicht ersetzt wurden, Grundsätze oder eine Anleitung der UPOV wieder.

Dieses Dokument wurde von einer Papierkopie gescannt und könnte Abweichungen vom Originaldokument aufweisen.

Descargo de responsabilidad: salvo que el Consejo de la UPOV decida de otro modo, solo se considerarán documentos de políticas u orientaciones de la UPOV los que hayan sido aprobados por el Consejo de la UPOV y no hayan sido reemplazados.

Este documento ha sido escaneado a partir de una copia en papel y puede que existan divergencias en relación con el documento original.



C/26/10

0577

ORIGINAL: English

DATE: September 29, 1992

INTERNATIONAL UNION FOR THE PROTECTION OF NEW VARIETIES OF PLANTS

GENEVA

COUNCIL

Twenty-sixth Ordinary Session

Geneva, October 29, 1992

PROGRESS REPORT ON THE WORK OF THE TECHNICAL COMMITTEE AND THE TECHNICAL WORKING PARTIES

prepared by the Office of the Union

TECHNICAL COMMITTEE

1. Pursuant to the decision taken by the Council at its twenty-fifth ordinary session, the twenty-eighth session of the Technical Committee will take place from October 21 to 23, 1992, in the week preceding that of the forthcoming ordinary session of the Council. A progress report on the twenty-seventh session of the Technical Committee is reproduced in document C/25/10 Add. A progress report on the forthcoming session of the Technical Committee will be given either orally during the ordinary session of the Council or in an addendum to the present document. Thus, as far as the Technical Committee is concerned, the present document deals mainly with the program for its twenty-eighth session.

2. The twenty-eighth session of the Committee is to take place from October 21 to 23, 1992, in Geneva. It is planned that the following business be conducted during the session: progress reports on the work of the Technical Working Parties; discussion of questions presented by the Technical Working Parties; discussion of new methods, techniques and equipment in the examination of varieties; discussions on a UPOV central computerized data base; discussions on cooperation with breeders in the testing of varieties; discussions on the question of minimum distances between varieties; definition and examination of hybrid varieties; discussions on essentially derived varieties. In addition, the Technical Committee will have to take decisions on the following Test Guidelines, which will be submitted by the Technical Working Parties for final adoption:

TG/44/6(proj.) Tomato/Tomate/Tomato (Revision)
TG/48/5(proj.) Cabbage/Chou pommé/Kopfkohl (Revision)
TG/132/3(proj.) Dieffenbachia/Dieffenbachia/Dieffenbachia
TG/141/2(proj.) Aster/Aster/Aster.

TECHNICAL WORKING PARTIES

Progress Report on the Work of the Technical Working Party for Agricultural Crops (TWA)

3. The Technical Working Party for Agricultural Crops (TWA) held its twenty-first session in Menstrup Kro, Denmark, from June 16 to 19, 1992, under the chairmanship of Dr. M.S. Camlin (United Kingdom). The full report on that session is reproduced in document TWA/21/9 Prov. During the session, the TWA discussed working papers on Test Guidelines for Maize (Revision), for Rape (Revision), for Flax (Revision), for Fodder Beet and for Soya Bean (Revision). All documents will have to be rediscussed during the next session of the TWA. In addition to the discussions on Test Guidelines, the TWA discussed or rediscussed the following other subjects:

(i) The setting up of a UPOV Central Computerized Data Base, for which it proposed a list of minimum information necessary for the checking of variety denominations;

(ii) The application of statistics to the testing of homogeneity, for which it agreed a simpler wording, which would facilitate the understanding, as well as a draft for the replacement of the corresponding paragraph in the General Introduction to the Test Guidelines to be presented to the Technical Committee;

(iii) The introduction of electrophoretic characteristics in the Test Guidelines for cereals and maize, for which it finally agreed on the definition of the characteristic, which should be the absence or presence of a given allele;

(iv) The implications and consequences of the introduction of new characteristics--such as electrophoretic characteristics--in the Test Guidelines, which will have to be continued;

(v) The measuring of colors, which in its field of competence was less important, but it would nevertheless follow developments in the ornamental field;

(vi) The different notions of variety for rape (inbred lines, narrowed populations, hybrid varieties, synthetic varieties), on which discussions will have to be continued;

(vii) The work of existing or newly to be created subgroups, for which it decided the following meetings:

- Subgroup on Electrophoresis in Cereals, to meet in Cambridge (GB) on March 9 and 10, 1993;
- Subgroup on Rape, to meet in Menstrup Kro (DK) on April 27 and 28, 1993 (date to be confirmed 3 weeks before the meeting);

- Subgroup on Maize, to meet in Hanover (DE) on February 16 and 17, 1993;
- Subgroup on Soya Bean, to meet in Lincoln (NZ) on November 22, 1993.

4. The twenty-second session of the TWA is scheduled to be held in Lincoln, near Christchurch, New Zealand, from November 23 to 27, 1993. As mentioned above, the Subgroup on Soya Bean will meet one day before that session, at the same place. After the meeting, three days of official visits are planned to take place in (or near) Canberra, Australia. The TWA planned to note and discuss during its next session the reports of the above-mentioned subgroups and to continue work on revised or new Test Guidelines for Wheat (Revision), Barley (Revision), Oats (Revision), Peas (Revision), Maize (Revision), Rape (Revision), Flax (Revision), Fodder Beet and Soya Bean (Revision). Discussions on the following items are also planned: UPOV Central Computerized Data Base; general discussion on the consequences of the introduction of new characteristics in the Test Guidelines; survey on the use of electrophoresis by the UPOV member States; DNA techniques; statistical methods; cooperation with breeders in the testing of varieties.

Progress Report on the Work of the Technical Working Party on Automation and Computer Programs (TWC)

5. The Technical Working Party on Automation and Computer Programs (TWC) held its tenth session in Wageningen, The Netherlands, from June 2 to 4, 1992, under the chairmanship of Mr. K. Kristensen (Denmark). The detailed report on that session is reproduced in document TWC/10/11 Prov. At its tenth session, the TWC discussed or rediscussed the following items and took the following decisions:

(i) It amended the papers for the Combined Over-Years Analysis for distinctness (COYD) and considered how to ensure better acceptance of this method by the UPOV member States;

(ii) It continued its study of the program for the calculation of Long-Term LSD from past data for tests with few varieties and proposed to apply that method in cases where the COYD analysis could not be applied because of too low numbers (<20 degrees of freedom);

(iii) It continued its discussions on the Combined Over-Years Uniformity (COYU) criterion and will need another year to confirm the provisional probability levels which would allow smooth transition from the present to the new criterion;

(iv) It noted the approval of its amendment to the rule for tolerated off-types as stated in the General Introduction to the Test Guidelines for mainly self-fertilized varieties in order to give that rule a statistically sounder basis;

(v) It continued its discussions on the exchange of information in electronic form and, as a start, will prepare a standardized format for the exchange of lists of varieties under test in electronic form;

(vi) It discussed the possibilities for establishing a Central Computerized Data Base and proposed to set up a subgroup to study the possible use of software produced by WIPO for the dissemination of International Trademark Information;

(vii) It continued updating its list of programs which can be readily assimilated into other plant variety computer systems and will prepare a list of Computing Center Electronic Communications;

(viii) It rediscussed the question of minimum distance between varieties and stated that it was wrong to approach that distance characteristic by characteristic as it had to be taken by variety. Statistics are but a tool and a help to the expert;

(ix) It reviewed the documents on statistical methods discussed in the past and will prepare a revised document to assist newcomers in their understanding of the work and achievements of the TWC;

(x) It started discussing the application of statistics to visually assessed characteristics.

6. The eleventh session of the TWC will be held in Cambridge, United Kingdom, from June 2 to 4, 1993. During that session, the TWC plans to discuss or rediscuss the following items: Combined Over-Years Distinctness (COYD) analysis including Long-Term LSD; Combined Over-Years Uniformity (COYU) analysis; testing of homogeneity; multi-variate analysis; description of varieties (computer format for the exchange of data); UPOV Central Computerized Data Base; access to international data; programs that can be readily assimilated into other plant variety computer systems of the Offices of member States; minimum distances between varieties; review of documents on statistical methods discussed during past sessions; handling of visually assessed characteristics; shape characteristics. The TWC noted an invitation already received to hold its 1994 session in Israel.

Progress Report on the Work of the Technical Working Party for Vegetables (TWV)

7. In 1992, the TWV held two sessions. The twenty-fifth session took place in the South African Embassy in Paris from January 15 to 17, under the chairmanship of Mr. N.P.A. van Marrewijk (The Netherlands). The full report appears in document TWV/25/9. During that session, discussions concentrated on revised Test Guidelines for Tomato, which will now be presented again to the Technical Committee for final adoption, and on drafts for Test Guidelines for Watermelon, Cucumber, Gherkin (Revision), Lettuce (Revision), Sweet Pepper and Chick-Pea which required, however, further discussion. The twenty-sixth session was held in Dachwig, Germany, from June 30 to July 3, 1992, under the chairmanship of Mr. N.P.A. van Marrewijk (The Netherlands). The full report on the session is reproduced in document TWV/26/11 Prov. During the session, the TWV discussed and completed for presentation to the Technical Committee for final adoption draft Test Guidelines for Cabbage. It furthermore discussed and finalized for presentation to the professional organizations for comments the draft Test Guidelines for French Bean (Revision), Peas (Revision), Watermelon, Cucumber, Gherkin (Revision), Sweet Pepper, Chick-Pea, Lettuce (Revision) and Evening Primrose. It furthermore started discussions on revised Test Guidelines for Cauliflower which, however, will have to be continued during the next session. In addition to the discussions on Test Guidelines, the TWV discussed or rediscussed the following other subjects:

(i) The setting up of a UPOV Central Computerized Data Base, for which it followed the proposed list of minimum information prepared by the TWA, but adding one further item;

(ii) New methods, techniques and equipment in the examination of varieties, for which it noted the state of research with respect to electrophoresis, measuring of colors and DNA probes in the field of vegetable species as so far these methods are not yet used in taking decisions on distinctness;

(iii) The completion of the splitting of umbrella varieties made by the EC;

(iv) The testing of Bremia lactucae in lettuce, for which it completed the methods to be included in the revised Test Guidelines for Lettuce.

8. The twenty-seventh session of the TWV is scheduled to be held in Arslev, Denmark, from July 6 to 9, 1993. During that session, the TWV will discuss, with a view to their presentation to the Technical Committee for final adoption, Test Guidelines for French Bean (Revision), Peas (Revision), Watermelon, Cucumber, Gherkin (Revision), Sweet Pepper, Chick-Pea, Lettuce (Revision) and Evening Primrose. It furthermore plans to discuss, for presentation to the professional organizations for comments, working papers on Test Guidelines for Cauliflower (Revision), Broccoli, Spinach (Revision), Onion (Revision), Shallot, Witlof, Cucurbita maxima and Cucurbita moschata, Garlic, Beetroot (Revision), Chamomile, Artichoke, Bunching Onion.

Progress Report on the Work of the Technical Working Party for Fruit Crops (TWF)

9. The progress report of the TWF will be given in an addendum to the present document. The twenty-third session of the TWF is scheduled to be held in Nelspruit, South Africa, from August 24 to September 2, 1992. During that session, the TWF plans to rediscuss working papers on Test Guidelines for Citrus (Revision), Prunus Rootstocks, Japanese Pear, Apple (Revision), Pear (Revision) and Cherry (Revision). The following other items are planned for discussion: UPOV Central Computerized Data Base; color observations; (new) methods, techniques and equipment in the examination of varieties; statistical methods; sanitary status of plant material; mutations and minimum distances; essentially derived varieties; electronic exchange of data.

Progress Report on the Work of the Technical Working Party for Ornamental Plants and Forest Trees (TWO)

10. The progress report of the TWO will be given in an addendum to the present document. The twenty-fifth session of the TWO is scheduled to be held in Stellenbosch, South Africa, from August 27 to September 7, 1992. During that session, the TWO plans to complete, for submission to the Technical Committee for final adoption, the Test Guidelines for Aster and Dieffenbachia, and will also (re)discuss working papers on Test Guidelines for Weigela, Pyracantha, Iris, Kangaroo Paws, Chrysanthemum (Revision), Gentiana, Limonium, African Violet (Revision), Lavender and Lavendine. Discussion of the following items is also planned: items for the TWC; color observations; new methods, techniques and equipment in the examination of varieties; multivariate analysis; central computerized data base; homogeneity of vegetatively propagated species; multiclonal varieties; list of species in which varieties are tested; general Test Guidelines for ornamental species. The TWO noted an invitation already received to hold its 1993 session in Antibes, France.

General Overview - Status of Test Guidelines (as per July 31, 1992)

Technical Working Party Stage	Agricultural Crops	Fruit Crops	Ornamental Plants and Forest Trees	Vegetables
	* Barley	* Almond	* African Violet	* Asparagus
	* Bent	* Apple	* Alstroemeria	* Beetroot
	* Broad Bean,	* Apricot	* Anthurium	* Black Radish
	* Field Bean	* Avocado	* Apple	* Black Salsify,
	* Cocksfoot	* Banana	* Berberis	* Scorzonera
	* Common Vetch	* Black Currant	* Carnation	* Broad Bean,
	* Cotton	* Blackberry	* Chinchinchee	* Field Bean
	* Durum Wheat	* Blueberry	* Christmas Cactus	* Brussels Sprouts
	* Flax, Linseed	* Cherry	* Chrysanthemum	* Cabbage
	* Groundnut	* Chestnut	* Crown of Thorns	* Carrot
	* Kentucky Bluegrass	* Citrus	* Easter Cactus	* Cauliflower
	* Lucerne	* European Plum	* Elatior Begonia	* Celeriac
	* Lupins	* Gooseberry	* Euphorbia Fulgens	* Celery
	* Maize	* Guava	* Exacum	* Chinese Cabbage
	* Meadow Fescue,	* Hazelnut	* Forsythia	* Cornsalad
	* Tall Fescue	* Japanese Plum	* Freesia	* Cucumber, Gherkin
adopted	* Oats	* Jostaberry	* Gerbera	* Curly Kale
(total 137)	* Peas	* Kiwifruit	* Gladiolus	* Egg Plant
	* Potato	* Lingonberry	* Hydrangea	* Endive
	* Rape	* Macadamia	* Impatiens	* French Bean
	* Red Clover	* Mango	* Juniper	* Kohlrabi
	* Rice	* Olive	* Kalanchoe	* Leaf Beet
	* Rye	* Peach	* Lachenalia	* Leek
	* Ryegrass	* Pear	* Lagerstroemia	* Lettuce
	* Safflower	* Persimon (Kaki)	* Leucadendron	* Melon
	* Sheep's Fescue,	* Quince	* Leucospermum	* Onion
	* Red Fescue	* Rasperry	* Lily	* Parsley
	* Sorghum	* Red and White	* Ling, Scotch	* Peas
	* Soya Bean	* Currant	* Heather	* Radish
	* Sunflower	* Strawberry	* Narcissi	* Rhubarb
	* Swede	* Vine	* Poinsettia	* Runner Bean
	* Timothy	* Walnut	* Poplar	* Spinach
	* Triticale		* Pot Azalea	* Swede
	* Turnip, Turnip Rape		* Protea	* Sweet Pepper
	* Wheat		* Regal Pelargonium	* Tomato
	* White Clover		* Rhododendron	* Turnip, Turnip
			* Rose	* Rape
			* Spathiphyllum	* Vegetable Marrow,
			* Streptocarpus	* Squash
			* Tuberos Begonia	
			* Hybrids	
			* Tulip	
			* White Cedar	
			* Willow	
			* Zonal Pelargonium,	
			* Ivy-leaved	
			* Pelargonium	
Technical Committee to adopt (total 4)			* Aster	* Cabbage°
			* Dieffenbachia	* Tomato°
professional organizations to comment (total 8)	* Peas°			* Chick-pea
				* Cucumber,
				* Gherkin°
				* Evening Primrose
				* French Bean°
				* Lettuce°
				* Peas°
				* Sweet Pepper°
				* Watermelon
in preparation or planned	* Barley°	* Apple°	* African Violet°	* Artichoke,
	* Flax, Linseed°	* Apricot°	* Chrysanthemum°	* Cardoon
	* Fodder Beet	* Cherry°	* Gentiana	* Beetroot°
	* Maize°	* Chokeberry	* Iris (bulbous)	* Broccoli
	* Oats°	* Citrus°	* Kangaroo Paws	* Bunching Onion
	* Rape°	* Japanese Pear	* Lavender	* Cauliflower°
	* Soya Bean°	* Pear°	* Limonium	* Chamomile
	* Wheat°	* Prunus Rootstocks	* Norway Spruce	* Chives
			* Pyracantha	* Cucurbita maxima
			* Weigela	(Pumpkin)
				* Cucurbita
				* moschata
				* Dill
				* Garlic
				* Onion°
				* Shallot
				* Spinach°
				* Witlof, Chicory

° = (revision)

Aperçu général - Etat des principes directeurs d'examen (au 31 juillet 1992)

* Groupe de travail technique Etat que	* Plantes agricoles	* Plantes fruitières	* Plantes ornementales et Arbres forestiers	* Plantes potagères
*	* Agrostide	* Abricotier	* Alstroèmère	* Asperge
*	* Arachide	* Actinidia	* Anthurium	* Aubergine
*	* Avoine	* Agrumes	* Azalée en pot	* Betterave rouge
*	* Blé	* Airelle rouge	* Bégonia elatior	* Carotte
*	* Blé dur	* Amandier	* Bégonia tubéreux	* Céleri-branche
*	* Carthame	* Avocatier	* hybride	* Céleri-rave
*	* Chou-navet	* Bananier	* Berberis	* Chicorée
*	* Colza	* Caseillier	* Cactus de Noël	* Chou chinois
*	* Cotonnier	* Cassis	* Cactus jonc	* Chou de Bruxelles
*	* Dactyle	* Cerisier	* Callune	* Chou frisé
*	* Fétuque des prés,	* Châtaignier	* Chrysanthème	* Chou pommé
*	* Fétuque élevée	* Cognassier	* Epine du Christ	* Chou-fleur
7	* Fétuque ovine,	* Fraisier	* Euphorbia fulgens	* Chou-navet
*	* Fétuque rouge	* Framboisier	* Exacum	* Chou-rave
*	* Fléole	* Goyavier	* Forsythia	* Concombre,
*	* Fève, Féverole	* Groseillier à	* Freesia	* Cornichon
*	* Lin	* grappes	* Genévrier	* Courgette
*	* Lupin	* Groseillier à	* Gerbera	* Epinard
*	* Luzerne	* maquereau	* Glaieul	* Fève, Féverole
* adoptés	* Mais	* Kaki	* Hortensia	* Haricot
(137)	* Navet, Navette	* Macadamia	* Impatiente	* Haricot d'Espagne
*	* Orge	* Manguiier	* Kalanchoé	* Laitue
*	* Pâturin des prés	* Myrtille	* Lachanalia	* Mâche
*	* Pois	* Noisetier	* Lagerstroemia	* Melon
*	* Pomme de terre	* Noyer	* Leucadendron	* Navet, Navette
*	* Ray-grass	* Olivier	* Leucospermum	* Oignon
*	* Riz	* Pêcher	* Lis	* Persil
*	* Seigle	* Poirier	* Narcisse,	* Piment
*	* Soja	* Pommier	* Jonquille	* Poireau
*	* Sorgho	* Prunier européen	* Oeillet	* Poirée
*	* Tournesol	* Prunier japonais	* Ornithogale	* Pois
*	* Trèfle blanc	* Ronce fruitière	* Pélargonium zonal,	* Radis d'été,
*	* Trèfle violet	* Vigne	* Géranium lierre	* d'automne et
*	* Triticale		* Pélargonium des	* d'hiver
*	* Vesce commune		* fleuristes	* Radis de tous
*			* Peuplier	* les mois
*			* Poinsettia	* Rhubarbe
*			* Pommier	* Salsifis noir,
*			* Protea	* Scorsonère
*			* Rhododendron	* Tomate
*			* Rosier	
*			* Saintpaulia	
*			* Saule	
*			* Spathiphyllum	
*			* Streptocarpus	
*			* Thuya du Canada	
*			* Tulipe	
* auprès du			* Aster	* Chou pommé°
* Com.technique			* Dieffenbachia	* Tomate°
* pour adoption				
(4)				
*	* Pois°			* Concombre, Cor-
*				* nichon°
* auprès des				* Haricot°
* organ. prof.				* Laitue°
* pr observations*				* Onagre
(8)				* Pastèque
*				* Piment°
*				* Pois°
*				* Pois chiche
*				
* Avoine°	* Abricotier°	* Anigozanthos	* Ail	
* Betterave fourragère*	* Agrumes°	* Chrysanthème°	* Aneth	
* Blé°	* Aronia	* Epicea commun	* Anthémis	
* Colza°	* Cerisier	* Gentiane	* Artichaut, Cardon	
* en préparation	* Poirier°	* Iris (bulbeux)	* Betterave rouge	
ou prévus	* Poirier japonais	* Lavande vraie	* Brocoli	
*	* Pommier°	* Lavandins	* Chicorée	
*	* Soja°	* Limonium, Statice	* Chou-fleur°	
*		* Pyracantha,	* Ciboule	
*		* Buisson ardent	* Civette, Cibou-	
*		* Saintpaulia°	* lette	
*		* Weigela	* Cucurbita	
*			* moschata	
*			* Echalote	
*			* Epinard°	
*			* Oignon°	
*			* Potiron	

° = (révision)

Allgemeiner Ueberblick - Stand der Prüfungsrichtlinien (vom 31. Juli 1992)

* * Technische *	* Landwirtschaft-liche Arten *	* Obstarten *	* Zierpflanzen und Forstliche Baumarten *	* Gemüsearten *
* Stadium *	* Baumwolle	* Apfel	* Apfel	* Aubergine
	* Dicke Bohne, Ackerbohne	* Aprikose	* Berberitze	* Bleichsellerie
	* Erbsen	* Avocado	* Besenheide	* Blumenkohl
	* Erdnuss	* Banane	* Christudorn	* Bohne
	* Gerste	* Birne	* Chrysantheme	* Chinakohl
	* Hafer	* Brombeere	* Drehfrucht	* Dicke Bohne, Ackerbohne
	* Hartweizen	* Erdbeere	* Edelpelargonie	* Endivie
	* Herbst-, Mairübe, Rübsen	* Guave	* Exacum	* Elatior Begonie
	* Kartoffel	* Haselnuss	* Flamingoblume	* Feldsalat
	* Knaulgras	* Heidelbeere	* Forsythie	* Gartenkürbis
	* Kohlrübe	* Himbeere	* Freesia	* Grünkohl
	* Lein	* Jostabeere	* Gerbera	* Gurke
* angenommen	* Lleschgrass	* Kaki	* Gladiole	* Herbst-, Mairübe, Rübsen
*(insgesamt 137)	* Lupinen	* Kastanie	* Hortensie	* Knollensellerie
	* Luzerne	* Kirsche	* Impatiens	* Kohlrabi
	* Mais	* Kiwi	* Inkalilie	* Kohlrübe
	* Mohrenhirse	* Macadamia	* Kalanchoe	* Kopfkohl
	* Raps	* Mandel	* Knollenbegonie	* Mangold
	* Reis	* Mango	* Korallenranke	* Melone
	* Roggen	* Olive	* Lachenalia	* Möhre
	* Rotklee	* Ostasiatische Pflaume	* Lagerstroemia	* Paprika
	* Saatwicke	* Pfirsich	* Leucadendron	* Petersilie
	* Saflor	* Pflaume	* Leucospermum	* Porree
	* Schaf-, Rot-schwingel	* Preiselbeere	* Lilie	* Prunkbohne
	* Sojabohne	* Quitte	* Milchstern	* Radieschen
	* Sonnenblume	* Rebe	* Narzisse	* Rettich
	* Straussgras	* Rote und Weisse Johannisbeere	* Nelke	* Rhabarber
	* Triticale	* Schwarze Johannisbeere	* Osterkaktus	* Rosenkohl
	* Weidelgras	* Stachelbeere	* Pappel	* Rote Rübe
	* Weissklee	* Walnuss	* Poinsettie	* Schwarzwurzel
	* Weizen	* Zitrus	* Protea	* Salat
	* Wiesenrispe		* Rhododendron	* Spargel
	* Wiesen-, Rohr-schwingel		* Rose	* Spinat
			* Spathiphyllum	* Tomate
			* Topfazalee	* Zwiebel
			* Tulpe	
			* Usambaraveilchen	
			* Wacholder	
			* Weide	
			* Weihnachtskaktus	
			* Zonalpelargonie,	
			* Efeu-pelargonie	
* vom Technischen*			* Aster	* Kopfkohl°
* Ausschuss an-zunehmen			* Dieffenbachia	* Tomate°
*(insgesamt 4)				
	* Erbsen°			* Bohne°
				* Erbsen°
* an die Berufs-verbände zur Stellungnahme				* Gurken°
*(insgesamt 8)				* Kichererbse
				* Nachtkerze
				* Paprika°
				* Salat°
				* Wassermelone
	* Gerste°	* Apfel°	* Chrysantheme°	* Artischoke, Kardon*
	* Hafer°	* Apfelbeere	* Echter Lavendel	* Blumenkohl°
	* Lein°	* Aprikose°	* Enzian	* Brokkoli
	* Mais°	* Birne°	* Feuertorn	* Dill
* in Vorbereitung oder geplant	* Raps°	* Japanische Birne	* Gemeine Fichte	* Hundskamille
	* Runkelrübe	* Kirsche°	* Iris (zwiebel-bildende)	* Knoblauch
	* Sojabohne	* Prunus-Unterlagen	* Känguruhblume	* Moschuskürbis,
	* Weizen°	* Zitrus	* Lavendel	* Bisamkürbis
			* Usambaraveilchen	* Riesenkürbis
			* Weigelie	* Rote Rübe
			* Widerstoss,	* Schalotte
			* Meerlavendel	* Schnittlauch
				* Spinat°
				* Winterzwiebel
				* Zichorie
				* Zwiebel°

° = (Revision)

Test Guidelines or Draft Test Guidelines (the latter with the indication "(proj.)" after the document number) Prepared or to be Prepared by the Office of the Union (as per July 31, 1992)

Principes directeurs d'examen ou leurs projets (pour ces derniers, la cote contient "(proj.)") préparés ou à préparer par le Bureau de l'Union (état au 31 juillet 1992)

Prüfungsrichtlinien und Entwürfe für Prüfungsrichtlinien (die letztgenannten mit dem Zusatz "(proj.)" nach der Dokumentnummer), die vom Verbandsbüro ausgearbeitet worden sind oder werden (Stand vom 31. Juli 1992)

Numerical Order of Test Guidelines[#]/
Principes directeurs dans l'ordre numérique[#]/
Numerische Anordnung der Prüfungsrichtlinien[#]

Stage/Doc. No. Etat/No du doc. Stadium/Dok.-Nr.	Year Année Jahr	English	français	deutsch	Latin
* TG/01/2	79	General Introduction	Introduction générale	Allgemeine Einführung	
* TG/02/4	80	Maize	Maïs	Mais	Zea mays L.
o TG/02/...?		Maize (revision)	Maïs (révision)	Mais (Revision)	Zea mays L.
* TG/03/8	81	Wheat	Blé	Weizen	Triticum aestivum L.
o TG/03/...?		Wheat (revision)	Blé (révision)	Weizen (Revision)	Triticum aestivum L.
* TG/04/7	90	Ryegrass	Ray-grass	Weidelgras	Lolium multiflorum Lam., L. perenne L. & hybrids/hybrides/Hybriden
* TG/05/4	85	Red Clover	Trèfle violet	Rotklee	Trifolium pratense L.
* TG/06/4	88	Lucerne	Luzerne	Luzerne	Medicago sativa L., Medicago X varia Martyn
* TG/07/4	81	Peas	Pois	Erbsen	Pisum sativum L. sensu lato
- TG/07/6(proj.)		Peas (revision)	Pois (révision)	Erbsen (Revision)	Pisum sativum L. sensu lato
* TG/08/4 + Corr.	84 85	Broad Bean, Field Bean	Fève, Féverole	Dicke Bohne, Ackerbohne	Vicia faba L.
* TG/09/4	88	Runner Bean	Haricot d'Espagne	Prunkbohne	Phaseolus coccineus L.

* Adopted/Adoptés/Angenommen

+ Technical Committee to adopt/Auprès du Comité technique pour adoption/Vom Technischen Ausschuss anzunehmen

- Professional organizations to comment/Pour observations par les organisations professionnelles/Zuleitung an die Berufsverbände zur Stellungnahme

o In preparation or planned/En préparation ou prévus/In Vorbereitung oder geplant

Reference numbers of Test Guidelines in alphabetical order of their English names are given at the end of this Annex/Les numéros de référence des principes directeurs d'examen en ordre alphabétique des noms français figurent à la fin de la présente annexe/Referenznummern der Prüfungsrichtlinien in alphabetischer Reihenfolge der deutschen Namen sind am Ende dieser Anlage angegeben

Stage/Doc. No. Etat/No du doc. Stadium/Dok.-Nr.	Year Année Jahr	English	français	deutsch	Latin
* TG/10/7	88	Euphorbia Fulgens	Euphorbia fulgens	Korallenranke	Euphorbia fulgens Karw. ex Klotzsch
* TG/11/7	90	Rose (vegetatively propagated varieties)	Rosier (variétés à multiplication végétative)	Rose (vegetativ ver- mehrte Sorten)	Rosa L.
* TG/12/4	82	French Bean	Haricot	Bohne	Phaseolus vulgaris L.
- TG/12/5(proj.)		French Bean (revision)	Haricot (révision)	Bohne (Revision)	Phaseolus vulgaris L.
* TG/13/4	81	Lettuce	Laitue	Salat	Lactuca sativa L.
- TG/13/5(proj.)		Lettuce (revision)	Laitue (révision)	Salat (Revision)	Lactuca sativa L.
* TG/14/5	86	Apple	Pommier	Apfel	Malus Mill.
o TG/14/...?		Apple (revision)	Pommier (révision)	Apfel (Revision)	Malus Mill.
* TG/15/1 + Corr.	74 77	Pear	Poirier	Birne	Pyrus communis L.
o TG/15/...?		Pear (revision)	Poirier (révision)	Birne (Revision)	Pyrus communis L.
* TG/16/4	85	Rice	Riz	Reis	Oryza sativa L.
* TG/17/3	83	African Violet	Saintpaulia	Usambaraveilchen	Saintpaulia ionantha H. Wendl.
* TG/18/4	86	Elatior Begonia	Bégonia elatior	Elatior-Begonie	Begonia-Elatior- hybrids/hybrides/ Hybriden, Syn.: Begonia X hiemalis Fotsch
* TG/19/7	81	Barley	Orge	Gerste	Hordeum vulgare L. sensu lato
o TG/19/...?		Barley (revision)	Orge (révision)	Gerste (Revision)	Hordeum vulgare L. sensu lato
* TG/20/7	81	Oats	Avoine	Hafer	Avena sativa L. & Avena nuda L.
o TG/20/...?		Oats (revision)	Avoine (révision)	Hafer (Revision)	Avena sativa L. & Avena nuda L.
* TG/21/7	81	Poplar	Peuplier	Pappel	Populus L.
* TG/22/6	84	Strawberry	Fraisier	Erdbeere	Fragaria L.
* TG/23/5	86	Potato	Pomme de terre	Kartoffel	Solanum tuberosum L.
* TG/24/5	81	Poinsettia	Poinsettia	Poinsettie	Euphorbia pulcherrima Willd. ex Klotzsch
* TG/25/8	90	Carnation (vegetatively propagated vari- eties)	Oeillet (variétés à multi- plication végé- tative)	Nelke (vegetativ ver- mehrte Sorten)	Dianthus L.
* TG/26/4	79	Chrysanthemum (Perennial)	Chrysanthème (vivace)	Chrysanthemum (mehrjährig)	Chrysanthemum spec.

Stage/Doc. No. Etat/No du doc. Stadium/Dok.-Nr.	Year Année Jahr	English	français	deutsch	Latin
o TG/26/...?		Chrysanthemum (Perennial) (revision)	Chrysanthème (vivace) (révision)	Chrysantheme (mehrjährig) (Revision)	Chrysanthemum spec.
* TG/27/6	84	Freesia (vegetatively propagated varieties)	Freesia (variétés à multi- plication végétative)	Freesie (vegetativ ver- mehrte Sorten)	Freesia Eckl. ex Klatt
* TG/28/8	87	Zonal Pelargonium, Ivy-leaved Pelar- gonium (revision)	Pélargonium zonal, Géranium- lierre P. (révision)	Zonalpelargonie, Efeupelargonie (Revision)	Pelargonium zonale hort. non (L.) L'Hérit. ex Ait., P. peltatum hort. non (L.) L'Hérit. ex Ait.
* TG/29/6	87	Alstroemeria	Alstroèmère	Inkalilie	Alstroemeria L.
* TG/30/6	90	Bent	Agrostide	Straussgras	Agrostis canina L., A. gigantea Roth, A. stolonifera L., & Agrostis capillaris L. (Syn A. tenuis Sibth.)
* TG/31/6	84	Cocksfoot	Dactyle	Knaulgras L.	Dactylis glomerata
* TG/32/6	88	Common Vetch	Vesce commune	Saatwicke	Vicia sativa L.
* TG/33/6	90	Kentucky Blue- grass, Smooth Stalked Meadow Grass	Pâturin des prés	Wiesenrispe	Poa pratensis L.
* TG/34/6	84	Timothy	Fléole	Lieschgras	Phleum pratense L. & Phleum bertolonii DC.
* TG/35/3	76	Cherry (Sweet, Sour & Duke Cherries, fruit varieties only)	Cerisier (Cerise douce, cerise acide et cerise proprement dite, variétés à fruits seulement)	Kirsche (Sorten von Süß- kirsche, Sauer- kirsche und Weichselkirsche, nur Obstsorten)	Prunus avium (L.) L., P. cerasus L. & hybrids/hybrides/ Hybriden
- TG/35/..?		Cherry (revision)	Cerisier (révision)	Kirsche (Revision)	Prunus avium (L.) L., P. cerasus L. & hybrids/hybrides/ Hybriden
* TG/36/3 + Corr.	77 78	Rape (forage rape included)	Colza (y compris colza fourrager)	Raps (einschliesslich Futterraps)	Brassica napus L.
o TG/36/...?		Rape (revision) (forage rape included)	Colza (révision) (y compris colza fourrager)	Raps (Revision) (einschliesslich Futterraps)	Brassica napus L.
* TG/37/7	88	Turnip, Turnip Rape	Navet, Navette	Herbst-, Mairübe, Rübsen	Brassica rapa L. emend. Metzg.
* TG/38/6	85	White Clover	Trèfle blanc	Weissklee	Trifolium repens L.
* TG/39/6	84	Meadow Fescue, Tall Fescue	Fétuque des prés, Fétuque élevée	Wiesen-, Rohr- schwingel	Festuca pratensis Huds. & Festuca arundinacea Schreb.
* TG/40/6	89	Black Currant	Cassis	Schwarze Johannisbeere	Ribes nigrum L.

Stage/Doc. No. Etat/No du doc. Stadium/Dok.-Nr.	Year Année Jahr	English	français	deutsch	Latin
* TG/41/4	77	European Plum (fruit varieties, rootstocks ex- cluded)	Prunier européen (variétés à fruits à l'exclusion des porte-greffes)	Pflaume (fruchttragende Sorten, Unterla- gen ausgeschlossen)	Prunus domestica L. & Prunus insititia L.
* TG/42/3	76	Rhododendron	Rhododendron	Rhododendron	Rhododendron L.
* TG/43/6	86	Raspberry	Framboisier	Himbeere	Rubus idaeus L. & hybrids/hybrides/ Hybriden
* TG/44/3	76	Tomato	Tomate	Tomate	Lycopersicon lycopersicum (L.) Karst. ex. Farw.
+ TG/44/6(proj.)		Tomato (revision)	Tomate (révision)	Tomate (Revision)	Lycopersicon lycopersicum (L.) Karst. ex. Farw.
* TG/45/3	76	Cauliflower	Chou-fleur, Brocoli (Brocoli à jets exclu)	Blumenkohl	Brassica oleracea L. convar. botrytis (L.) Alef. var. botrytis
o TG/45/...?		Cauliflower (revision)	Chou-fleur, Brocoli (Brocoli à jets exclu) (révision)	Blumenkohl (Revision)	Brassica oleracea L. convar. botrytis (L.) Alef. var. botrytis
* TG/46/3	76	Onion	Oignon	Zwiebel	Allium cepa L.
o TG/46/...?		Onion (revision)	Oignon (révision)	Zwiebel (Revision)	Allium cepa L.
* TG/47/5	85	Streptocarpus	Streptocarpus	Drehfrucht	Streptocarpus X hybridus Voss
* TG/48/3 + Corr.	76 78	Cabbage (White cabbage, red cabbage and Savoy cabbage)	Chou pommé (Chou cabus, chou rouge et chou de Milan)	Kopfkohl (Weisskohl, Rot- kohl und Wirsing)	Brassica oleracea L. var. capitata L. f. alba DC.; B. oleracea L. var. capitata L. f. rubra (L.) Thell.; B. oleracea L. var. bullata DC. & B. oleracea L. var. sabauda L.
+ TG/48/5(proj.)		Cabbage (revision)	Chou pommé (révision)	Kopfkohl (Revision)	Brassica oleracea L. var. capitata (L.) Alef.
* TG/49/6	90	Carrot	Carotte	Möhre	Daucus carota L.
* TG/50/5	85	Vine	Vigne	Rebe	Vitis L.
* TG/51/6	87	Gooseberry	Groseillier à maquereau	Stachelbeere	Ribes uva-crispa L., R. grossularia L.
* TG/52/5	90	Red and White Currant	Groseillier à grappes	Rote und Weisse Johannisbeere	Ribes sylvestre (Lam.) Mert. & W.O.J. Koch (Syn. Ribes rubrum L.), R. niveum Lindl.
* TG/53/3	77	Peach	Pêcher	Pfirsich	Prunus persica (L.) Batsch

Stage/Doc. No. Etat/No du doc. Stadium/Dok.-Nr.	Year Année Jahr	English	français	deutsch	Latin
* TG/54/6	90	Brussels Sprouts	Chou de Bruxelles	Rosenkohl	<i>Brassica oleracea</i> L. convar. <i>oleracea</i> var. <i>gemmifera</i> DC.
* TG/55/3	77	Spinach	Epinard	Spinat	<i>Spinacia oleracea</i> L.
o TG/55/...?		Spinach (revision)	Epinard (révision)	Spinat (Revision)	<i>Spinacia oleracea</i> L.
* TG/56/3	78	Almond	Amandier	Mandel	<i>Prunus amygdalus</i> Batsch
* TG/57/3	80	Flax, Linseed	Lin	Lein	<i>Linum usitatissimum</i> L.
o TG/57/...?		Flax, Linseed (revision)	Lin (révision)	Lein (Revision)	<i>Linum usitatissimum</i> L.
* TG/58/3	78	Rye	Seigle	Roggen	<i>Secale cereale</i> L.
* TG/59/6	91	Lily (vegetatively propagated)	Lis (à multiplication végétative)	Lilie (vegetativ vermehrte)	<i>Lilium</i> L.
* TG/60/3	78	Beetroot	Betterave rouge	Rote Rübe	<i>Beta vulgaris</i> L. var. <i>esculenta</i>
- TG/60/...?		Beetroot (revision)	Betterave rouge (révision)	Rote Rübe (Revision)	<i>Beta vulgaris</i> L. var. <i>esculenta</i>
* TG/61/3	78	Cucumber, Gherkin	Concombre, Cornichon	Gurken	<i>Cucumis sativus</i> L.
- TG/61/4(proj.)		Cucumber, Gherkin (revision)	Concombre, Cornichon (révision)	Gurken (Revision)	<i>Cucumis sativus</i> L.
* TG/62/3	78	Rhubarb	Rhubarbe	Rhabarber	<i>Rheum rhabarbarum</i> L.
* TG/63/3	80	Black Radish	Radis d'été, d'automne et d'hiver	Rettich	<i>Rhaphanus sativus</i> L. var. <i>niger</i> (Mill.) S. Kerner
* TG/64/3	80	Radish	Radis de tous les mois	Radieschen	<i>Rhaphanus sativus</i> L. var. <i>radicola</i> Pers.
* TG/65/3	80	Kohlrabi	Chou-rave	Kohlrabi	<i>Brassica oleracea</i> L. var. <i>gongylodes</i> L.
* TG/66/3	79	Lupins	Lupins	Lupinen	<i>Lupinus albus</i> , <i>L. angustifolius</i> , <i>L. luteus</i>
* TG/67/4	80	Sheep's Fescue (including Hard Fescue), Red Fescue	Fétuque ovine (y compris Fétuque durette), Fétuque rouge	Schafschwingel (einschliesslich Härtlicher Schwingel), Rot- schwingel	<i>Festuca ovina</i> L. sensu lato & <i>F. rubra</i> L.
* TG/68/3	79	Berberis (vegetatively propagated)	Berberis (à multiplication végétative)	Berberitze (vegetativ vermehrte)	<i>Berberis</i> L.
* TG/69/3	79	Forsythia	Forsythia	Forsythie	<i>Forsythia</i> Vahl
* TG/70/3 + Corr.	79 90	Apricot	Abricotier	Aprikose	<i>Prunus armeniaca</i> L.

Stage/Doc. No. Etat/No du doc. Stadium/Dok.-Nr.	Year Année Jahr	English	français	deutsch	Latin
o TG/70/...?		Apricot (revision)	Abricotier (révision)	Aprikose (Revision)	Prunus armeniaca L.
* TG/71/3	79	Hazelnut	Noisetier	Haselnuss	Corylus avellana L. & C. maxima Mill.
* TG/72/4	85	Willow (tree varieties only)	Saule (variétés arborescentes seulement)	Weide (nur Sorten von Baumweide)	Salix L.
* TG/73/6	88	Blackberry	Ronce fruitière	Brombeere	Rubus subgenus Euba- tus Sect. Moriferi & Ursini & hybrids/ hybrides/Hybriden
* TG/74/3	80	Celeriac	Céleri-rave	Knollensellerie	Apium graveolens L. var. rapaceum (Mill.) Gaud.
* TG/75/3	80	Cornsalad	Mâche	Feldsalat	Valerianella locusta L. & V. eriocarpa Desv.
* TG/76/3	80	Sweet Pepper	Piment	Paprika	Capsicum annuum L.
- TG/76/4(proj.)		Sweet Pepper, Hot Pepper, Paprika (revision)	Piment (révision)	Paprika (Revision)	Capsicum annuum L.
* TG/77/6	89	Gerbera (vegetatively propagated)	Gerbera (à multiplication végétative)	Gerbera (vegetativ vermehrte)	Gerbera Cass.
* TG/78/3	80	Kalanchoe (vegetatively propagated)	Kalanchoë (à multiplication végétative)	Kalanchoe (vegetativ vermehrte)	Kalanchoë blossfeldiana v. Poelln. & its hybrids/ses hybrides/ihre Hybriden
* TG/79/3	80	White Cedar	Thuya du Canada	Lebensbaum	Thuya occidentalis L.
* TG/80/3	83	Soya Bean	Soja	Sojabohne	Glycine max (L.) Merrill
- TG/80/...?		Soya Bean (revision)	Soja (révision)	Sojabohne (Revision)	Glycine max (L.) Merrill
* TG/81/3	83	Sunflower	Tournesol	Sonnenblume	Helianthus annuus L. & Helianthus debilis Nutt.
* TG/82/3	82	Celery	Céleri-branche	Bleichsellerie	Apium graveolens L. var. dulce (Mill.) Pers.
* TG/83/3	82	Citrus (varieties of Oranges, Manda- rins, Lemons and Grapefruit; ex- cluding rootstock varieties)	Agrumes (variétés d'oran- ger, de mandari- nier, de citron- nier et de limet- tier, de pomélo; à l'exclusion des variétés porte- greffes)	Zitrus (Sorten von Orange, Mandarine, Zitrone und Grape- fruit; Unterlags- sorten ausge- schlossen)	Citrus L.

Stage/Doc. No. Etat/No du doc. Stadium/Dok.-Nr.	Year Année	English	français	deutsch	Latin
o TG/83/...?		Citrus (varieties of Oranges, Manda- rins, Lemons and Grapefruit; ex- cluding rootstock varieties) (revision)	Agrumes (variétés d'oran- ger, de mandari- nier, de citron- nier et de limet- tier, de pomélo; à l'exclusion des variétés porte- greffes) (révision)	Zitrus (Sorten von Orange, Mandarine, Zitrone und Grape- fruit; Unterlags- sorten ausge- schlossen) (Revision)	Citrus L.
* TG/84/3	82	Japanese Plum (fruit varieties only)	Prunier japonais (variétés à fruits seulement)	Ostasiatische Pflaume (nur fruchttragende Sorten)	Prunus salicina Lindl. & other diploid plums/autres pruniers diploïdes/ andere diploïde Pflaumensorten
* TG/85/3	83	Leek	Poireau	Porree	Allium porrum L.
* TG/86/2	83	Anthurium (vegetatively propagated vari- eties)	Anthurium (variétés à multi- plication végé- tative)	Flamingoblume (vegetativ vermehrte Sorten)	Anthurium Schott
* TG/87/2	83	Narcissi (includ- ing Daffodils)	Narcisse, Jonquille	Narzisse	Narcissus L.
* TG/88/3	85	Cotton	Cotonnier	Baumwolle	Gossypium L.
* TG/89/3	84	Swede	Chou-navet, Rutabaga	Kohlrübe	Brassica napus L. var. napobrassica (L.) Rchb.
* TG/90/3	84	Curly Kale	Chou frisé	Grünkohl	Brassica oleracea L. var. sabellica L.
* TG/91/3	84	Crown of Thorns	Epine du Christ	Christusdorn	Euphorbia milii Desmoulins & its hybrids/ses hybrides/seine Hybriden)
* TG/92/3	84	Persimmon (fruit varieties only)	Kaki (seulement varié- tés fruitières)	Kaki (nur Obstsorten)	Diospyros kaki L.
* TG/93/3	85	Groundnut	Arachide	Erdnuss	Arachis L.
* TG/94/3	85	Ling, Scotch Heather	Callune	Besenheide	Calluna vulgaris (L.) Hull.
* TG/95/3	85	Lagerstroemia	Lagerstroemia	Lagerstroemia	Lagerstroemia indica L.
o TG/96/1(proj.)		Norway Spruce (vegetatively propagated vari- eties)	Epicéa commun (variétés à multi- plication végé- tative)	Gemeine Fichte (vegetativ ver- mehrte Sorten)	Picea abies A. Dietr.
* TG/97/3	85	Avocado	Avocatier	Avocado	Persea americana Mill.
* TG/98/3	85	Kiwifruit	Actinidia	Kiwi	Actinidia chinensis Pl.

Stage/Doc. No. Etat/No du doc. Stadium/Dok.-Nr.	Year Année Jahr	English	français	deutsch	Latin
* TG/99/3	85	Olive (vegetatively propagated fruit varieties)	Olivier (variétés fruitières à multiplication végétative)	Olive (vegetativ vermehrte Sorten zur Fruchterzeugung)	<i>Olea europaea</i> L.
* TG/100/3	85	Quince (fruit varieties and rootstock varieties)	Cognassier (variétés fruitières et variétés porte-greffes)	Quitte (Sorten zur Fruchterzeugung und Unterlagsorten)	<i>Cydonia</i> Mill. sensu stricto
* TG/101/3	87	Christmas Cactus	Cactus de Noël	Weihnachtskaktus	<i>Schlumbergera</i> Lem. including/y compris/einschliesslich <i>Zygocactus</i> K. Schum.
* TG/102/3	86	Impatiens	Impatiente	Impatiens	<i>Impatiens</i> L.
* TG/103/3	86	Juniper	Genévrier	Wacholder	<i>Juniperus</i> L.
* TG/104/4 + Add	87 88	Melon	Melon	Melone	<i>Cucumis melo</i> L.
* TG/105/3	87	Chinese Cabbage	Chou Chinois	Chinakohl	<i>Brassica pekinensis</i> L.
+ TG/106/3	87	Leaf Beet	Poirée	Mangold	<i>Beta vulgaris</i> L. var. <i>vulgaris</i> L.
* TG/107/3	88	Tuberous Begonia Hybrids	Bégonia tubéreux hybride	Knollenbegonie	<i>Begonia</i> X <i>tubero-hybrida</i> Voss
* TG/108/3	88	Gladiolus	Glaïeul	Gladiole	<i>Gladiolus</i> L.
* TG/109/3	87	Regal Pelargonium	Pélarгонium des fleuristes	Edelpelargonie	<i>Pelargonium grandiflorum</i> hort. non Willd.
* TG/110/3	87	Guava (vegetatively propagated varieties)	Goyavier (variétés à multiplication végétative)	Guave (vegetativ vermehrte Sorten)	<i>Psidium guajava</i> L.
* TG/111/3	87	Macadamia (vegetatively propagated varieties)	Macadamia (variétés à multiplication végétative)	Macadamia (vegetativ vermehrte Sorten)	<i>Macadamia integrifolia</i> Maiden et Betche; <i>M. tetraphylla</i> L.A.S. Johnston & hybrids/hybrides/Hybriden
* TG/112/3	87	Mango (vegetatively propagated varieties)	Manguier (variétés à multiplication végétative)	Mango (vegetativ vermehrte Sorten)	<i>Mangifera indica</i> L.
* TG/113/2	87	Easter Cactus	Cactus jonc	Osterkaktus	<i>Rhipsalidopsis</i> Britt. et Rose, including/y compris/einschliesslich <i>Epiphyllopsis</i> Berger
* TG/114/3	88	Exacum	Exacum	Exacum	<i>Exacum</i> L.
* TG/115/3	88	Tulip	Tulipe	Tulpe	<i>Tulipa</i> L.
* TG/116/3	88	Black Salsify, Scorzonera	Salsifis noir, Scorsonère	Schwarzwurzel	<i>Scorzonera hispanica</i> L.
* TG/117/3	88	Egg Plant	Aubergine	Aubergine, Eierfrucht	<i>Solanum melongena</i> L.

Stage/Doc. No. Etat/No du doc. Stadium/Dok.-Nr.	Year Année Jahr	English	français	deutsch	Latin
* TG/118/3	88	Endive	Chicorée	Endivie	Cichorium endivia L.
* TG/119/3	88	Vegetable Marrow, Squash	Courgette	Gartenkürbis, Zucchini	Cucurbita pepo L.
* TG/120/3	88	Durum Wheat	Blé dur	Hartweizen	Triticum durum Desf.
* TG/121/3	89	Triticale	Triticale	Triticale	X Triticosecale Witt.
* TG/122/3	89	Sorghum	Sorgho	Mohrenhirse	Sorghum bicolor L.
* TG/123/3	89	Banana	Bananier	Banane	Musa acuminata Colla
* TG/124/3	89	Chestnut	Châtaignier	Kastanie	Castanea sativa Mill.
* TG/125/3	89	Walnut	Noyer	Walnuss	Juglans regia L.
* TG/126/4	90	Lachenalia (vegetatively propagated varieties)	Lachenalia (variétés à multiplication végétative)	Lachenalia (vegetativ ver- mehrte Sorten)	Lachenalia Jacq. f. ex Murray
* TG/127/3	90	Leucadendron (vegetatively propagated varieties)	Leucadendron (variétés à multiplication végétative)	Leucadendron (vegetativ ver- mehrte Sorten)	Leucadendron R. Br.
* TG/128/3	90	Leucospermum (vegetatively propagated varieties)	Leucospermum (variétés à multiplication végétative)	Leucospermum (vegetativ ver- mehrte Sorten)	Leucospermum R. Br.
* TG/129/3	89	Protea (vegetatively propagated varieties)	Protea (variétés à multiplication végétative)	Protea (vegetativ ver- mehrte Sorten)	Protea L.
* TG/130/3	90	Asparagus	Asperge	Spargel	Asparagus officinalis L.
* TG/131/3	90	Chincherinchee	Ornithogale	Milchstern	Ornithogalum L.
+ TG/132/3(proj.)		Dieffenbachia	Dieffenbachia	Dieffenbachia	Dieffenbachia Schott
* TG/133/3	91	Hydrangea	Hortensia	Hortensie	Hydrangea L.
* TG/134/3	90	Safflower	Carthame	Saflor	Carthamus tinctorius L.
* TG/135/3	90	Spathiphyllum (vegetatively propagated varieties)	Spathiphyllum (variétés à multiplication végétative)	Spathiphyllum (vegetativ ver- mehrte Sorten)	Spathiphyllum Schott
* TG/136/4	91	Parsley	Persil	Petersilie	Petroselinum crispum (Mill.) Nym. ex A.W. Hill
* TG/137/3	91	Blueberry	Myrtille	Kulturheidelbeere	Vaccinium corymbosum L., Vaccinium myrtillus L.
* TG/138/3	91	Jostaberry	Caseillier	Jostabeere	Ribes nidigrolaria R. & D. Bauer
* TG/139/3	91	Lingonberry	Airelle rouge	Preiselbeere	Vaccinium vitis- idaea L.

Stage/Doc. No. Etat/No du doc. Stadium/Dok.-Nr.	Year Année Jahr	English	français	deutsch	Latin
* TG/140/3	91	Pot Azalea	Azalée en pot	Topfazalee	Rhododendron simsii Planch.
+ TG/141/2(proj.)		Aster	Aster	Aster	Aster L.
- TG/142/1(proj.)		Watermelon	Pastèque	Wassermelone	Citrullus lanatus (Thunb.) Matsum. et Nakai
- TG/143/1(proj.)		Chick-Pea	Pois chiche	Kichererbse	Cicer arietinum L.
- TG/144/1(proj.)		Evening Primrose	Oenothère, Onagre	Nachtkerze	Oenothera L.
o		Artichoke, Cardoon	Artichaut, Cardon	Artischoke, Kardon	Cynara L.
o		Broccoli	Brocoli	Brokkoli	Brassica oleracea L. convar. botrytis (L.) Alef. var. cymosa Duch.
o		Bunching Onion, Welsh Onion	Ciboule	Winterzwiebel	Allium fistulosum L.
o		Chamomile	Anthémis	Hundskamille	Anthemis L.
o		Chives, Asatsuki	Civette, Ciboulette	Schnittlauch	Allium schoenoprasum L.
o		Chokeberry	Aronia	Apfelbeere	Aronia melanocarpa (Michx) Elliot
o		Cucurbita moschata	Cucurbita moschata	Moschuskürbis, Bisamkürbis	Cucurbita moschata (Duch.) Duch. ex. Poir
o		Dill	Aneth	Dill	Anethum graveolens L.
o		Fodder Beet	Betterave fourragère	Runkelrübe	Beta vulgaris L. ssp. vulgaris var. DC. (var. crassa Alef; var. crassa Mansf.)
o		Garlic	Ail	Knoblauch	Allium sativum L.
o		Gentian	Gentiane	Enzian	Gentiana L.
o		Iris (bulbous)	Iris (bulbeux)	Iris (zwiebel- bildende)	Iris L.
o		Japanese Pear	Poirier japonais	Japanische Birne	Pyrus serotina Rehd. var. culta
o		Kangaroo Paws	Anigozanthos	Känguruhblume	Anigozanthos Labill.
o		Lavender	Lavande vraie	Echter Lavendel	Lavandula angusti- folia Mill.
o		Lavender	Lavandins	Lavendel	Lavandula x burnatii Briq.
o		Prunus Rootstocks	Porte-greffes du Prunus	Prunus-Unterlagen	Prunus L.
o		Pumpkin	Potiron, Giraumon	Riesenkürbis	Cucurbita maxima Duch.
o		Pyracantha, Fire- thorn	Pyracantha, Buisson ardent	Feuerdorn	Pyracantha M.J. Roem.

0596

Stage/Doc. No. Etat/No du doc. Stadium/Dok.-Nr.	Year Année Jahr	English	français	deutsch	Latin
o		Sea Lavender, Statice	Limonium, Statice	Widerstoss, Meer- lavendel	Limonium Mill. (Syn. Statice)
o		Shallot	Echalote	Schalotte	Allium ascalonicum L.
o		Weigela	Weigela	Weigelie	Weigela Thunb.
o		Witlof, Chicory	Chicorée	Zichorie	Cichorium intybus L.

REFERENCE NUMBERS OF TEST GUIDELINES IN ALPHABETICAL ORDER OF THEIR ENGLISH NAMES

African Violet	TG/17	General Introduction	TG/01	Red Fescue	TG/67
Almond	TG/56	Gerbera	TG/77	Regal Pelargonium...	TG/109
Alstroemeria	TG/29	Gherkin	TG/61	Rhododendron	TG/42
Anthurium	TG/86	Gladiolus	TG/108	Rhubarb	TG/62
Apple	TG/14	Gooseberry	TG/51	Rice	TG/16
Apricot	TG/70	Grapefruit	TG/83	Rose	TG/11
Artichoke	-	Groundnut	TG/93	Runner Bean	TG/09
Asatsuki	-	Guava	TG/110	Rye	TG/58
Asparagus	TG/130	Hard Fescue	TG/67	Ryegrass	TG/04
Aster	-	Hazelnut	TG/71	Safflower	TG/134
Avocado	TG/97	Hot Pepper	TG/76	Savoy cabbage	TG/48
Banana	TG/123	Hydrangea	TG/133	Scorzonera	TG/116
Barley	TG/19	Impatiens	TG/102	Scotch Heather	TG/94
Beetroot	TG/60	Iris	-	Sea Lavender	-
Bent	TG/30	Ivy-leaved		Shallot	-
Berberis	TG/68	Pelargonium	TG/28	Sheep's Fescue	TG/67
Black Currant	TG/40	Japanese Pear	-	Sorghum	TG/122
Black Radish	TG/63	Japanese Plum	TG/84	Soya Bean	TG/80
Black Salsify	TG/116	Jostaberry	TG/138	Spathiphyllum	TG/135
Blackberry	TG/73	Juniper	TG/103	Spinach	TG/55
Blueberry	TG/137	Kalanchoe	TG/78	Squash	TG/119
Broad Bean	TG/08	Kangaroo Paws	-	Stalice	-
Broccoli	-	Kentucky Bluegrass .	TG/33	Strawberry	TG/22
Brussels Sprouts ...	TG/54	Kiwifruit	TG/98	Streptocarpus	TG/47
Bunching Onion	-	Kohlrabi	TG/65	Sunflower	TG/81
Cabbage	TG/48	Lachenalia	TG/126	Sweet	TG/89
Cardoon	-	Lagerstroemia	TG/95	Sweet Pepper	TG/76
Carnation	TG/25	Lavender	-	Tall Fescue	TG/39
Carrot	TG/49	Leaf Beet	TG/106	Timothy	TG/34
Cauliflower	TG/45	Leek	TG/85	Tomato	TG/44
Celeriac	TG/74	Lemons	TG/83	Triticale	TG/121
Celery	TG/82	Lettuce	TG/13	Tuberous Begonia ...	TG/107
Chamomile	-	Leucadendron	TG/127	Hybrids	-
Cherry	TG/35	Leucospermum	TG/128	Tulip	TG/115
Chestnut	TG/124	Lily	TG/59	Turnip	TG/37
Chick-Pea	-	Ling	TG/94	Turnip Rape	TG/37
Chicory	-	Lingonberry	TG/139	Vegetable Marrow ...	TG/119
Chinese Cabbage	TG/105	Linseed	TG/57	Vine	TG/50
Chincherinchee	TG/131	Lucerne	TG/06	Walnut	TG/125
Chives	-	Lupins	TG/66	Watermelon	-
Chokeberry	-	Macadamia	TG/111	Weigela	-
Christmas Cactus ...	TG/101	Maize	TG/02	Welsh Onion	-
Chrysanthemum	TG/26	Mandarins	TG/83	Wheat	TG/03
Citrus	TG/83	Mango	TG/112	White cabbage	TG/48
Cocksfoot	TG/31	Meadow Fescue	TG/39	White Cedar	TG/79
Common Vetch	TG/32	Melon	TG/104	White Clover	TG/38
Cornsalad	TG/75	Narcissi	TG/87	White Currant	TG/52
Cotton	TG/88	Norway Spruce	TG/96	Willow	TG/72
Crown of Thorns	TG/91	Oats	TG/20	Witlof	-
Cucumber	TG/61	Olive	TG/99	Zonal Pelargonium ..	TG/28
Cucurbita maxima ...	-	Onion	TG/46		
Cucurbita moschata .	-	Oranges	TG/83		
Curly Kale	TG/90	Paprika	TG/76		
Daffodils	TG/87	Parsley	TG/136		
Dieffenbachia	TG/132	Peach	TG/53		
Dill	-	Pear	TG/15		
Durum Wheat	TG/120	Peas	TG/07		
Easter Cactus	TG/113	Persimmon	TG/92		
Egg Plant	TG/117	Poinsettia	TG/24		
Elatior Begonia	TG/18	Poplar	TG/21		
Endive	TG/118	Pot Azalea	TG/140		
Euphorbia Fulgens ..	TG/10	Potato	TG/23		
European Plum	TG/41	Protea	TG/129		
Evening Primrose ...	-	Prunus rootstocks ..	-		
Exacum	TG/114	Pumpkin	-		
Field Bean	TG/08	Pyracantha	-		
Firethorn	-	Quince	TG/100		
Flax	TG/57	Radish	TG/64		
Fodder Beet	-	Rape	TG/36		
Forsythia	TG/69	Raspberry	TG/43		
Freesia	TG/27	Red cabbage	TG/48		
French Bean	TG/12	Red Clover	TG/05		
Garlic	-	Red Currant	TG/52		

0598

NUMEROS DE REFERENCE DES PRINCIPES DIRECTEURS D'EXAMEN EN ORDRE ALPHABETIQUE DES NOMS FRANCAIS

Abricotier	TG/70	Euphorbia fulgens ..	TG/10	Piment	TG/76
Actinidia	TG/98	Exacum	TG/114	Poinsettia	TG/24
Agrostide	TG/30	Fétuque des prés ...	TG/39	Poireau	TG/85
Agrumes	TG/83	Fétuque durette	TG/67	Poirée	TG/106
Ail	-	Fétuque élevée	TG/39	Poirier	TG/15
Airelle rouge	TG/139	Fétuque ovine	TG/67	Poirier japonais ...	-
Alstroèmère	TG/29	Fétuque rouge	TG/67	Pois	TG/07
Amandier	TG/56	Fève	TG/08	Pois chiche	-
Aneth	-	Féverole	TG/08	Pomélo	TG/83
Anigozanthos	-	Fléole	TG/34	Pomme de terre	TG/23
Anthémis	-	Forsythia	TG/69	Pommier	TG/14
Anthurium	TG/86	Fraisier	TG/22	Porte-greffes de	
Arachide	TG/93	Framboisier	TG/43	Prunus	-
Aronia	-	Freesia	TG/27	Potiron	-
Artichaut	-	Genévrier	TG/103	Protea	TG/129
Asperge	TG/130	Gentiane	-	Prunier européen ...	TG/41
Aster	-	Géranium-lierre ...	TG/28	Prunier japonais ...	TG/84
Aubergine	TG/117	Gerbera	TG/77	Pyracantha	-
Avocatier	TG/97	Glaïeul	TG/108	Radis d'été, d'au-	
Avoine	TG/20	Goyavier	TG/110	tomne et d'hiver..	TG/63
Azalée en pot	TG/140	Groseillier à		Radis de tous les	
Bananier	TG/123	grappes	TG/52	mois	TG/64
Bégonia elatior	TG/18	Groseillier à		Ray-grass	TG/04
Bégonia tubéreux		maquereau	TG/51	Rhododendron	TG/42
hybride	TG/107	Haricot	TG/12	Rhubarbe	TG/62
Berberis	TG/68	Haricot d'Espagne ..	TG/09	Riz	TG/16
Betterave rouge	TG/60	Hortensia	TG/133	Ronce fruitière	TG/73
Betterave fourragère	-	Impatiente	TG/102	Rosier	TG/11
Blé	TG/03	Introduction		Rutabaga	TG/89
Blé dur	TG/120	générale	TG/01	Saintpaulia	TG/17
Brocoli	-	Iris	-	Salsifis noir	TG/116
Buisson ardent	-	Jonquille	TG/87	Saule	TG/72
Cactus de Noël	TG/101	Kaki	TG/92	Scorsonère	TG/116
Cactus jonc	TG/113	Kalanchoë	TG/78	Seigle	TG/58
Callune	TG/94	Lachenalia	TG/126	Soja	TG/80
Cardon	-	Lagerstroemia	TG/95	Sorgho	TG/122
Carotte	TG/49	Laitue	TG/13	Spathiphyllum	TG/135
Carthame	TG/134	Lavande vraie	-	Statice	-
Caseillier	TG/138	Lavandins	-	Streptocarpus	TG/47
Cassis	TG/40	Leucadendron	TG/127	Thuya du Canada	TG/79
Céleri-branche	TG/82	Leucospermum	TG/128	Tomate	TG/44
Céleri-rave	TG/74	Limettier	TG/83	Tournesol	TG/81
Cerisier	TG/35	Lin	TG/57	Trèfle blanc	TG/38
Châtaignier	TG/124	Limonium	-	Trèfle violet	TG/05
Chicorée	TG/118	Lis	TG/59	Triticale	TG/121
Chicorée	-	Lupins	TG/66	Tulipe	TG/115
Chou cabus	TG/48	Luzerne	TG/06	Vesce commune	TG/32
Chou Chinois	TG/105	Macadamia	TG/111	Vigne	TG/50
Chou de Bruxelles ..	TG/54	Mâche	TG/75	Weigela	-
Chou de Milan	TG/48	Maïs	TG/02		
Chou-fleur	TG/45	Mandarinier	TG/83		
Chou frisé	TG/90	Manguier	TG/112		
Chou-navet	TG/89	Melon	TG/104		
Chou pommé	TG/48	Myrtille	TG/137		
Chou-rave	TG/65	Narcisse	TG/87		
Chou rouge	TG/48	Navet	TG/37		
Chrysanthème	TG/26	Navette	TG/37		
Ciboule	-	Noisetier	TG/71		
Ciboulette	-	Noyer	TG/125		
Citronnier	TG/83	Oeillet	TG/25		
Civette	-	Oenothère	-		
Cognassier	TG/100	Oignon	TG/46		
Colza	TG/36	Olivier	TG/99		
Concombre	TG/61	Onagre	-		
Cornichon	TG/61	Oranger	TG/83		
Cotonnier	TG/88	Orge	TG/19		
Courgette	TG/119	Ornithogale	TG/131		
Cucurbita maxima ...	-	Pastèque	-		
Cucurbita moschata .	-	Pâturin des prés ...	TG/33		
Dactyle	TG/31	Pêcher	TG/53		
Dieffenbachia	TG/132	Pélagonium des			
Echalote	-	fleuristes	TG/109		
Epicéa commun	TG/96	Pélagonium zonal ..	TG/28		
Epinard	TG/55	Persil	TG/136		
Epine du Christ	TG/91	Peuplier	TG/21		

REFERENZNUMMERN DER PRUEFUNGSRICHTLINIEN IN ALPHABETISCHER REIHENFOLGE DER DEUTSCHEN NAMEN

Ackerbohne	TG/08	Kirsche	TG/35	Runkelrübe	-
Allgemeine		Kiwi	TG/98	Saatwicke	TG/32
Einführung	TG/01	Knaulgras	TG/31	Saflor	TG/134
Apfel	TG/14	Knoblauch	-	Salat	TG/13
Apfelbeere	-	Knollenbegonie	TG/107	Schafschwingel	TG/67
Aprikose	TG/70	Knollensellerie	TG/74	Schalotte	-
Artischoke	-	Kohlrabi	TG/65	Schnittlauch	-
Aster	-	Kohlrübe	TG/89	Schwarze	
Aubergine	TG/117	Kopfkohl	TG/48	Johannisbeere	TG/40
Avocado	TG/97	Korallenranke	TG/10	Schwarzwurzel	TG/116
Banane	TG/123	Kulturheidelbeere ..	TG/137	Sojabohne	TG/80
Baumwolle	TG/88	Lachenalia	TG/126	Sonnenblume	TG/81
Berberitze	TG/68	Lagerstroemia	TG/95	Spargel	TG/130
Besenheide	TG/94	Lavendel	-	Spathiphyllum	TG/135
Birne	TG/15	Lebensbaum	TG/79	Spinat	TG/55
Bisamkürbis	-	Lein	TG/57	Stachelbeere	TG/51
Bleichsellerie	TG/82	Leucadendron	TG/127	Straussgras	TG/30
Blumenkohl	TG/45	Leucospermum	TG/128	Tomate	TG/44
Bohne	TG/12	Lieschgras	TG/34	Topfazalee	TG/140
Brokkoli	-	Lilie	TG/59	Triticale	TG/121
Brombeere	TG/73	Lupinen	TG/66	Tulpe	TG/115
Chinakohl	TG/105	Luzerne	TG/06	Usambaraveilchen ..	TG/17
Christusdorn	TG/91	Macadamia	TG/111	Wacholder	TG/103
Chrysantheme	TG/26	Mairübe	TG/37	Walnuss	TG/125
Dicke Bohne	TG/08	Mais	TG/02	Wassermelone	-
Dieffenbachia	TG/132	Mandarine	TG/83	Weide	TG/72
Dill	-	Mandel	TG/56	Weidelgras	TG/04
Drehfrucht	TG/47	Mango	TG/112	Weigelia	-
Echter Lavendel	-	Mangold	TG/106	Weihnachtskaktus ..	TG/101
Edelpelargonie	TG/109	Meerlavendel	-	Weisse Johannisbeere	TG/52
Efeupelargonie	TG/28	Melone	TG/104	Weissklee	TG/38
Eierfrucht	TG/117	Milchstern	TG/131	Weisskohl	TG/48
Elatior-Begonie	TG/18	Möhre	TG/49	Weizen	TG/03
Endivie	TG/118	Mohrenhirse	TG/122	Widerstoss	-
Enzian	-	Moschuskürbis	-	Wiesenrispe	TG/33
Erbsen	TG/07	Nachtkerze	-	Wiesenschwingel	TG/39
Erdbeere	TG/22	Narzisse	TG/87	Winterzwiebel	-
Erdnuss	TG/93	Nelke	TG/25	Wirsing	TG/48
Exacum	TG/114	Olive	TG/99	Zichorie	-
Feldsalat	TG/75	Orange	TG/83	Zitrone	TG/83
Feuerdorn	-	Ostasiatische Pflaum	TG/84	Zitrus	TG/83
Flamingoblume	TG/86	Osterkaktus	TG/113	Zonalpelargonie	TG/28
Forsythie	TG/69	Pappel	TG/21	Zucchini	TG/119
Freesie	TG/27	Paprika	TG/76	Zwiebel	TG/46
Gartenkürbis	TG/119	Petersilie	TG/136		
Gemeine Fichte	TG/96	Pfirsich	TG/53		
Gerbera	TG/77	Pflaume	TG/41		
Gerste	TG/19	Poinsettie	TG/24		
Gladiole	TG/108	Porree	TG/85		
Grapefruit	TG/83	Preiselbeere	TG/139		
Grünkohl	TG/90	Protea	TG/129		
Guave	TG/110	Prunkbohne	TG/09		
Gurken	TG/61	Prunus-Unterlagen ..	-		
Hafer	TG/20	Quitte	TG/100		
Härtlicher Schwingel	TG/67	Radieschen	TG/64		
Hartweizen	TG/120	Raps	TG/36		
Haselnuss	TG/71	Rebe	TG/50		
Herbstrübe	TG/37	Reis	TG/16		
Himbeere	TG/43	Rettich	TG/63		
Hortensie	TG/133	Rhabarber	TG/62		
Hundskamille	-	Rhododendron	TG/42		
Impatiens	TG/102	Ribes indigrolaria ..	-		
Inkalilie	TG/29	Riesenkürbis	-		
Iris	-	Roggen	TG/58		
Japanische Birne	-	Rohrschwingel	TG/39		
Jostabeere	TG/138	Rose	TG/11		
Kaki	TG/92	Rosenkohl	TG/54		
Kalanchoe	TG/78	Rote Johannisbeere ..	TG/52		
Känguruhblume	-	Rote Rübe	TG/60		
Kardon	-	Rotklee	TG/05		
Kartoffel	TG/23	Rotkohl	TG/48		
Kastanie	TG/124	Rotschwingel	TG/67		
Kichererbse	-	Rübsen	TG/37		

REFERENCE NUMBERS OF TEST GUIDELINES IN ALPHABETICAL ORDER OF THEIR LATIN NAMES
 NUMEROS DE REFERENCE DES PRINCIPES DIRECTEURS D'EXAMEN EN ORDRE ALPHABÉTIQUE DES NOMS LATINS
 REFERENZNUMMERN DER PRÜFUNGSRICHTLINIEN IN ALPHABETISCHER REIHENFOLGE DER LATEINISCHEN NAMEN

Actinidia chinensis Pl.	TG/98	Cucurbita pepo L.	TG/119	Persea americana Mill.	TG/97
Agrostis canina L.	TG/30	Cydonia Mill. sensu stricto ..	TG/100	Petroselinum crispum (Mill.)	
Agrostis gigantea Roth	TG/30	Cynara L.	-	Nym. ex- A.W. Hill	TG/136
Agrostis stolonifera L.	TG/30	Dactylis glomerata L.	TG/31	Phaseolus coccineus L.	TG/09
Agrostis tenuis Sibth.	TG/30	Daucus carota L.	TG/49	Phaseolus vulgaris L.	TG/1?
Allium ascalonicum L.	-	Dianthus L.	TG/25	Phleum bertolonii DC.	TG/34
Allium cepa L.	TG/46	Dieffenbachia Schott	TG/132	Phleum pratense L.	TG/34
Allium fistulosum L.	-	Diospyros kaki L.	TG/92	Picea abies A. Dietr.	TG/96
Allium porrum L.	TG/85	Epiphyllopsis Berger	TG/113	Pisum sativum L. sensu lato ..	TG/07
Allium sativum L.	-	Euphorbia fulgens Karw. ex		Poa pratensis L.	TG/33
Allium schoenoprasum L.	-	Klotzsch	TG/10	Populus L.	TG/21
Alstroemeria L.	TG/29	Euphorbia milii Desmoulins ...	TG/91	Protea L.	TG/129
Anethum graveolens L.	-	Euphorbia pulcherrima Willd.		Prunus amygdalus Batsch	TG/56
Anigozanthos Labill.	-	ex Klotzsch	TG/24	Prunus armeniaca L.	TG/70
Anthemis L.	-	Exacum L.	TG/114	Prunus avium (L.) L.	TG/35
Anthurium Schott	TG/86	Festuca arundinacea Schreb....	TG/39	Prunus cerasus L.	TG/35
Apium graveolens L. var.		Festuca ovina L. sensu lato ..	TG/67	Prunus domestica L.	TG/41
dulce (Mill.) Pers.	TG/82	Festuca pratensis Huds.	TG/39	Prunus insititia L.	TG/41
Apium graveolens L. var.		Festuca rubra L.	TG/67	Prunus L.	-
rapaceum (Mill.) Gaud.	TG/74	Forsythia Vahl	TG/69	Prunus persica (L.) Batsch ...	TG/53
Arachis L.	TG/93	Fragaria L.	TG/22	Prunus salicina Lindl.	TG/84
Aronia melanocarpa (Michx)		Freesia Eckl. ex Klatt	TG/27	Psidium guajava L.	TG/110
Elliot	-	Gentiana L.	-	Pyracantha M.J. Roem.	-
Asparagus officinalis L.	TG/130	Gerbera Cass.	TG/77	Pyrus communis L.	TG/15
Avena nuda L.	TG/20	Glabriolus L.	TG/108	Pyrus serotina Rehd. var.	
Avena sativa L.	TG/20	Glycine max (L.) Merrill	TG/80	culta	-
Begonia X hiemalis Fotsch	TG/18	Gossypium L.	TG/88	Rhaphanus sativus L. var.	
Begonia X tuberhybrida Voss	TG/107	Helianthus annuus L.	TG/81	niger (Mill.) S. Kerner	TG/63
Begonia-Elatior	TG/18	Helianthus debilis Nutt.	TG/81	Rhaphanus sativus L. var.	
Berberis L.	TG/68	Hordeum vulgare L. sensu		radicola Pers.	TG/64
Beta vulgaris L. var.		lato	TG/19	Rheum rhabarbarum L.	TG/62
esculenta	TG/60	Hydrangea L.	TG/133	Rhipsalidopsis Britt. et Rose	TG/113
Beta vulgaris L. var.		Impatiens L.	TG/102	Rhododendron L.	TG/42
vulgaris L.	TG/106	Iris L.	-	Rhododendron simsii Planch. ..	TG/140
Beta vulgaris L. ssp.		Juglans regia L.	TG/125	Ribes grossularia L.	TG/51
vulgaris L. var. alba DC. ..	-	Juniperus L.	TG/103	Ribes nidigrolaria	TG/138
Brassica napus L.	TG/36	Kalanchoë blossfeldiana v.		Ribes nigrum L.	TG/40
Brassica napus L. var.		Poelln.	TG/78	Ribes niveum Lindl.	TG/52
napobrassica (L.) Rchb.	TG/89	Lachenalia Jacq. f. ex Murray.	TG/126	Ribes sylvestre (Lam.) Mert.	
Brassica oleracea L. var.		Lactuca sativa L.	TG/13	& W. Koch	TG/52
bullata DC.	TG/48	Lagerstroemia indica L.	TG/95	Ribes uva-crispa L.	TG/51
Brassica oleracea L. var.		Lavandula angustifolia Mill. ..	-	Rosa L.	TG/11
capitata L. f. alba DC.	TG/48	Lavandula x burnatii Briq. ...	-	Rubus idaeus L.	TG/43
Brassica oleracea L. var.		Leucadendron R. Br.	TG/127	Rubus subgenus Eubatus Sect.	
capitata L. f. rubra (L.)		Leucospermum R. Br.	TG/128	Moriferi & Ursini	TG/73
Thell.	TG/48	Lilium L.	TG/59	Saintpaulia ionantha H. Wendl.	TG/17
Brassica oleracea L. var.		Limonium Mill.	-	Salix L.	TG/72
- gongyloides L.	TG/65	Linum usitatissimum L.	TG/57	Schlumbergera Lem.	TG/101
- sabellica L.	TG/90	Lolium multiflorum Lam.	TG/04	Scorzonera hispanica L.	TG/116
- sabauda L.	TG/48	Lolium perenne L.	TG/04	Secale cereale L.	TG/58
Brassica oleracea L. convar.		Lupinus albus	TG/66	Solanum melongena L.	TG/117
botrytis (L.) Alef. var.		Lupinus angustifolius	TG/66	Solanum tuberosum L.	TG/23
- botrytis	TG/45	Lupinus luteus	TG/66	Sorghum bicolor L.	TG/122
- cymosa Duch.	-	Lycopersicon lycopersicum		Spathiphyllum Schott	TG/135
Brassica oleracea L. convar. .		(L.) Karst. ex. Farw.	TG/44	Spinacia oleracea L.	TG/55
oleracea var. gemmifera DC.	TG/54	Macadamia integrifolia		Statice	-
Brassica pekinensis L.	TG/105	Maiden et Betché	TG/111	Streptocarpus X hybridus Voss	TG/47
Brassica rapa L. emend. Metzg.	TG/37	Macadamia tetraphylla L.A.S.		Thuya occidentalis L.	TG/79
Calluna vulgaris (L.) Hull. ..	TG/94	Johnsten	TG/111	Trifolium pratense L.	TG/05
Capsicum annuum L.	TG/76	Malus Mill.	TG/14	Trifolium repens L.	TG/38
Carthamus tinctorius L.	TG/134	Mangifera indica L.	TG/112	Triticum aestivum L.	TG/03
Castanea sativa Mill.	TG/124	Medicago sativa L.	TG/06	Triticum durum Desf.	TG/120
Chrysanthemum spec.	TG/26	Medicago X varia Martyn	TG/06	Tulipa L.	TG/115
Cicer arietinum L.	-	Musa acuminata Colla	TG/123	Vaccinium corymbosum	TG/137
Cichorium endivia L.	TG/118	Narcissus L.	TG/87	Vaccinium myrtillus L.	TG/137
Cichorium intybus L.	-	Oenothera L.	-	Vaccinium vitis-idaea L.	TG/139
Citrullus lanatus (Thunb.)		Olea europaea L.	TG/99	Valerianella eriocarpa Desv. .	TG/75
Matsum. et Nakai	-	Ornithogalum L.	TG/131	Valerianella locusta L.	TG/75
Citrus L.	TG/83	Oryza sativa L.	TG/16	Vicia faba L.	TG/08
Corylus avellana L.	TG/71	Pelargonium grandiflorum		Vicia sativa L.	TG/32
Corylus maxima Mill.	TG/71	hort. non Willd.	TG/109	Vitis L.	TG/50
Cucumis melo L.	TG/104	Pelargonium peltatum hort.		Weigela Thunb.	-
Cucumis sativus L.	TG/61	non (L.) L'Hérit. ex Ait. ..	TG/28	X Triticosecale Witt.	TG/121
Cucurbita maxima Duch	-	Pelargonium zonale hort.		Zea mays L.	TG/02
Cucurbita moschata	-	non (L.) L'Hérit. ex Ait. ..	TG/28	Zygocactus K. Schum.	TG/101