

**TGP/14/5 Draft 1****Original:** English**Date:** August 10, 2020

---

***to be considered by correspondence***

---

**DRAFT  
(REVISION)**

Associated Document to the  
General Introduction to the Examination of Distinctness, Uniformity and Stability  
and the Development of Harmonized Descriptions of New Varieties of Plants (document TG/1/3)

**DOCUMENT TGP/14****GLOSSARY OF TERMS USED IN UPOV DOCUMENTS**

*Document prepared by the Office of the Union*

*to be considered by*

*the Technical Committee, the Administrative and Legal Committee, and the Council in 2020*

*Disclaimer: this document does not represent UPOV policies or guidance*

<u>TABLE OF CONTENTS</u>	<u>PAGE</u>
<b>SECTION 1. INSTITUTIONAL AND TECHNICAL TERMS .....</b>	<b>5</b>
<b>SECTION 2. BOTANICAL TERMS.....</b>	<b>14</b>
<b>SUBSECTION 1. INTRODUCTION .....</b>	<b>14</b>
<b>SUBSECTION 2. SHAPES AND STRUCTURES.....</b>	<b>15</b>
I. SHAPE .....	15
1. <i>Components of Shape</i> .....	15
Chart for Simple Symmetric Plane Shapes .....	18
Chart for Other Plane Shapes.....	19
2. <i>Developing Shape-Related Characteristics</i> .....	20
2.1 Introduction.....	20
2.2 Full plane shape characteristics.....	20
2.3 Base Shape Characteristics.....	30
2.4 Apex/Tip Shape Characteristics.....	32
2.5 Combination of Full Plane-, Base- and Apex Shape Characteristics.....	35
2.6 Three-dimensional shape characteristics.....	37
2.7 Symmetry .....	37
2.8 Perspective from which to observe plant shapes .....	37
2.9 Use of composite characteristics for determining distinctness and uniformity.....	39
2.10 Shape: types of expression and states / notes.....	39
2.11 Shape: defining the characteristic.....	40
2.12 Shape: Technical Questionnaire Characteristics .....	40
3. <i>Shape Illustrations</i> .....	41
3.1 Full Plane Shapes .....	41
3.2 Base Shapes .....	41
3.3 Apex Shapes .....	42
3.3.1 Apex.....	42
3.3.2 Differentiated tip.....	42
3.4 Three-Dimensional Shapes .....	43
3.5 Symmetry .....	44
II. STRUCTURE .....	45
1. <i>Developing Characteristics for Plant Structures</i> .....	45
1.1 Growth habit .....	45
1.2 Attitude / direction (Plant parts).....	46
1.3 Relative position .....	48
1.4 Margins.....	48
1.5 Hairs and Spines .....	49
2. <i>Illustrations Of Plant Structures</i> .....	50
2.1 Habit.....	50
2.2 Attitude / direction (Plant parts).....	51
2.3 Relative position .....	52
2.4 Types of Inflorescence.....	53
2.4.1 Simple inflorescences .....	53
2.4.2 Compound inflorescences.....	53
2.4.3 Margins .....	55
2.4.4 Hairiness (Types of appendage covered by the general term “hair” in the Test Guidelines).....	56
2.4.5 Spines (Types of appendage covered by the general term “spine” in the Test Guidelines).....	56
2.4.6 Other appendages .....	57
2.4.7 Texture.....	57

<b>SUBSECTION 3. COLOR .....</b>	<b>58</b>
1. INTRODUCTION .....	58
2. COLOR.....	59
2.1 <i>Terms used for color.....</i>	<i>59</i>
2.2 <i>States of expression for color characteristics.....</i>	<i>59</i>
2.2.1 Single color.....	59
2.2.2 Color range.....	59
2.2.3 Intensity .....	60
2.2.4 Color Chart .....	60
2.3 <i>Developing characteristics.....</i>	<i>60</i>
2.3.1 Type of expression .....	60
2.3.2 Order of states of expression.....	61
2.3.3 Factors to be considered for creating color groups .....	61
2.4 <i>Unsuitable color names.....</i>	<i>61</i>
2.5 <i>Timing of observations.....</i>	<i>62</i>
2.6 <i>Organ elements that may distort color.....</i>	<i>62</i>
3. APPROACHES TO DESCRIBE COLORS AND COLOR PATTERNS.....	63
3.1 <i>Approach according to the size of the surface area.....</i>	<i>63</i>
3.2 <i>Approach according to tissue layers.....</i>	<i>63</i>
3.3 <i>Approach according to defined parts of an organ.....</i>	<i>64</i>
3.4 <i>Approach according to the RHS Colour Chart number ("Lisbon" approach).....</i>	<i>64</i>
3.5 <i>Special terms used for color characteristics.....</i>	<i>66</i>
3.5.1 Variegation .....	66
3.5.2 Pigments (anthocyanin, carotenoid) .....	67
3.5.3 Conspicuousness .....	67
3.6 <i>Color change over time.....</i>	<i>67</i>
4. COLOR DISTRIBUTION AND COLOR PATTERNS.....	68
4.1 <i>Schematic overview.....</i>	<i>68</i>
4.2 <i>Illustrations.....</i>	<i>69</i>
4.2.1 Color Patterns.....	69
4.2.1.1 Flush.....	69
4.2.1.2 Spotted / Blotched / Speckled .....	69
4.2.1.3 Central Bar.....	70
4.2.1.4 Aciculate / Striped .....	70
4.2.1.5 Transverse Band / Banded .....	70
4.2.1.6 Marginate / Marginal Zone .....	70
4.2.1.7 Tessellate / Netted / Marbled / Veined .....	70
4.2.2 Color distribution.....	71
4.3 <i>The use of photographs to illustrate color distribution and color patterns.....</i>	<i>71</i>
5. LITERATURE .....	72
ANNEX I COLOR NAMES FOR THE SIXTH EDITION (2015) OF THE RHS COLOUR CHART.....	73
Appendix I to Annex I: UPOV Color Groups according to RHS Colour Chart Reference (2015 edition)...	76
Appendix II to Annex I: RHS Colors contained in each UPOV Color Group (Sixth edition (2015) of the RHS Colour Chart).....	90
ANNEX II UPOV COLOR GROUPS ALLOCATED TO THE PREVIOUS EDITIONS OF THE RHS COLOUR CHART (1986, 1995, 2001 AND 2007 EDITIONS) .....	104
Appendix I to Annex II: UPOV Color Groups according to previous editions of the RHS Colour Chart Reference (1986, 1995, 2001 and 2007 editions).....	105
Appendix II to Annex II: RHS Colors contained in each UPOV Color Group (1986, 1995, 2001 and 2007 editions of the RHS Colour Chart).....	120

<b>SUBSECTION 4. DEFINITIONS FOR SHAPE, STRUCTURE AND COLOR TERMS .....</b>	<b>135</b>
<b>SECTION 3. STATISTICAL TERMS .....</b>	<b>149</b>
<b>INDEX OF ALL TERMS .....</b>	<b>164</b>

## SECTION 1. INSTITUTIONAL AND TECHNICAL TERMS

<p><b>Additional characteristic</b></p>	<p>The General Introduction states in Chapter 4.2.3 that “The characteristics included in the individual Test Guidelines are not necessarily exhaustive and may be expanded with <i>additional characteristics</i> if that proves to be useful and the characteristics meet the conditions set out [in Chapter 4.2.1]”. It further clarifies in Chapter 4.8, “Functional Categorization of Characteristics” that the function of <i>additional characteristics</i> is:</p> <ol style="list-style-type: none"> <li>“1. To identify new characteristics, not included in the Test Guidelines, that have been used by members of the Union in the examination of DUS and which should be considered for inclusion in future Test Guidelines”; and</li> <li>“2. To facilitate harmonization in the development and use of new characteristics and provide opportunity for expert review.”</li> </ol>
<p><b>Additional Standard Wording (Test Guidelines)</b></p>	<p>In addition to the TG Template, further guidance is provided for drafters of Test Guidelines on how to develop individual Test Guidelines from the TG Template. This is provided by means of <i>additional standard wording</i> (ASW) and guidance notes (GN) and indications are provided within the TG Template on where this further guidance is available. (see document TGP/7 “Development of Test Guidelines”: Section 3.2).</p>
<p><b>Additional test</b></p>	<p>An <i>additional test</i> is a test for examining relevant characteristics which is carried out in addition to the DUS growing trial. (see TGP/7 “Development of Test Guidelines”, Annex I: TG Template, Chapter 3.6)</p>
<p><b>Administrative and Legal Committee</b></p>	<p>UPOV Administrative and Legal Committee (abbreviated to “CAJ”) (see <a href="http://www.upov.int/about/en/organigram.html">http://www.upov.int/about/en/organigram.html</a>)</p>
<p><b>Asterisked characteristic</b></p>	<p><i>Asterisked characteristics</i> (denoted by *) are those included in the Test Guidelines which are important for the international harmonization of variety descriptions and should always be examined for DUS and included in the variety description by all members of the Union, except when the state of expression of a preceding characteristic or regional environmental conditions render this inappropriate. (General Introduction, Chapter 4.8)</p>
<p><b>ASW (Test Guidelines)</b></p>	<p>abbreviation of “Additional Standard Wording” (see above)</p>
<p><b>Atypical plant</b></p>	<p>see <i>General Introduction, Chapter 6.4 “Methods for the Examination of Uniformity” and Chapter 6.5 “Unrelated and Very Atypical Plants”; and TGP/10/1 Section 4.2.2 “Guidance for determining Off-types”, Section 4.2.3 “Investigating plants with atypical expression” and Section 4.6 “Plants which are not considered as Off-types”</i></p>
<p><b>Authority</b></p>	<p>“authority” means the authority entrusted with the task of granting breeders’ rights (see Article 30(1)(ii) of the 1991 Act of UPOV Convention)</p>
<p><b>BMT</b></p>	<p>abbreviation of “<i>UPOV Working Group on Biochemical and Molecular Techniques, and DNA-Profiling in Particular</i>” (see <a href="http://www.upov.int/about/en/organigram.html">http://www.upov.int/about/en/organigram.html</a>)</p>
<p><b>Breeder</b></p>	<p>Article 1(iv) of the 1991 Act states that: “breeder” means</p> <ul style="list-style-type: none"> <li>- the person who bred, or discovered and developed, a variety,</li> <li>- the person who is the employer of the aforementioned person or who has commissioned the latter’s work, where the laws of the relevant Contracting Party so provide, or</li> <li>- the successor in title of the first or second aforementioned person, as the case may be”</li> </ul>
<p><b>Breeder’s Right</b></p>	<p>“breeder’s right” means the right of the breeder provided for in the UPOV Convention. Synonymous with “plant breeder’s right”. (see Article 1(v) of the 1991 Act of UPOV Convention)</p>

<b>CAJ</b>	abbreviation of “ <i>UPOV Administrative and Legal Committee</i> ” (see <a href="http://www.upov.int/about/en/organigram.html">http://www.upov.int/about/en/organigram.html</a> )
<b>CC</b>	abbreviation of “ <i>Consultative Committee of UPOV</i> ” (see <a href="http://www.upov.int/about/en/organigram.html">http://www.upov.int/about/en/organigram.html</a> )
<b>Characteristic</b>	<p>The General Introduction states the following:</p> <p>“4.2.1 The basic requirements that a characteristic should fulfill before it is used for DUS testing or producing a variety description are that its expression:</p> <ul style="list-style-type: none"> <li>(a) results from a given genotype or combination of genotypes (this requirement is specified in Article 1(vi) of the 1991 Act of the UPOV Convention but is a basic requirement in all cases);</li> <li>(b) is sufficiently consistent and repeatable in a particular environment;</li> <li>(c) exhibits sufficient variation between varieties to be able to establish distinctness;</li> <li>(d) is capable of precise definition and recognition (this requirement is specified in Article 6 of the 1961/1972 and 1978 Acts of the UPOV Convention, but is a basic requirement in all cases);</li> <li>(e) allows uniformity requirements to be fulfilled;</li> <li>(f) allows stability requirements to be fulfilled, meaning that it produces consistent and repeatable results after repeated propagation or, where appropriate, at the end of each cycle of propagation.”</li> </ul> <p>“4.2.2 It should be noted that there is no requirement for a characteristic to have any intrinsic commercial value or merit. However, if a characteristic that is of commercial value or merit satisfies all the criteria for inclusion it may be considered in the normal way.”</p> <p>“4.2.3 For inclusion in the Test Guidelines, further criteria are set out in [the General Introduction] section 4.8, “Functional Categorization of Characteristics” and in document TGP/7, “Development of Test Guidelines.” The characteristics included in the individual Test Guidelines are not necessarily exhaustive and may be expanded with additional characteristics if that proves to be useful and the characteristics meet the conditions set out above.”</p>
<b>Combined characteristic</b>	<p>A <i>combined characteristic</i> is a simple combination of a small number of characteristics. Provided the combination is biologically meaningful, characteristics that are assessed separately may subsequently be combined, for example the ratio of length to width, to produce such a combined characteristic. Combined characteristics must be examined for distinctness, uniformity and stability to the same extent as other characteristics. Combined characteristics are not to be confused with the application of methods, such as “multivariate analysis.” (see General Introduction, Chapter 4.6.3)</p>
<b>Comparable varieties</b>	<p>Comparable varieties are varieties of the same type within the same or a closely related species that have been previously examined and considered to be sufficiently uniform (see document TGP/10 “Examining Uniformity”, Section 5.2.1)</p>
<b>Composite characteristic</b>	<p>It is possible to derive additional characteristics for comparing between varieties by calculating ‘composite’ characteristics that are mathematical combinations of existing independently examined characteristics. While this can facilitate assessment of important differences between varieties, certain safeguards are necessary to ensure appropriate use. Therefore, composite characteristics should:</p> <ul style="list-style-type: none"> <li>(a) describe a definable plant characteristic; and</li> <li>(b) provide additional information over that of their components.</li> </ul> <p>(see Section 2, Subsection 2, Part I, chapter 2.9 of this document)</p>
<b>Consultative Committee</b>	“ <i>Consultative Committee of UPOV</i> ” (see <a href="http://www.upov.int/about/en/organigram.html">http://www.upov.int/about/en/organigram.html</a> )
<b>Contracting Party</b>	State or Intergovernmental Organization party to the 1991 Act

<b>Convention</b>	International Convention for the Protection of New Varieties of Plants
<b>Council</b>	<i>Council of UPOV</i> (see <a href="http://www.upov.int/about/en/organigram.html">http://www.upov.int/about/en/organigram.html</a> )
<b>Distinct / Distinctness</b>	Article 7 “ <i>Distinctness</i> ” of the 1991 Act states:  “The variety shall be deemed to be distinct if it is clearly distinguishable from any other variety whose existence is a matter of common knowledge at the time of the filing of the application. In particular, the filing of an application for the granting of a breeder’s right or for the entering of another variety in an official register of varieties, in any country, shall be deemed to render that other variety a matter of common knowledge from the date of the application, provided that the application leads to the granting of a breeder’s right or to the entering of the said other variety in the official register of varieties, as the case may be.”
<b>Drafter’s Kit for Test Guidelines</b>	A collection of guidance and information documents provided on the UPOV website for drafters of Test Guidelines ( <a href="http://www.upov.int/restricted_temporary/tg/index.html">http://www.upov.int/restricted_temporary/tg/index.html</a> )
<b>Drilled plot</b>	A drilled plot is one in which seed is planted with a machine which does not place the seed individually. Compare to “Spaced plant plot/trial”
<b>DUS test</b>	examination of Distinctness, Uniformity and Stability
<b>DUS</b>	abbreviation of Distinctness, Uniformity and Stability
<b>DUST/ DUSTNT</b>	Software for the application of COYD and COYU in DUS testing: see document TGP/8 “Trial Design and Techniques Used in the Examination of Distinctness, Uniformity and Stability”
<b>Ear-row</b>	A row of plants grown from seeds obtained from a single ear of a plant.
<b>Editorial Committee</b>	see “Enlarged Editorial Committee (TC-EDC)”
<b>Enlarged Editorial Committee</b>	Enlarged Editorial Committee of the Technical Committee (TC-EDC) (abbreviated to “TC-EDC”) (see <a href="http://www.upov.int/about/en/organigram.html">http://www.upov.int/about/en/organigram.html</a> )
<b>Essential characteristic</b>	Article 6 (1)(d) of the 1961 Convention / 1972 Act and 1978 Acts require that a variety “must be stable in its essential characteristics, that is to say, it must remain true to its description after repeated reproduction or propagation or, where the breeder has defined a particular cycle of reproduction or multiplication, at the end of each cycle.” The General Introduction (Chapter 7.2) clarifies that the essential characteristics include at least all characteristics used for the examination of DUS or included in the variety description established at the date of grant of protection of that variety. Therefore, all obvious characteristics may be considered, irrespective of whether they appear in the Test Guidelines or not.
<b>Example variety</b>	example varieties are provided in the Test Guidelines to clarify the states of expression of a characteristic (see General Introduction, Chapter 4.3 and TGP/7)
<b>G</b>	Document TGP/9/1, Section 4.3 “Type of record(s)” explains that “For the purposes of distinctness, observations may be recorded as a single record for a group of plants or parts of plants (G), or may be recorded as records for a number of single, individual plants or parts of plants (S).”
<b>GAIA</b>	Software for the management of variety collections: see document TGP/8 “Trial Design and Techniques Used in the Examination of Distinctness, Uniformity and Stability”
<b>General Introduction</b>	abbreviation of document TG/1/3 “General Introduction to the Examination of Distinctness, Uniformity and Stability and the Development of Harmonized Descriptions of New Varieties of Plants”

<b>GENIE database</b>	The GENIE database has been developed to provide online information on GENEra and specIEs (hence GENIE) in relation to protection offered by members of the Union, cooperation in examination, experience in DUS testing and the existence of UPOV Test Guidelines. In addition, the GENIE database is the repository of the UPOV codes and provides information concerning alternative botanical and common names. (see <a href="http://www.upov.int/genie/en/">http://www.upov.int/genie/en/</a> )
<b>GN (Test Guidelines)</b>	abbreviation of “Guidance Note”
<b>Grouping characteristic</b>	<i>Grouping characteristics</i> are those in which the documented states of expression, even where produced at different locations, can be used, either individually or in combination with other such characteristics: (a) to select varieties of common knowledge that can be excluded from the growing trial used for examination of distinctness; and (b) to organize the growing trial so that similar varieties are grouped together. (see General Introduction, Chapter 4.8)
<b>Grouping varieties</b>	see document TGP/9 “Examining Distinctness”, Sections 2 and 3, and the definition of “Grouping characteristic”
<b>Growing cycle/ independent growing cycles</b>	Chapter 3.1 of the Test Guidelines makes reference to the number of independent growing cycles for the DUS test.
<b>Guidance Note (Test Guidelines)</b>	In addition to the TG Template, further guidance is provided for drafters of Test Guidelines on how to develop individual Test Guidelines from the TG Template. This is provided by means of additional standard wording (ASW) and guidance notes (GN) and indications are provided within the TG Template on where this further guidance is available. (see document TGP/7 “Development of Test Guidelines”: Section 3.3).
<b>Interested Expert (Test Guidelines)</b>	The drafting of Test Guidelines is led by an expert or experts (referred to as the “leading expert(s)”) from within one of the UPOV Technical Working Parties (TWPs). The leading expert drafts the Test Guidelines in close cooperation with all those experts of the TWPs who have expressed an interest (“ <i>interested experts</i> ”). (see TGP/7 “Development of Test Guidelines”: Section 2.1)
<b>Leading Expert (Test Guidelines)</b>	The drafting of Test Guidelines is led by an expert or experts (referred to as the “ <i>leading expert(s)</i> ”) from within one of the UPOV Technical Working Parties (TWPs). The leading expert drafts the Test Guidelines in close cooperation with all those experts of the TWPs who have expressed an interest (“interested experts”). (see TGP/7 “Development of Test Guidelines”: Section 2.1)
<b>M, MG, MS</b>	see explanations for “Measurement (M)”, “G” and “S”
<b>Measurement (M)</b>	Document TGP/9/1, Section 4.2 “Method of observation (visual or measurement)” explains that “ <i>measurement</i> (M) is an objective observation against a calibrated, linear scale e.g. using a ruler, weighing scales, colorimeter, dates, counts, etc.”
<b>Member of the Union</b>	member of the International Union for the Protection of New Varieties of Plants: a State party to the 1961 UPOV Convention, the 1972 Act, or the 1978 Act, or a State or intergovernmental organization party to the 1991 Act. (see Article 1(xi) of the 1991 Act)
<b>Note</b>	Each state of expression in the Test Guidelines is allocated a corresponding numerical “Note” for ease of recording of data and for the production and exchange of variety descriptions. (see State of Expression)



<p><b>Off-type</b></p>	<p>Where all the plants of a variety are very similar, and in particular for vegetatively propagated and self-pollinated varieties, it is possible to assess uniformity by the number of obviously different plants – “<i>off-types</i>” – that occur. In the case of the determination of off-types by visual assessment, a plant is to be considered an off-type if it can be clearly distinguished from the variety in the expression of any characteristic of the whole or part of the plant that is used in the testing of distinctness, taking into consideration the particular features of its propagation. This definition makes it clear that, in the assessment of uniformity, the standard for distinctness between off-types and a candidate variety is the same as for distinctness between a candidate variety and other varieties. (see General Introduction, Chapter 6.4 and document TGP/10 “Examining Uniformity”)</p>
<p><b>Parent(al) formula</b></p>	<p>see document TGP/8 “Trial Design and Techniques Used in the Examination of Distinctness, Uniformity and Stability”</p>
<p><b>PBR</b></p>	<p>abbreviation of “plant breeder’s rights”</p>
<p><b>Plant Breeders’ Right</b></p>	<p>see “breeder’s right” (abbreviated to “PBR”)</p>
<p><b>Plant grouping</b></p>	<p>see “Variety”</p>
<p><b>Plant</b></p>	<p>In Linnaeus’ system, living things were divided into the Kingdoms Vegetabilia (later Plantae) and Animalia. Fungi and several groups of algae have sometimes been classified as new kingdoms. However, for the purposes of plant breeders’ rights, these are still considered to be plants by many members of the Union.</p>
<p><b>Plant Variety Database</b></p>	<p>see PLUTO database</p>
<p><b>PLUTO database</b></p>	<p>The PLUTO database contains data on plant varieties from contributing members of the Union and the Organization for Economic Co-operation and Development (OECD). Since the main reason for starting the database was the checking of variety denominations, the database is not restricted to varieties for which protection has been obtained or has been applied for, but covers any variety considered important for variety denomination purposes. It includes, for example, the varieties on national lists of varieties admitted to commerce and also varieties which are not on any official list, but also other varieties whose denomination should not be re-used for varieties of the same denomination class. (see <a href="http://www.upov.int/pluto/en/">http://www.upov.int/pluto/en/</a>)</p>
<p><b>Pseudo-qualitative characteristic</b></p>	<p>In the case of “pseudo-qualitative characteristics,” the range of expression is at least partly continuous, but varies in more than one dimension (e.g. shape: ovate (1), elliptic (2), circular (3), obovate (4)) and cannot be adequately described by just defining two ends of a linear range. In a similar way to qualitative (discontinuous) characteristics – hence the term “pseudo-qualitative” – each individual state of expression needs to be identified to adequately describe the range of the characteristic. (see General Introduction, Chapter 4.4.3)</p>
<p><b>Qualitative characteristic</b></p>	<p>“Qualitative characteristics” are those that are expressed in discontinuous states (e.g. sex of plant: dioecious female (1), dioecious male (2), monoecious unisexual (3), monoecious hermaphrodite (4)). These states are self-explanatory and independently meaningful. All states are necessary to describe the full range of the characteristic, and every form of expression can be described by a single state. The order of states is not important. As a rule, the characteristics are not influenced by environment. (see General Introduction, Chapter 4.4.1)</p>

<p><b>Quantitative characteristic</b></p>	<p>“Quantitative characteristics” are those where the expression covers the full range of variation from one extreme to the other. The expression can be recorded on a one-dimensional, continuous or discrete, linear scale. The range of expression is divided into a number of states for the purpose of description (e.g. length of stem: very short (1), short (3), medium (5), long (7), very long (9)). The division seeks to provide, as far as is practical, an even distribution across the scale. The Test Guidelines do not specify the difference needed for distinctness. The states of expression should, however, be meaningful for DUS assessment. (see General Introduction, Chapter 4.4.2)</p>
<p><b>Relevant characteristic</b></p>	<p>Article 8 of the 1991 Act deems that a variety is uniform if, “subject to the variation that may be expected from the particular features of its propagation, it is sufficiently uniform in its <i>relevant characteristics</i>”. Similarly, Article 9 of the 1991 Act requires that a variety “shall be deemed to be stable if its <i>relevant characteristics</i> remain unchanged after repeated propagation or, in the case of a particular cycle of propagation, at the end of each such cycle.”</p> <p>Document TGP/10/1, Section 1.2 states that “The ‘General Introduction to the Examination of Distinctness, Uniformity and Stability and the Development of Harmonized Descriptions of New Varieties of Plants’ (document TG/1/3), hereinafter referred to as the ‘General Introduction’, Chapter 6.2, clarifies that ‘Relevant characteristics of a variety include at least all characteristics used for the examination of DUS or included in the variety description established at the date of grant of protection of that variety. Therefore, any obvious characteristic may be considered relevant, irrespective of whether it appears in the Test Guidelines or not.’ Hence, it is a matter for the authority to decide, in addition to those characteristics included in the UPOV Test Guidelines or national guidelines, which other characteristics it may include in its consideration of distinctness, which must also be considered for uniformity and stability.”</p>
<p><b>S</b></p>	<p>Document TGP/9/1, Section 4.3 “Type of record(s)” explains that “For the purposes of distinctness, observations may be recorded as a single record for a group of plants or parts of plants (G), or may be recorded as records for a number of single, individual plants or parts of plants (S).”</p>
<p><b>Spaced plant plot/trial</b></p>	<p>A spaced plant plot/trial is one in which the plants or seeds are planted at defined intervals. Compare to “Drilled plot”.</p>
<p><b>Special characteristic</b></p>	<p><i>Special characteristics</i> are those which are: characteristics based on the response to external factors, such as living organisms (e.g. disease resistance characteristics) or chemicals (e.g. herbicide resistance characteristics) (see General Introduction, Chapter 4.6.1); characteristics based on chemical constituents (see General Introduction, Chapter 4.6.2); and combined characteristics (see General Introduction, Chapter 4.6.3 and “combined characteristics” in this document) (see TGP/12 “Special Characteristics”)</p>
<p><b>Stability</b></p>	<p>Article 9 “<i>Stability</i>” of the 1991 Act states: “The variety shall be deemed to be stable if its relevant characteristics remain unchanged after repeated propagation or, in the case of a particular cycle of propagation, at the end of each such cycle.”</p>
<p><b>Standard Test Guidelines characteristic</b></p>	<p>Standard Test Guidelines characteristics are those which are approved by UPOV for examination of DUS and from which members of the Union can select those suitable for their particular circumstances. (see General Introduction, Chapter 4.8)</p>
<p><b>State of Expression</b></p>	<p>States of expression (e.g. short/medium/tall; white/yellow/red; early/medium/late) are given for each characteristic in the Test Guidelines to define the characteristic and to harmonize descriptions. Each state of expression is allocated a corresponding numerical “note” for ease of recording of data and for the production and exchange of the description. (see “Note”)</p>
<p><b>Subgroup (Test Guidelines)</b></p>	<p>see “Test Guidelines Subgroup”</p>

TC	abbreviation of “UPOV Technical Committee” (see <a href="http://www.upov.int/about/en/organigram.html">http://www.upov.int/about/en/organigram.html</a> )
TC-EDC	abbreviation of “Enlarged Editorial Committee”
Technical Committee	UPOV Technical Committee (abbreviated to “TC”) (see <a href="http://www.upov.int/about/en/organigram.html">http://www.upov.int/about/en/organigram.html</a> )
Technical Questionnaire	To help in the process of examining varieties, certain information is requested from the breeder, usually through a Technical Questionnaire to be submitted with the application. The model Technical Questionnaire, included in the Test Guidelines, seeks information on specific characteristics of importance for distinguishing varieties, information on the breeding scheme of the variety and any other information which may help to distinguish the variety. It also requests the breeder to identify similar varieties and characteristics by which the candidate may be distinguished from these similar varieties. (Abbreviated to “TQ”) (General Introduction, Chapter 5.3.1.4)
Technical Working Party for Agricultural Crops	UPOV Technical Working Party for Agricultural Crops (abbreviated to “TWA”) (see <a href="http://www.upov.int/about/en/organigram.html">http://www.upov.int/about/en/organigram.html</a> )
Technical Working Party for Fruit Crops	UPOV Technical Working Party for Fruit Crops (abbreviated to “TWF”) (see <a href="http://www.upov.int/about/en/organigram.html">http://www.upov.int/about/en/organigram.html</a> )
Technical Working Party for Ornamental Plants and Forest Trees	UPOV Technical Working Party for Ornamental Plants and Forest Trees (abbreviated to “TWO”) (see <a href="http://www.upov.int/about/en/organigram.html">http://www.upov.int/about/en/organigram.html</a> )
Technical Working Party for Vegetables	UPOV Technical Working Party for Vegetables (abbreviated to “TWV”) (see <a href="http://www.upov.int/about/en/organigram.html">http://www.upov.int/about/en/organigram.html</a> )
Technical Working Party on Automation and Computer Programs	UPOV Technical Working Party on Automation and Computer Programs (abbreviated to “TWC”) (see <a href="http://www.upov.int/about/en/organigram.html">http://www.upov.int/about/en/organigram.html</a> )
Technical Working Party	UPOV Technical Working Party (abbreviated to “TWP”) (see <a href="http://www.upov.int/about/en/organigram.html">http://www.upov.int/about/en/organigram.html</a> )
Territory	“territory”, in relation to a UPOV member, means, where the UPOV member is a State, the territory of that State and, where the UPOV member is an intergovernmental organization, the territory in which the constituting treaty of that intergovernmental organization applies. (see Article 1(viii) of the 1991 Act)
Test Guidelines characteristic	see also “Standard Test Guidelines characteristic”, “Grouping characteristic” and “Asterisked characteristic” (see General Introduction, Chapter 4.8)
Test Guidelines Subgroup	The Technical Working Party (TWP) establishes a subgroup consisting of the leading expert and the other interested experts wishing to participate in the drafting of the Test Guidelines in question. (see TGP/7 “Development of Test Guidelines”: Section 2.1)
Test Guidelines	abbreviation of UPOV “Guidelines for the Conduct of Tests for Distinctness, Uniformity and Stability”. The purpose of the <i>Test Guidelines</i> is to elaborate the principles contained in the General Introduction (document TG/1/3), and its associated TGP documents, into detailed practical guidance for the harmonized examination of distinctness, uniformity and stability (DUS) and, in particular, to identify appropriate characteristics for the examination of DUS and production of harmonized variety descriptions. (see General Introduction)
TG Drafter’s Kit	see Drafter’s kit for Test Guidelines

<b>TG Template</b>	UPOV has developed a template (“ <i>TG Template</i> ”) containing the universal standard wording which is appropriate for all UPOV Test Guidelines and which is prepared in the appropriate format. The TG Template is presented in document TGP/7 “Development of Test Guidelines”, Annex 1.
<b>TG</b>	Test Guidelines
<b>TGP documents</b>	series of documents associated to the General Introduction specifying Test Guidelines’ Procedures (see General Introduction, Chapter 1 and Annex)
<b>TQ</b>	abbreviation of “Technical Questionnaire”
<b>TWA</b>	abbreviation of “ <i>UPOV Technical Working Party for Agricultural Crops</i> ” (see <a href="http://www.upov.int/about/en/organiqram.html">http://www.upov.int/about/en/organiqram.html</a> )
<b>TWC</b>	abbreviation of “ <i>UPOV Technical Working Party on Automation and Computer Programs</i> ” (see <a href="http://www.upov.int/about/en/organiqram.html">http://www.upov.int/about/en/organiqram.html</a> )
<b>TWF</b>	abbreviation of “ <i>UPOV Technical Working Party for Fruit Crops</i> ” (see <a href="http://www.upov.int/about/en/organiqram.html">http://www.upov.int/about/en/organiqram.html</a> )
<b>TWO</b>	abbreviation of “ <i>UPOV Technical Working Party for Ornamental Plants and Forest Trees</i> ” (see <a href="http://www.upov.int/about/en/organiqram.html">http://www.upov.int/about/en/organiqram.html</a> )
<b>TWP</b>	abbreviation of “ <i>UPOV Technical Working Party</i> ” (see <a href="http://www.upov.int/about/en/organiqram.html">http://www.upov.int/about/en/organiqram.html</a> )
<b>TWV</b>	abbreviation of “ <i>UPOV Technical Working Party for Vegetables</i> ” (see <a href="http://www.upov.int/about/en/organiqram.html">http://www.upov.int/about/en/organiqram.html</a> )
<b>Uniformity</b>	Article 8 “ <i>Uniformity</i> ” of the 1991 Act states: “The variety shall be deemed to be uniform if, subject to the variation that may be expected from the particular features of its propagation, it is sufficiently uniform in its relevant characteristics.”
<b>UPOV Code System</b>	The main purpose of the UPOV Code System is to enhance the usefulness of the Plant Variety Database (“PLUTO database”) by overcoming the problem of synonyms for plant taxa. That is achieved by attributing each taxa a code according to the UPOV Code System (“UPOV code”); synonyms for the same plant taxa are attributed the same UPOV code. An explanation of the UPOV Code System is provided at: <a href="http://www.upov.int/genie/en/pdf/upov_code_system.pdf">http://www.upov.int/genie/en/pdf/upov_code_system.pdf</a>
<b>UPOV code</b>	see UPOV Code System
<b>UPOV Lex</b>	UPOV Lex contains the legislation of members of the Union that has been notified in accordance with the UPOV Convention, the UPOV Convention notifications concerning individual members of the Union (e.g. accessions, ratifications) and the text of the UPOV Convention and its Acts. (see <a href="http://www.upov.int/upovlex/en/">http://www.upov.int/upovlex/en/</a> )
<b>UPOV member</b>	see “ <i>member of the Union</i> ”
<b>UPOV</b>	International Union for the Protection of New Varieties of Plants
<b>V, VG, VS</b>	see explanations for “Visual observation (V)”, “G” and “S”
<b>Variety collection</b>	Document TGP/4/1, Section 1.3 explains that a <i>variety collection</i> is a collection of varieties of common knowledge* which are relevant for the examination of distinctness of candidate varieties according to document TGP/4/1, Section 2 “Constitution of Variety Collections”. (* <i>variety of common knowledge</i> is an abbreviation of “variety whose existence is a matter of common knowledge at the time of the filing of the application” (see “Distinctness”))
<b>Variety denomination</b>	The UPOV Convention requires that a variety shall be designated by a denomination which will be its generic designation. (see Article 20 (1) of the 1991 Act / Article 13 (1) of the 1978 Act)
<b>Variety of common knowledge</b>	an abbreviation of “variety whose existence is a matter of common knowledge at the time of the filing of the application”. (see “Distinctness”)

<p>Variety</p>	<p>Article 1(vi) of the 1991 Act states that: “(vi) “variety” means a plant grouping within a single botanical taxon of the lowest known rank, which grouping, irrespective of whether the conditions for the grant of a breeder’s right are fully met, can be</p> <ul style="list-style-type: none"><li>- defined by the expression of the characteristics resulting from a given genotype or combination of genotypes,</li><li>- distinguished from any other plant grouping by the expression of at least one of the said characteristics and</li><li>- considered as a unit with regard to its suitability for being propagated unchanged;”</li></ul>
<p>Visual observation (V)</p>	<p>Document TGP/9/1, Section 4.2 “Method of observation (visual or measurement)” explains that “<i>visual observation (V)</i> is an observation made on the basis of the expert’s judgment. For the purposes of this document, “visual” observation refers to the sensory observations of the experts and, therefore, also includes smell, taste and touch. Visual observation includes observations where the expert uses reference points (e.g. diagrams, example varieties, side-by-side comparison) or non-linear charts (e.g. color charts).”</p>
<p>Working Group on Biochemical and Molecular Techniques, and DNA-Profiling in Particular</p>	<p><i>UPOV Working Group on Biochemical and Molecular Techniques, and DNA-Profiling in Particular (BMT) (abbreviated to “BMT”)</i> (see <a href="http://www.upov.int/about/en/organigram.html">http://www.upov.int/about/en/organigram.html</a>)</p>

[Section 2 follows]

## **SECTION 2. BOTANICAL TERMS**

### **SUBSECTION 1. INTRODUCTION**

The purpose of Section 2: Botanical Terms is:

(a) to provide guidance on the development of characteristics related to plant shapes and plant structures;

(b) to provide standard illustrations of plant shapes and plant structures which may be useful for inclusion in Test Guidelines, whilst noting that illustrations for specific characteristics can be found in the relevant Test Guidelines and noting that searches for relevant individual characteristics can be made through TGP/7 "Collection of Approved Characteristics";

(c) to provide definitions of botanical terms (e.g. dentate, fastigiate, exserted, elliptic, acute, etc.) which form states of expression for characteristics used in the examination of DUS. Emphasis is placed on the states of expression because those are the basis for the assessment of DUS and, therefore, need to be understood specifically in relation to that function. This document provides illustrations and definitions of some terms which, although not used in the Test Guidelines, may be useful for breeders / applicants for characteristics formulated for use in the Technical Questionnaire. The definitions in this document provide an indication of whether terms are generally used in Test Guidelines, or whether alternative terms might be more appropriate for use in Test Guidelines. In general, the meaning of botanical terms which are used in the Test Guidelines to indicate the relevant part of the plant to be examined, but which are not themselves used as states of expression (e.g. bract, petal, berry, etc.), do not require a UPOV-specific definition and are not included in this document;

(d) to provide guidance on the development of characteristics related to colors and color patterns;  
and

(e) to provide standard illustrations and examples in relation to colors and color patterns which may be useful for inclusion in the Test Guidelines, whilst noting that illustrations for specific characteristics can be found in the relevant Test Guidelines and noting that searches for relevant individual characteristics can be made through TGP/7 "Collection of Approved Characteristics".

## SUBSECTION 2. SHAPES AND STRUCTURES

### I. SHAPE

#### 1. *Components of Shape*

1.1 Document TG/1/3 “General Introduction to the Examination of Distinctness, Uniformity and Stability and the Development of Harmonized Descriptions of New Varieties of Plants” (General Introduction) explains that shape can be considered in terms of a pseudo-qualitative characteristic:

##### “4.4.3 Pseudo-Qualitative Characteristics

“In the case of ‘pseudo-qualitative characteristics’, the range of expression is at least partly continuous, but varies in more than one dimension (e.g. shape: ovate (1), elliptic (2), circular (3), obovate (4)) and cannot be adequately described by just defining two ends of a linear range. In a similar way to qualitative (discontinuous) characteristics – hence the term ‘pseudo-qualitative’ – each individual state of expression needs to be identified to adequately describe the range of the characteristic.”

However, document TGP/9 “Examining Distinctness” explains that the use of pseudo-qualitative characteristics for the assessment of distinctness on the basis of notes has particular limitations (see document TGP/9/1, Section 5.2.3):

##### “Pseudo-qualitative (PQ) characteristics

“[...]”

“5.2.3.2.2.1 [...] However, an important additional factor with pseudo-qualitative characteristics is that, whilst a part of the range is continuous, there is not an even distribution across the scale and the range varies in more than one dimension (e.g. shape: ovate (1), elliptic (2), circular (3), obovate (4): there is a variation in the length/width ratio and in the position of the widest point<sup>1</sup>). This means that it is difficult to define a general rule on the difference in Notes to establish distinctness within a characteristic.”

1.2 Therefore, for the purposes of DUS examination, it can be useful to develop quantitative or qualitative characteristics related to shape, rather than considering shape as a single pseudo-qualitative characteristic. In that respect, it is possible to define a plane shape using the following components:


- (a) **Ratio length/width** (or **ratio width/length**)  
(used as a generic term in this document to cover also ratio: thickness/length; diameter/length; thickness/width, for cross-sections of 3 dimensional shapes)

---

<sup>1</sup> The term “broadest part” is used in preference to “widest point” in this document, because the broadest part may be a point (e.g. for a circle) or, in cases where the sides are parallel (e.g. for an oblong), the broadest part is situated along a length (see Section 1.2(b)).


(b) **Position of broadest part**

The broadest part may be a point (e.g. for a circle) or, in cases where the sides are parallel (e.g. for an oblong), the broadest part is situated along a length. In cases where the broadest part is not a precise point, the position of the broadest part is considered to be the mid-point along the broadest part. For example:



- (c) Shape of **base** (see Section 2.3 Base Shape Characteristics);
- (d) Shape of **apex** (see Section 2.4 Apex/Tip Shape Characteristics);
- (e) **Lateral outline**.

1.3 The **apex** (apical or **distal part**) of an organ or plant part is the end furthest from the point of attachment. The **base** (**proximal part**) of a plant part is the end nearest to the point of attachment. However, it should be noted that the illustrations of shapes in the Test Guidelines might not always be orientated with the point of attachment (base) at the bottom if that is not the natural orientation of the organ on the plant.




































































1.4 The shape of base and shape of apex are considered in Sections 2.3 and 2.4 respectively. The chart below (Chart for Simple Symmetric Plane Shapes) illustrates the other three components for simple symmetric plane shapes (those for which the angle at the base and at the apex does not exceed 180°) as follows:

- (a) **Ratio length/width** (or **ratio width/length**): the ratio length/width varies from left to right within a row, but is approximately the same within a column;
- (b) **Position of broadest part**: the position of the broadest part varies from row to row, but is approximately the same in each row;
- (c) **Lateral outline**: the shape of the lateral sides varies from set to set, but is approximately the same within a set.

1.5 To ensure that the **ratio length/width** is clearly understood, it is recommended to present the characteristic as a shape with states such as “very **compressed**” to “very elongated”, or to present the characteristic as “ratio length/width” with states such as “very low” to “very high” and to provide an illustration. To avoid confusion concerning the absolute dimensions, it is recommended to avoid the use of terms such as “**long**” and “**short**” for ratio length/width, particularly where characteristics for the absolute dimensions are also included for the same plant part. The terms associated with certain length/width ratios used in the **Chart for Simple Symmetric Plane Shapes** are only intended to illustrate the use of ratio length/width. In the Test Guidelines, the use of terms such as “[very/moderately/slightly] low (compressed)” and “[very/moderately/slightly] high (**elongated**)” will need to be determined according to the range of expression for the characteristic concerned.

Chart for Simple Symmetric Plane Shapes

shape	very compressed	moderately compressed	slightly compressed	medium	slightly elongated	moderately elongated	very elongated
ratio length/width	very low	low	low to medium	medium	medium to high	high	very high
<b>Parallel set</b>							
oblong	 12	 11	 10	 9			
<b>Rounded set</b>							
ovate							
elliptic	 8	 7	 6	 5			
obovate							
<b>Angular set</b>							
triangular							
trullate							
rhombic							
obtrullate							
obtriangular							

Notes

1	(narrow deltate)	9	square
2	(medium deltate)	10	transverse broad oblong
3	(broad deltate)	11	transverse medium oblong
4	(quadrate rhombic)	12	transverse narrow oblong
5	circular	13	(narrow obdeltate)
6	narrow oblate	14	(medium obdeltate)
7	medium oblate	15	(broad obdeltate)
8	broad oblate		

*Parallel set:* the lateral sides are more or less straight over most of their length and more or less parallel to the main axis (The leaves of most of the monocotyledons belong in this group.)


*Rounded set:* the lateral sides are rounded in a single, sweeping curve, without sudden changes of direction (The leaves of most of the dicotyledons belong in this group.)

*Angular set:* the lateral sides are somewhat bent at a certain point, resulting in a change of direction, combined with a somewhat straightening towards the base and apex from that point and more or less forming two triangles joined at the longitudinal axis.

1.6 The following chart (Chart for Other Plane Shapes) illustrates some other common plane shapes:

*Chart for Other Plane Shapes*

For each of the shapes below, ranges for ratio length/width and position of broadest part can be developed, in a similar way to that shown in the Chart for Simple Symmetric Plane Shapes (Section 1.5).



## 2. *Developing Shape-Related Characteristics*

### 2.1 *Introduction*

2.1.1 In general, it can be most useful to consider the variation in shape between varieties in the variety collection using the following steps:

- Step 1: **Ratio length/width** (see Section 1 Components of Shape);
- Step 2: **Position of broadest part** (see Section 1 Components of Shape);
- Step 3: **Shape of base** (see Section 2.3 Base Shape Characteristics);
- Step 4: **Shape of apex** (see Section 2.4 Apex/Tip Shape Characteristics);
- Step 5: **Lateral outline** (see Section 1 Components of Shape).

Thus, if all the variation in shape between varieties in the variety collection is accounted for by the ratio length/width (e.g. narrow elliptic, medium elliptic or broad elliptic), it is only necessary to have a characteristic "ratio length/width" (or ratio width/length). Similarly, if all the variation in shape between varieties in the variety collection is accounted for by ratio length/width and position of broadest part (e.g. all varieties fall within the rounded set in the Chart for Simple Symmetric Plane Shapes) it is only necessary to have the characteristics "ratio length/width" (or ratio width/length) and "position of broadest part". It is only necessary to go to subsequent steps when the variation in shape between varieties in the variety collection has not been accounted for by the preceding steps/components. Duplication of the same difference in two separate characteristics should be avoided: for example, the use of characteristics for both ratio length/width and for shape should be avoided where states of expression of the characteristic for shape relate to different length/width ratios.

2.1.2 In general, where shape characteristics are developed on the basis of the individual components above, it is appropriate to present the characteristics in the order of the steps 1 to 5. However, a particular exception to this approach should be made where a qualitative characteristic is identified. Qualitative characteristics should be presented as the first of the series of shape-related characteristics because of the value of such characteristics for assessing distinctness and because the examination of subsequent shape-related characteristics may not be relevant for varieties with certain states of expression for the qualitative characteristic. For example, "Only varieties with Leaf lateral outline: ovate: Leaf: ratio length/width (or ratio width/length)" might be appropriate if the preceding characteristic for "Leaf: lateral outline" was qualitative, e.g. ovate (1); hastiform (2) and there was no useful variation in ratio length/width for hastiform varieties.


2.1.3 Notwithstanding the difficulty in using a difference in Notes to establish distinctness for a pseudo-qualitative characteristic (see Section 1), it may be appropriate to develop a single pseudo-qualitative characteristic for shape. In such cases, it is important that the difference between the states of expression is indicated in an illustration. The illustration should, as far as possible, place the states with the least difference closest together, regardless of their notes, e.g. the illustrations for notes 1 and 5 might be positioned side-by-side and notes 2 and 4 might be further apart. Where the overall shape is presented as a single pseudo-qualitative characteristic, the order of states should be: primary order, broadest part below middle to broadest part above middle; secondary order, narrow to broad (low to high ratio length/width) (see Section 2.2, Example 5, Alternative 2).

### 2.2 *Full plane shape characteristics*

The following illustrations provide examples of variation in full plane shape components (ratio length/width, position of broadest part and lateral outline) for the development of characteristics, either as characteristics for the individual components or as a single overall shape characteristic:

Example 1 (a circle indicates the shape of one or more varieties in the variety collection)

*The only variation between varieties is found in the ratio length/width.*



Possible characteristic(s) (Example 1)

*Alternative 1*

*Plant [part]: ratio length/width (low to high) (QN)*

*Alternative 2*

*Plant [part]: shape (broad obovate (1); medium obovate (2); narrow obovate (3)) (QN)  
 with the following illustration*



Alternative 1:

ratio length/width:  
low

ratio length/width:  
medium

ratio length/width:  
high

Alternative 2:


1  
Shape: broad obovate

2  
Shape: medium obovate

3  
Shape: narrow obovate

Example 2 (a circle indicates the shape of one or more varieties in the variety collection)

*The only variation between varieties is found in the position of the broadest part.*



Possible characteristic(s) (Example 2)

*Alternative 1*

*Plant [part]: position of broadest part (towards base to towards apex) (QN)*

*Alternative 2*


*Plant [part]: shape (ovate (1); elliptic (2); obovate (3)) (QN)*

*with the following illustration*



Example 3 (a circle indicates the shape of one or more varieties in the variety collection)

*There is variation between varieties in the ratio length/width, the shape of the base and the lateral outline. The lateral outline varies between ovate and trullate.*



Possible characteristic(s) (Example 3)

*Alternative 1*

*Plant [part]: ratio length/width (low to high) (QN)*


*Plant [part]: shape of base (acute, obtuse, rounded) (PQ)*

*Plant [part]: lateral outline (clearly rounded to clearly triangular) (QN)*

*Alternative 2*

*Plant [part]: shape (broad ovate (1); medium ovate (2); medium trullate (3); narrow ovate (4); narrow trullate (5)) (PQ)*
















*with the following illustration*





Example 4

*There is variation between varieties in the ratio height/diameter, position of broadest part and the lateral outline in the apical half. The lateral outline varies between ovate and trullate.*

		ratio height/diameter			
lateral outline in apical half (Notes)		low (3)	medium (5)	high (7)	position of broadest part (Notes)
cylindrical waisted	concave (4)				at middle (1); moderately towards base (2); or strongly towards base (3)
	flat taper (3)				at middle (1); moderately towards base (2); or strongly towards base (3)
conic	rounded (1)				moderately towards base (2); or strongly towards base (3)
	parallel (2)				at middle (1)
ovoid	rounded (1)				at middle (1)
		(oblate)	(round)	(elliptic)	

Possible characteristic(s) (Example 4)


*Alternative 1*

- (a) ratio *height/diameter* (QN):  
 e.g. *very low* (1); *low* (3); *medium* (5); *high* (7); *very high* (9);
- (b) position of broadest part (QN):  
 e.g. *at middle* (1); *moderately towards base* (2); *strongly towards base* (3);
- (c) lateral outline in apical half (PQ):  
 e.g. *rounded* (1); *parallel* (2); *flat taper* (3); *concave* (4)

*Alternative 2*


- (a) ratio *height/diameter* (QN):  
 e.g. *very low* (1); *low* (3); *medium* (5); *high* (7); *very high* (9);
- (b) general shape (PQ):  
 e.g. *cylindrical waisted* (1); *conic* (2); *ovate* (3); *cylindric* (4); *elliptic* (5)

with the following illustration:



Example 5

the variation between the range of shapes indicated by the illustrations below:



Possible characteristic(s) (Example 5)

*Alternative 1*











- (a) position of broadest part (QN):  
*e.g. strongly towards base (1); moderately towards base (3); at middle (5); moderately towards apex (7); strongly towards apex (9)*
- (b) ratio length/width (QN):  
*e.g. very low (1); low (3); medium (5); high (7); very high (9);*

*Alternative 2*

General shape (PQ): triangular (1); ovate (2); circular (3); elliptic (4); oblong (5); linear (6); obovate (7); oblanceolate (8); spatulate (9); obtriangular (10)


(Note: Where the overall shape is presented as a single pseudo-qualitative characteristic, the order of states should be: primary order, broadest part below middle to broadest part above middle; secondary order, broad to narrow (low to high ratio length/width)).

with the following illustration:

		← broadest part →					
		below middle	at middle	above middle			
relative width	→ narrow		 6 linear				
	→		 5 oblong	 8 oblanceolate	 9 spatulate		
	←	 1 triangular	 2 ovate	 4 elliptic	 7 obovate	 10 obtriangular	
	broad ←		 3 circular				

Example 6

The variation between the range of shapes indicated by the illustrations below:



Possible characteristic(s) (Example 6)


*Alternative 1*

- (a) lateral outline (QL)  
 e.g. *reniform* (1); *rhombic* (2); *elliptic* (3)
- (b) ratio length/width (QN):  
 e.g. *low* (1); *medium* (2); *high* (3);

*Alternative 2*

General shape (PQ): *reniform* (1); *rhombic* (2); *oblate* (3); *circular* (4); *elliptic* (5)

with the following illustration:




### 2.3 *Base Shape Characteristics*

2.3.1 As explained in Section 2.1, it is only necessary to develop a characteristic for the shape of base when the variation in shape between varieties in the variety collection has not been accounted for by the ratio length/width or the position of the broadest part concerning the full plant part.

2.3.2 In the same way as for plane shapes, whilst a base shape can be considered in terms of a pseudo-qualitative characteristic, it can be useful to develop quantitative or qualitative characteristics related to base shape, rather than considering shape as a single pseudo-qualitative characteristic. A particular example of this is the consideration of the **angle of the base** (e.g. as a quantitative characteristic) and the **curvature at the base**, an example of which is provided below for illustrations purposes.

#### Example

the variation between the range of base shapes indicated by the illustrations below



Possible characteristic(s)












#### *Alternative 1*

- (a) angle of base (QN):  
e.g. *acute (1); obtuse (2); straight (180°) (3); weakly reflex (4); strongly reflex (5)*
- (b) curvature at base (QN):  
e.g. *concave (1); flat (2); convex (3)*

Alternative 2

Shape of base (PQ): wedge-shaped, convex (1); wedge-shaped, straight (2); wedge-shaped concave (3); broad wedge-shaped, convex (4); broad wedge-shaped, straight (5); broad wedge-shaped, concave (6); rounded (7); flat (8); weakly cordate (9); medium cordate (10); strongly cordate (11).

with the following illustration:


		← angle at base →					
		acute	obtuse	straight	weakly reflexed	medium reflexed	strongly reflexed
curvature	↑ convex	 1 wedge-shaped, convex	 4 broad wedge-shaped, convex	 7 rounded	 9 weakly cordate	 10 medium cordate	 11 strongly cordate
	flat	 2 wedge-shaped, straight	 5 broad wedge-shaped, straight	 8 flat			
	↓ concave	 3 wedge-shaped concave	 6 broad wedge-shaped, concave				

## 2.4 Apex/Tip Shape Characteristics

2.4.1 The **APEX** (apical or distal part) of an organ or plant part is the end furthest from the point of attachment. In some cases, the distal extremity of the apex may be differentiated into a "**TIP**".

2.4.2 In considering the approach to describe the apex, the size of the organ and the number of apex shapes should be taken into account. Apex characteristics can be described in simple terms and if a **differentiated tip** is present it could be further described as a separate characteristic. Generally, it is not necessary to separate the apex shape characteristic into differentiated tip and apex characteristics.

2.4.3 In cases where it is appropriate to separate into differentiated tip and apex characteristics, the shape of the apex is taken as the general shape, excluding any differentiated tip (if present) and the separation of tip and apex should be indicated in the explanation of the characteristic. For example:



2.4.4 As explained in Section 2.1, it is only necessary to develop a characteristic for the shape of apex when the variation in shape between varieties in the variety collection has not been accounted for by the ratio length/width or the position of the broadest part concerning the full plant part.

2.4.5 In the same way as for plane shapes, whilst an apex shape can be considered in terms of a pseudo-qualitative characteristic, it can be useful to develop quantitative or qualitative characteristics related to apex shape, rather than considering shape as a single pseudo-qualitative characteristic. A particular example of this is the consideration of the angle of the apex (e.g. as a quantitative characteristic).


2.4.6 In cases where the tip is differentiated within the general shape of the apex, characteristics concerning the shape of the tip may be developed independently from those concerning the general shape of the apex. Different combinations between these two categories are possible, for example: a first characteristic for the general shape of the apex (e.g. acute, obtuse, rounded), together with a second characteristic for emargination at apex (absent, present), or apiculate tip (absent, present).

2.4.7 In the case of tip shapes, it may be more appropriate to have a simple characteristic such as length of tip, rather than using botanical terms. The only difference between mucronate and aristate is the length of the 'tip', the only difference between cuspidate and pungent is the length of the 'tip', and the only difference between emarginate and retuse is the angle and depth of the notch. These pairs can therefore also be quantified where applicable, by stating, for example, 'length of tip' or 'depth of notch', instead of using the specific botanical terms.



Example

the variation between the range of apex shapes indicated by the illustrations below



Possible characteristic(s)






*Alternative 1*

- (a) angle of apex (excluding tip, if present) (QN):  
e.g. *strongly acute* (1); *moderately acute* (2); *right-angle* (3); *moderately obtuse* (4);  
*strongly obtuse* (5)
- (b) length of acuminate tip (QN):  
e.g. *absent or short* (1); *medium* (2); *long* (3)


Alternative 2

- (a) angle of apex (excluding tip, if present) (QN):  
 e.g. *strongly acute* (1); *moderately acute* (2); *right-angle* (3); *moderately obtuse* (4);  
*strongly obtuse* (5)
- (b) tip (PQ): *absent or very weak* (1); *mucronate* (2); *narrow short acuminate* (3); *broad short acuminate* (4); *narrow long acuminate* (5); *broad long acuminate* (6)

with the following illustration:

		← length of tip →			
		absent or very weak	short	medium	long
width of tip	↑ narrow	[see below]	 2 mucronate	 3 narrow short acuminate	 5 narrow long acuminate
	↓ broad		 4 broad short acuminate	 6 broad long acuminate	

examples of tip: absent or very weak (1) with different angles of apex (characteristic (a)):




2.5 *Combination of Full Plane-, Base- and Apex Shape Characteristics*

The following example illustrates how the overall shape of an organ or plant part can be observed in relation to the components of shape explained in Sections 2.2 to 2.4.

Example









the range of shapes covered by the illustrations below



can be observed in relation to:

- (a) ratio length/width (QN):  
e.g. *very low (1); low (3); medium (5); high (7); very high (9)*;
- (b) position of broadest part (QN):  
e.g. *at middle (1); moderately towards base (2); strongly towards base (3)*;
- (c) shape of base (QN/PQ):  
e.g. *pointed (1); rounded (2); depressed (3)*
- (d) shape of apex (QN/PQ):  
e.g. *pointed (1); rounded (2); truncate (3); notched (4)*

The chart below illustrates how the different components cover the range of overall shapes. Such a chart is not appropriate in the Test Guidelines, although illustrations may be useful for the individual characteristics to clarify the parts to be observed.

shape of apex	shape of base				
	pointed (1)		rounded (2)		depressed (3)
pointed (1)					
rounded (2)		ratio length/width	 (ovate)	position of broadest part	
			 (round)		
			 (oblate)		
truncate (3)					
notched (4)					

## 2.6 Three-dimensional shape characteristics

Wherever possible, three-dimensional plant parts should be described in cross-section as plane or two-dimensional shapes (see Section 2.1: ratio length/width, position of broadest part, base, shape and lateral outline), e.g. using characteristics in cross-section, lateral view, longitudinal section, etc. To describe the three-dimensional shape fully it may also be necessary to use, for example, a characteristic for hollow or solid interior in addition to the characteristics describing the plane shape. The use of characteristics for three-dimensional shapes should only be used where it is not practical to describe the characteristic in a two-dimensional way.

## 2.7 Symmetry


2.7.1 Lateral symmetry around the main axis may be handled in different ways. For example:

(a) lateral symmetry of plant part shapes may be considered within a particular shape, e.g. falcate and lunate are laterally asymmetric (see Section 1.6); or

(b) it may be appropriate to introduce symmetry as a separate characteristic. In such cases, whether the characteristic for symmetry is a qualitative (symmetric / asymmetric), a quantitative (e.g. symmetric or weakly asymmetric (1), moderately asymmetric (2), strongly asymmetric (3)) or a pseudo-qualitative characteristic needs to be considered on a case-by-case basis.

Example:

quantitative characteristic for symmetry



## 2.8 Perspective from which to observe plant shapes

Where appropriate, an explanation of the perspective from which to observe the shape should be included in the Test Guidelines.

### Example 1

Fruit: symmetry (viewed from pistil end)










symmetric



strongly asymmetric


Example 2

Fruit: shape in lateral view

		← broadest part →			
		below middle	at middle	above middle	
narrow → width (ratio length/width) ← broad (compressed)	 5 cordate	 2 elliptic			
		 1 oblong	 3 circular	 7 obcordate	 6 obovate
		 4 oblate			

Example 3

Inflorescence: shape in lateral view



## 2.9 *Use of composite characteristics for determining distinctness and uniformity*<sup>2</sup>

It is possible to derive additional characteristics for comparing between varieties by calculating 'composite' characteristics that are mathematical combinations of existing independently examined characteristics. While this can facilitate assessment of important differences between varieties, certain safeguards are necessary to ensure appropriate use. Therefore, **composite characteristics** should:

(a) describe a definable plant characteristic. While it is possible to calculate a mathematical value for any combination of two characteristics (e.g. a flowering date divided by a leaf length), only those calculations that describe an actual biological characteristic should be considered for inclusion in procedures. Permissible examples would be the calculation of a bidimensional characteristic such as **area**, using linear length and width measurements. Relationship characteristics in morphology can also be derived, such as differences in awn length relative to the length of ear, calculated from the independently measured awn and ear lengths. Similarly, for physiological characteristics a composite can be derived to describe a plant development period for example, by subtracting the timing of flower bud emergence and anthesis. Any other type of **composite characteristics** that describes a plant feature should be equally suitable.

(b) provide additional information over that of their components. It is important to understand the relationship between a **composite characteristic** and its components. In compliance with TGP/14 guidelines, it is necessary to ascertain whether or not the same difference is being duplicated. Evidence for this would include comparing how each component distinguishes between a range of variety-pairs and specifically whether a high similarity exists in the variety separations achieved by a **composite characteristic** and any of its components.

Assessment of uniformity should be conducted in the same manner as for any other characteristics, according to the requirements of TGP/10 (Examining Uniformity) for the characteristics and crop types being examined.

Adoption of any new **composite characteristics** should, therefore, be considered on an individual species basis and compliance with the above criteria established from evidence of independence from its components and by defining the plant characteristic being examined.

## 2.10 *Shape: types of expression and states / notes*

The type of expression (i.e. qualitative, quantitative or pseudo-qualitative) of the characteristics describing components of shape needs to be considered separately for each situation. In particular, as explained in document TGP/7 "Development of Test Guidelines", Annex 4, paragraph 1 "it should be remembered that what may appear to be very similar characteristics in different types of plant, or different organs of the same plant, may in fact be under different types of genetic control." Thus, for example, in one type of plant, or one organ, the characteristic "position of broadest part" might be a qualitative characteristic but in another type of plant, or organ, it might be a quantitative characteristic. Therefore, the following notes are only intended to indicate the most normal situations:

- (a) Ratio length/width: normally a quantitative characteristic
- (b) Position of broadest part: within the same lateral outline set (e.g. rounded), this is normally a quantitative characteristic. However, where varieties cover more than one lateral outline set (e.g. angular and

---

<sup>2</sup> Background note

Document TG/1/3: "General Introduction to the Examination of Distinctness, Uniformity and Stability and the Development of Harmonized Descriptions of New Varieties of Plants" states as follows:

### "4.6.3 Combined Characteristics

"4.6.3.1 A combined characteristic is a simple combination of a small number of characteristics. Provided the combination is biologically meaningful, characteristics that are assessed separately may subsequently be combined, for example the ratio of length to width, to produce such a combined characteristic. Combined characteristics must be examined for distinctness, uniformity and stability to the same extent as other characteristics. In some cases, these combined characteristics are examined by means of techniques, such as Image Analysis. In these cases, the methods for appropriate examination of DUS are specified in document TGP/12, "Special Characteristics."

"4.6.3.2 Combined characteristics are not to be confused with the application of methods, such as "multivariate analysis." The potential for use of multivariate analysis is considered in document TGP/9, "Examining Distinctness."

hastiform), the position of the broadest part is less likely to be a quantitative characteristic and is more likely to be pseudo-qualitative or qualitative;

- (c) Shape of base (see Section 2.3 Base Shape Characteristics);
- (d) Shape of apex (see Section 2.4 Apex/Tip Shape Characteristics);
- (e) Lateral outline: there is no “normal” situation for the lateral outline, which can be a qualitative, quantitative or pseudo-qualitative characteristic

#### 2.11 *Shape: defining the characteristic*

In the same way as for any characteristic, each characteristic should be precisely defined. With respect to shape-related characteristics it is particularly important to clarify which part of the plant is to be observed. Some illustrative examples are as follows:

##### *Leaf: ratio length/width*

- to specify if any tip (e.g. aristate tip) should be included or excluded from the observation of leaf length
- to specify if the reference point for the “base” should be the point of attachment or the lowest part of the plant part (e.g. for a cordiform leaf);
- to specify how to observe length/width in the case of laterally asymmetric shapes

##### *Leaf: position of broadest part*

- to specify if any tip (e.g. aristate tip) should be included or excluded from the observation of the position of the broadest part
- to specify if the reference point for the “base” should be the point of attachment or the lowest part of the plant part (e.g. for a cordiform leaf);
- to specify how to observe position of the broadest part in the case of laterally asymmetric shapes

#### 2.12 *Shape: Technical Questionnaire Characteristics*

Where the normal requirements for a Technical Questionnaire characteristic are met (see document TGP/7 Annex 3 GN 13.3), characteristics developed according to the guidance set out in this document are suitable for inclusion in the Technical Questionnaire. However, document TGP/7: Annex 3 GN 13.3.4 clarifies that “[w]here necessary, characteristics in the Test Guidelines can be simplified (e.g. **color** groups can be created rather than requesting an **RHS Colour Chart** reference) for inclusion in the Technical Questionnaire (TQ), if this would be of assistance for the breeder completing the TQ. Furthermore, the characteristics contained in the Test Guidelines can be formulated in a different way, if breeders would then be able to describe them more precisely and the information would be useful for performing the test.”. Thus, in some cases, it may be appropriate to provide breeders with an opportunity to describe shape in a way which is more widely recognized. In such cases, the Technical Questionnaire may invite breeders to indicate shape on the following basis:

(a) Simple Symmetric Plane Shapes: to indicate the shape according to the Chart for Simple Symmetric Plane Shapes (see Section 1.5), e.g. narrow oblong

(b) Other Plane Shapes: to indicate the shape according to the other plane shapes identified in Section 1.6, with an indication of relative width where useful, e.g. narrow cordiform





3. *Shape Illustrations*


3.1 *Full Plane Shapes*

See Chart for Simple Symmetric Plane Shapes and Chart for Other Plane Shapes (Sections 1.5 and 1.6).

3.2 *Base Shapes*



**calcarate**  
 (calcarate: having a "spur", e.g. toadflax and larkspur)



open calcarate

3.3 *Apex Shapes*

3.3.1 *Apex*



acute



obtuse



rounded



truncate



obcordate

3.3.2 *Differentiated tip*

length / depth of tip =>



apiculate



acuminate



caudate



cirrhous



cuspidate



pungent



mucronate



aristate



retuse



emarginate



lacinate

3.4 *Three-Dimensional Shapes*

Note: as explained in Section 2.6, wherever possible, three-dimensional plant parts should be described in cross-section as plane or two-dimensional shapes.



acicular



linear



cylindric



oblong



semi-ellipsoid



ovoid



fusiform



ellipsoid




globose




obloid



obovoid



tetrahedral



pyramidal



conic



deltoid



terete



rhomboid



obconic



clavate



pyriform



capitate



salverform



peltate



rotate



discoid




filiform



spiral



lenticular



sheathing



urceolate



tubular



cup-shaped



funnel-shaped



campanulate



canaliculate

3.5 *Symmetry*



asymmetric full shape



asymmetric base



asymmetric apex



asymmetric position

II. STRUCTURE

1. *Developing Characteristics for Plant Structures*

1.1 *Growth habit*


In general, the characteristic “Plant (or Tree): growth habit” is used to describe the overall growth habit of the plant, based on the deportment of the main branches or stems. The characteristic “Plant (or Tree): growth habit” is usually a quantitative characteristic. Whilst growth habit can be considered in terms of a pseudo-qualitative characteristic, it can be useful to develop quantitative or qualitative characteristics related to growth habit, rather than considering growth habit as a single pseudo-qualitative characteristic. In cases where qualitative characteristics exist, those are often presented in the form of “Plant (or Tree): type”, rather than growth habit.

Example 1: “Plant: growth type” determinate (note 1); indeterminate (note 2)


Example 2: “Plant: type” climbing (note 1); non-climbing (note 2)

Examples of “Plant (or Tree): growth habit” are provided below:


Example 1: *quantitative characteristic*




Example 2: *quantitative characteristic*



Example 3: *pseudo-qualitative characteristic*









Example 4 – case 1: *pseudo-qualitative characteristic*



Example 4 – case 2:

- (a) *qualitative characteristic* (Tree: type); and
- (b) *quantitative characteristic* (Only non-fastigiate varieties: Tree: growth habit)

QL	1 fastigiate	2 non-fastigiate				
						
QN	1 upright	2 upright to spreading	3 spreading	4 drooping	5 weeping	


1.2 *Attitude / direction (Plant parts)*

In cases where individual plant parts are to be observed, the characteristics are, in general, presented as attitude, direction or angle with main axis, rather than habit. In a similar way to growth habit, it can be useful to develop quantitative or qualitative characteristics, rather than considering attitude and direction as a single pseudo-qualitative characteristic.


Examples of attitude as a quantitative characteristic are provided below:

*Quantitative Characteristic*

Example 1:




Example 2:



1.3 *Relative position*

A particular type of characteristic which commonly occurs in Test Guidelines is the relative position of leaves, petals, etc. The following examples can be used as guidance for the presentation of quantitative characteristics:



1.4 *Margins*

1.4.1 It may be appropriate to have a quantitative characteristic, such as depth of incisions, rather than using botanical terms. In particular, it is not appropriate to use botanical terms in a way which indicates a qualitative characteristic when the characteristic is not qualitative. Thus, it would not be appropriate to have a characteristic with the states of expression serrate (Note 1) and dentate (Note 2), if there was not a clear discontinuity between those states.

1.4.2 Similarly, it may be appropriate to have a quantitative characteristic, such as depth of lobing, rather than trying to define a lobe. In particular, it is not appropriate to use lobing in a way which indicates a qualitative characteristic when the characteristic is not qualitative. Thus, it would not be appropriate to have a qualitative characteristic such as lobed (Note 1) and not lobed (Note 2) where there was not a clear discontinuity between those states. In the same way, a characteristic for the number of lobes could produce inconsistent results if the determination of lobes was not a qualitative characteristic. Quantitative characteristics such as depth of lobing or degree of lobing may be more appropriate, e.g.





absent or weak



medium



strong

### 1.5 *Hairs and Spines*

1.5.1 In general, botanical terms for types of hair and spine (e.g. *aculeate*, *lanate*, *tomentose*, etc.) are not used in the Test Guidelines, since the states of expression are likely to relate to number, density or length of hairs, spines, etc.

1.5.2 In the case of hair, the term “pubescence” is synonymous with “hairiness” for the purposes of Test Guidelines.

2. *Illustrations Of Plant Structures*

2.1 *Habit*



upright



spreading



drooping



weeping



fastigate




columnar



divaricate



ramified



decumbent



procumbent  
(not rooting)




stoloniferous  
(rooting)



reclining

PROSTRATE



clambering







climbing



twining

2.2 Attitude / direction (Plant parts)



2.3 *Relative position*




exserted



included



oblique



free



contiguous  
(touching – not  
joined)




coherent  
(like parts  
superficially  
joined)



connate  
(like parts  
histologically  
joined)



adherent  
(unlike parts  
superficially joined  
e.g. anthers to  
style)



adnate  
(unlike parts  
histologically  
joined e.g.  
anthers and style)



adpressed



sessile




stipitate (stalked)

2.4 *Types of Inflorescence*<sup>3</sup>


2.4.1 *Simple inflorescences*



raceme



spike



racemose corymb




umbel



spadix




capitulum  
(flower head)



catkin


2.4.2 *Compound inflorescences*




homeothetic compound  
raceme




heterothetic compound  
raceme




compound spike



compound capitulum




compound (double) umbel




compound (triple) umbel


<sup>3</sup> Illustrations and explanations reproduced from Wikipedia, The Free Encyclopedia: <http://en.wikipedia.org/wiki/Inflorescence>




panicle



cymose corymb



anthela



thyrsoid



thyrsoid


#### Other

The family *Asteraceae* is characterized by a highly specialized head technically called a **calathid** (but usually referred to as 'capitulum' or 'head'). The family *Poaceae* has a peculiar inflorescence of small spikes (**spikelets**) organized in panicles or spikes that are usually simply and improperly referred to as spike and panicle. The genus *Ficus* (*Moraceae*) has an inflorescence called **syconium** and the genus *Euphorbia* has **cyathia** (sing. **cyathium**), usually organized in umbels.

2.4.3 Margins



serrate



biserrate  
(1)




biserrate  
(2)




serrulate




dentate



bidentate  
(1)



bidentate  
(2)



denticulate




crenate



bicrenate  
(1)



bicrenate  
(2)




crenulate



repand




sinuate




erose



entire



fimbriate



ciliate



crispate



undulate




involute




revolute

2.4.4 *Hairiness (Types of appendage covered by the general term "hair" in the Test Guidelines)*




2.4.5 *Spines (Types of appendage covered by the general term "spine" in the Test Guidelines)*






2.4.6 *Other appendages*



ciliate


fimbriate



glandular



lepidote




papillose


2.4.7 *Texture*




aciculate



striate



grooved



reticulate



corrugated



rugose



bullate



verrucose

### **SUBSECTION 3. COLOR**

#### **1. INTRODUCTION**

The purpose of Subsection 3: **Color** is:

- (a) to provide guidance on the development of characteristics related to **colors** and color **patterns**;
- (b) to provide standard illustrations and examples in relation to **colors** and color **patterns** which may be useful for inclusion in the Test Guidelines, whilst noting that illustrations for specific characteristics can be found in the relevant Test Guidelines and noting that searches for relevant individual characteristics can be made through TGP/7 “Collection of Approved Characteristics”; and
- (c) to provide definitions of botanical terms with an indication of whether those terms are generally used in Test Guidelines, or whether alternative terms might be more appropriate for use in Test Guidelines.

**Color** is complex and can be defined in terms of three main elements: **HUE** (distinguishes the different **colors**), **SATURATION** (the element of **color** that indicates the purity or grayness of the **color**) and **INTENSITY** (distinguishes the total amount of light that is reflected by the **color**, how the **color** is perceived by the eye on the dark to light scale).

For describing **colors** of plants in Test Guidelines, it is generally the practice to look at one or more of the three elements of **color**, separately or in combination.

## 2. COLOR

### 2.1 Terms used for color

The terms used to describe color can be a single color, a color range, the intensity of a color and the RHS Colour Chart Number. These terms have different levels of precision:

	state of expression	example	
level of precision ↓ high	low	single color	yellow, orange, red
		color range	(a) yellow, yellow orange, orange, orange red, red (b) white, yellowish white, yellow, yellowish orange
		intensity	light yellow, medium yellow, dark yellow
	high	RHS Colour Chart No.	RHS 41 B

According to the plant species, the organ observed and the level of variation within and between the varieties the drafter of a Test Guidelines has to decide which level of precision is useful for the characteristic. In species where only a limited number of clearly different colors of an organ are feasible, a description of the single color would be appropriate (see 2.2.1).

In species where many similar colors are possible the use of the RHS Colour Chart would be appropriate (see 2.2.4). However, if the size of the colored surface or the amount of color is very small, where other surface elements influence the observation, colors are blended or not well represented on the chart, the use of a color chart might not be possible or sensible. The same is true when an overall impression of the color is required.

### 2.2 States of expression for color characteristics

#### 2.2.1 Single color

A single color has the lowest precision to describe the state of expression.

*Example: Flower: color: white (1); yellow (2); orange (3); red (4)*

#### 2.2.2 Color range

By using color combinations together with single colors (= color range) the state of expression can be described more precisely than with single colors only.

(a) In color combinations the second color indicates the predominant color with blending of both colors, resulting in what can look like a single color. For example in "green red" the predominant color is red and in "red green" the predominant color is green.

*Example: Flower: color: white (1); yellow white (2); yellow (3); yellow orange (4); orange (5)*

(b) The use of "ish" in color combinations indicates that there is a predominant color (e.g. yellow) together with another minor color. For example,

*yellowish*, covers all colors which are predominantly yellow (would include, for example, white yellow; brown yellow; orange yellow; etc.)

*yellowish green* covers all colors which are predominantly green with some yellow (would include, for example, white yellow green; brown yellow green; orange yellow green etc.)

*Example: Flower: color: whitish (1); yellowish (2); greenish (3)*

### 2.2.3 Intensity

Depending on the organ described, the **intensity** can be presented either in relation to a **single color** or in combination with different **colors** (example 2).

*Example 1: Leaf: green color of upper side: light (3); medium (5); dark (9)*

*Example 2: Flower: color: white (1); light yellow (2); medium yellow (3); dark yellow (4); orange (5)*

### 2.2.4 Color Chart

If it is necessary to describe a **color** with a **color chart**, UPOV uses the **color chart** from the Royal Horticultural Society (RHS), the “**RHS Colour Chart**” because of its worldwide availability. There are 6 editions of this **color chart**, dating from 1966, 1986, 1995, 2001, 2007 and 2015. Since 2005, the “RHS Mini Colour Chart” has been published by the Flower Council Holland and is also frequently used by breeders. Other **color charts** might also be appropriate.

Document TGP/7 “Development of Test Guidelines” (see ASW 4(2)(d)) explains that “Because daylight varies, **color** determinations made against a **color chart** should be made either in a suitable cabinet providing artificial daylight or in the middle of the day in a room without direct sunlight. The spectral **distribution** of the illuminant for artificial daylight should conform with the CIE Standard of Preferred Daylight D 6500 and should fall within the tolerances set out in the British Standard 950, Part I. These determinations should be made with the plant part placed against a white background”. When it is not possible to make observations under artificial daylight, for example when observations have to be made in the open, observations should not be made in direct sunlight. The observations should be made on a cloudy day with sufficient light **intensity**, or in a shaded **area**. When artificial shading is needed in the open, it should be ensured that the **color** of the shading cloth does not interfere with the observations.

When using the **RHS Colour Chart**, the reference number of the RHS color, the **UPOV color name** and the edition of the chart should be mentioned in the variety description. Information on **UPOV color names** can be found in Annexes I and II to Subsection 3 of this document.

## 2.3 Developing characteristics

### 2.3.1 Type of expression

For describing **colors** of plants in Test Guidelines, it is generally the practice to look at one or more of the three elements of color, separately or in combination. Any characteristic which combines more than one of those elements is likely to constitute a pseudo-qualitative characteristic. In those cases in which only the **intensity** of a **color** varies, the type of expression would be quantitative. In those cases where there is a clear discontinuity between the **colors** (e.g. white and red), the type of expression would be qualitative.

#### Examples

- (a) Qualitative characteristics  
Seed **color**: white (1); yellow (2); black (3)
- (b) Quantitative characteristics  
Leaf: **intensity** of green **color**: light (3); medium (5); dark (7)
- (c) Pseudo-qualitative characteristics
  - (i) **Single colors**  
Flower: **color**: white (1); yellow (2); orange (3); red (4)
  - (ii) **Single colors and intensity**  
Flower: **color**: white (1); light yellow (2); medium yellow (3); dark yellow (4); orange (5)
  - (iii) **Color range**  
Flower: **color**: white (1); yellow white (2); yellow (3); yellow orange(4); orange (5)  
Spathe: **color** of apex: whitish (1); yellowish (2); greenish (3)

- (iv) **Color chart**  
 Flower: color: **RHS Colour Chart** (indicate reference number)  
 → variety description: RHS 11D – light yellow orange

### 2.3.2 Order of states of expression

In the Test Guidelines, the states of expression for **colors** are normally presented in the following order: white, green, yellow, orange, pink, red, purple, violet, blue, brown, black (note: it is quite common to have the order white, yellow, green where only those **colors** occur). However, the chronological appearance of the **color** (e.g. as the fruit ripens) may also be used (see also document TGP/14/1 “Glossary of Terms Used in UPOV Documents” [cross ref.]) where appropriate. The same sequence should normally be used for organs with similar states within the same Test Guidelines (e.g. **color** of leaf and **color** of the stem).

### 2.3.3 Factors to be considered for creating color groups

When using the color of a plant part for grouping of varieties, a very clear and large difference between the colors is required. However, the color groups are also used in the Technical Questionnaire for applicants who have no RHS Colour Chart. Therefore the groups need to be small enough so that applicants are able to give an adequate state of expression for the characteristic.

The following factors have to be considered when creating color groups for grouping:

- (a) range of variation of the color of the plant part within the species;
- (b) difference between colors for varieties to be considered clearly distinguishable;
- (c) possible influence of the environment on the color of the plant part.

Depending on the species and the plant part observed the color groups for grouping can be different. Examples for color groups in grouping characteristics of different Test Guidelines are listed in the following table.

Test Guidelines	Campanula (TG/305/1)	Hosta (TG/299/1)	Cordyline (TG/317/1)	Osteospermum (TG/175/5)
Characteristic	Corolla: main color of inner side	Leaf blade: color covering the largest surface area	Leaf: secondary color	Ray floret: main color of middle part
Color groups for grouping	white pink red purple purple blue	white light yellow medium yellow dark yellow light green medium green dark green blue green	white yellow green red purple brown blackish	white yellow orange pink red purple violet

It should be emphasized that not all groups are necessarily clearly distinct from each other when information is used that does not come from the same source (same location, same observer) and cannot always be used to exclude varieties from the trial. E.g. in Cordyline for the characteristic “Leaf: secondary color” it might not be possible to clearly distinguish between “brown” and “blackish” when looking at photos on the internet or in a plant catalogue.

### 2.4 Unsuitable color names

**Color** terms such as “bronze”, “fuchsia”, “gold”, “ochre”, “salmon”, “silver”, etc. should not be used as states of expression in the Test Guidelines because they could cause confusion concerning the intended color. Therefore, these terms should be replaced by **standard colors** (e.g. orange brown instead of bronze).

## 2.5 *Timing of observations*

2.5.1 All **color** observations on the different organs of the plant should be made at a clearly defined stage of development of the organ. **Color** expression of the organ might change, for example, during development or aging of the plant/organ or the time of the day.

2.5.2 In cases where the **color** of an organ changes during the development of the plant, it may be appropriate to have separate characteristics for the **color** at appropriate, clearly defined stages of development. In some cases, it may also be appropriate to have a characteristic which describes the rate at which the **color** changes.

## 2.6 *Organ elements that may distort color*

The observation of **color** on a surface or whole organ can be distorted by the presence of glaucosity or hair. The characteristic should make it clear whether or not the overall **color** is observed or the **color** surface after the glaucosity or hair has been removed.

*Example: Fruit: color of skin (hair removed)*  
*Leaf: color of upper side (wax removed)*

### 3. APPROACHES TO DESCRIBE COLORS AND COLOR PATTERNS

The decision on which approach to use when describing the **colors** of a plant part depends on the number of **colors**, the types of color **distribution** and the number of color **patterns** which are possible for the species concerned.

- (a) In situations where only a few **colors**, a few types of color **distribution** and a few **patterns** need to be described, it would be appropriate to use an approach in which the **colors** are described according to the size of the surface **area** they cover (see 3.1). An example of the use of this approach can be found in the Alstroemeria Test Guidelines (TG/29/7).
- (b) In cases where certain organs have two layers of tissue containing color **pigmentation**, and one layer is covering the other, it may be appropriate to use an approach in which the **ground color** and the **over color** are described (see 3.2). An example can be found in the Apple Test Guideline (TG/14/9) and the Phalaenopsis Test Guidelines (TG/213/2(proj.7)).
- (c) In cases where the different parts of an organ can have different **colors**, it could be appropriate to describe the **color** of these parts separately (see 3.3). An example for this approach can be found in the Torenia Test Guidelines (TG/272/1).
- (d) For complex situations where several different **colors** and/or several different types of color **distribution** and color **patterns** are possible, it would be more appropriate to use an approach in which the different **colors** are described according to their order in the **RHS Colour Chart** ("**Lisbon**" **approach** (see 3.4)). An example for this approach can be found in the Heuchera and Heucherella Test Guidelines (TG/280/1).

#### 3.1 *Approach according to the size of the surface area*

In this approach all **colors** of a plant part are determined according to the size of the surface **area** they occupy. The color with the largest surface **area** is the **main color**; the one with the second largest **area** is the **secondary color** and so on.

The following standard explanation should be included in the Test Guidelines when using this approach for describing **color**:

"The **main color** is the color with the largest surface **area**. In cases where the **areas** of the main and **secondary color** are too similar to reliably decide which color has the largest **area**, [the darkest color] / [the color...[location]...] is considered to be the **main color**."

#### 3.2 *Approach according to tissue layers*

When an organ has two layers of tissue containing color **pigmentation** and one layer is covering the other, the **colors** of the two layers can be described as **ground color** and **over color**. The term **ground color** can be used in different ways:

- (a) **Ground color:**
  - (i) The **ground color** is the first color to appear chronologically during the development of the plant part. Other **colors** may develop in time in the form of spots, blotches, or a flush.
  - (ii) The **ground color** is the color which has a continuous dispersion across the surface of the plant part.

The **ground color** is not always the color occupying the largest surface **area** of the plant part concerned. For certain organs having two layers of tissue containing color **pigmentation**, and one layer is covering the other on the upper side of the organ it may be appropriate to determine the **ground color** by observing the **main color** of the lower side of the organ (see example Phalaenopsis).

Example: Phalaenopsis (TG/213/2(proj.7))



Petal: *ground color* – RHS Colour Chart 155A - white  
Petal: *over color* – RHS Colour Chart 83A – dark violet

(b) **Over color:**

In the case of a plant part which has a **ground color** upon which a second color such as a flush develops over time, the flush is considered the **over color**. The **over color** is not always the color occupying the smallest surface **area** of the plant part concerned.

Example: Apple (TG/14/9)

Fruit: *ground color:*  
not visible (1), whitish yellow (2), yellow (3), whitish green (4), yellow green (5), green (6)

Fruit: *hue of over color* - with bloom removed  
orange red (1), pink red (2), red (3), purple red (4), brown red (5)

### 3.3 Approach according to defined parts of an organ

- (a) If the different parts of a plant organ can have different **colors**, the color of these different parts can be described separately. If for example the petals can have a differently colored margin and a differently colored base, the color of the margin and the color of the base should be described in separate characteristics.

Example: *Petal: color of margin*  
*Petal: color of middle zone*  
*Petal: color of base*

- (b) When an organ has one color with different intensities, the parts of the organ which are lighter or darker could be described as follows:

Example: *Ray floret: color distribution on upper side:*  
*lighter towards base (1); even (2); lighter towards apex (3)*

### 3.4 Approach according to the RHS Colour Chart number ("Lisbon" approach)

In this approach all **colors** of the plant part concerned are assessed using the RHS Colour Charts first. The **colors** are then ordered from the lowest to highest number according to the color number from the Colour Chart, with the lowest number being RHS 1 A and the highest number being RHS 203 D. Additional cards in new editions of the RHS Colour charts may increase the highest number. In this approach the determination of color is made without consideration of the surface **area** occupied by that color.



The following standard explanation should be included in the Test Guidelines when using this approach for describing color:

The order of **colors** follows the RHS Colour Chart order. For example, in the RHS Colour Chart 2007 edition, the lowest number is RHS 1A and the highest RHS 203D.

The **color** should first be described, followed by characteristics explaining the **area**, **distribution**, **pattern** and if necessary the **conspicuousness** of the color.

The same sequence should be followed for color two, color three and so on. In order to make it clear that a variety does not show color two, color three and so on, the state of expression 'none' (1) should be added as an option to the characteristic.

*Example:* Heuchera and Heucherella (TG/280/1).

In *Heuchera* and *xHeucherella* leaf color is very significant to the overall appearance of the variety. Leaves often have several **colors** in different **patterns** and the expression of these **colors** and **patterns** can change from the young leaves to the fully expanded leaves.

Although the **colors** are referred to as "color one", "color two", "color three" and "color four" in the headings, this does not indicate a ranking according to **prominence** or **area** covered. The order in which the **colors** should be observed is dictated by the order the **colors** appear in the **RHS Colour Chart**.

In order to provide an illustration of the recording method, two worked examples are provided below. The first describes a leaf with only one color, the second a leaf with several **colors**.

Worked Example One – 'Pistache' (variety with only one leaf color)



36. Leaf blade: color one – **RHS Colour Chart** – Yellow-Green 151C
37. Leaf blade: color one: **distribution** – throughout (8)
38. Leaf blade: color one: **pattern** – solid or nearly solid (5)
39. Leaf blade: color one: total **area** – very large (9)
40. Leaf blade: color two – **RHS Colour Chart** – not applicable
41. Leaf blade: color two: **distribution** – none (1)
42. Leaf blade: color two: **pattern** – not applicable
43. Leaf blade: color two: total **area** – not applicable
44. Leaf blade: color three – **RHS Colour Chart** – not applicable
45. Leaf blade: color three: **distribution** – none (1)
46. Leaf blade: color three: **pattern** – not applicable
47. Leaf blade: color three: total **area** – not applicable
48. Leaf blade: color four – **RHS Colour Chart** – not applicable
49. Leaf blade: color four: **distribution** – none (1)
50. Leaf blade: color four: **pattern** – not applicable
51. Leaf blade: color four: total **area** – not applicable

Worked Example Two – 'Venus' (variety with several leaf colors)



- 36. Leaf blade: color one – **RHS Colour Chart** – Yellow-Green 144C
- 37. Leaf blade: color one: **distribution** – marginal zone (7)
- 38. Leaf blade: color one: **pattern** – solid or nearly solid (5)
- 39. Leaf blade: color one: total **area** – very small to small (2)
- 40. Leaf blade: color two – **RHS Colour Chart** – Greyed-Orange 176B
- 41. Leaf blade: color two: **distribution** – along veins (2)
- 42. Leaf blade: color two: **pattern** – solid or nearly solid (5)
- 43. Leaf blade: color two: total **area** – small (3)
- 44. Leaf blade: color three – **RHS Colour Chart** – Greyed-Orange 177D but more grey
- 45. Leaf blade: color three: **distribution** – between veins in intermediate zone (6)
- 46. Leaf blade: color three: **pattern** – solid or nearly solid (5)
- 47. Leaf blade: color three: total **area** – large (7)
- 48. Leaf blade: color four – **RHS Colour Chart** – not applicable
- 49. Leaf blade: color four: **distribution** – none (1)
- 50. Leaf blade: color four: **pattern** – not applicable
- 51. Leaf blade: color four: total **area** – not applicable

3.5 *Special terms used for color characteristics*

3.5.1 *Variation*

**Variation:** Well defined **areas** of different **colors** or intensities, with less or no chlorophyll, especially as very light green, yellow or white longitudinal stripes or irregular shaped **areas** or marginal zone combined with a green color on leaves. **Variation** consists of **color**, color **distribution** and **pattern**. Depending on the species concerned, it may not be necessary for all components to be described.

*Examples of variegated leaves:*



at margin



along midrib



irregular

### 3.5.2 Pigments (*anthocyanin, carotenoid*)

Color pigments like **anthocyanin** usually can be found on a plant organ or part of an organ in the form of an **over color**. Depending on the amount and **intensity** of the pigments it could be useful to describe the color of the organ with or without the pigments. If the pigments should be excluded from the observation it should be indicated in the characteristic (e.g. Leaf blade: color (excluding **anthocyanin**)).

When the name of the pigment is known, reference should be made to the name, e.g. "**anthocyanin** coloration". Where the name of the pigment is not known, the color should be mentioned, e.g. "red coloration".

**Pigments** can be described using **intensity** and /or size of their **distribution**.

*Example: Leaf blade: anthocyanin coloration (QN):  
weak (3); medium (5); strong (7)*

*Example: Leaf blade distribution of anthocyanin coloration (PQ):  
at margin (1); along veins (2); at base (3)*

### 3.5.3 Conspicuousness

**CONSPICUOUS**: clearly visible, evident.

**INCONSPICUOUS**: not clearly visible, obscure.

To make clear what is meant with the term **conspicuousness** the following standard wording could be used in the Test Guidelines:

- (a) The **conspicuousness** is determined by the color contrast
- (b) The **conspicuousness** is determined by the color contrast combined with size.

### 3.6 Color change over time

When a plant organ changes the color over time it might be necessary to observe the same organ at different times of its development.


*Example:*

*Fruit: color (before maturity)  
greenish white (1), yellow (2), green (3), purple (4)*

*Fruit: color (at maturity)  
yellow (1), orange (2), red (3), brown (4), green (5)*

4. COLOR DISTRIBUTION AND COLOR PATTERNS

4.1 Schematic overview



4.2 Illustrations

4.2.1 Color Patterns

4.2.1.1 Flush



flush










4.2.1.2 Spotted / Blotched / Speckled

**Spot:** sharp, clear outlined round or nearly round shaped colored area.


**Blotch:** sharp, clear outlined irregular shaped colored area.

**Speckle:** diffuse outlined irregular shaped colored area.

According to the outline of the pattern it can be named as seen in the following table:


Outline/ size	clear regular	clear irregular	diffuse irregular
small			
	small spots	small blotches	small speckles
medium			
	medium spots	medium blotches	medium speckles
large			
	large spots	large blotches	large speckles

4.2.1.3 *Central Bar*



narrow central bar      broad central bar

4.2.1.4 *Aciculate / Striped*



aciculate      narrow stripes      medium stripes      broad stripes

4.2.1.5 *Transverse Band / Banded*




transverse band      banded

4.2.1.6 *Marginate / Marginal Zone*



narrow marginate      broad marginate      on marginal zone

4.2.1.7 *Tesselate / Netted / Marbled / Veined*



tesselate      netted      marbled      veined

4.2.2 *Color distribution*

Note: **distribution** could be described by a combination of terms from the different sets using the words “and” or “excluding”; e. g. (a) distal quarter, excluding marginal zone, (b) distal half, excluding tip.



at base



basal quarter



basal half



basal three quarters



at tip



distal quarter



distal half



distal three quarters



central



transverse



at margin



throughout

4.3 *The use of photographs to illustrate color distribution and color patterns*

For all mentioned approaches it could be useful to recommend that a photograph be taken to illustrate certain color characteristics. It is recommended that a disclaimer be included in the Test Guideline to clarify the purpose for which the photograph is to be used; i.e. to illustrate the types of color **distribution** and/or color **patterns**, rather than the actual **colors** of the plant part concerned.

“A photograph of the [relevant plant part] could be provided in conjunction with the description in order to clarify the color distribution and/or color pattern. However, a warning should be added to this photograph, explaining that the primary intent of the photograph is to show the distribution and/or pattern of colors on the plant part rather than the actual colors. Color on photographs can be affected by the technology of the camera and the facilities used to display the photograph (printer, overhead projector, etc.).”

5. LITERATURE

RHS Colour Chart, 2015, Royal Horticultural Society, London, UK ([www.rhs.org.uk](http://www.rhs.org.uk))

RHS Mini Colour Chart, 2005, Royal Horticultural Society, London, UK, published together with the Flower Council Holland, Leiden, NL.

Horticultural Colour Chart (HCC Chart), 1942, R.F. Wilson, Published by the British Colour Council in collaboration with the Royal Horticultural Society.

International Commission on Illumination C.I.E./USA: ISO 15469:2004/CIE S 011/E:2003,  
Spatial **distribution** of daylight – CIE standard general sky

Rochester Institute of Technology: Munsell Color Science Laboratory; website: <http://mcsli.rit.edu>

[Annex I to Subsection 3 follows]



## ANNEX I

### COLOR NAMES FOR THE SIXTH EDITION (2015) OF THE RHS COLOUR CHART

#### 1. Introduction

1.1 When using the **RHS Colour Chart**, the variety description should contain both the **RHS Colour Chart** reference number and a name for the color. The purpose of this document is to harmonize **color names** for variety descriptions.

1.2 The following table gives an overview of the existing “groups” for the sixth edition of the RHS Colour Chart:

		Number of entries or groups	Example	Use
level of precision high	RHS Colour Chart Number	920	49A	Used for precise description of colors of plant parts.
	RHS Colour Name	190	Strong Pink	not used for UPOV purposes
	UPOV Color Name	73	Pink (group 29)	Used in the variety description to translate the RHS Colour Chart number into a color name.
low	RHS Color Group (heading on each sheet)	29	Red Group	not used for UPOV purposes

1.3 In the editions one to five (1966 until 2007) the **RHS Colour Chart** contained up to 896 **colors**, which were divided into 23 “groups” to name the colors. However, for UPOV purposes, this initial grouping seemed unable to name the **colors** in variety descriptions in a sufficiently precise way. Therefore, UPOV has identified its own color name “groups”.

1.4 In the sixth edition (2015) of the RHS Colour Chart for the first time each patch has a color name. However, these color names do not always reflect the color similarity of the patches and therefore it seemed not appropriate to use these names for UPOV purposes.

1.5 On the basis of the sixth edition of the RHS Colour Chart UPOV has identified 73 color “groups” which are presented in this document. For naming of the RHS Colour Charts in the editions one to five (1966 to 2007), see Annex II to Subsection 3 to this document. It is important to note that these color “groups” were not created for the purpose of grouping varieties for DUS trials and should not be used for that purpose. Information on the grouping of varieties for DUS trials can be found in document [TGP/9](#) “Examining Distinctness”.

1.6 The names used for the 73 **UPOV Color Groups** consist of either the [pure color] / [color **hue**] (e.g. yellow, orange, red), a combination of two [pure **colors**] / [color **hues**] (e.g. yellow orange, orange pink, purple red), or a combination of the [pure color(s)] / [color **hue(s)**] with “light” or “dark” (e.g. light yellow, dark pink red).

#### 2. Example for the use of the UPOV **Color Names** in a variety description

2.1 If in Test Guidelines a characteristic is described by using the **RHS colour chart**, it is not obvious which color the plant part has, because it is only asked to indicate the **RHS colour chart** reference number, e.g.

*Flower: **main color** of upper side  
**RHS colour chart** (indicate reference number)*

2.2 For the variety description, it is useful to translate the **RHS colour chart** number into a **color name** and to fill this name into the column “state of expression”. The **color name** can be found in appendix I to Annex I,

in which the RHS Colors are listed according to the UPOV Color Group to which they belong: e.g. RHS 46C belongs to group 35 “medium red”, RHS N 74B belongs to group 42 “medium purple” and RHS N 57A belongs to group 37 “medium purple red” (Sixth edition (2015) of the RHS Colour Chart).

*Example:*

2.3 Part of a variety description for New Guinea Impatiens (TG/196/2 Rev.)

No.	Characteristic	State of expression		Note
20	Flower: <b>main color</b> of upper side	medium red	RHS 46C	
21	<u>Varieties with bi- or multicolored flowers only:</u> Flower: <b>secondary color</b> of upper side	medium purple	RHS N 74B	
22	<u>Varieties with bi- or multicolored flowers only:</u> Flower: <b>distribution of secondary color</b>	mainly on upper petal		1
23	Flower: eye zone	present		9
24	Flower: size of eye zone	large		7
25	Flower: <b>main color</b> of eye zone	medium purple red	RHS N 57A	

3. **UPOV Color Groups** (Sixth edition (2015) of the RHS Colour Chart)

3.1 The 73 **UPOV Color Groups** are as follows:

UPOV Group No.	English	français	deutsch	español
1	white	blanc	weiß	blanco
2	light green	vert clair	hellgrün	verde claro
3	medium green	vert moyen	mittelgrün	verde medio
4	dark green	vert foncé	dunkelgrün	verde oscuro
5	light yellow green	vert-jaune clair	hellgelbgrün	verde amarillento claro
6	medium yellow green	vert-jaune moyen	mittelgelbgrün	verde amarillento medio
7	light grey green	vert-gris clair	hellgraugrün	verde grisáceo claro
8	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
9	dark grey green	vert-gris foncé	dunkelgraugrün	verde grisáceo oscuro
10	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
11	medium blue green	vert-bleu moyen	mittelblaugrün	verde azulado medio
12	dark blue green	vert-bleu foncé	dunkelblaugrün	verde azulado oscuro
13	light brown green	vert-brun clair	hellbraungrün	verde amarronado claro
14	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
15	dark brown green	vert-brun foncé	dunkelbraungrün	verde amarronado oscuro
16	light yellow	jaune clair	hellgelb	amarillo claro
17	medium yellow	jaune moyen	mittelgelb	amarillo medio
18	dark yellow	jaune foncé	dunkelgelb	amarillo oscuro
19	light yellow orange	orange-jaune clair	hellgelborange	naranja amarillento claro
20	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
21	dark yellow orange	orange-jaune foncé	dunkelgelborange	naranja amarillento oscuro
22	light orange	orange clair	hellorange	naranja claro
23	medium orange	orange moyen	mittelorange	naranja medio
24	dark orange	orange foncé	dunkelorange	naranja oscuro
25	light orange pink	rose orangé clair	hellorangerosa	rosa anaranjado claro
26	medium orange pink	rose orangé moyen	mittelorangerosa	rosa anaranjado medio
27	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
28	medium red pink	rose-rouge moyen	mittelrotrosa	rosa rojizo medio
29	pink	rose	rosa	rosa
30	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
31	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
32	dark blue pink	rose-bleu foncé	dunkelblaurosa	rosa azulado oscuro
33	orange red	rouge orangé	orangerot	rojo anaranjado
34	light red	rouge clair	hellrot	rojo claro
35	medium red	rouge moyen	mittelrot	rojo medio
36	dark red	rouge foncé	dunkelrot	rojo oscuro
37	medium purple red	rouge-pourpre moyen	mittelpurpurrot	rojo púrpura medio
38	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
39	brown red	rouge-brun	braunrot	rojo amarronado
40	medium brown purple	pourpre-brun moyen	mittelbraunpurpurn	púrpura amarronado medio

UPOV Group No.	English	français	deutsch	español
41	dark brown purple	pourpre-brun foncé	dunkelbraunpurpurn	púrpura amarronado oscuro
42	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
43	dark purple	pourpre foncé	dunkelpurpurn	púrpura oscuro
44	light violet	violet clair	hellviolett	violeta claro
45	medium violet	violet moyen	mittelviolett	violeta medio
46	dark violet	violet foncé	dunkelviolett	violeta oscuro
47	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
48	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
49	dark blue violet	violet-bleu foncé	dunkelblauviolett	violeta azulado oscuro
50	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
51	medium violet blue	bleu-violet moyen	mittelviolettblau	azul violáceo medio
52	dark violet blue	bleu-violet foncé	dunkelviolettblau	azul violáceo oscuro
53	light blue	bleu clair	hellblau	azul claro
54	medium blue	bleu moyen	mittelblau	azul medio
55	dark blue	bleu foncé	dunkelblau	azul oscuro
56	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
57	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
58	dark green blue	bleu-vert foncé	dunkelgrünblau	azul verdoso oscuro
59	light brown	brun clair	hellbraun	marrón claro
60	medium brown	brun moyen	mittelbraun	marrón medio
61	dark brown	brun foncé	dunkelbraun	marrón oscuro
62	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
63	medium yellow brown	brun-jaune moyen	mittelgelbbraun	marrón amarillento medio
64	orange brown	brun orangé	orangebraun	marrón anaranjado
65	grey brown	brun-gris	graubraun	marrón grisáceo
66	light green brown	brun-vert clair	hellgrünbraun	marrón verdoso claro
67	medium green brown	brun-vert moyen	mittelgrünbraun	marrón verdoso medio
68	dark green brown	brun-vert foncé	dunkelgrünbraun	marrón verdoso oscuro
69	yellow grey	gris-jaune	gelbgrau	gris amarillento
70	brown grey	gris-brun	braungrau	gris amarronado
71	purple grey	gris-pourpre	purpurgrau	gris púrpura
72	grey	gris	grau	gris
73	black	noir	schwarz	negro

3.2 The appendices to Annex I allocate the colors in the sixth edition (2015) of the RHS Colour Chart to the appropriate UPOV Color Groups as follows:

Appendix I: UPOV Color Groups According to RHS Colour Chart Reference (2015 Edition)

Appendix II: RHS Colors Contained in each UPOV Color Group (Sixth Edition (2015) of the RHS Colour Chart)

3.3 Annex II presents the UPOV Color Groups allocated to the previous editions of the RHS Colour Chart (1986, 1995, 2001 and 2007). The appendices to Annex II allocate the colors in the previous editions of the RHS Colour Chart to the appropriate UPOV Color Groups as follows:

Appendix I: UPOV Color Groups According to Previous Editions of the RHS Colour Chart Reference (1986, 1995, 2001 and 2007 Editions)

Appendix II: RHS Colors Contained in each UPOV Color Group (1986, 1995, 2001 and 2007 Editions of the RHS Colour Chart)

[Appendix I to Annex I follows]

Appendix I to Annex I:

UPOV Color Groups according to RHS Colour Chart Reference (2015 edition)

UPOV Group No.	No. RHS	English	français	deutsch	español
6	1A	medium yellow green	vert-jaune moyen	mittelgelbgrün	verde amarillento medio
6	1B	medium yellow green	vert-jaune moyen	mittelgelbgrün	verde amarillento medio
5	1C	light yellow green	vert-jaune clair	hellgelbgrün	verde amarillento claro
16	1D	light yellow	jaune clair	hellgelb	amarillo claro
17	2A	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	2B	medium yellow	jaune moyen	mittelgelb	amarillo medio
5	2C	light yellow green	vert-jaune clair	hellgelbgrün	verde amarillento claro
16	2D	light yellow	jaune clair	hellgelb	amarillo claro
17	3A	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	3B	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	3C	medium yellow	jaune moyen	mittelgelb	amarillo medio
16	3D	light yellow	jaune clair	hellgelb	amarillo claro
17	4A	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	4B	medium yellow	jaune moyen	mittelgelb	amarillo medio
16	4C	light yellow	jaune clair	hellgelb	amarillo claro
16	4D	light yellow	jaune clair	hellgelb	amarillo claro
17	5A	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	5B	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	5C	medium yellow	jaune moyen	mittelgelb	amarillo medio
16	5D	light yellow	jaune clair	hellgelb	amarillo claro
17	6A	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	6B	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	6C	medium yellow	jaune moyen	mittelgelb	amarillo medio
16	6D	light yellow	jaune clair	hellgelb	amarillo claro
17	7A	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	7B	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	7C	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	7D	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	8A	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	8B	medium yellow	jaune moyen	mittelgelb	amarillo medio
16	8C	light yellow	jaune clair	hellgelb	amarillo claro
16	8D	light yellow	jaune clair	hellgelb	amarillo claro
17	9A	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	9B	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	9C	medium yellow	jaune moyen	mittelgelb	amarillo medio
16	9D	light yellow	jaune clair	hellgelb	amarillo claro
17	10A	medium yellow	jaune moyen	mittelgelb	amarillo medio
16	10B	light yellow	jaune clair	hellgelb	amarillo claro
16	10C	light yellow	jaune clair	hellgelb	amarillo claro
16	10D	light yellow	jaune clair	hellgelb	amarillo claro
20	11A	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
16	11B	light yellow	jaune clair	hellgelb	amarillo claro
16	11C	light yellow	jaune clair	hellgelb	amarillo claro
19	11D	light yellow orange	orange-jaune clair	hellgelborange	naranja amarillento claro
17	12A	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	12B	medium yellow	jaune moyen	mittelgelb	amarillo medio
16	12C	light yellow	jaune clair	hellgelb	amarillo claro
16	12D	light yellow	jaune clair	hellgelb	amarillo claro
18	13A	dark yellow	jaune foncé	dunkelgelb	amarillo oscuro
20	13B	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
20	13C	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
16	13D	light yellow	jaune clair	hellgelb	amarillo claro
18	14A	dark yellow	jaune foncé	dunkelgelb	amarillo oscuro
18	14B	dark yellow	jaune foncé	dunkelgelb	amarillo oscuro
20	14C	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
16	14D	light yellow	jaune clair	hellgelb	amarillo claro
18	15A	dark yellow	jaune foncé	dunkelgelb	amarillo oscuro
20	15B	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
20	15C	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
16	15D	light yellow	jaune clair	hellgelb	amarillo claro
20	16A	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
20	16B	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix I to Annex I  
 page 77

UPOV Group No.	No. RHS	English	français	deutsch	español
20	16C	medium yellow orange	orange-jaune moyen	mittelgelborange	nananja amarillento medio
16	16D	light yellow	jaune clair	hellgelb	amarillo claro
20	17A	medium yellow orange	orange-jaune moyen	mittelgelborange	nananja amarillento medio
20	17B	medium yellow orange	orange-jaune moyen	mittelgelborange	nananja amarillento medio
20	17C	medium yellow orange	orange-jaune moyen	mittelgelborange	nananja amarillento medio
20	17D	medium yellow orange	orange-jaune moyen	mittelgelborange	nananja amarillento medio
20	18A	medium yellow orange	orange-jaune moyen	mittelgelborange	nananja amarillento medio
19	18B	light yellow orange	orange-jaune clair	hellgelborange	nananja amarillento claro
19	18C	light yellow orange	orange-jaune clair	hellgelborange	nananja amarillento claro
19	18D	light yellow orange	orange-jaune clair	hellgelborange	nananja amarillento claro
20	19A	medium yellow orange	orange-jaune moyen	mittelgelborange	nananja amarillento medio
19	19B	light yellow orange	orange-jaune clair	hellgelborange	nananja amarillento claro
19	19C	light yellow orange	orange-jaune clair	hellgelborange	nananja amarillento claro
19	19D	light yellow orange	orange-jaune clair	hellgelborange	nananja amarillento claro
20	20A	medium yellow orange	orange-jaune moyen	mittelgelborange	nananja amarillento medio
20	20B	medium yellow orange	orange-jaune moyen	mittelgelborange	nananja amarillento medio
19	20C	light yellow orange	orange-jaune clair	hellgelborange	nananja amarillento claro
19	20D	light yellow orange	orange-jaune clair	hellgelborange	nananja amarillento claro
20	21A	medium yellow orange	orange-jaune moyen	mittelgelborange	nananja amarillento medio
20	21B	medium yellow orange	orange-jaune moyen	mittelgelborange	nananja amarillento medio
20	21C	medium yellow orange	orange-jaune moyen	mittelgelborange	nananja amarillento medio
20	21D	medium yellow orange	orange-jaune moyen	mittelgelborange	nananja amarillento medio
21	22A	dark yellow orange	orange-jaune foncé	dunkelgelborange	nananja amarillento oscuro
20	22B	medium yellow orange	orange-jaune moyen	mittelgelborange	nananja amarillento medio
20	22C	medium yellow orange	orange-jaune moyen	mittelgelborange	nananja amarillento medio
19	22D	light yellow orange	orange-jaune clair	hellgelborange	nananja amarillento claro
20	23A	medium yellow orange	orange-jaune moyen	mittelgelborange	nananja amarillento medio
20	23B	medium yellow orange	orange-jaune moyen	mittelgelborange	nananja amarillento medio
20	23C	medium yellow orange	orange-jaune moyen	mittelgelborange	nananja amarillento medio
19	23D	light yellow orange	orange-jaune clair	hellgelborange	nananja amarillento claro
23	24A	medium orange	orange moyen	mittelorange	nananja medio
22	24B	light orange	orange clair	hellorange	nananja claro
22	24C	light orange	orange clair	hellorange	nananja claro
22	24D	light orange	orange clair	hellorange	nananja claro
23	25A	medium orange	orange moyen	mittelorange	nananja medio
23	25B	medium orange	orange moyen	mittelorange	nananja medio
22	25C	light orange	orange clair	hellorange	nananja claro
22	25D	light orange	orange clair	hellorange	nananja claro
23	26A	medium orange	orange moyen	mittelorange	nananja medio
23	26B	medium orange	orange moyen	mittelorange	nananja medio
22	26C	light orange	orange clair	hellorange	nananja claro
22	26D	light orange	orange clair	hellorange	nananja claro
25	27A	light orange pink	rose orangé clair	hellorangerosa	rosa anaranjado claro
25	27B	light orange pink	rose orangé clair	hellorangerosa	rosa anaranjado claro
25	27C	light orange pink	rose orangé clair	hellorangerosa	rosa anaranjado claro
25	27D	light orange pink	rose orangé clair	hellorangerosa	rosa anaranjado claro
24	28A	dark orange	orange foncé	dunkelorange	nananja oscuro
24	28B	dark orange	orange foncé	dunkelorange	nananja oscuro
22	28C	light orange	orange clair	hellorange	nananja claro
22	28D	light orange	orange clair	hellorange	nananja claro
23	29A	medium orange	orange moyen	mittelorange	nananja medio
22	29B	light orange	orange clair	hellorange	nananja claro
25	29C	light orange pink	rose orangé clair	hellorangerosa	rosa anaranjado claro
25	29D	light orange pink	rose orangé clair	hellorangerosa	rosa anaranjado claro
33	30A	orange red	rouge orangé	orangerot	rojo anaranjado
33	30B	orange red	rouge orangé	orangerot	rojo anaranjado
24	30C	dark orange	orange foncé	dunkelorange	nananja oscuro
23	30D	medium orange	orange moyen	mittelorange	nananja medio
33	31A	orange red	rouge orangé	orangerot	rojo anaranjado
24	31B	dark orange	orange foncé	dunkelorange	nananja oscuro
26	31C	medium orange pink	rose orangé moyen	mittelorangerosa	rosa anaranjado medio
26	31D	medium orange pink	rose orangé moyen	mittelorangerosa	rosa anaranjado medio
33	32A	orange red	rouge orangé	orangerot	rojo anaranjado
33	32B	orange red	rouge orangé	orangerot	rojo anaranjado
23	32C	medium orange	orange moyen	mittelorange	nananja medio
26	32D	medium orange pink	rose orangé moyen	mittelorangerosa	rosa anaranjado medio
34	33A	light red	rouge clair	hellrot	rojo claro
33	33B	orange red	rouge orangé	orangerot	rojo anaranjado

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix I to Annex I  
 page 78

UPOV Group No.	No. RHS	English	français	deutsch	español
23	33C	medium orange	orange moyen	mittelorange	naraja medio
26	33D	medium orange pink	rose orangé moyen	mittelorangerosa	rosa anaranjado medio
35	34A	medium red	rouge moyen	mittelrot	rojo medio
33	34B	orange red	rouge orangé	orangerot	rojo anaranjado
33	34C	orange red	rouge orangé	orangerot	rojo anaranjado
64	34D	orange brown	brun orangé	orangebraun	marrón anaranjado
33	35A	orange red	rouge orangé	orangerot	rojo anaranjado
33	35B	orange red	rouge orangé	orangerot	rojo anaranjado
26	35C	medium orange pink	rose orangé moyen	mittelorangerosa	rosa anaranjado medio
27	35D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
27	36A	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
27	36B	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
27	36C	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
27	36D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
26	37A	medium orange pink	rose orangé moyen	mittelorangerosa	rosa anaranjado medio
29	37B	pink	rose	rosa	rosa
29	37C	pink	rose	rosa	rosa
27	37D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
29	38A	pink	rose	rosa	rosa
27	38B	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
27	38C	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
27	38D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
28	39A	red pink	rose-rouge	rotrosa	rosa rojizo
29	39B	pink	rose	rosa	rosa
27	39C	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
27	39D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
34	40A	light red	rouge clair	hellrot	rojo claro
34	40B	light red	rouge clair	hellrot	rojo claro
33	40C	orange red	rouge orangé	orangerot	rojo anaranjado
33	40D	orange red	rouge orangé	orangerot	rojo anaranjado
34	41A	light red	rouge clair	hellrot	rojo claro
33	41B	orange red	rouge orangé	orangerot	rojo anaranjado
33	41C	orange red	rouge orangé	orangerot	rojo anaranjado
29	41D	pink	rose	rosa	rosa
36	42A	dark red	rouge foncé	dunkelrot	rojo oscuro
35	42B	medium red	rouge moyen	mittelrot	rojo medio
35	42C	medium red	rouge moyen	mittelrot	rojo medio
33	42D	orange red	rouge orangé	orangerot	rojo anaranjado
35	43A	medium red	rouge moyen	mittelrot	rojo medio
34	43B	light red	rouge clair	hellrot	rojo claro
28	43C	red pink	rose-rouge	rotrosa	rosa rojizo
29	43D	pink	rose	rosa	rosa
35	44A	medium red	rouge moyen	mittelrot	rojo medio
35	44B	medium red	rouge moyen	mittelrot	rojo medio
34	44C	light red	rouge clair	hellrot	rojo claro
29	44D	pink	rose	rosa	rosa
36	45A	dark red	rouge foncé	dunkelrot	rojo oscuro
36	45B	dark red	rouge foncé	dunkelrot	rojo oscuro
35	45C	medium red	rouge moyen	mittelrot	rojo medio
28	45D	red pink	rose-rouge	rotrosa	rosa rojizo
38	46A	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
36	46B	dark red	rouge foncé	dunkelrot	rojo oscuro
35	46C	medium red	rouge moyen	mittelrot	rojo medio
28	46D	red pink	rose-rouge	rotrosa	rosa rojizo
36	47A	dark red	rouge foncé	dunkelrot	rojo oscuro
35	47B	medium red	rouge moyen	mittelrot	rojo medio
28	47C	red pink	rose-rouge	rotrosa	rosa rojizo
28	47D	red pink	rose-rouge	rotrosa	rosa rojizo
28	48A	red pink	rose-rouge	rotrosa	rosa rojizo
28	48B	red pink	rose-rouge	rotrosa	rosa rojizo
29	48C	pink	rose	rosa	rosa
29	48D	pink	rose	rosa	rosa
29	49A	pink	rose	rosa	rosa
27	49B	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
27	49C	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
27	49D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
35	50A	medium red	rouge moyen	mittelrot	rojo medio
28	50B	red pink	rose-rouge	rotrosa	rosa rojizo

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix I to Annex I  
 page 79

UPOV Group No.	No. RHS	English	français	deutsch	español
29	50C	pink	rose	rosa	rosa
27	50D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
28	51A	red pink	rose-rouge	rotrosa	rosa rojizo
28	51B	red pink	rose-rouge	rotrosa	rosa rojizo
28	51C	red pink	rose-rouge	rotrosa	rosa rojizo
29	51D	pink	rose	rosa	rosa
28	52A	red pink	rose-rouge	rotrosa	rosa rojizo
28	52B	red pink	rose-rouge	rotrosa	rosa rojizo
29	52C	pink	rose	rosa	rosa
29	52D	pink	rose	rosa	rosa
38	53A	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
36	53B	dark red	rouge foncé	dunkelrot	rojo oscuro
28	53C	red pink	rose-rouge	rotrosa	rosa rojizo
28	53D	red pink	rose-rouge	rotrosa	rosa rojizo
37	54A	medium purple red	rouge-pourpre moyen	mittelpurpurrot	rojo púrpura medio
37	54B	medium purple red	rouge-pourpre moyen	mittelpurpurrot	rojo púrpura medio
31	54C	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
30	54D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
37	55A	medium purple red	rouge-pourpre moyen	mittelpurpurrot	rojo púrpura medio
31	55B	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
30	55C	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	55D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	56A	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	56B	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	56C	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	56D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
43	58A	dark purple	pourpre foncé	dunkelpurpurn	púrpura oscuro
37	58B	medium purple red	rouge-pourpre moyen	mittelpurpurrot	rojo púrpura medio
37	58C	medium purple red	rouge-pourpre moyen	mittelpurpurrot	rojo púrpura medio
31	58D	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
38	59A	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
38	59B	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
43	59C	dark purple	pourpre foncé	dunkelpurpurn	púrpura oscuro
37	59D	medium purple red	rouge-pourpre moyen	mittelpurpurrot	rojo púrpura medio
38	60A	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
38	60B	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
43	60C	dark purple	pourpre foncé	dunkelpurpurn	púrpura oscuro
37	60D	medium purple red	rouge-pourpre moyen	mittelpurpurrot	rojo púrpura medio
43	61A	dark purple	pourpre foncé	dunkelpurpurn	púrpura oscuro
42	61B	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
37	61C	medium purple red	rouge-pourpre moyen	mittelpurpurrot	rojo púrpura medio
31	61D	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
31	62A	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
31	62B	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
30	62C	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	62D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
37	63A	medium purple red	rouge-pourpre moyen	mittelpurpurrot	rojo púrpura medio
32	63B	dark blue pink	rose-bleu foncé	dunkelblaurosa	rosa azulado oscuro
31	63C	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
30	63D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
43	64A	dark purple	pourpre foncé	dunkelpurpurn	púrpura oscuro
42	64B	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
32	64C	dark blue pink	rose-bleu foncé	dunkelblaurosa	rosa azulado oscuro
31	64D	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
31	65A	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
30	65B	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	65C	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	65D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
42	67A	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
32	67B	dark blue pink	rose-bleu foncé	dunkelblaurosa	rosa azulado oscuro
32	67C	dark blue pink	rose-bleu foncé	dunkelblaurosa	rosa azulado oscuro
31	67D	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
32	68A	dark blue pink	rose-bleu foncé	dunkelblaurosa	rosa azulado oscuro
31	68B	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
31	68C	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
30	68D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	69A	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	69B	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro

UPOV Group No.	No. RHS	English	français	deutsch	español
30	69C	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	69D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
43	70A	dark purple	pourpre foncé	dunkelpurpurn	púrpura oscuro
42	70B	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
32	70C	dark blue pink	rose-bleu foncé	dunkelblaurosa	rosa azulado oscuro
31	70D	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
43	71A	dark purple	pourpre foncé	dunkelpurpurn	púrpura oscuro
42	71B	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
42	71C	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
42	71D	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
43	72A	dark purple	pourpre foncé	dunkelpurpurn	púrpura oscuro
45	72B	medium violet	violet moyen	mittelviolet	violeta medio
32	72C	dark blue pink	rose-bleu foncé	dunkelblaurosa	rosa azulado oscuro
32	72D	dark blue pink	rose-bleu foncé	dunkelblaurosa	rosa azulado oscuro
32	73A	dark blue pink	rose-bleu foncé	dunkelblaurosa	rosa azulado oscuro
31	73B	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
31	73C	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
30	73D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
44	75A	light violet	violet clair	hellviolett	violeta claro
44	75B	light violet	violet clair	hellviolett	violeta claro
44	75C	light violet	violet clair	hellviolett	violeta claro
30	75D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
44	76A	light violet	violet clair	hellviolett	violeta claro
44	76B	light violet	violet clair	hellviolett	violeta claro
44	76C	light violet	violet clair	hellviolett	violeta claro
30	76D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
46	77A	dark violet	violet foncé	dunkelviolet	violeta oscuro
45	77B	medium violet	violet moyen	mittelviolet	violeta medio
44	77C	light violet	violet clair	hellviolett	violeta claro
44	77D	light violet	violet clair	hellviolett	violeta claro
46	79A	dark violet	violet foncé	dunkelviolet	violeta oscuro
46	79B	dark violet	violet foncé	dunkelviolet	violeta oscuro
46	79C	dark violet	violet foncé	dunkelviolet	violeta oscuro
46	79D	dark violet	violet foncé	dunkelviolet	violeta oscuro
46	83A	dark violet	violet foncé	dunkelviolet	violeta oscuro
46	83B	dark violet	violet foncé	dunkelviolet	violeta oscuro
49	83C	dark blue violet	violet-bleu foncé	dunkelblauviolett	violeta azulado oscuro
48	83D	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
45	84A	medium violet	violet moyen	mittelviolet	violeta medio
44	84B	light violet	violet clair	hellviolett	violeta claro
44	84C	light violet	violet clair	hellviolett	violeta claro
44	84D	light violet	violet clair	hellviolett	violeta claro
48	85A	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
47	85B	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
47	85C	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
47	85D	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
46	86A	dark violet	violet foncé	dunkelviolet	violeta oscuro
49	86B	dark blue violet	violet-bleu foncé	dunkelblauviolett	violeta azulado oscuro
48	86C	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
48	86D	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
49	90A	dark blue violet	violet-bleu foncé	dunkelblauviolett	violeta azulado oscuro
49	90B	dark blue violet	violet-bleu foncé	dunkelblauviolett	violeta azulado oscuro
48	90C	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
48	90D	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
50	91A	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
50	91B	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
47	91C	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
47	91D	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
51	92A	medium violet blue	bleu-violet moyen	mittelviolettblau	azul violáceo medio
50	92B	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
50	92C	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
47	92D	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
52	93A	dark violet blue	bleu-violet foncé	dunkelviolettblau	azul violáceo oscuro
49	93B	dark blue violet	violet-bleu foncé	dunkelblauviolett	violeta azulado oscuro
49	93C	dark blue violet	violet-bleu foncé	dunkelblauviolett	violeta azulado oscuro
50	93D	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
52	94A	dark violet blue	bleu-violet foncé	dunkelviolettblau	azul violáceo oscuro
51	94B	medium violet blue	bleu-violet moyen	mittelviolettblau	azul violáceo medio



UPOV Group No.	No. RHS	English	français	deutsch	español
51	94C	medium violet blue	bleu-violet moyen	mittelviolettblau	azul violáceo medio
50	94D	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
52	95A	dark violet blue	bleu-violet foncé	dunkelviolettblau	azul violáceo oscuro
52	95B	dark violet blue	bleu-violet foncé	dunkelviolettblau	azul violáceo oscuro
51	95C	medium violet blue	bleu-violet moyen	mittelviolettblau	azul violáceo medio
53	95D	light blue	bleu clair	hellblau	azul claro
52	96A	dark violet blue	bleu-violet foncé	dunkelviolettblau	azul violáceo oscuro
51	96B	medium violet blue	bleu-violet moyen	mittelviolettblau	azul violáceo medio
51	96C	medium violet blue	bleu-violet moyen	mittelviolettblau	azul violáceo medio
51	96D	medium violet blue	bleu-violet moyen	mittelviolettblau	azul violáceo medio
51	97A	medium violet blue	bleu-violet moyen	mittelviolettblau	azul violáceo medio
50	97B	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
50	97C	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
50	97D	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
54	98A	medium blue	bleu moyen	mittelblau	azul medio
54	98B	medium blue	bleu moyen	mittelblau	azul medio
54	98C	medium blue	bleu moyen	mittelblau	azul medio
54	98D	medium blue	bleu moyen	mittelblau	azul medio
55	99A	dark blue	bleu foncé	dunkelblau	azul oscuro
55	99B	dark blue	bleu foncé	dunkelblau	azul oscuro
54	99C	medium blue	bleu moyen	mittelblau	azul medio
54	99D	medium blue	bleu moyen	mittelblau	azul medio
54	100A	medium blue	bleu moyen	mittelblau	azul medio
54	100B	medium blue	bleu moyen	mittelblau	azul medio
54	100C	medium blue	bleu moyen	mittelblau	azul medio
53	100D	light blue	bleu clair	hellblau	azul claro
54	101A	medium blue	bleu moyen	mittelblau	azul medio
54	101B	medium blue	bleu moyen	mittelblau	azul medio
54	101C	medium blue	bleu moyen	mittelblau	azul medio
53	101D	light blue	bleu clair	hellblau	azul claro
55	102A	dark blue	bleu foncé	dunkelblau	azul oscuro
55	102B	dark blue	bleu foncé	dunkelblau	azul oscuro
54	102C	medium blue	bleu moyen	mittelblau	azul medio
54	102D	medium blue	bleu moyen	mittelblau	azul medio
55	103A	dark blue	bleu foncé	dunkelblau	azul oscuro
55	103B	dark blue	bleu foncé	dunkelblau	azul oscuro
55	103C	dark blue	bleu foncé	dunkelblau	azul oscuro
54	103D	medium blue	bleu moyen	mittelblau	azul medio
54	104A	medium blue	bleu moyen	mittelblau	azul medio
54	104B	medium blue	bleu moyen	mittelblau	azul medio
54	104C	medium blue	bleu moyen	mittelblau	azul medio
53	104D	light blue	bleu clair	hellblau	azul claro
55	105A	dark blue	bleu foncé	dunkelblau	azul oscuro
54	105B	medium blue	bleu moyen	mittelblau	azul medio
54	105C	medium blue	bleu moyen	mittelblau	azul medio
54	105D	medium blue	bleu moyen	mittelblau	azul medio
54	106A	medium blue	bleu moyen	mittelblau	azul medio
53	106B	light blue	bleu clair	hellblau	azul claro
53	106C	light blue	bleu clair	hellblau	azul claro
56	106D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
54	107A	medium blue	bleu moyen	mittelblau	azul medio
54	107B	medium blue	bleu moyen	mittelblau	azul medio
53	107C	light blue	bleu clair	hellblau	azul claro
53	107D	light blue	bleu clair	hellblau	azul claro
56	108A	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
56	108B	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
56	108C	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
56	108D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
54	110A	medium blue	bleu moyen	mittelblau	azul medio
54	110B	medium blue	bleu moyen	mittelblau	azul medio
57	110C	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	110D	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	111A	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	111B	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	111C	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	111D	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
56	112A	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
56	112B	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro

UPOV Group No.	No. RHS	English	français	deutsch	español
56	112C	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
56	112D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
58	113A	dark green blue	bleu-vert foncé	dunkelgrünblau	azul verdoso oscuro
57	113B	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	113C	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
56	113D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
58	114A	dark green blue	bleu-vert foncé	dunkelgrünblau	azul verdoso oscuro
58	114B	dark green blue	bleu-vert foncé	dunkelgrünblau	azul verdoso oscuro
58	114C	dark green blue	bleu-vert foncé	dunkelgrünblau	azul verdoso oscuro
58	114D	dark green blue	bleu-vert foncé	dunkelgrünblau	azul verdoso oscuro
57	115A	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	115B	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	115C	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	115D	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
58	116A	dark green blue	bleu-vert foncé	dunkelgrünblau	azul verdoso oscuro
58	116B	dark green blue	bleu-vert foncé	dunkelgrünblau	azul verdoso oscuro
58	116C	dark green blue	bleu-vert foncé	dunkelgrünblau	azul verdoso oscuro
57	116D	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	117A	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	117B	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
56	117C	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
56	117D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
57	118A	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	118B	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	118C	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
56	118D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
57	119A	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	119B	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	119C	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	119D	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	120A	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	120B	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	120C	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
56	120D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
57	121A	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	121B	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	121C	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
56	121D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
57	122A	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	122B	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	122C	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
56	122D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
10	123A	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
10	123B	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
10	123C	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
10	123D	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
12	124A	dark blue green	vert-bleu foncé	dunkelblaugrün	verde azulado oscuro
11	124B	medium blue green	vert-bleu moyen	mittelblaugrün	verde azulado medio
10	124C	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
10	124D	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
12	125A	dark blue green	vert-bleu foncé	dunkelblaugrün	verde azulado oscuro
11	125B	medium blue green	vert-bleu moyen	mittelblaugrün	verde azulado medio
11	125C	medium blue green	vert-bleu moyen	mittelblaugrün	verde azulado medio
10	125D	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
12	126A	dark blue green	vert-bleu foncé	dunkelblaugrün	verde azulado oscuro
12	126B	dark blue green	vert-bleu foncé	dunkelblaugrün	verde azulado oscuro
12	126C	dark blue green	vert-bleu foncé	dunkelblaugrün	verde azulado oscuro
11	126D	medium blue green	vert-bleu moyen	mittelblaugrün	verde azulado medio
12	127A	dark blue green	vert-bleu foncé	dunkelblaugrün	verde azulado oscuro
12	127B	dark blue green	vert-bleu foncé	dunkelblaugrün	verde azulado oscuro
12	127C	dark blue green	vert-bleu foncé	dunkelblaugrün	verde azulado oscuro
11	127D	medium blue green	vert-bleu moyen	mittelblaugrün	verde azulado medio
3	128A	medium green	vert moyen	mittelgrün	verde medio
11	128B	medium blue green	vert-bleu moyen	mittelblaugrün	verde azulado medio
11	128C	medium blue green	vert-bleu moyen	mittelblaugrün	verde azulado medio
10	128D	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
3	129A	medium green	vert moyen	mittelgrün	verde medio
11	129B	medium blue green	vert-bleu moyen	mittelblaugrün	verde azulado medio

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix I to Annex I  
 page 83

UPOV Group No.	No. RHS	English	français	deutsch	español
11	129C	medium blue green	vert-bleu moyen	mittelblaugrün	verde azulado medio
10	129D	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
3	130A	medium green	vert moyen	mittelgrün	verde medio
2	130B	light green	vert clair	hellgrün	verde claro
10	130C	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
10	130D	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
4	131A	dark green	vert foncé	dunkelgrün	verde oscuro
4	131B	dark green	vert foncé	dunkelgrün	verde oscuro
4	131C	dark green	vert foncé	dunkelgrün	verde oscuro
4	131D	dark green	vert foncé	dunkelgrün	verde oscuro
4	132A	dark green	vert foncé	dunkelgrün	verde oscuro
4	132B	dark green	vert foncé	dunkelgrün	verde oscuro
4	132C	dark green	vert foncé	dunkelgrün	verde oscuro
3	132D	medium green	vert moyen	mittelgrün	verde medio
4	133A	dark green	vert foncé	dunkelgrün	verde oscuro
12	133B	dark blue green	vert-bleu foncé	dunkelblaugrün	verde azulado oscuro
11	133C	medium blue green	vert-bleu moyen	mittelblaugrün	verde azulado medio
11	133D	medium blue green	vert-bleu moyen	mittelblaugrün	verde azulado medio
3	134A	medium green	vert moyen	mittelgrün	verde medio
3	134B	medium green	vert moyen	mittelgrün	verde medio
2	134C	light green	vert clair	hellgrün	verde claro
2	134D	light green	vert clair	hellgrün	verde claro
4	135A	dark green	vert foncé	dunkelgrün	verde oscuro
4	135B	dark green	vert foncé	dunkelgrün	verde oscuro
3	135C	medium green	vert moyen	mittelgrün	verde medio
2	135D	light green	vert clair	hellgrün	verde claro
4	136A	dark green	vert foncé	dunkelgrün	verde oscuro
4	136B	dark green	vert foncé	dunkelgrün	verde oscuro
14	136C	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
2	136D	light green	vert clair	hellgrün	verde claro
4	137A	dark green	vert foncé	dunkelgrün	verde oscuro
15	137B	dark brown green	vert-brun foncé	dunkelbraungrün	verde amarronado oscuro
14	137C	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	137D	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	138A	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	138B	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
2	138C	light green	vert clair	hellgrün	verde claro
2	138D	light green	vert clair	hellgrün	verde claro
4	139A	dark green	vert foncé	dunkelgrün	verde oscuro
14	139B	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	139C	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
2	139D	light green	vert clair	hellgrün	verde claro
3	140A	medium green	vert moyen	mittelgrün	verde medio
3	140B	medium green	vert moyen	mittelgrün	verde medio
2	140C	light green	vert clair	hellgrün	verde claro
2	140D	light green	vert clair	hellgrün	verde claro
4	141A	dark green	vert foncé	dunkelgrün	verde oscuro
4	141B	dark green	vert foncé	dunkelgrün	verde oscuro
3	141C	medium green	vert moyen	mittelgrün	verde medio
2	141D	light green	vert clair	hellgrün	verde claro
2	142A	light green	vert clair	hellgrün	verde claro
2	142B	light green	vert clair	hellgrün	verde claro
2	142C	light green	vert clair	hellgrün	verde claro
2	142D	light green	vert clair	hellgrün	verde claro
3	143A	medium green	vert moyen	mittelgrün	verde medio
3	143B	medium green	vert moyen	mittelgrün	verde medio
3	143C	medium green	vert moyen	mittelgrün	verde medio
2	143D	light green	vert clair	hellgrün	verde claro
3	144A	medium green	vert moyen	mittelgrün	verde medio
2	144B	light green	vert clair	hellgrün	verde claro
2	144C	light green	vert clair	hellgrün	verde claro
2	144D	light green	vert clair	hellgrün	verde claro
2	145A	light green	vert clair	hellgrün	verde claro
2	145B	light green	vert clair	hellgrün	verde claro
2	145C	light green	vert clair	hellgrün	verde claro
2	145D	light green	vert clair	hellgrün	verde claro
15	146A	dark brown green	vert-brun foncé	dunkelbraungrün	verde amarronado oscuro
15	146B	dark brown green	vert-brun foncé	dunkelbraungrün	verde amarronado oscuro

UPOV Group No.	No. RHS	English	français	deutsch	español
14	146C	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	146D	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
15	147A	dark brown green	vert-brun foncé	dunkelbraungrün	verde amarronado oscuro
14	147B	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	147C	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
13	147D	light brown green	vert-brun clair	hellbraungrün	verde amarronado claro
15	148A	dark brown green	vert-brun foncé	dunkelbraungrün	verde amarronado oscuro
14	148B	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	148C	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
13	148D	light brown green	vert-brun clair	hellbraungrün	verde amarronado claro
2	149A	light green	vert clair	hellgrün	verde claro
2	149B	light green	vert clair	hellgrün	verde claro
2	149C	light green	vert clair	hellgrün	verde claro
2	149D	light green	vert clair	hellgrün	verde claro
6	150A	medium yellow green	vert-jaune moyen	mittelgelbgrün	verde amarillento medio
6	150B	medium yellow green	vert-jaune moyen	mittelgelbgrün	verde amarillento medio
6	150C	medium yellow green	vert-jaune moyen	mittelgelbgrün	verde amarillento medio
16	150D	light yellow	jaune clair	hellgelb	amarillo claro
2	151A	light green	vert clair	hellgrün	verde claro
2	151B	light green	vert clair	hellgrün	verde claro
6	151C	medium yellow green	vert-jaune moyen	mittelgelbgrün	verde amarillento medio
6	151D	medium yellow green	vert-jaune moyen	mittelgelbgrün	verde amarillento medio
68	152A	dark green brown	brun-vert foncé	dunkelgrünbraun	marrón verdoso oscuro
68	152B	dark green brown	brun-vert foncé	dunkelgrünbraun	marrón verdoso oscuro
68	152C	dark green brown	brun-vert foncé	dunkelgrünbraun	marrón verdoso oscuro
68	152D	dark green brown	brun-vert foncé	dunkelgrünbraun	marrón verdoso oscuro
68	153A	dark green brown	brun-vert foncé	dunkelgrünbraun	marrón verdoso oscuro
67	153B	medium green brown	brun-vert moyen	mittelgrünbraun	marrón verdoso medio
67	153C	medium green brown	brun-vert moyen	mittelgrünbraun	marrón verdoso medio
67	153D	medium green brown	brun-vert moyen	mittelgrünbraun	marrón verdoso medio
6	154A	medium yellow green	vert-jaune moyen	mittelgelbgrün	verde amarillento medio
6	154B	medium yellow green	vert-jaune moyen	mittelgelbgrün	verde amarillento medio
6	154C	medium yellow green	vert-jaune moyen	mittelgelbgrün	verde amarillento medio
5	154D	light yellow green	vert-jaune clair	hellgelbgrün	verde amarillento claro
1	155A	white	blanc	weiß	blanco
1	155B	white	blanc	weiß	blanco
1	155C	white	blanc	weiß	blanco
1	155D	white	blanc	weiß	blanco
69	156A	yellow grey	gris-jaune	gelbgrau	gris amarillento
69	156B	yellow grey	gris-jaune	gelbgrau	gris amarillento
69	156C	yellow grey	gris-jaune	gelbgrau	gris amarillento
69	156D	yellow grey	gris-jaune	gelbgrau	gris amarillento
2	157A	light green	vert clair	hellgrün	verde claro
2	157B	light green	vert clair	hellgrün	verde claro
2	157C	light green	vert clair	hellgrün	verde claro
1	157D	white	blanc	weiß	blanco
19	158A	light yellow orange	orange-jaune clair	hellgelborange	naranja amarillento claro
19	158B	light yellow orange	orange-jaune clair	hellgelborange	naranja amarillento claro
19	158C	light yellow orange	orange-jaune clair	hellgelborange	naranja amarillento claro
19	158D	light yellow orange	orange-jaune clair	hellgelborange	naranja amarillento claro
19	159A	light yellow orange	orange-jaune clair	hellgelborange	naranja amarillento claro
19	159B	light yellow orange	orange-jaune clair	hellgelborange	naranja amarillento claro
19	159C	light yellow orange	orange-jaune clair	hellgelborange	naranja amarillento claro
19	159D	light yellow orange	orange-jaune clair	hellgelborange	naranja amarillento claro
66	160A	light green brown	brun-vert clair	hellgrünbraun	marrón verdoso claro
66	160B	light green brown	brun-vert clair	hellgrünbraun	marrón verdoso claro
66	160C	light green brown	brun-vert clair	hellgrünbraun	marrón verdoso claro
66	160D	light green brown	brun-vert clair	hellgrünbraun	marrón verdoso claro
62	161A	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
62	161B	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
62	161C	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
62	161D	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
62	162A	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
62	162B	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
62	162C	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
62	162D	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
63	163A	medium yellow brown	brun-jaune moyen	mittelgelbbraun	marrón amarillento medio
63	163B	medium yellow brown	brun-jaune moyen	mittelgelbbraun	marrón amarillento medio

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix I to Annex I  
 page 85

UPOV Group No.	No. RHS	English	français	deutsch	español
62	163C	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
62	163D	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
59	164A	light brown	brun clair	hellbraun	marrón claro
63	164B	medium yellow brown	brun-jaune moyen	mittelgelbbraun	marrón amarillento medio
63	164C	medium yellow brown	brun-jaune moyen	mittelgelbbraun	marrón amarillento medio
59	164D	light brown	brun clair	hellbraun	marrón claro
60	165A	medium brown	brun moyen	mittelbraun	marrón medio
59	165B	light brown	brun clair	hellbraun	marrón claro
63	165C	medium yellow brown	brun-jaune moyen	mittelgelbbraun	marrón amarillento medio
59	165D	light brown	brun clair	hellbraun	marrón claro
61	166A	dark brown	brun foncé	dunkelbraun	marrón oscuro
60	166B	medium brown	brun moyen	mittelbraun	marrón medio
60	166C	medium brown	brun moyen	mittelbraun	marrón medio
59	166D	light brown	brun clair	hellbraun	marrón claro
59	167A	light brown	brun clair	hellbraun	marrón claro
59	167B	light brown	brun clair	hellbraun	marrón claro
59	167C	light brown	brun clair	hellbraun	marrón claro
59	167D	light brown	brun clair	hellbraun	marrón claro
64	168A	orange brown	brun orangé	orangebraun	marrón anaranjado
64	168B	orange brown	brun orangé	orangebraun	marrón anaranjado
64	168C	orange brown	brun orangé	orangebraun	marrón anaranjado
59	168D	light brown	brun clair	hellbraun	marrón claro
33	169A	orange red	rouge orangé	orangerot	rojo anaranjado
64	169B	orange brown	brun orangé	orangebraun	marrón anaranjado
64	169C	orange brown	brun orangé	orangebraun	marrón anaranjado
64	169D	orange brown	brun orangé	orangebraun	marrón anaranjado
64	170A	orange brown	brun orangé	orangebraun	marrón anaranjado
64	170B	orange brown	brun orangé	orangebraun	marrón anaranjado
64	170C	orange brown	brun orangé	orangebraun	marrón anaranjado
26	170D	medium orange pink	rose orangé moyen	mittlorangerosa	rosa anaranjado medio
64	171A	orange brown	brun orangé	orangebraun	marrón anaranjado
64	171B	orange brown	brun orangé	orangebraun	marrón anaranjado
64	171C	orange brown	brun orangé	orangebraun	marrón anaranjado
64	171D	orange brown	brun orangé	orangebraun	marrón anaranjado
60	172A	medium brown	brun moyen	mittelbraun	marrón medio
60	172B	medium brown	brun moyen	mittelbraun	marrón medio
64	172C	orange brown	brun orangé	orangebraun	marrón anaranjado
64	172D	orange brown	brun orangé	orangebraun	marrón anaranjado
60	173A	medium brown	brun moyen	mittelbraun	marrón medio
64	173B	orange brown	brun orangé	orangebraun	marrón anaranjado
60	173C	medium brown	brun moyen	mittelbraun	marrón medio
26	173D	medium orange pink	rose orangé moyen	mittlorangerosa	rosa anaranjado medio
60	174A	medium brown	brun moyen	mittelbraun	marrón medio
60	174B	medium brown	brun moyen	mittelbraun	marrón medio
60	174C	medium brown	brun moyen	mittelbraun	marrón medio
59	174D	light brown	brun clair	hellbraun	marrón claro
60	175A	medium brown	brun moyen	mittelbraun	marrón medio
60	175B	medium brown	brun moyen	mittelbraun	marrón medio
60	175C	medium brown	brun moyen	mittelbraun	marrón medio
60	175D	medium brown	brun moyen	mittelbraun	marrón medio
60	176A	medium brown	brun moyen	mittelbraun	marrón medio
60	176B	medium brown	brun moyen	mittelbraun	marrón medio
60	176C	medium brown	brun moyen	mittelbraun	marrón medio
60	176D	medium brown	brun moyen	mittelbraun	marrón medio
61	177A	dark brown	brun foncé	dunkelbraun	marrón oscuro
60	177B	medium brown	brun moyen	mittelbraun	marrón medio
60	177C	medium brown	brun moyen	mittelbraun	marrón medio
60	177D	medium brown	brun moyen	mittelbraun	marrón medio
41	178A	dark brown purple	pourpre-brun foncé	dunkelbraunpurpurn	púrpura amarronado oscuro
39	178B	brown red	rouge-brun	braunrot	rojo amarronado
39	178C	brown red	rouge-brun	braunrot	rojo amarronado
39	178D	brown red	rouge-brun	braunrot	rojo amarronado
39	179A	brown red	rouge-brun	braunrot	rojo amarronado
39	179B	brown red	rouge-brun	braunrot	rojo amarronado
26	179C	medium orange pink	rose orangé moyen	mittlorangerosa	rosa anaranjado medio
26	179D	medium orange pink	rose orangé moyen	mittlorangerosa	rosa anaranjado medio
39	180A	brown red	rouge-brun	braunrot	rojo amarronado
39	180B	brown red	rouge-brun	braunrot	rojo amarronado

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix I to Annex I  
 page 86

UPOV Group No.	No. RHS	English	français	deutsch	español
39	180C	brown red	rouge-brun	braunrot	rojo amarronado
39	180D	brown red	rouge-brun	braunrot	rojo amarronado
40	181A	medium brown purple	pourpre-brun moyen	mittelbraunpurpurn	púrpura amarronado medio
39	181B	brown red	rouge-brun	braunrot	rojo amarronado
39	181C	brown red	rouge-brun	braunrot	rojo amarronado
39	181D	brown red	rouge-brun	braunrot	rojo amarronado
40	182A	medium brown purple	pourpre-brun moyen	mittelbraunpurpurn	púrpura amarronado medio
39	182B	brown red	rouge-brun	braunrot	rojo amarronado
39	182C	brown red	rouge-brun	braunrot	rojo amarronado
39	182D	brown red	rouge-brun	braunrot	rojo amarronado
41	183A	dark brown purple	pourpre-brun foncé	dunkelbraunpurpurn	púrpura amarronado oscuro
41	183B	dark brown purple	pourpre-brun foncé	dunkelbraunpurpurn	púrpura amarronado oscuro
41	183C	dark brown purple	pourpre-brun foncé	dunkelbraunpurpurn	púrpura amarronado oscuro
40	183D	medium brown purple	pourpre-brun moyen	mittelbraunpurpurn	púrpura amarronado medio
41	184A	dark brown purple	pourpre-brun foncé	dunkelbraunpurpurn	púrpura amarronado oscuro
40	184B	medium brown purple	pourpre-brun moyen	mittelbraunpurpurn	púrpura amarronado medio
40	184C	medium brown purple	pourpre-brun moyen	mittelbraunpurpurn	púrpura amarronado medio
40	184D	medium brown purple	pourpre-brun moyen	mittelbraunpurpurn	púrpura amarronado medio
38	185A	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
40	185B	medium brown purple	pourpre-brun moyen	mittelbraunpurpurn	púrpura amarronado medio
40	185C	medium brown purple	pourpre-brun moyen	mittelbraunpurpurn	púrpura amarronado medio
40	185D	medium brown purple	pourpre-brun moyen	mittelbraunpurpurn	púrpura amarronado medio
40	186A	medium brown purple	pourpre-brun moyen	mittelbraunpurpurn	púrpura amarronado medio
40	186B	medium brown purple	pourpre-brun moyen	mittelbraunpurpurn	púrpura amarronado medio
32	186C	dark blue pink	rose-bleu foncé	dunkelblaurosa	rosa azulado oscuro
31	186D	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
61	187A	dark brown	brun foncé	dunkelbraun	marrón oscuro
38	187B	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
38	187C	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
38	187D	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
8	188A	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
8	188B	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
8	188C	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
7	188D	light grey green	vert-gris clair	hellgraugrün	verde grisáceo claro
15	189A	dark brown green	vert-brun foncé	dunkelbraungrün	verde amarronado oscuro
9	189B	dark grey green	vert-gris foncé	dunkelgraugrün	verde grisáceo oscuro
8	189C	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
7	189D	light grey green	vert-gris clair	hellgraugrün	verde grisáceo claro
8	190A	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
8	190B	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
8	190C	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
7	190D	light grey green	vert-gris clair	hellgraugrün	verde grisáceo claro
14	191A	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	191B	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
8	191C	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
8	191D	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
7	192A	light grey green	vert-gris clair	hellgraugrün	verde grisáceo claro
7	192B	light grey green	vert-gris clair	hellgraugrün	verde grisáceo claro
7	192C	light grey green	vert-gris clair	hellgraugrün	verde grisáceo claro
7	192D	light grey green	vert-gris clair	hellgraugrün	verde grisáceo claro
13	193A	light brown green	vert-brun clair	hellbraungrün	verde amarronado claro
13	193B	light brown green	vert-brun clair	hellbraungrün	verde amarronado claro
7	193C	light grey green	vert-gris clair	hellgraugrün	verde grisáceo claro
7	193D	light grey green	vert-gris clair	hellgraugrün	verde grisáceo claro
14	194A	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	194B	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
13	194C	light brown green	vert-brun clair	hellbraungrün	verde amarronado claro
8	194D	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
8	195A	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
8	195B	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
8	195C	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
8	195D	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
8	196A	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
8	196B	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
8	196C	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
7	196D	light grey green	vert-gris clair	hellgraugrün	verde grisáceo claro
70	197A	brown grey	gris-brun	braungrau	gris amarronado
70	197B	brown grey	gris-brun	braungrau	gris amarronado

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix I to Annex I  
 page 87

UPOV Group No.	No. RHS	English	français	deutsch	español
70	197C	brown grey	gris-brun	braungrau	gris amarronado
70	197D	brown grey	gris-brun	braungrau	gris amarronado
70	198A	brown grey	gris-brun	braungrau	gris amarronado
70	198B	brown grey	gris-brun	braungrau	gris amarronado
70	198C	brown grey	gris-brun	braungrau	gris amarronado
70	198D	brown grey	gris-brun	braungrau	gris amarronado
65	199A	grey brown	brun-gris	graubraun	marrón grisáceo
65	199B	grey brown	brun-gris	graubraun	marrón grisáceo
65	199C	grey brown	brun-gris	graubraun	marrón grisáceo
65	199D	grey brown	brun-gris	graubraun	marrón grisáceo
61	200A	dark brown	brun foncé	dunkelbraun	marrón oscuro
61	200B	dark brown	brun foncé	dunkelbraun	marrón oscuro
61	200C	dark brown	brun foncé	dunkelbraun	marrón oscuro
61	200D	dark brown	brun foncé	dunkelbraun	marrón oscuro
71	201A	purple grey	gris-pourpre	purpurgrau	gris púrpura
71	201B	purple grey	gris-pourpre	purpurgrau	gris púrpura
71	201C	purple grey	gris-pourpre	purpurgrau	gris púrpura
71	201D	purple grey	gris-pourpre	purpurgrau	gris púrpura
73	202A	black	noir	schwarz	negro
72	202B	grey	gris	grau	gris
72	202C	grey	gris	grau	gris
72	202D	grey	gris	grau	gris
73	203A	black	noir	schwarz	negro
73	203B	black	noir	schwarz	negro
73	203C	black	noir	schwarz	negro
73	203D	black	noir	schwarz	negro
24	N25A	dark orange	orange foncé	dunkelorange	naranja oscuro
24	N25B	dark orange	orange foncé	dunkelorange	naranja oscuro
23	N25C	medium orange	orange moyen	mittelorange	naranja medio
20	N25D	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
34	N30A	light red	rouge clair	hellrot	rojo claro
33	N30B	orange red	rouge orangé	orangerot	rojo anaranjado
33	N30C	orange red	rouge orangé	orangerot	rojo anaranjado
24	N30D	dark orange	orange foncé	dunkelorange	naranja oscuro
36	N34A	dark red	rouge foncé	dunkelrot	rojo oscuro
35	N34B	medium red	rouge moyen	mittelrot	rojo medio
28	N34C	red pink	rose-rouge	rotrosa	rosa rojizo
33	N34D	orange red	rouge orangé	orangerot	rojo anaranjado
36	N45A	dark red	rouge foncé	dunkelrot	rojo oscuro
36	N45B	dark red	rouge foncé	dunkelrot	rojo oscuro
36	N45C	dark red	rouge foncé	dunkelrot	rojo oscuro
28	N45D	red pink	rose-rouge	rotrosa	rosa rojizo
37	N57A	medium purple red	rouge-pourpre moyen	mittelpurpurrot	rojo púrpura medio
37	N57B	medium purple red	rouge-pourpre moyen	mittelpurpurrot	rojo púrpura medio
37	N57C	medium purple red	rouge-pourpre moyen	mittelpurpurrot	rojo púrpura medio
31	N57D	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
37	N66A	medium purple red	rouge-pourpre moyen	mittelpurpurrot	rojo púrpura medio
37	N66B	medium purple red	rouge-pourpre moyen	mittelpurpurrot	rojo púrpura medio
32	N66C	dark blue pink	rose-bleu foncé	dunkelblaurosa	rosa azulado oscuro
31	N66D	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
42	N74A	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
42	N74B	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
32	N74C	dark blue pink	rose-bleu foncé	dunkelblaurosa	rosa azulado oscuro
32	N74D	dark blue pink	rose-bleu foncé	dunkelblaurosa	rosa azulado oscuro
44	N75A	light violet	violet clair	hellviolett	violeta claro
44	N75B	light violet	violet clair	hellviolett	violeta claro
44	N75C	light violet	violet clair	hellviolett	violeta claro
44	N75D	light violet	violet clair	hellviolett	violeta claro
61	N77A	dark brown	brun foncé	dunkelbraun	marrón oscuro
43	N77B	dark purple	pourpre foncé	dunkelpurpurn	púrpura oscuro
46	N77C	dark violet	violet foncé	dunkelviolett	violeta oscuro
45	N77D	medium violet	violet moyen	mittelviolett	violeta medio
45	N78A	medium violet	violet moyen	mittelviolett	violeta medio
45	N78B	medium violet	violet moyen	mittelviolett	violeta medio
45	N78C	medium violet	violet moyen	mittelviolett	violeta medio
45	N78D	medium violet	violet moyen	mittelviolett	violeta medio
43	N79A	dark purple	pourpre foncé	dunkelpurpurn	púrpura oscuro
43	N79B	dark purple	pourpre foncé	dunkelpurpurn	púrpura oscuro

UPOV Group No.	No. RHS	English	français	deutsch	español
43	N79C	dark purple	pourpre foncé	dunkelpurpurn	púrpura oscuro
45	N79D	medium violet	violet moyen	mittelviolett	violeta medio
45	N80A	medium violet	violet moyen	mittelviolett	violeta medio
45	N80B	medium violet	violet moyen	mittelviolett	violeta medio
44	N80C	light violet	violet clair	hellviolett	violeta claro
44	N80D	light violet	violet clair	hellviolett	violeta claro
45	N81A	medium violet	violet moyen	mittelviolett	violeta medio
45	N81B	medium violet	violet moyen	mittelviolett	violeta medio
45	N81C	medium violet	violet moyen	mittelviolett	violeta medio
44	N81D	light violet	violet clair	hellviolett	violeta claro
45	N82A	medium violet	violet moyen	mittelviolett	violeta medio
48	N82B	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
48	N82C	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
48	N82D	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
48	N87A	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
48	N87B	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
48	N87C	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
48	N87D	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
49	N88A	dark blue violet	violet-bleu foncé	dunkelblauviolett	violeta azulado oscuro
49	N88B	dark blue violet	violet-bleu foncé	dunkelblauviolett	violeta azulado oscuro
48	N88C	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
48	N88D	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
52	N89A	dark violet blue	bleu-violet foncé	dunkelviolettblau	azul violáceo oscuro
52	N89B	dark violet blue	bleu-violet foncé	dunkelviolettblau	azul violáceo oscuro
49	N89C	dark blue violet	violet-bleu foncé	dunkelblauviolett	violeta azulado oscuro
49	N89D	dark blue violet	violet-bleu foncé	dunkelblauviolett	violeta azulado oscuro
46	N92A	dark violet	violet foncé	dunkelviolett	violeta oscuro
52	N92B	dark violet blue	bleu-violet foncé	dunkelviolettblau	azul violáceo oscuro
52	N92C	dark violet blue	bleu-violet foncé	dunkelviolettblau	azul violáceo oscuro
46	N92D	dark violet	violet foncé	dunkelviolett	violeta oscuro
52	N95A	dark violet blue	bleu-violet foncé	dunkelviolettblau	azul violáceo oscuro
52	N95B	dark violet blue	bleu-violet foncé	dunkelviolettblau	azul violáceo oscuro
51	N95C	medium violet blue	bleu-violet moyen	mittelviolettblau	azul violáceo medio
51	N95D	medium violet blue	bleu-violet moyen	mittelviolettblau	azul violáceo medio
54	N109A	medium blue	bleu moyen	mittelblau	azul medio
54	N109B	medium blue	bleu moyen	mittelblau	azul medio
54	N109C	medium blue	bleu moyen	mittelblau	azul medio
53	N109D	light blue	bleu clair	hellblau	azul claro
4	N134A	dark green	vert foncé	dunkelgrün	verde oscuro
4	N134B	dark green	vert foncé	dunkelgrün	verde oscuro
3	N134C	medium green	vert moyen	mittelgrün	verde medio
3	N134D	medium green	vert moyen	mittelgrün	verde medio
4	N138A	dark green	vert foncé	dunkelgrün	verde oscuro
15	N138B	dark brown green	vert-brun foncé	dunkelbraungrün	verde amarronado oscuro
15	N138C	dark brown green	vert-brun foncé	dunkelbraungrün	verde amarronado oscuro
14	N138D	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
2	N144A	light green	vert clair	hellgrün	verde claro
2	N144B	light green	vert clair	hellgrün	verde claro
2	N144C	light green	vert clair	hellgrün	verde claro
2	N144D	light green	vert clair	hellgrün	verde claro
14	N148A	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	N148B	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	N148C	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	N148D	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
72	N155A	grey	gris	grau	gris
1	N155B	white	blanc	weiß	blanco
1	N155C	white	blanc	weiß	blanco
1	N155D	white	blanc	weiß	blanco
64	N163A	orange brown	brun orangé	orangebraun	marrón anaranjado
64	N163B	orange brown	brun orangé	orangebraun	marrón anaranjado
21	N163C	dark yellow orange	orange-jaune foncé	dunkelgelborange	naranja amarillento oscuro
21	N163D	dark yellow orange	orange-jaune foncé	dunkelgelborange	naranja amarillento oscuro
59	N167A	light brown	brun clair	hellbraun	marrón claro
60	N167B	medium brown	brun moyen	mittelbraun	marrón medio
59	N167C	light brown	brun clair	hellbraun	marrón claro
59	N167D	light brown	brun clair	hellbraun	marrón claro
60	N170A	medium brown	brun moyen	mittelbraun	marrón medio
59	N170B	light brown	brun clair	hellbraun	marrón claro



TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix I to Annex I  
 page 89

UPOV Group No.	No. RHS	English	français	deutsch	español
26	N170C	medium orange pink	rose orangé moyen	mittelorangerosa	rosa anaranjado medio
26	N170D	medium orange pink	rose orangé moyen	mittelorangerosa	rosa anaranjado medio
64	N172A	orange brown	brun orangé	orangebraun	marrón anaranjado
64	N172B	orange brown	brun orangé	orangebraun	marrón anaranjado
64	N172C	orange brown	brun orangé	orangebraun	marrón anaranjado
59	N172D	light brown	brun clair	hellbraun	marrón claro
73	N186A	black	noir	schwarz	negro
73	N186B	black	noir	schwarz	negro
41	N186C	dark brown purple	pourpre-brun foncé	dunkelbraunpurpurn	púrpura amarronado oscuro
38	N186D	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
73	N187A	black	noir	schwarz	negro
71	N187B	purple grey	gris-pourpre	purpurgrau	gris púrpura
71	N187C	purple grey	gris-pourpre	purpurgrau	gris púrpura
71	N187D	purple grey	gris-pourpre	purpurgrau	gris púrpura
9	N189A	dark grey green	vert-gris foncé	dunkelgraugrün	verde grisáceo oscuro
9	N189B	dark grey green	vert-gris foncé	dunkelgraugrün	verde grisáceo oscuro
9	N189C	dark grey green	vert-gris foncé	dunkelgraugrün	verde grisáceo oscuro
72	N189D	grey	gris	grau	gris
65	N199A	grey brown	brun-gris	graubraun	marrón grisáceo
61	N199B	dark brown	brun foncé	dunkelbraun	marrón oscuro
65	N199C	grey brown	brun-gris	graubraun	marrón grisáceo
65	N199D	grey brown	brun-gris	graubraun	marrón grisáceo
61	N200A	dark brown	brun foncé	dunkelbraun	marrón oscuro
70	N200B	brown grey	gris-brun	braungrau	gris amarronado
71	N200C	purple grey	gris-pourpre	purpurgrau	gris púrpura
71	N200D	purple grey	gris-pourpre	purpurgrau	gris púrpura
42	NN74A	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
42	NN74B	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
42	NN74C	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
32	NN74D	dark blue pink	rose-bleu foncé	dunkelblaurosa	rosa azulado oscuro
42	NN78A	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
42	NN78B	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
42	NN78C	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
42	NN78D	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
15	NN137A	dark brown green	vert-brun foncé	dunkelbraungrün	verde amarronado oscuro
4	NN137B	dark green	vert foncé	dunkelgrün	verde oscuro
4	NN137C	dark green	vert foncé	dunkelgrün	verde oscuro
15	NN137D	dark brown green	vert-brun foncé	dunkelbraungrün	verde amarronado oscuro
1	NN155A	white	blanc	weiß	blanco
1	NN155B	white	blanc	weiß	blanco
1	NN155C	white	blanc	weiß	blanco
1	NN155D	white	blanc	weiß	blanco

[Appendix II to Annex I follows]

Appendix II to Annex I:

RHS Colors contained in each UPOV Color Group  
(Sixth edition (2015) of the RHS Colour Chart)

UPOV Group No.	No. RHS	English	français	deutsch	español
1	155A	white	blanc	weiß	blanco
1	155B	white	blanc	weiß	blanco
1	155C	white	blanc	weiß	blanco
1	155D	white	blanc	weiß	blanco
1	157D	white	blanc	weiß	blanco
1	N155B	white	blanc	weiß	blanco
1	N155C	white	blanc	weiß	blanco
1	N155D	white	blanc	weiß	blanco
1	NN155A	white	blanc	weiß	blanco
1	NN155B	white	blanc	weiß	blanco
1	NN155C	white	blanc	weiß	blanco
1	NN155D	white	blanc	weiß	blanco
2	130B	light green	vert clair	hellgrün	verde claro
2	134C	light green	vert clair	hellgrün	verde claro
2	134D	light green	vert clair	hellgrün	verde claro
2	135D	light green	vert clair	hellgrün	verde claro
2	136D	light green	vert clair	hellgrün	verde claro
2	138C	light green	vert clair	hellgrün	verde claro
2	138D	light green	vert clair	hellgrün	verde claro
2	139D	light green	vert clair	hellgrün	verde claro
2	140C	light green	vert clair	hellgrün	verde claro
2	140D	light green	vert clair	hellgrün	verde claro
2	141D	light green	vert clair	hellgrün	verde claro
2	142A	light green	vert clair	hellgrün	verde claro
2	142B	light green	vert clair	hellgrün	verde claro
2	142C	light green	vert clair	hellgrün	verde claro
2	142D	light green	vert clair	hellgrün	verde claro
2	143D	light green	vert clair	hellgrün	verde claro
2	144B	light green	vert clair	hellgrün	verde claro
2	144C	light green	vert clair	hellgrün	verde claro
2	144D	light green	vert clair	hellgrün	verde claro
2	145A	light green	vert clair	hellgrün	verde claro
2	145B	light green	vert clair	hellgrün	verde claro
2	145C	light green	vert clair	hellgrün	verde claro
2	145D	light green	vert clair	hellgrün	verde claro
2	149A	light green	vert clair	hellgrün	verde claro
2	149B	light green	vert clair	hellgrün	verde claro
2	149C	light green	vert clair	hellgrün	verde claro
2	149D	light green	vert clair	hellgrün	verde claro
2	151A	light green	vert clair	hellgrün	verde claro
2	151B	light green	vert clair	hellgrün	verde claro
2	157A	light green	vert clair	hellgrün	verde claro
2	157B	light green	vert clair	hellgrün	verde claro
2	157C	light green	vert clair	hellgrün	verde claro
2	N144A	light green	vert clair	hellgrün	verde claro
2	N144B	light green	vert clair	hellgrün	verde claro
2	N144C	light green	vert clair	hellgrün	verde claro
2	N144D	light green	vert clair	hellgrün	verde claro
3	128A	medium green	vert moyen	mittelgrün	verde medio
3	129A	medium green	vert moyen	mittelgrün	verde medio
3	130A	medium green	vert moyen	mittelgrün	verde medio
3	132D	medium green	vert moyen	mittelgrün	verde medio
3	134A	medium green	vert moyen	mittelgrün	verde medio
3	134B	medium green	vert moyen	mittelgrün	verde medio
3	135C	medium green	vert moyen	mittelgrün	verde medio
3	140A	medium green	vert moyen	mittelgrün	verde medio
3	140B	medium green	vert moyen	mittelgrün	verde medio
3	141C	medium green	vert moyen	mittelgrün	verde medio
3	143A	medium green	vert moyen	mittelgrün	verde medio
3	143B	medium green	vert moyen	mittelgrün	verde medio

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
Subsection 3: Color: Appendix II to Annex I  
page 91

UPOV Group No.	No. RHS	English	français	deutsch	español
3	143C	medium green	vert moyen	mittelgrün	verde medio
3	144A	medium green	vert moyen	mittelgrün	verde medio
3	N134C	medium green	vert moyen	mittelgrün	verde medio
3	N134D	medium green	vert moyen	mittelgrün	verde medio
4	131A	dark green	vert foncé	dunkelgrün	verde oscuro
4	131B	dark green	vert foncé	dunkelgrün	verde oscuro
4	131C	dark green	vert foncé	dunkelgrün	verde oscuro
4	131D	dark green	vert foncé	dunkelgrün	verde oscuro
4	132A	dark green	vert foncé	dunkelgrün	verde oscuro
4	132B	dark green	vert foncé	dunkelgrün	verde oscuro
4	132C	dark green	vert foncé	dunkelgrün	verde oscuro
4	133A	dark green	vert foncé	dunkelgrün	verde oscuro
4	135A	dark green	vert foncé	dunkelgrün	verde oscuro
4	135B	dark green	vert foncé	dunkelgrün	verde oscuro
4	136A	dark green	vert foncé	dunkelgrün	verde oscuro
4	136B	dark green	vert foncé	dunkelgrün	verde oscuro
4	137A	dark green	vert foncé	dunkelgrün	verde oscuro
4	139A	dark green	vert foncé	dunkelgrün	verde oscuro
4	141A	dark green	vert foncé	dunkelgrün	verde oscuro
4	141B	dark green	vert foncé	dunkelgrün	verde oscuro
4	N134A	dark green	vert foncé	dunkelgrün	verde oscuro
4	N134B	dark green	vert foncé	dunkelgrün	verde oscuro
4	N138A	dark green	vert foncé	dunkelgrün	verde oscuro
4	NN137B	dark green	vert foncé	dunkelgrün	verde oscuro
4	NN137C	dark green	vert foncé	dunkelgrün	verde oscuro
5	1C	light yellow green	vert-jaune clair	hellgelbgrün	verde amarillento claro
5	2C	light yellow green	vert-jaune clair	hellgelbgrün	verde amarillento claro
5	154D	light yellow green	vert-jaune clair	hellgelbgrün	verde amarillento claro
6	1A	medium yellow green	vert-jaune moyen	mittelgelbgrün	verde amarillento medio
6	1B	medium yellow green	vert-jaune moyen	mittelgelbgrün	verde amarillento medio
6	150A	medium yellow green	vert-jaune moyen	mittelgelbgrün	verde amarillento medio
6	150B	medium yellow green	vert-jaune moyen	mittelgelbgrün	verde amarillento medio
6	150C	medium yellow green	vert-jaune moyen	mittelgelbgrün	verde amarillento medio
6	151C	medium yellow green	vert-jaune moyen	mittelgelbgrün	verde amarillento medio
6	151D	medium yellow green	vert-jaune moyen	mittelgelbgrün	verde amarillento medio
6	154A	medium yellow green	vert-jaune moyen	mittelgelbgrün	verde amarillento medio
6	154B	medium yellow green	vert-jaune moyen	mittelgelbgrün	verde amarillento medio
6	154C	medium yellow green	vert-jaune moyen	mittelgelbgrün	verde amarillento medio
7	188D	light grey green	vert-gris clair	hellgraugrün	verde grisáceo claro
7	189D	light grey green	vert-gris clair	hellgraugrün	verde grisáceo claro
7	190D	light grey green	vert-gris clair	hellgraugrün	verde grisáceo claro
7	192A	light grey green	vert-gris clair	hellgraugrün	verde grisáceo claro
7	192B	light grey green	vert-gris clair	hellgraugrün	verde grisáceo claro
7	192C	light grey green	vert-gris clair	hellgraugrün	verde grisáceo claro
7	192D	light grey green	vert-gris clair	hellgraugrün	verde grisáceo claro
7	193C	light grey green	vert-gris clair	hellgraugrün	verde grisáceo claro
7	193D	light grey green	vert-gris clair	hellgraugrün	verde grisáceo claro
7	196D	light grey green	vert-gris clair	hellgraugrün	verde grisáceo claro
8	188A	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
8	188B	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
8	188C	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
8	189C	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
8	190A	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
8	190B	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
8	190C	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
8	191C	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
8	191D	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
8	194D	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
8	195A	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
8	195B	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
8	195C	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
8	195D	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
8	196A	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
8	196B	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
8	196C	medium grey green	vert-gris moyen	mittelgraugrün	verde grisáceo medio
9	189B	dark grey green	vert-gris foncé	dunkelgraugrün	verde grisáceo oscuro
9	N189A	dark grey green	vert-gris foncé	dunkelgraugrün	verde grisáceo oscuro

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix II to Annex I  
 page 92

UPOV Group No.	No. RHS	English	français	deutsch	español
9	N189B	dark grey green	vert-gris foncé	dunkelgraugrün	verde grisáceo oscuro
9	N189C	dark grey green	vert-gris foncé	dunkelgraugrün	verde grisáceo oscuro
10	123A	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
10	123B	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
10	123C	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
10	123D	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
10	124C	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
10	124D	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
10	125D	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
10	128D	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
10	129D	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
10	130C	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
10	130D	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
11	124B	medium blue green	vert-bleu moyen	mittelblaugrün	verde azulado medio
11	125B	medium blue green	vert-bleu moyen	mittelblaugrün	verde azulado medio
11	125C	medium blue green	vert-bleu moyen	mittelblaugrün	verde azulado medio
11	126D	medium blue green	vert-bleu moyen	mittelblaugrün	verde azulado medio
11	127D	medium blue green	vert-bleu moyen	mittelblaugrün	verde azulado medio
11	128B	medium blue green	vert-bleu moyen	mittelblaugrün	verde azulado medio
11	128C	medium blue green	vert-bleu moyen	mittelblaugrün	verde azulado medio
11	129B	medium blue green	vert-bleu moyen	mittelblaugrün	verde azulado medio
11	129C	medium blue green	vert-bleu moyen	mittelblaugrün	verde azulado medio
11	133C	medium blue green	vert-bleu moyen	mittelblaugrün	verde azulado medio
11	133D	medium blue green	vert-bleu moyen	mittelblaugrün	verde azulado medio
12	124A	dark blue green	vert-bleu foncé	dunkelblaugrün	verde azulado oscuro
12	125A	dark blue green	vert-bleu foncé	dunkelblaugrün	verde azulado oscuro
12	126A	dark blue green	vert-bleu foncé	dunkelblaugrün	verde azulado oscuro
12	126B	dark blue green	vert-bleu foncé	dunkelblaugrün	verde azulado oscuro
12	126C	dark blue green	vert-bleu foncé	dunkelblaugrün	verde azulado oscuro
12	127A	dark blue green	vert-bleu foncé	dunkelblaugrün	verde azulado oscuro
12	127B	dark blue green	vert-bleu foncé	dunkelblaugrün	verde azulado oscuro
12	127C	dark blue green	vert-bleu foncé	dunkelblaugrün	verde azulado oscuro
12	133B	dark blue green	vert-bleu foncé	dunkelblaugrün	verde azulado oscuro
13	147D	light brown green	vert-brun clair	hellbraungrün	verde amarronado claro
13	148D	light brown green	vert-brun clair	hellbraungrün	verde amarronado claro
13	193A	light brown green	vert-brun clair	hellbraungrün	verde amarronado claro
13	193B	light brown green	vert-brun clair	hellbraungrün	verde amarronado claro
13	194C	light brown green	vert-brun clair	hellbraungrün	verde amarronado claro
14	136C	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	137C	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	137D	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	138A	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	138B	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	139B	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	139C	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	146C	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	146D	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	147B	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	147C	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	148B	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	148C	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	191A	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	191B	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	194A	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	194B	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	N138D	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	N148A	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	N148B	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	N148C	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
14	N148D	medium brown green	vert-brun moyen	mittelbraungrün	verde amarronado medio
15	137B	dark brown green	vert-brun foncé	dunkelbraungrün	verde amarronado oscuro
15	146A	dark brown green	vert-brun foncé	dunkelbraungrün	verde amarronado oscuro
15	146B	dark brown green	vert-brun foncé	dunkelbraungrün	verde amarronado oscuro
15	147A	dark brown green	vert-brun foncé	dunkelbraungrün	verde amarronado oscuro
15	148A	dark brown green	vert-brun foncé	dunkelbraungrün	verde amarronado oscuro
15	189A	dark brown green	vert-brun foncé	dunkelbraungrün	verde amarronado oscuro
15	N138B	dark brown green	vert-brun foncé	dunkelbraungrün	verde amarronado oscuro

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix II to Annex I  
 page 93

UPOV Group No.	No. RHS	English	français	deutsch	español
15	N138C	dark brown green	vert-brun foncé	dunkelbraungrün	verde amarronado oscuro
15	NN137A	dark brown green	vert-brun foncé	dunkelbraungrün	verde amarronado oscuro
15	NN137D	dark brown green	vert-brun foncé	dunkelbraungrün	verde amarronado oscuro
16	1D	light yellow	jaune clair	hellgelb	amarillo claro
16	2D	light yellow	jaune clair	hellgelb	amarillo claro
16	3D	light yellow	jaune clair	hellgelb	amarillo claro
16	4C	light yellow	jaune clair	hellgelb	amarillo claro
16	4D	light yellow	jaune clair	hellgelb	amarillo claro
16	5D	light yellow	jaune clair	hellgelb	amarillo claro
16	6D	light yellow	jaune clair	hellgelb	amarillo claro
16	8C	light yellow	jaune clair	hellgelb	amarillo claro
16	8D	light yellow	jaune clair	hellgelb	amarillo claro
16	9D	light yellow	jaune clair	hellgelb	amarillo claro
16	10B	light yellow	jaune clair	hellgelb	amarillo claro
16	10C	light yellow	jaune clair	hellgelb	amarillo claro
16	10D	light yellow	jaune clair	hellgelb	amarillo claro
16	11B	light yellow	jaune clair	hellgelb	amarillo claro
16	11C	light yellow	jaune clair	hellgelb	amarillo claro
16	12C	light yellow	jaune clair	hellgelb	amarillo claro
16	12D	light yellow	jaune clair	hellgelb	amarillo claro
16	13D	light yellow	jaune clair	hellgelb	amarillo claro
16	14D	light yellow	jaune clair	hellgelb	amarillo claro
16	15D	light yellow	jaune clair	hellgelb	amarillo claro
16	16D	light yellow	jaune clair	hellgelb	amarillo claro
16	150D	light yellow	jaune clair	hellgelb	amarillo claro
17	2A	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	2B	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	3A	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	3B	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	3C	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	4A	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	4B	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	5A	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	5B	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	5C	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	6A	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	6B	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	6C	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	7A	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	7B	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	7C	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	7D	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	8A	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	8B	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	9A	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	9B	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	9C	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	10A	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	12A	medium yellow	jaune moyen	mittelgelb	amarillo medio
17	12B	medium yellow	jaune moyen	mittelgelb	amarillo medio
18	13A	dark yellow	jaune foncé	dunkelgelb	amarillo oscuro
18	14A	dark yellow	jaune foncé	dunkelgelb	amarillo oscuro
18	14B	dark yellow	jaune foncé	dunkelgelb	amarillo oscuro
18	15A	dark yellow	jaune foncé	dunkelgelb	amarillo oscuro
19	11D	light yellow orange	orange-jaune clair	hellgelborange	naranja amarillento claro
19	18B	light yellow orange	orange-jaune clair	hellgelborange	naranja amarillento claro
19	18C	light yellow orange	orange-jaune clair	hellgelborange	naranja amarillento claro
19	18D	light yellow orange	orange-jaune clair	hellgelborange	naranja amarillento claro
19	19B	light yellow orange	orange-jaune clair	hellgelborange	naranja amarillento claro
19	19C	light yellow orange	orange-jaune clair	hellgelborange	naranja amarillento claro
19	19D	light yellow orange	orange-jaune clair	hellgelborange	naranja amarillento claro
19	20C	light yellow orange	orange-jaune clair	hellgelborange	naranja amarillento claro
19	20D	light yellow orange	orange-jaune clair	hellgelborange	naranja amarillento claro
19	22D	light yellow orange	orange-jaune clair	hellgelborange	naranja amarillento claro
19	23D	light yellow orange	orange-jaune clair	hellgelborange	naranja amarillento claro
19	158A	light yellow orange	orange-jaune clair	hellgelborange	naranja amarillento claro
19	158B	light yellow orange	orange-jaune clair	hellgelborange	naranja amarillento claro

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix II to Annex I  
 page 94

UPOV Group No.	No. RHS	English	français	deutsch	español
19	158C	light yellow orange	orange-jaune clair	hellgelborange	naranja amarillento claro
19	158D	light yellow orange	orange-jaune clair	hellgelborange	naranja amarillento claro
19	159A	light yellow orange	orange-jaune clair	hellgelborange	naranja amarillento claro
19	159B	light yellow orange	orange-jaune clair	hellgelborange	naranja amarillento claro
19	159C	light yellow orange	orange-jaune clair	hellgelborange	naranja amarillento claro
19	159D	light yellow orange	orange-jaune clair	hellgelborange	naranja amarillento claro
20	11A	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
20	13B	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
20	13C	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
20	14C	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
20	15B	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
20	15C	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
20	16A	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
20	16B	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
20	16C	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
20	17A	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
20	17B	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
20	17C	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
20	17D	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
20	18A	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
20	19A	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
20	20A	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
20	20B	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
20	21A	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
20	21B	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
20	21C	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
20	21D	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
20	22B	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
20	22C	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
20	23A	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
20	23B	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
20	23C	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
20	N25D	medium yellow orange	orange-jaune moyen	mittelgelborange	naranja amarillento medio
21	22A	dark yellow orange	orange-jaune foncé	dunkelgelborange	naranja amarillento oscuro
21	N163C	dark yellow orange	orange-jaune foncé	dunkelgelborange	naranja amarillento oscuro
21	N163D	dark yellow orange	orange-jaune foncé	dunkelgelborange	naranja amarillento oscuro
22	24B	light orange	orange clair	hellorange	naranja claro
22	24C	light orange	orange clair	hellorange	naranja claro
22	24D	light orange	orange clair	hellorange	naranja claro
22	25C	light orange	orange clair	hellorange	naranja claro
22	25D	light orange	orange clair	hellorange	naranja claro
22	26C	light orange	orange clair	hellorange	naranja claro
22	26D	light orange	orange clair	hellorange	naranja claro
22	28C	light orange	orange clair	hellorange	naranja claro
22	28D	light orange	orange clair	hellorange	naranja claro
22	29B	light orange	orange clair	hellorange	naranja claro
23	24A	medium orange	orange moyen	mittelorange	naranja medio
23	25A	medium orange	orange moyen	mittelorange	naranja medio
23	25B	medium orange	orange moyen	mittelorange	naranja medio
23	26A	medium orange	orange moyen	mittelorange	naranja medio
23	26B	medium orange	orange moyen	mittelorange	naranja medio
23	29A	medium orange	orange moyen	mittelorange	naranja medio
23	30D	medium orange	orange moyen	mittelorange	naranja medio
23	32C	medium orange	orange moyen	mittelorange	naranja medio
23	33C	medium orange	orange moyen	mittelorange	naranja medio
23	N25C	medium orange	orange moyen	mittelorange	naranja medio
24	28A	dark orange	orange foncé	dunkelorange	naranja oscuro
24	28B	dark orange	orange foncé	dunkelorange	naranja oscuro
24	30C	dark orange	orange foncé	dunkelorange	naranja oscuro
24	31B	dark orange	orange foncé	dunkelorange	naranja oscuro
24	N25A	dark orange	orange foncé	dunkelorange	naranja oscuro
24	N25B	dark orange	orange foncé	dunkelorange	naranja oscuro
24	N30D	dark orange	orange foncé	dunkelorange	naranja oscuro
25	27A	light orange pink	rose orangé clair	hellorangesosa	rosa anaranjado claro
25	27B	light orange pink	rose orangé clair	hellorangesosa	rosa anaranjado claro
25	27C	light orange pink	rose orangé clair	hellorangesosa	rosa anaranjado claro
25	27D	light orange pink	rose orangé clair	hellorangesosa	rosa anaranjado claro

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix II to Annex I  
 page 95

UPOV Group No.	No. RHS	English	français	deutsch	español
25	29C	light orange pink	rose orangé clair	hellorangesosa	rosa anaranjado claro
25	29D	light orange pink	rose orangé clair	hellorangesosa	rosa anaranjado claro
26	31C	medium orange pink	rose orangé moyen	mittelorangerosa	rosa anaranjado medio
26	31D	medium orange pink	rose orangé moyen	mittelorangerosa	rosa anaranjado medio
26	32D	medium orange pink	rose orangé moyen	mittelorangerosa	rosa anaranjado medio
26	33D	medium orange pink	rose orangé moyen	mittelorangerosa	rosa anaranjado medio
26	35C	medium orange pink	rose orangé moyen	mittelorangerosa	rosa anaranjado medio
26	37A	medium orange pink	rose orangé moyen	mittelorangerosa	rosa anaranjado medio
26	170D	medium orange pink	rose orangé moyen	mittelorangerosa	rosa anaranjado medio
26	173D	medium orange pink	rose orangé moyen	mittelorangerosa	rosa anaranjado medio
26	179C	medium orange pink	rose orangé moyen	mittelorangerosa	rosa anaranjado medio
26	179D	medium orange pink	rose orangé moyen	mittelorangerosa	rosa anaranjado medio
26	N170C	medium orange pink	rose orangé moyen	mittelorangerosa	rosa anaranjado medio
26	N170D	medium orange pink	rose orangé moyen	mittelorangerosa	rosa anaranjado medio
27	35D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
27	36A	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
27	36B	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
27	36C	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
27	36D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
27	37D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
27	38B	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
27	38C	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
27	38D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
27	39C	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
27	39D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
27	49B	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
27	49C	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
27	49D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
27	50D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
28	39A	red pink	rose-rouge	rotrosa	rosa rojizo
28	43C	red pink	rose-rouge	rotrosa	rosa rojizo
28	45D	red pink	rose-rouge	rotrosa	rosa rojizo
28	46D	red pink	rose-rouge	rotrosa	rosa rojizo
28	47C	red pink	rose-rouge	rotrosa	rosa rojizo
28	47D	red pink	rose-rouge	rotrosa	rosa rojizo
28	48A	red pink	rose-rouge	rotrosa	rosa rojizo
28	48B	red pink	rose-rouge	rotrosa	rosa rojizo
28	50B	red pink	rose-rouge	rotrosa	rosa rojizo
28	51A	red pink	rose-rouge	rotrosa	rosa rojizo
28	51B	red pink	rose-rouge	rotrosa	rosa rojizo
28	51C	red pink	rose-rouge	rotrosa	rosa rojizo
28	52A	red pink	rose-rouge	rotrosa	rosa rojizo
28	52B	red pink	rose-rouge	rotrosa	rosa rojizo
28	53C	red pink	rose-rouge	rotrosa	rosa rojizo
28	53D	red pink	rose-rouge	rotrosa	rosa rojizo
28	N34C	red pink	rose-rouge	rotrosa	rosa rojizo
28	N45D	red pink	rose-rouge	rotrosa	rosa rojizo
29	37B	pink	rose	rosa	rosa
29	37C	pink	rose	rosa	rosa
29	38A	pink	rose	rosa	rosa
29	39B	pink	rose	rosa	rosa
29	41D	pink	rose	rosa	rosa
29	43D	pink	rose	rosa	rosa
29	44D	pink	rose	rosa	rosa
29	48C	pink	rose	rosa	rosa
29	48D	pink	rose	rosa	rosa
29	49A	pink	rose	rosa	rosa
29	50C	pink	rose	rosa	rosa
29	51D	pink	rose	rosa	rosa
29	52C	pink	rose	rosa	rosa
29	52D	pink	rose	rosa	rosa
30	54D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	55C	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	55D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	56A	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	56B	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	56C	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix II to Annex I  
 page 96

UPOV Group No.	No. RHS	English	français	deutsch	español
30	56D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	62C	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	62D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	63D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	65B	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	65C	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	65D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	68D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	69A	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	69B	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	69C	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	69D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	73D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	75D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	76D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
31	54C	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
31	55B	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
31	58D	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
31	61D	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
31	62A	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
31	62B	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
31	63C	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
31	64D	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
31	65A	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
31	67D	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
31	68B	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
31	68C	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
31	70D	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
31	73B	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
31	73C	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
31	186D	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
31	N57D	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
31	N66D	medium blue pink	rose-bleu moyen	mittelblaurosa	rosa azulado medio
32	63B	dark blue pink	rose-bleu foncé	dunkelblaurosa	rosa azulado oscuro
32	64C	dark blue pink	rose-bleu foncé	dunkelblaurosa	rosa azulado oscuro
32	67B	dark blue pink	rose-bleu foncé	dunkelblaurosa	rosa azulado oscuro
32	67C	dark blue pink	rose-bleu foncé	dunkelblaurosa	rosa azulado oscuro
32	68A	dark blue pink	rose-bleu foncé	dunkelblaurosa	rosa azulado oscuro
32	70C	dark blue pink	rose-bleu foncé	dunkelblaurosa	rosa azulado oscuro
32	72C	dark blue pink	rose-bleu foncé	dunkelblaurosa	rosa azulado oscuro
32	72D	dark blue pink	rose-bleu foncé	dunkelblaurosa	rosa azulado oscuro
32	73A	dark blue pink	rose-bleu foncé	dunkelblaurosa	rosa azulado oscuro
32	186C	dark blue pink	rose-bleu foncé	dunkelblaurosa	rosa azulado oscuro
32	N66C	dark blue pink	rose-bleu foncé	dunkelblaurosa	rosa azulado oscuro
32	N74C	dark blue pink	rose-bleu foncé	dunkelblaurosa	rosa azulado oscuro
32	N74D	dark blue pink	rose-bleu foncé	dunkelblaurosa	rosa azulado oscuro
32	NN74D	dark blue pink	rose-bleu foncé	dunkelblaurosa	rosa azulado oscuro
33	30A	orange red	rouge orangé	orangerot	rojo anaranjado
33	30B	orange red	rouge orangé	orangerot	rojo anaranjado
33	31A	orange red	rouge orangé	orangerot	rojo anaranjado
33	32A	orange red	rouge orangé	orangerot	rojo anaranjado
33	32B	orange red	rouge orangé	orangerot	rojo anaranjado
33	33B	orange red	rouge orangé	orangerot	rojo anaranjado
33	34B	orange red	rouge orangé	orangerot	rojo anaranjado
33	34C	orange red	rouge orangé	orangerot	rojo anaranjado
33	35A	orange red	rouge orangé	orangerot	rojo anaranjado
33	35B	orange red	rouge orangé	orangerot	rojo anaranjado
33	40C	orange red	rouge orangé	orangerot	rojo anaranjado
33	40D	orange red	rouge orangé	orangerot	rojo anaranjado
33	41B	orange red	rouge orangé	orangerot	rojo anaranjado
33	41C	orange red	rouge orangé	orangerot	rojo anaranjado
33	42D	orange red	rouge orangé	orangerot	rojo anaranjado
33	169A	orange red	rouge orangé	orangerot	rojo anaranjado
33	N30B	orange red	rouge orangé	orangerot	rojo anaranjado
33	N30C	orange red	rouge orangé	orangerot	rojo anaranjado
33	N34D	orange red	rouge orangé	orangerot	rojo anaranjado
34	33A	light red	rouge clair	hellrot	rojo claro



TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
Subsection 3: Color: Appendix II to Annex I  
page 97

UPOV Group No.	No. RHS	English	français	deutsch	español
34	40A	light red	rouge clair	hellrot	rojo claro
34	40B	light red	rouge clair	hellrot	rojo claro
34	41A	light red	rouge clair	hellrot	rojo claro
34	44C	light red	rouge clair	hellrot	rojo claro
34	43B	light red	rouge clair	hellrot	rojo claro
34	N30A	light red	rouge clair	hellrot	rojo claro
35	34A	medium red	rouge moyen	mittelrot	rojo medio
35	42B	medium red	rouge moyen	mittelrot	rojo medio
35	42C	medium red	rouge moyen	mittelrot	rojo medio
35	43A	medium red	rouge moyen	mittelrot	rojo medio
35	44A	medium red	rouge moyen	mittelrot	rojo medio
35	44B	medium red	rouge moyen	mittelrot	rojo medio
35	45C	medium red	rouge moyen	mittelrot	rojo medio
35	46C	medium red	rouge moyen	mittelrot	rojo medio
35	47B	medium red	rouge moyen	mittelrot	rojo medio
35	50A	medium red	rouge moyen	mittelrot	rojo medio
35	N34B	medium red	rouge moyen	mittelrot	rojo medio
36	42A	dark red	rouge foncé	dunkelrot	rojo oscuro
36	45A	dark red	rouge foncé	dunkelrot	rojo oscuro
36	45B	dark red	rouge foncé	dunkelrot	rojo oscuro
36	46B	dark red	rouge foncé	dunkelrot	rojo oscuro
36	47A	dark red	rouge foncé	dunkelrot	rojo oscuro
36	53B	dark red	rouge foncé	dunkelrot	rojo oscuro
36	N34A	dark red	rouge foncé	dunkelrot	rojo oscuro
36	N45A	dark red	rouge foncé	dunkelrot	rojo oscuro
36	N45B	dark red	rouge foncé	dunkelrot	rojo oscuro
36	N45C	dark red	rouge foncé	dunkelrot	rojo oscuro
37	54A	medium purple red	rouge-pourpre moyen	mittelpurpurrot	rojo púrpura medio
37	54B	medium purple red	rouge-pourpre moyen	mittelpurpurrot	rojo púrpura medio
37	55A	medium purple red	rouge-pourpre moyen	mittelpurpurrot	rojo púrpura medio
37	58B	medium purple red	rouge-pourpre moyen	mittelpurpurrot	rojo púrpura medio
37	58C	medium purple red	rouge-pourpre moyen	mittelpurpurrot	rojo púrpura medio
37	59D	medium purple red	rouge-pourpre moyen	mittelpurpurrot	rojo púrpura medio
37	60D	medium purple red	rouge-pourpre moyen	mittelpurpurrot	rojo púrpura medio
37	61C	medium purple red	rouge-pourpre moyen	mittelpurpurrot	rojo púrpura medio
37	63A	medium purple red	rouge-pourpre moyen	mittelpurpurrot	rojo púrpura medio
37	N57A	medium purple red	rouge-pourpre moyen	mittelpurpurrot	rojo púrpura medio
37	N57B	medium purple red	rouge-pourpre moyen	mittelpurpurrot	rojo púrpura medio
37	N57C	medium purple red	rouge-pourpre moyen	mittelpurpurrot	rojo púrpura medio
37	N66A	medium purple red	rouge-pourpre moyen	mittelpurpurrot	rojo púrpura medio
37	N66B	medium purple red	rouge-pourpre moyen	mittelpurpurrot	rojo púrpura medio
38	46A	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
38	53A	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
38	59A	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
38	59B	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
38	60A	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
38	60B	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
38	185A	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
38	187B	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
38	187C	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
38	187D	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
38	N186D	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
39	178B	brown red	rouge-brun	braunrot	rojo amarronado
39	178C	brown red	rouge-brun	braunrot	rojo amarronado
39	178D	brown red	rouge-brun	braunrot	rojo amarronado
39	179A	brown red	rouge-brun	braunrot	rojo amarronado
39	179B	brown red	rouge-brun	braunrot	rojo amarronado
39	180A	brown red	rouge-brun	braunrot	rojo amarronado
39	180B	brown red	rouge-brun	braunrot	rojo amarronado
39	180C	brown red	rouge-brun	braunrot	rojo amarronado
39	180D	brown red	rouge-brun	braunrot	rojo amarronado
39	181B	brown red	rouge-brun	braunrot	rojo amarronado
39	181C	brown red	rouge-brun	braunrot	rojo amarronado
39	181D	brown red	rouge-brun	braunrot	rojo amarronado
39	182B	brown red	rouge-brun	braunrot	rojo amarronado
39	182C	brown red	rouge-brun	braunrot	rojo amarronado
39	182D	brown red	rouge-brun	braunrot	rojo amarronado

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
Subsection 3: Color: Appendix II to Annex I  
page 98

UPOV Group No.	No. RHS	English	français	deutsch	español
40	181A	medium brown purple	pourpre-brun moyen	mittelbraunpurpurn	púrpura amarronado medio
40	182A	medium brown purple	pourpre-brun moyen	mittelbraunpurpurn	púrpura amarronado medio
40	183D	medium brown purple	pourpre-brun moyen	mittelbraunpurpurn	púrpura amarronado medio
40	184B	medium brown purple	pourpre-brun moyen	mittelbraunpurpurn	púrpura amarronado medio
40	184C	medium brown purple	pourpre-brun moyen	mittelbraunpurpurn	púrpura amarronado medio
40	184D	medium brown purple	pourpre-brun moyen	mittelbraunpurpurn	púrpura amarronado medio
40	185B	medium brown purple	pourpre-brun moyen	mittelbraunpurpurn	púrpura amarronado medio
40	185C	medium brown purple	pourpre-brun moyen	mittelbraunpurpurn	púrpura amarronado medio
40	185D	medium brown purple	pourpre-brun moyen	mittelbraunpurpurn	púrpura amarronado medio
40	186A	medium brown purple	pourpre-brun moyen	mittelbraunpurpurn	púrpura amarronado medio
40	186B	medium brown purple	pourpre-brun moyen	mittelbraunpurpurn	púrpura amarronado medio
41	178A	dark brown purple	pourpre-brun foncé	dunkelbraunpurpurn	púrpura amarronado oscuro
41	183A	dark brown purple	pourpre-brun foncé	dunkelbraunpurpurn	púrpura amarronado oscuro
41	183B	dark brown purple	pourpre-brun foncé	dunkelbraunpurpurn	púrpura amarronado oscuro
41	183C	dark brown purple	pourpre-brun foncé	dunkelbraunpurpurn	púrpura amarronado oscuro
41	184A	dark brown purple	pourpre-brun foncé	dunkelbraunpurpurn	púrpura amarronado oscuro
41	N186C	dark brown purple	pourpre-brun foncé	dunkelbraunpurpurn	púrpura amarronado oscuro
42	61B	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
42	64B	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
42	67A	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
42	70B	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
42	71B	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
42	71C	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
42	71D	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
42	N74A	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
42	N74B	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
42	NN74A	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
42	NN74B	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
42	NN74C	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
42	NN78A	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
42	NN78B	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
42	NN78C	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
42	NN78D	medium purple	pourpre moyen	mittelpurpurn	púrpura medio
43	58A	dark purple	pourpre foncé	dunkelpurpurn	púrpura oscuro
43	59C	dark purple	pourpre foncé	dunkelpurpurn	púrpura oscuro
43	60C	dark purple	pourpre foncé	dunkelpurpurn	púrpura oscuro
43	61A	dark purple	pourpre foncé	dunkelpurpurn	púrpura oscuro
43	64A	dark purple	pourpre foncé	dunkelpurpurn	púrpura oscuro
43	70A	dark purple	pourpre foncé	dunkelpurpurn	púrpura oscuro
43	71A	dark purple	pourpre foncé	dunkelpurpurn	púrpura oscuro
43	72A	dark purple	pourpre foncé	dunkelpurpurn	púrpura oscuro
43	N77B	dark purple	pourpre foncé	dunkelpurpurn	púrpura oscuro
43	N79A	dark purple	pourpre foncé	dunkelpurpurn	púrpura oscuro
43	N79B	dark purple	pourpre foncé	dunkelpurpurn	púrpura oscuro
43	N79C	dark purple	pourpre foncé	dunkelpurpurn	púrpura oscuro
44	75A	light violet	violet clair	hellviolett	violeta claro
44	75B	light violet	violet clair	hellviolett	violeta claro
44	75C	light violet	violet clair	hellviolett	violeta claro
44	76A	light violet	violet clair	hellviolett	violeta claro
44	76B	light violet	violet clair	hellviolett	violeta claro
44	76C	light violet	violet clair	hellviolett	violeta claro
44	77C	light violet	violet clair	hellviolett	violeta claro
44	77D	light violet	violet clair	hellviolett	violeta claro
44	84B	light violet	violet clair	hellviolett	violeta claro
44	84C	light violet	violet clair	hellviolett	violeta claro
44	84D	light violet	violet clair	hellviolett	violeta claro
44	N75A	light violet	violet clair	hellviolett	violeta claro
44	N75B	light violet	violet clair	hellviolett	violeta claro
44	N75C	light violet	violet clair	hellviolett	violeta claro
44	N75D	light violet	violet clair	hellviolett	violeta claro
44	N80C	light violet	violet clair	hellviolett	violeta claro
44	N80D	light violet	violet clair	hellviolett	violeta claro
44	N81D	light violet	violet clair	hellviolett	violeta claro
45	72B	medium violet	violet moyen	mittelviolet	violeta medio
45	77B	medium violet	violet moyen	mittelviolet	violeta medio
45	84A	medium violet	violet moyen	mittelviolet	violeta medio
45	N77D	medium violet	violet moyen	mittelviolet	violeta medio

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
Subsection 3: Color: Appendix II to Annex I  
page 99

UPOV Group No.	No. RHS	English	français	deutsch	español
45	N78A	medium violet	violet moyen	mittelviolett	violeta medio
45	N78B	medium violet	violet moyen	mittelviolett	violeta medio
45	N78C	medium violet	violet moyen	mittelviolett	violeta medio
45	N78D	medium violet	violet moyen	mittelviolett	violeta medio
45	N79D	medium violet	violet moyen	mittelviolett	violeta medio
45	N80A	medium violet	violet moyen	mittelviolett	violeta medio
45	N80B	medium violet	violet moyen	mittelviolett	violeta medio
45	N81A	medium violet	violet moyen	mittelviolett	violeta medio
45	N81B	medium violet	violet moyen	mittelviolett	violeta medio
45	N81C	medium violet	violet moyen	mittelviolett	violeta medio
45	N82A	medium violet	violet moyen	mittelviolett	violeta medio
46	77A	dark violet	violet foncé	dunkelviolett	violeta oscuro
46	79A	dark violet	violet foncé	dunkelviolett	violeta oscuro
46	79B	dark violet	violet foncé	dunkelviolett	violeta oscuro
46	79C	dark violet	violet foncé	dunkelviolett	violeta oscuro
46	79D	dark violet	violet foncé	dunkelviolett	violeta oscuro
46	83A	dark violet	violet foncé	dunkelviolett	violeta oscuro
46	83B	dark violet	violet foncé	dunkelviolett	violeta oscuro
46	86A	dark violet	violet foncé	dunkelviolett	violeta oscuro
46	N77C	dark violet	violet foncé	dunkelviolett	violeta oscuro
46	N92A	dark violet	violet foncé	dunkelviolett	violeta oscuro
46	N92D	dark violet	violet foncé	dunkelviolett	violeta oscuro
47	85B	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
47	85C	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
47	85D	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
47	91C	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
47	91D	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
47	92D	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
48	83D	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
48	85A	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
48	86C	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
48	86D	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
48	90C	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
48	90D	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
48	N82B	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
48	N82C	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
48	N82D	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
48	N87A	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
48	N87B	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
48	N87C	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
48	N87D	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
48	N88C	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
48	N88D	medium blue violet	violet-bleu moyen	mittelblauviolett	violeta azulado medio
49	83C	dark blue violet	violet-bleu foncé	dunkelblauviolett	violeta azulado oscuro
49	86B	dark blue violet	violet-bleu foncé	dunkelblauviolett	violeta azulado oscuro
49	90A	dark blue violet	violet-bleu foncé	dunkelblauviolett	violeta azulado oscuro
49	90B	dark blue violet	violet-bleu foncé	dunkelblauviolett	violeta azulado oscuro
49	93B	dark blue violet	violet-bleu foncé	dunkelblauviolett	violeta azulado oscuro
49	93C	dark blue violet	violet-bleu foncé	dunkelblauviolett	violeta azulado oscuro
49	N88A	dark blue violet	violet-bleu foncé	dunkelblauviolett	violeta azulado oscuro
49	N88B	dark blue violet	violet-bleu foncé	dunkelblauviolett	violeta azulado oscuro
49	N89C	dark blue violet	violet-bleu foncé	dunkelblauviolett	violeta azulado oscuro
49	N89D	dark blue violet	violet-bleu foncé	dunkelblauviolett	violeta azulado oscuro
50	91A	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
50	91B	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
50	92B	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
50	92C	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
50	93D	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
50	94D	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
50	97B	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
50	97C	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
50	97D	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
51	92A	medium violet blue	bleu-violet moyen	mittelviolettblau	azul violáceo medio
51	94B	medium violet blue	bleu-violet moyen	mittelviolettblau	azul violáceo medio
51	94C	medium violet blue	bleu-violet moyen	mittelviolettblau	azul violáceo medio
51	95C	medium violet blue	bleu-violet moyen	mittelviolettblau	azul violáceo medio
51	96B	medium violet blue	bleu-violet moyen	mittelviolettblau	azul violáceo medio

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
Subsection 3: Color: Appendix II to Annex I  
page 100

UPOV Group No.	No. RHS	English	français	deutsch	español
51	96C	medium violet blue	bleu-violet moyen	mittelviolettblau	azul violáceo medio
51	96D	medium violet blue	bleu-violet moyen	mittelviolettblau	azul violáceo medio
51	97A	medium violet blue	bleu-violet moyen	mittelviolettblau	azul violáceo medio
51	N95C	medium violet blue	bleu-violet moyen	mittelviolettblau	azul violáceo medio
51	N95D	medium violet blue	bleu-violet moyen	mittelviolettblau	azul violáceo medio
52	93A	dark violet blue	bleu-violet foncé	dunkelviolettblau	azul violáceo oscuro
52	94A	dark violet blue	bleu-violet foncé	dunkelviolettblau	azul violáceo oscuro
52	95A	dark violet blue	bleu-violet foncé	dunkelviolettblau	azul violáceo oscuro
52	95B	dark violet blue	bleu-violet foncé	dunkelviolettblau	azul violáceo oscuro
52	96A	dark violet blue	bleu-violet foncé	dunkelviolettblau	azul violáceo oscuro
52	N89A	dark violet blue	bleu-violet foncé	dunkelviolettblau	azul violáceo oscuro
52	N89B	dark violet blue	bleu-violet foncé	dunkelviolettblau	azul violáceo oscuro
52	N92B	dark violet blue	bleu-violet foncé	dunkelviolettblau	azul violáceo oscuro
52	N92C	dark violet blue	bleu-violet foncé	dunkelviolettblau	azul violáceo oscuro
52	N95A	dark violet blue	bleu-violet foncé	dunkelviolettblau	azul violáceo oscuro
52	N95B	dark violet blue	bleu-violet foncé	dunkelviolettblau	azul violáceo oscuro
53	95D	light blue	bleu clair	hellblau	azul claro
53	100D	light blue	bleu clair	hellblau	azul claro
53	101D	light blue	bleu clair	hellblau	azul claro
53	104D	light blue	bleu clair	hellblau	azul claro
53	106B	light blue	bleu clair	hellblau	azul claro
53	106C	light blue	bleu clair	hellblau	azul claro
53	107C	light blue	bleu clair	hellblau	azul claro
53	107D	light blue	bleu clair	hellblau	azul claro
53	N109D	light blue	bleu clair	hellblau	azul claro
54	98A	medium blue	bleu moyen	mittelblau	azul medio
54	98B	medium blue	bleu moyen	mittelblau	azul medio
54	98C	medium blue	bleu moyen	mittelblau	azul medio
54	98D	medium blue	bleu moyen	mittelblau	azul medio
54	99C	medium blue	bleu moyen	mittelblau	azul medio
54	99D	medium blue	bleu moyen	mittelblau	azul medio
54	100A	medium blue	bleu moyen	mittelblau	azul medio
54	100B	medium blue	bleu moyen	mittelblau	azul medio
54	100C	medium blue	bleu moyen	mittelblau	azul medio
54	101A	medium blue	bleu moyen	mittelblau	azul medio
54	101B	medium blue	bleu moyen	mittelblau	azul medio
54	101C	medium blue	bleu moyen	mittelblau	azul medio
54	102C	medium blue	bleu moyen	mittelblau	azul medio
54	102D	medium blue	bleu moyen	mittelblau	azul medio
54	103D	medium blue	bleu moyen	mittelblau	azul medio
54	104A	medium blue	bleu moyen	mittelblau	azul medio
54	104B	medium blue	bleu moyen	mittelblau	azul medio
54	104C	medium blue	bleu moyen	mittelblau	azul medio
54	105B	medium blue	bleu moyen	mittelblau	azul medio
54	105C	medium blue	bleu moyen	mittelblau	azul medio
54	105D	medium blue	bleu moyen	mittelblau	azul medio
54	106A	medium blue	bleu moyen	mittelblau	azul medio
54	107A	medium blue	bleu moyen	mittelblau	azul medio
54	107B	medium blue	bleu moyen	mittelblau	azul medio
54	110A	medium blue	bleu moyen	mittelblau	azul medio
54	110B	medium blue	bleu moyen	mittelblau	azul medio
54	N109A	medium blue	bleu moyen	mittelblau	azul medio
54	N109B	medium blue	bleu moyen	mittelblau	azul medio
54	N109C	medium blue	bleu moyen	mittelblau	azul medio
55	99A	dark blue	bleu foncé	dunkelblau	azul oscuro
55	99B	dark blue	bleu foncé	dunkelblau	azul oscuro
55	102A	dark blue	bleu foncé	dunkelblau	azul oscuro
55	102B	dark blue	bleu foncé	dunkelblau	azul oscuro
55	103A	dark blue	bleu foncé	dunkelblau	azul oscuro
55	103B	dark blue	bleu foncé	dunkelblau	azul oscuro
55	103C	dark blue	bleu foncé	dunkelblau	azul oscuro
55	105A	dark blue	bleu foncé	dunkelblau	azul oscuro
56	106D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
56	108A	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
56	108B	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
56	108C	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
56	108D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix II to Annex I  
 page 101

UPOV Group No.	No. RHS	English	français	deutsch	español
56	112A	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
56	112B	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
56	112C	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
56	112D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
56	113D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
56	117C	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
56	117D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
56	118D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
56	120D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
56	121D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
56	122D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
57	110C	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	110D	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	111A	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	111B	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	111C	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	111D	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	113B	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	113C	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	115A	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	115B	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	115C	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	115D	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	116D	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	117A	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	117B	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	118A	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	118B	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	118C	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	119A	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	119B	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	119C	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	119D	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	120A	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	120B	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	120C	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	121A	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	121B	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	121C	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	122A	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	122B	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
57	122C	medium green blue	bleu-vert moyen	mittelgrünblau	azul verdoso medio
58	113A	dark green blue	bleu-vert foncé	dunkelgrünblau	azul verdoso oscuro
58	114A	dark green blue	bleu-vert foncé	dunkelgrünblau	azul verdoso oscuro
58	114B	dark green blue	bleu-vert foncé	dunkelgrünblau	azul verdoso oscuro
58	114C	dark green blue	bleu-vert foncé	dunkelgrünblau	azul verdoso oscuro
58	114D	dark green blue	bleu-vert foncé	dunkelgrünblau	azul verdoso oscuro
58	116A	dark green blue	bleu-vert foncé	dunkelgrünblau	azul verdoso oscuro
58	116B	dark green blue	bleu-vert foncé	dunkelgrünblau	azul verdoso oscuro
58	116C	dark green blue	bleu-vert foncé	dunkelgrünblau	azul verdoso oscuro
59	164A	light brown	brun clair	hellbraun	marrón claro
59	164D	light brown	brun clair	hellbraun	marrón claro
59	165B	light brown	brun clair	hellbraun	marrón claro
59	165D	light brown	brun clair	hellbraun	marrón claro
59	166D	light brown	brun clair	hellbraun	marrón claro
59	167A	light brown	brun clair	hellbraun	marrón claro
59	167B	light brown	brun clair	hellbraun	marrón claro
59	167C	light brown	brun clair	hellbraun	marrón claro
59	167D	light brown	brun clair	hellbraun	marrón claro
59	168D	light brown	brun clair	hellbraun	marrón claro
59	174D	light brown	brun clair	hellbraun	marrón claro
59	N167A	light brown	brun clair	hellbraun	marrón claro
59	N167C	light brown	brun clair	hellbraun	marrón claro
59	N167D	light brown	brun clair	hellbraun	marrón claro
59	N170B	light brown	brun clair	hellbraun	marrón claro
59	N172D	light brown	brun clair	hellbraun	marrón claro
60	165A	medium brown	brun moyen	mittelbraun	marrón medio

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
Subsection 3: Color: Appendix II to Annex I  
page 102

UPOV Group No.	No. RHS	English	français	deutsch	español
60	166B	medium brown	brun moyen	mittelbraun	marrón medio
60	166C	medium brown	brun moyen	mittelbraun	marrón medio
60	172A	medium brown	brun moyen	mittelbraun	marrón medio
60	172B	medium brown	brun moyen	mittelbraun	marrón medio
60	173A	medium brown	brun moyen	mittelbraun	marrón medio
60	173C	medium brown	brun moyen	mittelbraun	marrón medio
60	174A	medium brown	brun moyen	mittelbraun	marrón medio
60	174B	medium brown	brun moyen	mittelbraun	marrón medio
60	174C	medium brown	brun moyen	mittelbraun	marrón medio
60	175A	medium brown	brun moyen	mittelbraun	marrón medio
60	175B	medium brown	brun moyen	mittelbraun	marrón medio
60	175C	medium brown	brun moyen	mittelbraun	marrón medio
60	175D	medium brown	brun moyen	mittelbraun	marrón medio
60	176A	medium brown	brun moyen	mittelbraun	marrón medio
60	176B	medium brown	brun moyen	mittelbraun	marrón medio
60	176C	medium brown	brun moyen	mittelbraun	marrón medio
60	176D	medium brown	brun moyen	mittelbraun	marrón medio
60	177B	medium brown	brun moyen	mittelbraun	marrón medio
60	177C	medium brown	brun moyen	mittelbraun	marrón medio
60	177D	medium brown	brun moyen	mittelbraun	marrón medio
60	N167B	medium brown	brun moyen	mittelbraun	marrón medio
60	N170A	medium brown	brun moyen	mittelbraun	marrón medio
61	166A	dark brown	brun foncé	dunkelbraun	marrón oscuro
61	177A	dark brown	brun foncé	dunkelbraun	marrón oscuro
61	187A	dark brown	brun foncé	dunkelbraun	marrón oscuro
61	200A	dark brown	brun foncé	dunkelbraun	marrón oscuro
61	200B	dark brown	brun foncé	dunkelbraun	marrón oscuro
61	200C	dark brown	brun foncé	dunkelbraun	marrón oscuro
61	200D	dark brown	brun foncé	dunkelbraun	marrón oscuro
61	N77A	dark brown	brun foncé	dunkelbraun	marrón oscuro
61	N199B	dark brown	brun foncé	dunkelbraun	marrón oscuro
61	N200A	dark brown	brun foncé	dunkelbraun	marrón oscuro
62	161A	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
62	161B	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
62	161C	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
62	161D	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
62	162A	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
62	162B	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
62	162C	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
62	162D	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
62	163C	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
62	163D	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
63	163A	medium yellow brown	brun-jaune moyen	mittelgelbbraun	marrón amarillento medio
63	163B	medium yellow brown	brun-jaune moyen	mittelgelbbraun	marrón amarillento medio
63	164B	medium yellow brown	brun-jaune moyen	mittelgelbbraun	marrón amarillento medio
63	164C	medium yellow brown	brun-jaune moyen	mittelgelbbraun	marrón amarillento medio
63	165C	medium yellow brown	brun-jaune moyen	mittelgelbbraun	marrón amarillento medio
64	34D	orange brown	brun orangé	orangebraun	marrón anaranjado
64	168A	orange brown	brun orangé	orangebraun	marrón anaranjado
64	168B	orange brown	brun orangé	orangebraun	marrón anaranjado
64	168C	orange brown	brun orangé	orangebraun	marrón anaranjado
64	169B	orange brown	brun orangé	orangebraun	marrón anaranjado
64	169C	orange brown	brun orangé	orangebraun	marrón anaranjado
64	169D	orange brown	brun orangé	orangebraun	marrón anaranjado
64	170A	orange brown	brun orangé	orangebraun	marrón anaranjado
64	170B	orange brown	brun orangé	orangebraun	marrón anaranjado
64	170C	orange brown	brun orangé	orangebraun	marrón anaranjado
64	171A	orange brown	brun orangé	orangebraun	marrón anaranjado
64	171B	orange brown	brun orangé	orangebraun	marrón anaranjado
64	171C	orange brown	brun orangé	orangebraun	marrón anaranjado
64	171D	orange brown	brun orangé	orangebraun	marrón anaranjado
64	172C	orange brown	brun orangé	orangebraun	marrón anaranjado
64	172D	orange brown	brun orangé	orangebraun	marrón anaranjado
64	173B	orange brown	brun orangé	orangebraun	marrón anaranjado
64	N163A	orange brown	brun orangé	orangebraun	marrón anaranjado
64	N163B	orange brown	brun orangé	orangebraun	marrón anaranjado
64	N172A	orange brown	brun orangé	orangebraun	marrón anaranjado

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
Subsection 3: Color: Appendix II to Annex I  
page 103

UPOV Group No.	No. RHS	English	français	deutsch	español
64	N172B	orange brown	brun orangé	orangebraun	marrón anaranjado
64	N172C	orange brown	brun orangé	orangebraun	marrón anaranjado
65	199A	grey brown	brun-gris	graubraun	marrón grisáceo
65	199B	grey brown	brun-gris	graubraun	marrón grisáceo
65	199C	grey brown	brun-gris	graubraun	marrón grisáceo
65	199D	grey brown	brun-gris	graubraun	marrón grisáceo
65	N199A	grey brown	brun-gris	graubraun	marrón grisáceo
65	N199C	grey brown	brun-gris	graubraun	marrón grisáceo
65	N199D	grey brown	brun-gris	graubraun	marrón grisáceo
66	160A	light green brown	brun-vert clair	hellgrünbraun	marrón verdoso claro
66	160B	light green brown	brun-vert clair	hellgrünbraun	marrón verdoso claro
66	160C	light green brown	brun-vert clair	hellgrünbraun	marrón verdoso claro
66	160D	light green brown	brun-vert clair	hellgrünbraun	marrón verdoso claro
67	153B	medium green brown	brun-vert moyen	mittelgrünbraun	marrón verdoso medio
67	153C	medium green brown	brun-vert moyen	mittelgrünbraun	marrón verdoso medio
67	153D	medium green brown	brun-vert moyen	mittelgrünbraun	marrón verdoso medio
68	152A	dark green brown	brun-vert foncé	dunkelgrünbraun	marrón verdoso oscuro
68	152B	dark green brown	brun-vert foncé	dunkelgrünbraun	marrón verdoso oscuro
68	152C	dark green brown	brun-vert foncé	dunkelgrünbraun	marrón verdoso oscuro
68	152D	dark green brown	brun-vert foncé	dunkelgrünbraun	marrón verdoso oscuro
68	153A	dark green brown	brun-vert foncé	dunkelgrünbraun	marrón verdoso oscuro
69	156A	yellow grey	gris-jaune	gelbgrau	gris amarillento
69	156B	yellow grey	gris-jaune	gelbgrau	gris amarillento
69	156C	yellow grey	gris-jaune	gelbgrau	gris amarillento
69	156D	yellow grey	gris-jaune	gelbgrau	gris amarillento
70	197A	brown grey	gris-brun	braungrau	gris amarronado
70	197B	brown grey	gris-brun	braungrau	gris amarronado
70	197C	brown grey	gris-brun	braungrau	gris amarronado
70	197D	brown grey	gris-brun	braungrau	gris amarronado
70	198A	brown grey	gris-brun	braungrau	gris amarronado
70	198B	brown grey	gris-brun	braungrau	gris amarronado
70	198C	brown grey	gris-brun	braungrau	gris amarronado
70	198D	brown grey	gris-brun	braungrau	gris amarronado
70	N200B	brown grey	gris-brun	braungrau	gris amarronado
71	201A	purple grey	gris-pourpre	purpurgrau	gris púrpura
71	201B	purple grey	gris-pourpre	purpurgrau	gris púrpura
71	201C	purple grey	gris-pourpre	purpurgrau	gris púrpura
71	201D	purple grey	gris-pourpre	purpurgrau	gris púrpura
71	N187B	purple grey	gris-pourpre	purpurgrau	gris púrpura
71	N187C	purple grey	gris-pourpre	purpurgrau	gris púrpura
71	N187D	purple grey	gris-pourpre	purpurgrau	gris púrpura
71	N200C	purple grey	gris-pourpre	purpurgrau	gris púrpura
71	N200D	purple grey	gris-pourpre	purpurgrau	gris púrpura
72	N155A	grey	gris	grau	gris
72	N189D	grey	gris	grau	gris
72	202B	grey	gris	grau	gris
72	202C	grey	gris	grau	gris
72	202D	grey	gris	grau	gris
73	202A	black	noir	schwarz	negro
73	203A	black	noir	schwarz	negro
73	203B	black	noir	schwarz	negro
73	203C	black	noir	schwarz	negro
73	203D	black	noir	schwarz	negro
73	N186A	black	noir	schwarz	negro
73	N186B	black	noir	schwarz	negro
73	N187A	black	noir	schwarz	negro

[Annex II to Subsection 3 follows]

ANNEX II

UPOV COLOR GROUPS ALLOCATED TO THE PREVIOUS EDITIONS OF THE RHS COLOUR CHART  
 (1986, 1995, 2001 AND 2007 EDITIONS)

UPOV Group No.	English	français	deutsch	español
1	white	blanc	weiss	blanco
2	light green	vert clair	hellgrün	verde claro
3	medium green	vertmoyen	mittel grün	verde medio
4	dark green	vert foncé	dunkelgrün	verde oscuro
5	yellow green	vert-jaune	gelbgrün	verde amarillento
6	grey green	vert-gris	graugrün	verde grisáceo
7	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
8	blue green	vert-bleu	blaugrün	verde azulado
9	brown green	vert-brun	braungrün	verde amarronado
10	light yellow	jaune clair	hellgelb	amarillo claro
11	yellow	jaune	gelb	amarillo
12	light yellow orange	orangé-jaune clair	hellgelborange	naranja amarillento claro
13	yellow orange	orangé-jaune	gelborange	naranja amarillento
14	orange	orange	orange	naranja
15	orange pink	rose-orangé	orangerosa	rosa anaranjado
16	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
17	red pink	rose-rouge	rotrosa	rosa rojizo
18	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
19	blue pink	rose-bleu	blaurosa	rosa azulado
20	orange red	rouge-orangé	orangerot	rojo anaranjado
21	red	rouge	rot	rojo
22	dark pink red	rouge-rose foncé	dunkelrosarot	rojo rosado oscuro
23	purple red	rouge-pourpre	purpurrot	rojo púrpura
24	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
25	brown red	rouge-brun	braunrot	rojo amarronado
26	brown purple	pourpre-brun	braunpurpur	púrpura amarronado
27	purple	pourpre	purpurn	púrpura
28	violet	violet	violett	violeta
29	dark violet	violet foncé	dunkelviolet	violeta oscuro
30	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
31	blue violet	violet-bleu	blauviolett	violeta azulado
32	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
33	violet blue	bleu-violet	violettblau	azul violáceo
34	light blue	bleu clair	hellblau	azul claro
35	medium blue	bleu moyen	mittelblau	azul medio
36	dark blue	bleu foncé	dunkelblau	azul oscuro
37	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
38	green blue	bleu-vert	grünblau	azul verdoso
39	grey blue	bleu-gris	graublau	azul grisáceo
40	light brown	brun clair	hellbraun	marrón claro
41	medium brown	brun moyen	mittelbraun	marrón medio
42	dark brown	brun foncé	dunkelbraun	marrón oscuro
43	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
44	yellow brown	brun-jaune	gelbbraun	marrón amarillento
45	orange brown	brun-orange	orangebraun	marrón anaranjado
46	grey brown	brun-gris	graubraun	marrón grisáceo
47	green brown	brun-vert	grünbraun	marrón verdoso
48	grey	gris	grau	gris
49	green grey	gris-vert	grüngrau	gris verdoso
50	black	noir	schwarz	negro

[Appendix I to Annex II follows]



Appendix I to Annex II:

UPOV Color Groups according to previous editions of the RHS Colour Chart Reference  
 (1986, 1995, 2001 and 2007 editions)

UPOV Group No.	No. RHS	English	français	deutsch	español
11	001A	yellow	jaune	gelb	amarillo
5	001B	yellow green	vert-jaune	gelbgrün	verde amarillento
5	001C	yellow green	vert-jaune	gelbgrün	verde amarillento
5	001D	yellow green	vert-jaune	gelbgrün	verde amarillento
11	002A	yellow	jaune	gelb	amarillo
11	002B	yellow	jaune	gelb	amarillo
5	002C	yellow green	vert-jaune	gelbgrün	verde amarillento
5	002D	yellow green	vert-jaune	gelbgrün	verde amarillento
11	003A	yellow	jaune	gelb	amarillo
11	003B	yellow	jaune	gelb	amarillo
11	003C	yellow	jaune	gelb	amarillo
5	003D	yellow green	vert-jaune	gelbgrün	verde amarillento
11	004A	yellow	jaune	gelb	amarillo
11	004B	yellow	jaune	gelb	amarillo
5	004C	yellow green	vert-jaune	gelbgrün	verde amarillento
10	004D	light yellow	jaune clair	hellgelb	amarillo claro
11	005A	yellow	jaune	gelb	amarillo
11	005B	yellow	jaune	gelb	amarillo
11	005C	yellow	jaune	gelb	amarillo
10	005D	light yellow	jaune clair	hellgelb	amarillo claro
11	006A	yellow	jaune	gelb	amarillo
11	006B	yellow	jaune	gelb	amarillo
11	006C	yellow	jaune	gelb	amarillo
10	006D	light yellow	jaune clair	hellgelb	amarillo claro
11	007A	yellow	jaune	gelb	amarillo
11	007B	yellow	jaune	gelb	amarillo
11	007C	yellow	jaune	gelb	amarillo
11	007D	yellow	jaune	gelb	amarillo
11	008A	yellow	jaune	gelb	amarillo
10	008B	light yellow	jaune clair	hellgelb	amarillo claro
10	008C	light yellow	jaune clair	hellgelb	amarillo claro
10	008D	light yellow	jaune clair	hellgelb	amarillo claro
11	009A	yellow	jaune	gelb	amarillo
11	009B	yellow	jaune	gelb	amarillo
10	009C	light yellow	jaune clair	hellgelb	amarillo claro
10	009D	light yellow	jaune clair	hellgelb	amarillo claro
10	010A	light yellow	jaune clair	hellgelb	amarillo claro
10	010B	light yellow	jaune clair	hellgelb	amarillo claro
10	010C	light yellow	jaune clair	hellgelb	amarillo claro
10	010D	light yellow	jaune clair	hellgelb	amarillo claro
13	011A	yellow orange	orangé jaune	gelborange	naranja amarillento
10	011B	light yellow	jaune clair	hellgelb	amarillo claro
10	011C	light yellow	jaune clair	hellgelb	amarillo claro
12	011D	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
11	012A	yellow	jaune	gelb	amarillo
11	012B	yellow	jaune	gelb	amarillo
10	012C	light yellow	jaune clair	hellgelb	amarillo claro
10	012D	light yellow	jaune clair	hellgelb	amarillo claro
13	013A	yellow orange	orangé jaune	gelborange	naranja amarillento
13	013B	yellow orange	orangé jaune	gelborange	naranja amarillento
13	013C	yellow orange	orangé jaune	gelborange	naranja amarillento
10	013D	light yellow	jaune clair	hellgelb	amarillo claro
13	014A	yellow orange	orangé jaune	gelborange	naranja amarillento
13	014B	yellow orange	orangé jaune	gelborange	naranja amarillento
13	014C	yellow orange	orangé jaune	gelborange	naranja amarillento
10	014D	light yellow	jaune clair	hellgelb	amarillo claro
13	015A	yellow orange	orangé jaune	gelborange	naranja amarillento
13	015B	yellow orange	orangé jaune	gelborange	naranja amarillento
13	015C	yellow orange	orangé jaune	gelborange	naranja amarillento
10	015D	light yellow	jaune clair	hellgelb	amarillo claro

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix I to Annex II  
 page 106

UPOV Group No.	No. RHS	English	français	deutsch	español
13	016A	yellow orange	orangé jaune	gelborange	naranja amarillento
13	016B	yellow orange	orangé jaune	gelborange	naranja amarillento
13	016C	yellow orange	orangé jaune	gelborange	naranja amarillento
10	016D	light yellow	jaune clair	hellgelb	amarillo claro
13	017A	yellow orange	orangé jaune	gelborange	naranja amarillento
13	017B	yellow orange	orangé jaune	gelborange	naranja amarillento
13	017C	yellow orange	orangé jaune	gelborange	naranja amarillento
13	017D	yellow orange	orangé jaune	gelborange	naranja amarillento
13	018A	yellow orange	orangé jaune	gelborange	naranja amarillento
12	018B	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
12	018C	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
12	018D	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
13	019A	yellow orange	orangé jaune	gelborange	naranja amarillento
12	019B	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
12	019C	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
12	019D	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
13	020A	yellow orange	orangé jaune	gelborange	naranja amarillento
13	020B	yellow orange	orangé jaune	gelborange	naranja amarillento
12	020C	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
12	020D	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
13	021A	yellow orange	orangé jaune	gelborange	naranja amarillento
13	021B	yellow orange	orangé jaune	gelborange	naranja amarillento
13	021C	yellow orange	orangé jaune	gelborange	naranja amarillento
12	021D	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
13	022A	yellow orange	orangé jaune	gelborange	naranja amarillento
12	022B	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
12	022C	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
12	022D	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
13	023A	yellow orange	orangé jaune	gelborange	naranja amarillento
13	023B	yellow orange	orangé jaune	gelborange	naranja amarillento
12	023C	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
12	023D	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
14	024A	orange	orange	orange	naranja
14	024B	orange	orange	orange	naranja
14	024C	orange	orange	orange	naranja
14	024D	orange	orange	orange	naranja
14	025A	orange	orange	orange	naranja
14	025B	orange	orange	orange	naranja
14	025C	orange	orange	orange	naranja
14	025D	orange	orange	orange	naranja
14	026A	orange	orange	orange	naranja
14	026B	orange	orange	orange	naranja
14	026C	orange	orange	orange	naranja
14	026D	orange	orange	orange	naranja
15	027A	orange pink	rose orangé	orangerosa	rosa anaranjado
15	027B	orange pink	rose orangé	orangerosa	rosa anaranjado
15	027C	orange pink	rose orangé	orangerosa	rosa anaranjado
15	027D	orange pink	rose orangé	orangerosa	rosa anaranjado
20	028A	orange red	rouge orangé	orangerot	rojo anaranjado
14	028B	orange	orange	orange	naranja
14	028C	orange	orange	orange	naranja
14	028D	orange	orange	orange	naranja
14	029A	orange	orange	orange	naranja
14	029B	orange	orange	orange	naranja
15	029C	orange pink	rose orangé	orangerosa	rosa anaranjado
15	029D	orange pink	rose orangé	orangerosa	rosa anaranjado
20	030A	orange red	rouge orangé	orangerot	rojo anaranjado
20	030B	orange red	rouge orangé	orangerot	rojo anaranjado
20	030C	orange red	rouge orangé	orangerot	rojo anaranjado
14	030D	orange	orange	orange	naranja
20	031A	orange red	rouge orangé	orangerot	rojo anaranjado
45	031B	orange brown	brun-orange	orangebraun	marrón anaranjado
45	031C	orange brown	brun-orange	orangebraun	marrón anaranjado
15	031D	orange pink	rose orangé	orangerosa	rosa anaranjado
20	032A	orange red	rouge orangé	orangerot	rojo anaranjado
20	032B	orange red	rouge orangé	orangerot	rojo anaranjado
45	032C	orange brown	brun-orange	orangebraun	marrón anaranjado

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix I to Annex II  
 page 107

UPOV Group No.	No. RHS	English	français	deutsch	español
15	032D	orange pink	rose orangé	orangerosa	rosa anaranjado
21	033A	red	rouge	rot	rojo
20	033B	orange red	rouge orangé	orangerot	rojo anaranjado
45	033C	orange brown	brun-orange	orangebraun	marrón anaranjado
15	033D	orange pink	rose orangé	orangerosa	rosa anaranjado
21	034A	red	rouge	rot	rojo
45	034B	orange brown	brun-orange	orangebraun	marrón anaranjado
45	034C	orange brown	brun-orange	orangebraun	marrón anaranjado
45	034D	orange brown	brun-orange	orangebraun	marrón anaranjado
45	035A	orange brown	brun-orange	orangebraun	marrón anaranjado
20	035B	orange red	rouge orangé	orangerot	rojo anaranjado
15	035C	orange pink	rose orangé	orangerosa	rosa anaranjado
16	035D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
16	036A	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
16	036B	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
16	036C	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
16	036D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
15	037A	orange pink	rose orangé	orangerosa	rosa anaranjado
15	037B	orange pink	rose orangé	orangerosa	rosa anaranjado
16	037C	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
16	037D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
16	038A	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
16	038B	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
16	038C	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
16	038D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
20	039A	orange red	rouge orangé	orangerot	rojo anaranjado
20	039B	orange red	rouge orangé	orangerot	rojo anaranjado
16	039C	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
16	039D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
21	040A	red	rouge	rot	rojo
21	040B	red	rouge	rot	rojo
20	040C	orange red	rouge orangé	orangerot	rojo anaranjado
20	040D	orange red	rouge orangé	orangerot	rojo anaranjado
21	041A	red	rouge	rot	rojo
20	041B	orange red	rouge orangé	orangerot	rojo anaranjado
20	041C	orange red	rouge orangé	orangerot	rojo anaranjado
16	041D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
21	042A	red	rouge	rot	rojo
21	042B	red	rouge	rot	rojo
21	042C	red	rouge	rot	rojo
20	042D	orange red	rouge orangé	orangerot	rojo anaranjado
21	043A	red	rouge	rot	rojo
21	043B	red	rouge	rot	rojo
17	043C	red pink	rose-rouge	rotrosa	rosa rojizo
17	043D	red pink	rose-rouge	rotrosa	rosa rojizo
21	044A	red	rouge	rot	rojo
21	044B	red	rouge	rot	rojo
21	044C	red	rouge	rot	rojo
20	044D	orange red	rouge orangé	orangerot	rojo anaranjado
21	045A	red	rouge	rot	rojo
21	045B	red	rouge	rot	rojo
21	045C	red	rouge	rot	rojo
22	045D	dark pink red	rouge-rose foncé	dunkelrosarot	rojo rosado oscuro
24	046A	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
21	046B	red	rouge	rot	rojo
21	046C	red	rouge	rot	rojo
22	046D	dark pink red	rouge-rose foncé	dunkelrosarot	rojo rosado oscuro
21	047A	red	rouge	rot	rojo
21	047B	red	rouge	rot	rojo
22	047C	dark pink red	rouge-rose foncé	dunkelrosarot	rojo rosado oscuro
17	047D	red pink	rose-rouge	rotrosa	rosa rojizo
22	048A	dark pink red	rouge-rose foncé	dunkelrosarot	rojo rosado oscuro
17	048B	red pink	rose-rouge	rotrosa	rosa rojizo
17	048C	red pink	rose-rouge	rotrosa	rosa rojizo
17	048D	red pink	rose-rouge	rotrosa	rosa rojizo
17	049A	red pink	rose-rouge	rotrosa	rosa rojizo

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix I to Annex II  
 page 108

UPOV Group No.	No. RHS	English	français	deutsch	español
16	049B	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
16	049C	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
16	049D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
21	050A	red	rouge	rot	rojo
22	050B	dark pink red	rouge-rose foncé	dunkelrosarot	rojo rosado oscuro
17	050C	red pink	rose-rouge	rotrosa	rosa rojizo
16	050D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
22	051A	dark pink red	rouge-rose foncé	dunkelrosarot	rojo rosado oscuro
22	051B	dark pink red	rouge-rose foncé	dunkelrosarot	rojo rosado oscuro
17	051C	red pink	rose-rouge	rotrosa	rosa rojizo
17	051D	red pink	rose-rouge	rotrosa	rosa rojizo
22	052A	dark pink red	rouge-rose foncé	dunkelrosarot	rojo rosado oscuro
17	052B	red pink	rose-rouge	rotrosa	rosa rojizo
17	052C	red pink	rose-rouge	rotrosa	rosa rojizo
17	052D	red pink	rose-rouge	rotrosa	rosa rojizo
24	053A	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
24	053B	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
22	053C	dark pink red	rouge-rose foncé	dunkelrosarot	rojo rosado oscuro
22	053D	dark pink red	rouge-rose foncé	dunkelrosarot	rojo rosado oscuro
23	054A	purple red	rouge pourpre	purpurrot	rojo púrpura
23	054B	purple red	rouge pourpre	purpurrot	rojo púrpura
23	054C	purple red	rouge pourpre	purpurrot	rojo púrpura
18	054D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
23	055A	purple red	rouge pourpre	purpurrot	rojo púrpura
23	055B	purple red	rouge pourpre	purpurrot	rojo púrpura
18	055C	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	055D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	056A	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	056B	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	056C	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	056D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
23	057A	purple red	rouge pourpre	purpurrot	rojo púrpura
23	057B	purple red	rouge pourpre	purpurrot	rojo púrpura
23	057C	purple red	rouge pourpre	purpurrot	rojo púrpura
23	057D	purple red	rouge pourpre	purpurrot	rojo púrpura
27	058A	purple	pourpre	purpurn	púrpura
23	058B	purple red	rouge pourpre	purpurrot	rojo púrpura
23	058C	purple red	rouge pourpre	purpurrot	rojo púrpura
23	058D	purple red	rouge pourpre	purpurrot	rojo púrpura
24	059A	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
24	059B	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
27	059C	purple	pourpre	purpurn	púrpura
23	059D	purple red	rouge pourpre	purpurrot	rojo púrpura
24	060A	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
24	060B	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
27	060C	purple	pourpre	purpurn	púrpura
23	060D	purple red	rouge pourpre	purpurrot	rojo púrpura
27	061A	purple	pourpre	purpurn	púrpura
27	061B	purple	pourpre	purpurn	púrpura
23	061C	purple red	rouge pourpre	purpurrot	rojo púrpura
23	061D	purple red	rouge pourpre	purpurrot	rojo púrpura
19	062A	blue pink	rose-bleu	blaurosa	rosa azulado
18	062B	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	062C	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	062D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
23	063A	purple red	rouge pourpre	purpurrot	rojo púrpura
19	063B	blue pink	rose-bleu	blaurosa	rosa azulado
19	063C	blue pink	rose-bleu	blaurosa	rosa azulado
18	063D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
27	064A	purple	pourpre	purpurn	púrpura
27	064B	purple	pourpre	purpurn	púrpura

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix I to Annex II  
 page 109

UPOV Group No.	No. RHS	English	français	deutsch	español
19	064C	blue pink	rose-bleu	blaurosa	rosa azulado
19	064D	blue pink	rose-bleu	blaurosa	rosa azulado
19	065A	blue pink	rose-bleu	blaurosa	rosa azulado
18	065B	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	065C	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	065D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
23	066A	purple red	rouge pourpre	purpurrot	rojo púrpura
23	066B	purple red	rouge pourpre	purpurrot	rojo púrpura
19	066C	blue pink	rose-bleu	blaurosa	rosa azulado
19	066D	blue pink	rose-bleu	blaurosa	rosa azulado
27	067A	purple	pourpre	purpurn	púrpura
19	067B	blue pink	rose-bleu	blaurosa	rosa azulado
19	067C	blue pink	rose-bleu	blaurosa	rosa azulado
19	067D	blue pink	rose-bleu	blaurosa	rosa azulado
19	068A	blue pink	rose-bleu	blaurosa	rosa azulado
19	068B	blue pink	rose-bleu	blaurosa	rosa azulado
19	068C	blue pink	rose-bleu	blaurosa	rosa azulado
18	068D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	069A	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	069B	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	069C	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
30	069D	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
27	070A	purple	pourpre	purpurn	púrpura
27	070B	purple	pourpre	purpurn	púrpura
19	070C	blue pink	rose-bleu	blaurosa	rosa azulado
18	070D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
27	071A	purple	pourpre	purpurn	púrpura
27	071B	purple	pourpre	purpurn	púrpura
27	071C	purple	pourpre	purpurn	púrpura
19	071D	blue pink	rose-bleu	blaurosa	rosa azulado
27	072A	purple	pourpre	purpurn	púrpura
27	072B	purple	pourpre	purpurn	púrpura
19	072C	blue pink	rose-bleu	blaurosa	rosa azulado
19	072D	blue pink	rose-bleu	blaurosa	rosa azulado
19	073A	blue pink	rose-bleu	blaurosa	rosa azulado
19	073B	blue pink	rose-bleu	blaurosa	rosa azulado
18	073C	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	073D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
27	074A	purple	pourpre	purpurn	púrpura
27	074B	purple	pourpre	purpurn	púrpura
27	074C	purple	pourpre	purpurn	púrpura
19	074D	blue pink	rose-bleu	blaurosa	rosa azulado
28	075A	violet	violet	violett	violeta
28	075B	violet	violet	violett	violeta
28	075C	violet	violet	violett	violeta
18	075D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
30	076A	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
30	076B	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
30	076C	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
30	076D	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
28	077A	violet	violet	violett	violeta
28	077B	violet	violet	violett	violeta
28	077C	violet	violet	violett	violeta
28	077D	violet	violet	violett	violeta
28	078A	violet	violet	violett	violeta
28	078B	violet	violet	violett	violeta
28	078C	violet	violet	violett	violeta
28	078D	violet	violet	violett	violeta
29	079A	dark violet	violet foncé	dunkelviolett	violeta oscuro
29	079B	dark violet	violet foncé	dunkelviolett	violeta oscuro
29	079C	dark violet	violet foncé	dunkelviolett	violeta oscuro
29	079D	dark violet	violet foncé	dunkelviolett	violeta oscuro
28	080A	violet	violet	violett	violeta
28	080B	violet	violet	violett	violeta
28	080C	violet	violet	violett	violeta
28	080D	violet	violet	violett	violeta
28	081A	violet	violet	violett	violeta

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
Subsection 3: Color: Appendix I to Annex II  
page 110

UPOV Group No.	No. RHS	English	français	deutsch	español
28	081B	violet	violet	violett	violeta
28	081C	violet	violet	violett	violeta
28	081D	violet	violet	violett	violeta
28	082A	violet	violet	violett	violeta
28	082B	violet	violet	violett	violeta
28	082C	violet	violet	violett	violeta
28	082D	violet	violet	violett	violeta
29	083A	dark violet	violet foncé	dunkelviolet	violeta oscuro
29	083B	dark violet	violet foncé	dunkelviolet	violeta oscuro
31	083C	blue violet	violet-bleu	blauviolett	violeta azulado
31	083D	blue violet	violet-bleu	blauviolett	violeta azulado
28	084A	violet	violet	violett	violeta
28	084B	violet	violet	violett	violeta
30	084C	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
30	084D	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
30	085A	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
30	085B	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
30	085C	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
30	085D	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
29	086A	dark violet	violet foncé	dunkelviolet	violeta oscuro
31	086B	blue violet	violet-bleu	blauviolett	violeta azulado
31	086C	blue violet	violet-bleu	blauviolett	violeta azulado
31	086D	blue violet	violet-bleu	blauviolett	violeta azulado
28	087A	violet	violet	violett	violeta
28	087B	violet	violet	violett	violeta
28	087C	violet	violet	violett	violeta
28	087D	violet	violet	violett	violeta
31	088A	blue violet	violet-bleu	blauviolett	violeta azulado
31	088B	blue violet	violet-bleu	blauviolett	violeta azulado
31	088C	blue violet	violet-bleu	blauviolett	violeta azulado
28	088D	violet	violet	violett	violeta
33	089A	violet blue	bleu-violet	violettblau	azul violáceo
33	089B	violet blue	bleu-violet	violettblau	azul violáceo
33	089C	violet blue	bleu-violet	violettblau	azul violáceo
33	089D	violet blue	bleu-violet	violettblau	azul violáceo
31	090A	blue violet	violet-bleu	blauviolett	violeta azulado
31	090B	blue violet	violet-bleu	blauviolett	violeta azulado
31	090C	blue violet	violet-bleu	blauviolett	violeta azulado
31	090D	blue violet	violet-bleu	blauviolett	violeta azulado
33	091A	violet blue	bleu-violet	violettblau	azul violáceo
32	091B	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
32	091C	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
32	091D	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
33	092A	violet blue	bleu-violet	violettblau	azul violáceo
32	092B	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
32	092C	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
32	092D	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
33	093A	violet blue	bleu-violet	violettblau	azul violáceo
33	093B	violet blue	bleu-violet	violettblau	azul violáceo
33	093C	violet blue	bleu-violet	violettblau	azul violáceo
32	093D	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
33	094A	violet blue	bleu-violet	violettblau	azul violáceo
33	094B	violet blue	bleu-violet	violettblau	azul violáceo
33	094C	violet blue	bleu-violet	violettblau	azul violáceo
32	094D	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
33	095A	violet blue	bleu-violet	violettblau	azul violáceo
33	095B	violet blue	bleu-violet	violettblau	azul violáceo
33	095C	violet blue	bleu-violet	violettblau	azul violáceo
32	095D	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
33	096A	violet blue	bleu-violet	violettblau	azul violáceo
33	096B	violet blue	bleu-violet	violettblau	azul violáceo
33	096C	violet blue	bleu-violet	violettblau	azul violáceo
33	096D	violet blue	bleu-violet	violettblau	azul violáceo
33	097A	violet blue	bleu-violet	violettblau	azul violáceo
32	097B	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
32	097C	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
32	097D	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix I to Annex II  
 page 111

UPOV Group No.	No. RHS	English	français	deutsch	español
35	098A	medium blue	bleu moyen	mittelblau	azulmedio
35	098B	medium blue	bleu moyen	mittelblau	azulmedio
35	098C	medium blue	bleu moyen	mittelblau	azul medio
35	098D	medium blue	bleu moyen	mittelblau	azul medio
36	099A	dark blue	bleu foncé	dunkelblau	azul oscuro
36	099B	dark blue	bleu foncé	dunkelblau	azul oscuro
35	099C	medium blue	bleu moyen	mittelblau	azul medio
35	099D	medium blue	bleu moyen	mittelblau	azul medio
35	100A	medium blue	bleu moyen	mittelblau	azul medio
35	100B	medium blue	bleu moyen	mittelblau	azul medio
35	100C	medium blue	bleu moyen	mittelblau	azul medio
32	100D	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
35	101A	medium blue	bleu moyen	mittelblau	azul medio
35	101B	medium blue	bleu moyen	mittelblau	azul medio
35	101C	medium blue	bleu moyen	mittelblau	azul medio
34	101D	light blue	bleu clair	hellblau	azul claro
36	102A	dark blue	bleu foncé	dunkelblau	azul oscuro
35	102B	medium blue	bleu moyen	mittelblau	azul medio
35	102C	medium blue	bleu moyen	mittelblau	azul medio
35	102D	medium blue	bleu moyen	mittelblau	azul medio
36	103A	dark blue	bleu foncé	dunkelblau	azul oscuro
36	103B	dark blue	bleu foncé	dunkelblau	azul oscuro
36	103C	dark blue	bleu foncé	dunkelblau	azul oscuro
35	103D	medium blue	bleu moyen	mittelblau	azul medio
35	104A	medium blue	bleu moyen	mittelblau	azul medio
35	104B	medium blue	bleu moyen	mittelblau	azul medio
35	104C	medium blue	bleu moyen	mittelblau	azul medio
34	104D	light blue	bleu clair	hellblau	azul claro
35	105A	medium blue	bleu moyen	mittelblau	azul medio
35	105B	medium blue	bleu moyen	mittelblau	azul medio
35	105C	medium blue	bleu moyen	mittelblau	azul medio
35	105D	medium blue	bleu moyen	mittelblau	azul medio
35	106A	medium blue	bleu moyen	mittelblau	azul medio
34	106B	light blue	bleu clair	hellblau	azul claro
34	106C	light blue	bleu clair	hellblau	azul claro
34	106D	light blue	bleu clair	hellblau	azul claro
35	107A	medium blue	bleu moyen	mittelblau	azul medio
35	107B	medium blue	bleu moyen	mittelblau	azul medio
34	107C	light blue	bleu clair	hellblau	azul claro
34	107D	light blue	bleu clair	hellblau	azul claro
34	108A	light blue	bleu clair	hellblau	azul claro
34	108B	light blue	bleu clair	hellblau	azul claro
34	108C	light blue	bleu clair	hellblau	azul claro
34	108D	light blue	bleu clair	hellblau	azul claro
35	109A	medium blue	bleu moyen	mittelblau	azul medio
35	109B	medium blue	bleu moyen	mittelblau	azul medio
35	109C	medium blue	bleu moyen	mittelblau	azul medio
34	109D	light blue	bleu clair	hellblau	azul claro
35	110A	medium blue	bleu moyen	mittelblau	azul medio
35	110B	medium blue	bleu moyen	mittelblau	azul medio
37	110C	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
37	110D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
38	111A	green blue	bleu-vert	grünblau	azul verdoso
38	111B	green blue	bleu-vert	grünblau	azul verdoso
37	111C	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
37	111D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
34	112A	light blue	bleu clair	hellblau	azul claro
34	112B	light blue	bleu clair	hellblau	azul claro
37	112C	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
37	112D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
38	113A	green blue	bleu-vert	grünblau	azul verdoso
38	113B	green blue	bleu-vert	grünblau	azul verdoso
37	113C	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
37	113D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
38	114A	green blue	bleu-vert	grünblau	azul verdoso
38	114B	green blue	bleu-vert	grünblau	azul verdoso
38	114C	green blue	bleu-vert	grünblau	azul verdoso

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
Subsection 3: Color: Appendix I to Annex II  
page 112

UPOV Group No.	No. RHS	English	français	deutsch	español
38	114D	green blue	bleu-vert	grünblau	azul verdoso
38	115A	green blue	bleu-vert	grünblau	azul verdoso
38	115B	green blue	bleu-vert	grünblau	azul verdoso
39	115C	grey blue	bleu-gris	graublau	azul grisáceo
39	115D	grey blue	bleu-gris	graublau	azul grisáceo
38	116A	green blue	bleu-vert	grünblau	azul verdoso
38	116B	green blue	bleu-vert	grünblau	azul verdoso
38	116C	green blue	bleu-vert	grünblau	azul verdoso
38	116D	green blue	bleu-vert	grünblau	azul verdoso
37	117A	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
37	117B	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
37	117C	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
37	117D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
38	118A	green blue	bleu-vert	grünblau	azul verdoso
38	118B	green blue	bleu-vert	grünblau	azul verdoso
37	118C	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
37	118D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
38	119A	green blue	bleu-vert	grünblau	azul verdoso
39	119B	grey blue	bleu-gris	graublau	azul grisáceo
39	119C	grey blue	bleu-gris	graublau	azul grisáceo
37	119D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
7	120A	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
7	120B	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
7	120C	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
37	120D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
38	121A	green blue	bleu-vert	grünblau	azul verdoso
7	121B	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
37	121C	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
37	121D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
39	122A	grey blue	bleu-gris	graublau	azul grisáceo
39	122B	grey blue	bleu-gris	graublau	azul grisáceo
39	122C	grey blue	bleu-gris	graublau	azul grisáceo
37	122D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
7	123A	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
7	123B	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
7	123C	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
7	123D	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
3	124A	medium green	vert moyen	mittel grün	verde medio
8	124B	blue green	vert-bleu	blaugrün	verde azulado
7	124C	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
7	124D	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
3	125A	medium green	vert moyen	mittel grün	verdemedio
3	125B	medium green	vert moyen	mittel grün	verde medio
8	125C	blue green	vert-bleu	blaugrün	verde azulado
8	125D	blue green	vert-bleu	blaugrün	verde azulado
6	126A	grey green	vert-gris	graugrün	verde grisáceo
6	126B	grey green	vert-gris	graugrün	verde grisáceo
6	126C	grey green	vert-gris	graugrün	verde grisáceo
8	126D	blue green	vert-bleu	blaugrün	verde azulado
6	127A	grey green	vert-gris	graugrün	verde grisáceo
3	127B	medium green	vert moyen	mittel grün	verde medio
3	127C	medium green	vert moyen	mittel grün	verde medio
8	127D	blue green	vert-bleu	blaugrün	verde azulado
3	128A	medium green	vert moyen	mittel grün	verde medio
8	128B	blue green	vert-bleu	blaugrün	verde azulado
8	128C	blue green	vert-bleu	blaugrün	verde azulado
8	128D	blue green	vert-bleu	blaugrün	verde azulado
3	129A	medium green	vert moyen	mittel grün	verde medio
8	129B	blue green	vert-bleu	blaugrün	verde azulado
8	129C	blue green	vert-bleu	blaugrün	verde azulado
8	129D	blue green	vert-bleu	blaugrün	verde azulado
3	130A	medium green	vert moyen	mittel grün	verde medio
3	130B	medium green	vert moyen	mittel grün	verde medio
8	130C	blue green	vert-bleu	blaugrün	verde azulado
8	130D	blue green	vert-bleu	blaugrün	verde azulado
4	131A	dark green	vert foncé	dunkelgrün	verde oscuro
4	131B	dark green	vert foncé	dunkelgrün	verde oscuro



TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix I to Annex II  
 page 113

UPOV Group No.	No. RHS	English	français	deutsch	español
4	131C	dark green	vert foncé	dunkelgrün	verde oscuro
3	131D	medium green	vert moyen	mittel grün	verde medio
4	132A	dark green	vert foncé	dunkelgrün	verde oscuro
4	132B	dark green	vert foncé	dunkelgrün	verde oscuro
3	132C	medium green	vert moyen	mittel grün	verde medio
3	132D	medium green	vert moyen	mittel grün	verde medio
4	133A	dark green	vert foncé	dunkelgrün	verde oscuro
6	133B	grey green	vert-gris	graugrün	verde grisáceo
6	133C	grey green	vert-gris	graugrün	verde grisáceo
6	133D	grey green	vert-gris	graugrün	verde grisáceo
3	134A	medium green	vert moyen	mittel grün	verde medio
3	134B	medium green	vert moyen	mittel grün	verde medio
3	134C	medium green	vert moyen	mittel grün	verde medio
2	134D	light green	vert clair	hellgrün	verde claro
4	135A	dark green	vert foncé	dunkelgrün	verde oscuro
4	135B	dark green	vert foncé	dunkelgrün	verde oscuro
3	135C	medium green	vert moyen	mittel grün	verde medio
2	135D	light green	vert clair	hellgrün	verde claro
4	136A	dark green	vert foncé	dunkelgrün	verde oscuro
4	136B	dark green	vert foncé	dunkelgrün	verde oscuro
9	136C	brown green	vert-brun	braungrün	verde amarronado
2	136D	light green	vert clair	hellgrün	verde claro
9	137A	brown green	vert-brun	braungrün	verde amarronado
9	137B	brown green	vert-brun	braungrün	verde amarronado
9	137C	brown green	vert-brun	braungrün	verde amarronado
9	137D	brown green	vert-brun	braungrün	verde amarronado
9	138A	brown green	vert-brun	braungrün	verde amarronado
9	138B	brown green	vert-brun	braungrün	verde amarronado
2	138C	light green	vert clair	hellgrün	verde claro
2	138D	light green	vert clair	hellgrün	verde claro
4	139A	dark green	vert foncé	dunkelgrün	verde oscuro
9	139B	brown green	vert-brun	braungrün	verde amarronado
9	139C	brown green	vert-brun	braungrün	verde amarronado
2	139D	light green	vert clair	hellgrün	verde claro
3	140A	medium green	vert moyen	mittel grün	verde medio
3	140B	medium green	vert moyen	mittel grün	verde medio
2	140C	light green	vert clair	hellgrün	verde claro
2	140D	light green	vert clair	hellgrün	verde claro
4	141A	dark green	vert foncé	dunkelgrün	verde oscuro
4	141B	dark green	vert foncé	dunkelgrün	verde oscuro
4	141C	dark green	vert foncé	dunkelgrün	verde oscuro
2	141D	light green	vert clair	hellgrün	verde claro
3	142A	medium green	vert moyen	mittel grün	verde medio
2	142B	light green	vert clair	hellgrün	verde claro
2	142C	light green	vert clair	hellgrün	verde claro
2	142D	light green	vert clair	hellgrün	verde claro
4	143A	dark green	vert foncé	dunkelgrün	verde oscuro
4	143B	dark green	vert foncé	dunkelgrün	verde oscuro
4	143C	dark green	vert foncé	dunkelgrün	verde oscuro
2	143D	light green	vert clair	hellgrün	verde claro
4	144A	dark green	vert foncé	dunkelgrün	verde oscuro
2	144B	light green	vert clair	hellgrün	verde claro
2	144C	light green	vert clair	hellgrün	verde claro
2	144D	light green	vert clair	hellgrün	verde claro
2	145A	light green	vert clair	hellgrün	verde claro
2	145B	light green	vert clair	hellgrün	verde claro
2	145C	light green	vert clair	hellgrün	verde claro
2	145D	light green	vert clair	hellgrün	verde claro
9	146A	brown green	vert-brun	braungrün	verde amarronado
9	146B	brown green	vert-brun	braungrün	verde amarronado
9	146C	brown green	vert-brun	braungrün	verde amarronado
9	146D	brown green	vert-brun	braungrün	verde amarronado
9	147A	brown green	vert-brun	braungrün	verde amarronado
9	147B	brown green	vert-brun	braungrün	verde amarronado
9	147C	brown green	vert-brun	braungrün	verde amarronado
9	147D	brown green	vert-brun	braungrün	verde amarronado
9	148A	brown green	vert-brun	braungrün	verde amarronado

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix I to Annex II  
 page 114

UPOV Group No.	No. RHS	English	français	deutsch	español
9	148B	brown green	vert-brun	braungrün	verde amarronado
9	148C	brown green	vert-brun	braungrün	verde amarronado
9	148D	brown green	vert-brun	braungrün	verde amarronado
5	149A	yellow green	vert-jaune	gelbgrün	verde amarillento
2	149B	light green	vert clair	hellgrün	verde claro
2	149C	light green	vert clair	hellgrün	verde claro
2	149D	light green	vert clair	hellgrün	verde claro
5	150A	yellow green	vert-jaune	gelbgrün	verde amarillento
5	150B	yellow green	vert-jaune	gelbgrün	verde amarillento
5	150C	yellow green	vert-jaune	gelbgrün	verde amarillento
5	150D	yellow green	vert-jaune	gelbgrün	verde amarillento
47	151A	green brown	brun-vert	grünbraun	marrón verdoso
47	151B	green brown	brun-vert	grünbraun	marrón verdoso
47	151C	green brown	brun-vert	grünbraun	marrón verdoso
47	151D	green brown	brun-vert	grünbraun	marrón verdoso
47	152A	green brown	brun-vert	grünbraun	marrón verdoso
47	152B	green brown	brun-vert	grünbraun	marrón verdoso
47	152C	green brown	brun-vert	grünbraun	marrón verdoso
47	152D	green brown	brun-vert	grünbraun	marrón verdoso
47	153A	green brown	brun-vert	grünbraun	marrón verdoso
47	153B	green brown	brun-vert	grünbraun	marrón verdoso
47	153C	green brown	brun-vert	grünbraun	marrón verdoso
47	153D	green brown	brun-vert	grünbraun	marrón verdoso
5	154A	yellow green	vert-jaune	gelbgrün	verde amarillento
5	154B	yellow green	vert-jaune	gelbgrün	verde amarillento
5	154C	yellow green	vert-jaune	gelbgrün	verde amarillento
5	154D	yellow green	vert-jaune	gelbgrün	verde amarillento
1	155A	white	blanc	weiss	blanco
1	155B	white	blanc	weiss	blanco
1	155C	white	blanc	weiss	blanco
1	155D	white	blanc	weiss	blanco
48	156A	grey	gris	grau	gris
48	156B	grey	gris	grau	gris
48	156C	grey	gris	grau	gris
48	156D	grey	gris	grau	gris
48	157A	grey	gris	grau	gris
48	157B	grey	gris	grau	gris
48	157C	grey	gris	grau	gris
1	157D	white	blanc	weiss	blanco
43	158A	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	158B	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	158C	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	158D	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	159A	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	159B	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	159C	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	159D	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	160A	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	160B	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	160C	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	160D	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	161A	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	161B	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	161C	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	161D	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	162A	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	162B	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	162C	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	162D	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
44	163A	yellow brown	brun-jaune	gelbbraun	marrón amarillento
43	163B	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	163C	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	163D	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
44	164A	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	164B	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	164C	yellow brown	brun-jaune	gelbbraun	marrón amarillento
43	164D	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix I to Annex II  
 page 115

UPOV Group No.	No. RHS	English	français	deutsch	español
41	165A	medium brown	brun moyen	mittelbraun	marrón medio
44	165B	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	165C	yellow brown	brun-jaune	gelbbraun	marrón amarillento
43	165D	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
41	166A	medium brown	brun moyen	mittelbraun	marrón medio
41	166B	medium brown	brun moyen	mittelbraun	marrón medio
40	166C	light brown	brun clair	hellbraun	marrón claro
40	166D	light brown	brun clair	hellbraun	marrón claro
44	167A	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	167B	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	167C	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	167D	yellow brown	brun-jaune	gelbbraun	marrón amarillento
45	168A	orange brown	brun-orange	orangebraun	marrón anaranjado
45	168B	orange brown	brun-orange	orangebraun	marrón anaranjado
44	168C	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	168D	yellow brown	brun-jaune	gelbbraun	marrón amarillento
45	169A	orange brown	brun-orange	orangebraun	marrón anaranjado
45	169B	orange brown	brun-orange	orangebraun	marrón anaranjado
45	169C	orange brown	brun-orange	orangebraun	marrón anaranjado
45	169D	orange brown	brun-orange	orangebraun	marrón anaranjado
45	170A	orange brown	brun-orange	orangebraun	marrón anaranjado
45	170B	orange brown	brun-orange	orangebraun	marrón anaranjado
45	170C	orange brown	brun-orange	orangebraun	marrón anaranjado
45	170D	orange brown	brun-orange	orangebraun	marrón anaranjado
41	171A	medium brown	brun moyen	mittelbraun	marrón medio
45	171B	orange brown	brun-orange	orangebraun	marrón anaranjado
45	171C	orange brown	brun-orange	orangebraun	marrón anaranjado
45	171D	orange brown	brun-orange	orangebraun	marrón anaranjado
41	172A	medium brown	brun moyen	mittelbraun	marrón medio
41	172B	medium brown	brun moyen	mittelbraun	marrón medio
45	172C	orange brown	brun-orange	orangebraun	marrón anaranjado
45	172D	orange brown	brun-orange	orangebraun	marrón anaranjado
41	173A	medium brown	brun moyen	mittelbraun	marrón medio
45	173B	orange brown	brun-orange	orangebraun	marrón anaranjado
40	173C	light brown	brun clair	hellbraun	marrón claro
40	173D	light brown	brun clair	hellbraun	marrón claro
41	174A	medium brown	brun moyen	mittelbraun	marrón medio
40	174B	light brown	brun clair	hellbraun	marrón claro
40	174C	light brown	brun clair	hellbraun	marrón claro
40	174D	light brown	brun clair	hellbraun	marrón claro
41	175A	medium brown	brun moyen	mittelbraun	marrón medio
41	175B	medium brown	brun moyen	mittelbraun	marrón medio
41	175C	medium brown	brun moyen	mittelbraun	marrón medio
41	175D	medium brown	brun moyen	mittelbraun	marrón medio
41	176A	medium brown	brun moyen	mittelbraun	marrón medio
41	176B	medium brown	brun moyen	mittelbraun	marrón medio
41	176C	medium brown	brun moyen	mittelbraun	marrón medio
40	176D	light brown	brun clair	hellbraun	marrón claro
41	177A	medium brown	brun moyen	mittelbraun	marrón medio
41	177B	medium brown	brun moyen	mittelbraun	marrón medio
40	177C	light brown	brun clair	hellbraun	marrón claro
40	177D	light brown	brun clair	hellbraun	marrón claro
26	178A	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	178B	brown purple	pourpre brun	braunpurpur	púrpura amarronado
25	178C	brown red	rouge-brun	braunrot	rojo amarronado
25	178D	brown red	rouge-brun	braunrot	rojo amarronado
25	179A	brown red	rouge-brun	braunrot	rojo amarronado
25	179B	brown red	rouge-brun	braunrot	rojo amarronado
45	179C	orange brown	brun-orange	orangebraun	marrón anaranjado
15	179D	orange pink	rose orangé	orangerosa	rosa anaranjado
25	180A	brown red	rouge-brun	braunrot	rojo amarronado
25	180B	brown red	rouge-brun	braunrot	rojo amarronado
25	180C	brown red	rouge-brun	braunrot	rojo amarronado
25	180D	brown red	rouge-brun	braunrot	rojo amarronado
25	181A	brown red	rouge-brun	braunrot	rojo amarronado
25	181B	brown red	rouge-brun	braunrot	rojo amarronado
25	181C	brown red	rouge-brun	braunrot	rojo amarronado

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
Subsection 3: Color: Appendix I to Annex II  
page 116

UPOV Group No.	No. RHS	English	français	deutsch	español
25	181D	brown red	rouge-brun	braunrot	rojo amarronado
25	182A	brown red	rouge-brun	braunrot	rojo amarronado
25	182B	brown red	rouge-brun	braunrot	rojo amarronado
25	182C	brown red	rouge-brun	braunrot	rojo amarronado
25	182D	brown red	rouge-brun	braunrot	rojo amarronado
26	183A	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	183B	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	183C	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	183D	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	184A	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	184B	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	184C	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	184D	brown purple	pourpre brun	braunpurpur	púrpura amarronado
24	185A	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
26	185B	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	185C	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	185D	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	186A	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	186B	brown purple	pourpre brun	braunpurpur	púrpura amarronado
19	186C	blue pink	rose-bleu	blaurosa	rosa azulado
19	186D	blue pink	rose-bleu	blaurosa	rosa azulado
26	187A	brown purple	pourpre brun	braunpurpur	púrpura amarronado
24	187B	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
24	187C	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
24	187D	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
49	188A	green grey	gris-vert	grüngrau	gris verdoso
49	188B	green grey	gris-vert	grüngrau	gris verdoso
49	188C	green grey	gris-vert	grüngrau	gris verdoso
49	188D	green grey	gris-vert	grüngrau	gris verdoso
9	189A	brown green	vert-brun	braungrün	verde amarronado
49	189B	green grey	gris-vert	grüngrau	gris verdoso
49	189C	green grey	gris-vert	grüngrau	gris verdoso
49	189D	green grey	gris-vert	grüngrau	gris verdoso
49	190A	green grey	gris-vert	grüngrau	gris verdoso
49	190B	green grey	gris-vert	grüngrau	gris verdoso
49	190C	green grey	gris-vert	grüngrau	gris verdoso
49	190D	green grey	gris-vert	grüngrau	gris verdoso
9	191A	brown green	vert-brun	braungrün	verde amarronado
9	191B	brown green	vert-brun	braungrün	verde amarronado
49	191C	green grey	gris-vert	grüngrau	gris verdoso
49	191D	green grey	gris-vert	grüngrau	gris verdoso
49	192A	green grey	gris-vert	grüngrau	gris verdoso
49	192B	green grey	gris-vert	grüngrau	gris verdoso
49	192C	green grey	gris-vert	grüngrau	gris verdoso
49	192D	green grey	gris-vert	grüngrau	gris verdoso
9	193A	brown green	vert-brun	braungrün	verde amarronado
9	193B	brown green	vert-brun	braungrün	verde amarronado
49	193C	green grey	gris-vert	grüngrau	gris verdoso
49	193D	green grey	gris-vert	grüngrau	gris verdoso
9	194A	brown green	vert-brun	braungrün	verde amarronado
9	194B	brown green	vert-brun	braungrün	verde amarronado
9	194C	brown green	vert-brun	braungrün	verde amarronado
48	194D	grey	gris	grau	gris
48	195A	grey	gris	grau	gris
48	195B	grey	gris	grau	gris
48	195C	grey	gris	grau	gris
48	195D	grey	gris	grau	gris
48	196A	grey	gris	grau	gris
48	196B	grey	gris	grau	gris
48	196C	grey	gris	grau	gris
48	196D	grey	gris	grau	gris
48	197A	grey	gris	grau	gris
48	197B	grey	gris	grau	gris

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix I to Annex II  
 page 117

UPOV Group No.	No. RHS	English	français	deutsch	español
48	197C	grey	gris	grau	gris
48	197D	grey	gris	grau	gris
48	198A	grey	gris	grau	gris
48	198B	grey	gris	grau	gris
48	198C	grey	gris	grau	gris
48	198D	grey	gris	grau	gris
46	199A	grey brown	brun-gris	graubraun	marrón grisáceo
46	199B	grey brown	brun-gris	graubraun	marrón grisáceo
46	199C	grey brown	brun-gris	graubraun	marrón grisáceo
46	199D	grey brown	brun-gris	graubraun	marrón grisáceo
42	200A	dark brown	brun foncé	dunkelbraun	marrón oscuro
42	200B	dark brown	brun foncé	dunkelbraun	marrón oscuro
42	200C	dark brown	brun foncé	dunkelbraun	marrón oscuro
41	200D	medium brown	brun moyen	mittelbraun	marrón medio
48	201A	grey	gris	grau	gris
48	201B	grey	gris	grau	gris
48	201C	grey	gris	grau	gris
48	201D	grey	gris	grau	gris
50	202A	black	noir	schwarz	negro
48	202B	grey	gris	grau	gris
48	202C	grey	gris	grau	gris
48	202D	grey	gris	grau	gris
50	203 A	black	noir	schwarz	negro
50	203 B	black	noir	schwarz	negro
50	203 C	black	noir	schwarz	negro
50	203 D	black	noir	schwarz	negro
20	N 025A	orange red	rouge orangé	orangerot	rojo anaranjado
14	N 025B	orange	orange	orange	naranja
14	N 025C	orange	orange	orange	naranja
13	N 025D	yellow orange	orangé jaune	gelborange	naranja amarillento
21	N 030A	red	rouge	rot	rojo
20	N 030B	orange red	rouge orangé	orangerot	rojo anaranjado
20	N 030C	orange red	rouge orangé	orangerot	rojo anaranjado
14	N 030D	orange	orange	orange	naranja
24	N 034A	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
21	N 034B	red	rouge	rot	rojo
22	N 034C	dark pink red	rouge-rose foncé	dunkelrosarot	rojo rosado oscuro
45	N 034D	orange brown	brun-orange	orangebraun	marrón anaranjado
23	N 057A	purple red	rouge pourpre	purpurrot	rojo púrpura
23	N 057B	purple red	rouge pourpre	purpurrot	rojo púrpura
23	N 057C	purple red	rouge pourpre	purpurrot	rojo púrpura
23	N 057D	purple red	rouge pourpre	purpurrot	rojo púrpura
23	N 066A	purple red	rouge pourpre	purpurrot	rojo púrpura
23	N 066B	purple red	rouge pourpre	purpurrot	rojo púrpura
19	N 066C	blue pink	rose-bleu	blaurosa	rosa azulado
19	N 066D	blue pink	rose-bleu	blaurosa	rosa azulado
27	N 074A	purple	pourpre	purpurn	púrpura
27	N 074B	purple	pourpre	purpurn	púrpura
19	N 074C	blue pink	rose-bleu	blaurosa	rosa azulado
19	N 074D	blue pink	rose-bleu	blaurosa	rosa azulado
26	N 077A	brown purple	pourpre brun	braunpurpur	púrpura amarronado
28	N 077B	violet	violet	violett	violeta
29	N 077C	dark violet	violet foncé	dunkelviolet	violeta oscuro
28	N 077D	violet	violet	violett	violeta
28	N 078A	violet	violet	violett	violeta
28	N 078B	violet	violet	violett	violeta
28	N 078C	violet	violet	violett	violeta
28	N 078D	violet	violet	violett	violeta
29	N 079A	dark violet	violet foncé	dunkelviolet	violeta oscuro
29	N 079B	dark violet	violet foncé	dunkelviolet	violeta oscuro
27	N 079C	purple	pourpre	purpurn	púrpura
28	N 079D	violet	violet	violett	violeta
28	N 080A	violet	violet	violett	violeta
28	N 080B	violet	violet	violett	violeta
28	N 080C	violet	violet	violett	violeta
28	N 080D	violet	violet	violett	violeta

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
Subsection 3: Color: Appendix I to Annex II  
page 118

UPOV Group No.	No. RHS	English	français	deutsch	español
28	N 081A	violet	violet	violett	violeta
28	N 081B	violet	violet	violett	violeta
28	N 081C	violet	violet	violett	violeta
28	N 081D	violet	violet	violett	violeta
28	N 082A	violet	violet	violett	violeta
31	N 082B	blue violet	violet-bleu	blauviolett	violeta azulado
31	N 082C	blue violet	violet-bleu	blauviolett	violeta azulado
31	N 082D	blue violet	violet-bleu	blauviolett	violeta azulado
31	N 087A	blue violet	violet-bleu	blauviolett	violeta azulado
31	N 087B	blue violet	violet-bleu	blauviolett	violeta azulado
31	N 087C	blue violet	violet-bleu	blauviolett	violeta azulado
31	N 087D	blue violet	violet-bleu	blauviolett	violeta azulado
31	N 088A	blue violet	violet-bleu	blauviolett	violeta azulado
31	N 088B	blue violet	violet-bleu	blauviolett	violeta azulado
31	N 088C	blue violet	violet-bleu	blauviolett	violeta azulado
31	N 088D	blue violet	violet-bleu	blauviolett	violeta azulado
33	N 089A	violet blue	bleu-violet	violettblau	azul violáceo
33	N 089B	violet blue	bleu-violet	violettblau	azul violáceo
31	N 089C	blue violet	violet-bleu	blauviolett	violeta azulado
31	N 089D	blue violet	violet-bleu	blauviolett	violeta azulado
29	N 092A	dark violet	violet foncé	dunkelviolett	violeta oscuro
33	N 092B	violet blue	bleu-violet	violettblau	azul violáceo
33	N 092C	violet blue	bleu-violet	violettblau	azul violáceo
29	N 092D	dark violet	violet foncé	dunkelviolett	violeta oscuro
35	N 109A	medium blue	bleu moyen	mittelblau	azul medio
35	N 109B	medium blue	bleu moyen	mittelblau	azul medio
35	N 109C	medium blue	bleu moyen	mittelblau	azul medio
34	N 109D	light blue	bleu clair	hellblau	azul claro
4	N 134A	dark green	vert foncé	dunkelgrün	verde oscuro
4	N 134B	dark green	vert foncé	dunekgrün	verde oscuro
3	N 134C	medium green	vert moyen	mittel grün	verde medio
3	N 134D	medium green	vert moyen	mittel grün	verde medio
9	N 137A	brown green	vert-brun	braungrün	verde amarronado
9	N 137B	brown green	vert-brun	braungrün	verde amarronado
9	N 137C	brown green	vert-brun	braungrün	verde amarronado
9	N 137D	brown green	vert-brun	braungrün	verde amarronado
4	N 138A	dark green	vert foncé	dunkelgrün	verde oscuro
9	N 138B	brown green	vert-brun	braungrün	verde amarronado
9	N 138C	brown green	vert-brun	braungrün	verde amarronado
9	N 138D	brown green	vert-brun	braungrün	verde amarronado
2	N 144A	light green	vert clair	hellgrün	verde claro
2	N 144B	light green	vert clair	hellgrün	verde claro
2	N 144C	light green	vert clair	hellgrün	verde claro
2	N 144D	light green	vert clair	hellgrün	verde claro
1	N 155A	white	blanc	weiss	blanco
1	N 155B	white	blanc	weiss	blanco
1	N 155C	white	blanc	weiss	blanco
1	N 155D	white	blanc	weiss	blanco
45	N 163A	orange brown	brun-orange	orangebraun	marrón anaranjado
45	N 163B	orange brown	brun-orange	orangebraun	marrón anaranjado
44	N 163C	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	N 163D	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	N 167A	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	N 167B	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	N 167C	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	N 167D	yellow brown	brun-jaune	gelbbraun	marrón amarillento
40	N 170A	light brown	brun clair	hellbraun	marrón claro
40	N 170B	light brown	brun clair	hellbraun	marrón claro
40	N 170C	light brown	brun clair	hellbraun	marrón claro
45	N 170D	orange brown	brun-orange	orangebraun	marrón anaranjado
45	N 172A	orange brown	brun-orange	orangebraun	marrón anaranjado
45	N 172B	orange brown	brun-orange	orangebraun	marrón anaranjado
45	N 172C	orange brown	brun-orange	orangebraun	marrón anaranjado
44	N 172D	yellow brown	brun-jaune	gelbbraun	marrón amarillento
50	N 186A	black	noir	schwarz	negro
50	N 186B	black	noir	schwarz	negro
26	N 186C	brown purple	pourpre brun	braunpurpur	púrpura amarronado

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
Subsection 3: Color: Appendix I to Annex II  
page 119

UPOV Group No.	No. RHS	English	français	deutsch	español
26	N 186D	brown purple	pourpre brun	braunpurpur	púrpura amarronado
50	N 187A	black	noir	schwarz	negro
48	N 187B	grey	gris	grau	gris
48	N 187C	grey	gris	grau	gris
48	N 187D	grey	gris	grau	gris
49	N 189A	green grey	gris-vert	grüngrau	gris verdoso
49	N 189B	green grey	gris-vert	grüngrau	gris verdoso
49	N 189C	green grey	gris-vert	grüngrau	gris verdoso
49	N 189D	green grey	gris-vert	grüngrau	gris verdoso
46	N 199A	grey brown	brun-gris	graubraun	marrón grisáceo
42	N 199B	dark brown	brun foncé	dunkelbraun	marrón oscuro
46	N 199C	grey brown	brun-gris	graubraun	marrón grisáceo
46	N 199D	grey brown	brun-gris	graubraun	marrón grisáceo
42	N 200A	dark brown	brun foncé	dunkelbraun	marrón oscuro
48	N 200B	grey	gris	grau	gris
48	N 200C	grey	gris	grau	gris
48	N 200D	grey	gris	grau	gris
1	NN 155A	white	blanc	weiss	blanco
1	NN 155B	white	blanc	weiss	blanco
1	NN 155C	white	blanc	weiss	blanco
1	NN 155D	white	blanc	weiss	blanco

[Appendix II to Annex II follows]

Appendix II to Annex II:

RHS Colors contained in each UPOV Color Group  
(1986, 1995, 2001 and 2007 editions of the RHS Colour Chart)

UPOV Group No.	No. RHS	English	français	deutsch	español
1	155A	white	blanc	weiss	blanco
1	155B	white	blanc	weiss	blanco
1	155C	white	blanc	weiss	blanco
1	155D	white	blanc	weiss	blanco
1	N 155A	white	blanc	weiss	blanco
1	N 155B	white	blanc	weiss	blanco
1	N 155C	white	blanc	weiss	blanco
1	N 155D	white	blanc	weiss	blanco
1	NN 155A	white	blanc	weiss	blanco
1	NN 155B	white	blanc	weiss	blanco
1	NN 155C	white	blanc	weiss	blanco
1	NN 155D	white	blanc	weiss	blanco
1	157D	white	blanc	weiss	blanco
2	134D	light green	vert clair	hellgrün	verde claro
2	135D	light green	vert clair	hellgrün	verde claro
2	136D	light green	vert clair	hellgrün	verde claro
2	138C	light green	vert clair	hellgrün	verde claro
2	138D	light green	vert clair	hellgrün	verde claro
2	139D	light green	vert clair	hellgrün	verde claro
2	140C	light green	vert clair	hellgrün	verde claro
2	140D	light green	vert clair	hellgrün	verde claro
2	141D	light green	vert clair	hellgrün	verde claro
2	142B	light green	vert clair	hellgrün	verde claro
2	142C	light green	vert clair	hellgrün	verde claro
2	142D	light green	vert clair	hellgrün	verde claro
2	143D	light green	vert clair	hellgrün	verde claro
2	144B	light green	vert clair	hellgrün	verde claro
2	144C	light green	vert clair	hellgrün	verde claro
2	144D	light green	vert clair	hellgrün	verde claro
2	N 144A	light green	vert clair	hellgrün	verde claro
2	N 144B	light green	vert clair	hellgrün	verde claro
2	N 144C	light green	vert clair	hellgrün	verde claro
2	N 144D	light green	vert clair	hellgrün	verde claro
2	145A	light green	vert clair	hellgrün	verde claro
2	145B	light green	vert clair	hellgrün	verde claro
2	145C	light green	vert clair	hellgrün	verde claro
2	145D	light green	vert clair	hellgrün	verde claro
2	149B	light green	vert clair	hellgrün	verde claro
2	149C	light green	vert clair	hellgrün	verde claro
2	149D	light green	vert clair	hellgrün	verde claro
3	124A	medium green	vert moyen	mittel grün	verde medio
3	125A	medium green	vert moyen	mittel grün	verdemedio
3	125B	medium green	vert moyen	mittel grün	verde medio
3	127B	medium green	vert moyen	mittel grün	verde medio
3	127C	medium green	vert moyen	mittel grün	verde medio
3	128A	medium green	vert moyen	mittel grün	verde medio
3	129A	medium green	vert moyen	mittel grün	verde medio
3	130A	medium green	vert moyen	mittel grün	verde medio
3	130B	medium green	vert moyen	mittel grün	verde medio
3	131D	medium green	vert moyen	mittel grün	verde medio
3	132C	medium green	vert moyen	mittel grün	verde medio
3	132D	medium green	vert moyen	mittel grün	verde medio
3	134A	medium green	vert moyen	mittel grün	verde medio
3	134B	medium green	vert moyen	mittel grün	verde medio
3	134C	medium green	vert moyen	mittel grün	verde medio
3	N 134C	medium green	vert moyen	mittel grün	verde medio
3	N 134D	medium green	vert moyen	mittel grün	verde medio
3	135C	medium green	vert moyen	mittel grün	verde medio
3	140A	medium green	vert moyen	mittel grün	verde medio
3	140B	medium green	vert moyen	mittel grün	verde medio



TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix II to Annex II  
 page 121

UPOV Group No.	No. RHS	English	français	deutsch	español
3	142A	medium green	vert moyen	mittel grün	verde medio
4	131A	dark green	vert foncé	dunkelgrün	verde oscuro
4	131B	dark green	vert foncé	dunkelgrün	verde oscuro
4	131C	dark green	vert foncé	dunkelgrün	verde oscuro
4	132A	dark green	vert foncé	dunkelgrün	verde oscuro
4	132B	dark green	vert foncé	dunkelgrün	verde oscuro
4	133A	dark green	vert foncé	dunkelgrün	verde oscuro
4	N 134A	dark green	vert foncé	dunkelgrün	verde oscuro
4	N 134B	dark green	vert foncé	dunekgrün	verde oscuro
4	135A	dark green	vert foncé	dunkelgrün	verde oscuro
4	135B	dark green	vert foncé	dunkelgrün	verde oscuro
4	136A	dark green	vert foncé	dunkelgrün	verde oscuro
4	136B	dark green	vert foncé	dunkelgrün	verde oscuro
4	N 138A	dark green	vert foncé	dunkelgrün	verde oscuro
4	139A	dark green	vert foncé	dunkelgrün	verde oscuro
4	141A	dark green	vert foncé	dunkelgrün	verde oscuro
4	141B	dark green	vert foncé	dunkelgrün	verde oscuro
4	141C	dark green	vert foncé	dunkelgrün	verde oscuro
4	143A	dark green	vert foncé	dunkelgrün	verde oscuro
4	143B	dark green	vert foncé	dunkelgrün	verde oscuro
4	143C	dark green	vert foncé	dunkelgrün	verde oscuro
4	144A	dark green	vert foncé	dunkelgrün	verde oscuro
5	001B	yellow green	vert-jaune	gelbgrün	verde amarillento
5	001C	yellow green	vert-jaune	gelbgrün	verde amarillento
5	001D	yellow green	vert-jaune	gelbgrün	verde amarillento
5	002C	yellow green	vert-jaune	gelbgrün	verde amarillento
5	002D	yellow green	vert-jaune	gelbgrün	verde amarillento
5	003D	yellow green	vert-jaune	gelbgrün	verde amarillento
5	004C	yellow green	vert-jaune	gelbgrün	verde amarillento
5	149A	yellow green	vert-jaune	gelbgrün	verde amarillento
5	150A	yellow green	vert-jaune	gelbgrün	verde amarillento
5	150B	yellow green	vert-jaune	gelbgrün	verde amarillento
5	150C	yellow green	vert-jaune	gelbgrün	verde amarillento
5	150D	yellow green	vert-jaune	gelbgrün	verde amarillento
5	154A	yellow green	vert-jaune	gelbgrün	verde amarillento
5	154B	yellow green	vert-jaune	gelbgrün	verde amarillento
5	154C	yellow green	vert-jaune	gelbgrün	verde amarillento
5	154D	yellow green	vert-jaune	gelbgrün	verde amarillento
6	126A	grey green	vert-gris	graugrün	verde grisáceo
6	126B	grey green	vert-gris	graugrün	verde grisáceo
6	126C	grey green	vert-gris	graugrün	verde grisáceo
6	127A	grey green	vert-gris	graugrün	verde grisáceo
6	133B	grey green	vert-gris	graugrün	verde grisáceo
6	133C	grey green	vert-gris	graugrün	verde grisáceo
6	133D	grey green	vert-gris	graugrün	verde grisáceo
7	120A	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
7	120B	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
7	120C	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
7	121B	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
7	123A	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
7	123B	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
7	123C	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
7	123D	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
7	124C	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
7	124D	light blue green	vert-bleu clair	hellblaugrün	verde azulado claro
8	124B	blue green	vert-bleu	blaugrün	verde azulado
8	125C	blue green	vert-bleu	blaugrün	verde azulado
8	125D	blue green	vert-bleu	blaugrün	verde azulado
8	126D	blue green	vert-bleu	blaugrün	verde azulado
8	127D	blue green	vert-bleu	blaugrün	verde azulado
8	128B	blue green	vert-bleu	blaugrün	verde azulado
8	128C	blue green	vert-bleu	blaugrün	verde azulado
8	128D	blue green	vert-bleu	blaugrün	verde azulado
8	129B	blue green	vert-bleu	blaugrün	verde azulado
8	129C	blue green	vert-bleu	blaugrün	verde azulado
8	129D	blue green	vert-bleu	blaugrün	verde azulado
8	130C	blue green	vert-bleu	blaugrün	verde azulado

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix II to Annex II  
 page 122

UPOV Group No.	No. RHS	English	français	deutsch	español
8	130D	blue green	vert-bleu	blaugrün	verde azulado
9	136C	brown green	vert-brun	braungrün	verde amarronado
9	137A	brown green	vert-brun	braungrün	verde amarronado
9	137B	brown green	vert-brun	braungrün	verde amarronado
9	137C	brown green	vert-brun	braungrün	verde amarronado
9	137D	brown green	vert-brun	braungrün	verde amarronado
9	N 137A	brown green	vert-brun	braungrün	verde amarronado
9	N 137B	brown green	vert-brun	braungrün	verde amarronado
9	N 137C	brown green	vert-brun	braungrün	verde amarronado
9	N 137D	brown green	vert-brun	braungrün	verde amarronado
9	138A	brown green	vert-brun	braungrün	verde amarronado
9	138B	brown green	vert-brun	braungrün	verde amarronado
9	N 138B	brown green	vert-brun	braungrün	verde amarronado
9	N 138C	brown green	vert-brun	braungrün	verde amarronado
9	N 138D	brown green	vert-brun	braungrün	verde amarronado
9	139B	brown green	vert-brun	braungrün	verde amarronado
9	139C	brown green	vert-brun	braungrün	verde amarronado
9	146A	brown green	vert-brun	braungrün	verde amarronado
9	146B	brown green	vert-brun	braungrün	verde amarronado
9	146C	brown green	vert-brun	braungrün	verde amarronado
9	146D	brown green	vert-brun	braungrün	verde amarronado
9	147A	brown green	vert-brun	braungrün	verde amarronado
9	147B	brown green	vert-brun	braungrün	verde amarronado
9	147C	brown green	vert-brun	braungrün	verde amarronado
9	147D	brown green	vert-brun	braungrün	verde amarronado
9	148A	brown green	vert-brun	braungrün	verde amarronado
9	148B	brown green	vert-brun	braungrün	verde amarronado
9	148C	brown green	vert-brun	braungrün	verde amarronado
9	148D	brown green	vert-brun	braungrün	verde amarronado
9	189A	brown green	vert-brun	braungrün	verde amarronado
9	191A	brown green	vert-brun	braungrün	verde amarronado
9	191B	brown green	vert-brun	braungrün	verde amarronado
9	193A	brown green	vert-brun	braungrün	verde amarronado
9	193B	brown green	vert-brun	braungrün	verde amarronado
9	194A	brown green	vert-brun	braungrün	verde amarronado
9	194B	brown green	vert-brun	braungrün	verde amarronado
9	194C	brown green	vert-brun	braungrün	verde amarronado
10	004D	light yellow	jaune clair	hellgelb	amarillo claro
10	005D	light yellow	jaune clair	hellgelb	amarillo claro
10	006D	light yellow	jaune clair	hellgelb	amarillo claro
10	008B	light yellow	jaune clair	hellgelb	amarillo claro
10	008C	light yellow	jaune clair	hellgelb	amarillo claro
10	008D	light yellow	jaune clair	hellgelb	amarillo claro
10	009C	light yellow	jaune clair	hellgelb	amarillo claro
10	009D	light yellow	jaune clair	hellgelb	amarillo claro
10	010A	light yellow	jaune clair	hellgelb	amarillo claro
10	010B	light yellow	jaune clair	hellgelb	amarillo claro
10	010C	light yellow	jaune clair	hellgelb	amarillo claro
10	010D	light yellow	jaune clair	hellgelb	amarillo claro
10	011B	light yellow	jaune clair	hellgelb	amarillo claro
10	011C	light yellow	jaune clair	hellgelb	amarillo claro
10	012C	light yellow	jaune clair	hellgelb	amarillo claro
10	012D	light yellow	jaune clair	hellgelb	amarillo claro
10	013D	light yellow	jaune clair	hellgelb	amarillo claro
10	014D	light yellow	jaune clair	hellgelb	amarillo claro
10	015D	light yellow	jaune clair	hellgelb	amarillo claro
10	016D	light yellow	jaune clair	hellgelb	amarillo claro
11	001A	yellow	jaune	gelb	amarillo
11	002A	yellow	jaune	gelb	amarillo
11	002B	yellow	jaune	gelb	amarillo
11	003A	yellow	jaune	gelb	amarillo
11	003B	yellow	jaune	gelb	amarillo
11	003C	yellow	jaune	gelb	amarillo
11	004A	yellow	jaune	gelb	amarillo
11	004B	yellow	jaune	gelb	amarillo
11	005A	yellow	jaune	gelb	amarillo
11	005B	yellow	jaune	gelb	amarillo

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix II to Annex II  
 page 123

UPOV Group No.	No. RHS	English	français	deutsch	español
11	005C	yellow	jaune	gelb	amarillo
11	006A	yellow	jaune	gelb	amarillo
11	006B	yellow	jaune	gelb	amarillo
11	006C	yellow	jaune	gelb	amarillo
11	007A	yellow	jaune	gelb	amarillo
11	007B	yellow	jaune	gelb	amarillo
11	007C	yellow	jaune	gelb	amarillo
11	007D	yellow	jaune	gelb	amarillo
11	008A	yellow	jaune	gelb	amarillo
11	009A	yellow	jaune	gelb	amarillo
11	009B	yellow	jaune	gelb	amarillo
11	012A	yellow	jaune	gelb	amarillo
11	012B	yellow	jaune	gelb	amarillo
12	011D	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
12	018B	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
12	018C	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
12	018D	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
12	019B	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
12	019C	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
12	019D	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
12	020C	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
12	020D	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
12	021D	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
12	022B	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
12	022C	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
12	022D	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
12	023C	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
12	023D	light yellow orange	orangé jaune clair	hellgelborange	naranja amarillento claro
13	011A	yellow orange	orangé jaune	gelborange	naranja amarillento
13	013A	yellow orange	orangé jaune	gelborange	naranja amarillento
13	013B	yellow orange	orangé jaune	gelborange	naranja amarillento
13	013C	yellow orange	orangé jaune	gelborange	naranja amarillento
13	014A	yellow orange	orangé jaune	gelborange	naranja amarillento
13	014B	yellow orange	orangé jaune	gelborange	naranja amarillento
13	014C	yellow orange	orangé jaune	gelborange	naranja amarillento
13	015A	yellow orange	orangé jaune	gelborange	naranja amarillento
13	015B	yellow orange	orangé jaune	gelborange	naranja amarillento
13	015C	yellow orange	orangé jaune	gelborange	naranja amarillento
13	016A	yellow orange	orangé jaune	gelborange	naranja amarillento
13	016B	yellow orange	orangé jaune	gelborange	naranja amarillento
13	016C	yellow orange	orangé jaune	gelborange	naranja amarillento
13	017A	yellow orange	orangé jaune	gelborange	naranja amarillento
13	017B	yellow orange	orangé jaune	gelborange	naranja amarillento
13	017C	yellow orange	orangé jaune	gelborange	naranja amarillento
13	017D	yellow orange	orangé jaune	gelborange	naranja amarillento
13	018A	yellow orange	orangé jaune	gelborange	naranja amarillento
13	019A	yellow orange	orangé jaune	gelborange	naranja amarillento
13	020A	yellow orange	orangé jaune	gelborange	naranja amarillento
13	020B	yellow orange	orangé jaune	gelborange	naranja amarillento
13	021A	yellow orange	orangé jaune	gelborange	naranja amarillento
13	021B	yellow orange	orangé jaune	gelborange	naranja amarillento
13	021C	yellow orange	orangé jaune	gelborange	naranja amarillento
13	022A	yellow orange	orangé jaune	gelborange	naranja amarillento
13	023A	yellow orange	orangé jaune	gelborange	naranja amarillento
13	023B	yellow orange	orangé jaune	gelborange	naranja amarillento
13	N 025D	yellow orange	orangé jaune	gelborange	naranja amarillento
14	024A	orange	orange	orange	naranja
14	024B	orange	orange	orange	naranja
14	024C	orange	orange	orange	naranja
14	024D	orange	orange	orange	naranja
14	025A	orange	orange	orange	naranja
14	025B	orange	orange	orange	naranja
14	025C	orange	orange	orange	naranja
14	025D	orange	orange	orange	naranja
14	N 025B	orange	orange	orange	naranja
14	N 025C	orange	orange	orange	naranja
14	026A	orange	orange	orange	naranja

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
Subsection 3: Color: Appendix II to Annex II  
page 124

UPOV Group No.	No. RHS	English	français	deutsch	español
14	026B	orange	orange	orange	aranja
14	026C	orange	orange	orange	aranja
14	026D	orange	orange	orange	aranja
14	028B	orange	orange	orange	aranja
14	028C	orange	orange	orange	aranja
14	028D	orange	orange	orange	aranja
14	029A	orange	orange	orange	aranja
14	029B	orange	orange	orange	aranja
14	030D	orange	orange	orange	aranja
14	N 030D	orange	orange	orange	aranja
15	027A	orange pink	rose orangé	orangerosa	rosa anaranjado
15	027B	orange pink	rose orangé	orangerosa	rosa anaranjado
15	027C	orange pink	rose orangé	orangerosa	rosa anaranjado
15	027D	orange pink	rose orangé	orangerosa	rosa anaranjado
15	029C	orange pink	rose orangé	orangerosa	rosa anaranjado
15	029D	orange pink	rose orangé	orangerosa	rosa anaranjado
15	031D	orange pink	rose orangé	orangerosa	rosa anaranjado
15	032D	orange pink	rose orangé	orangerosa	rosa anaranjado
15	033D	orange pink	rose orangé	orangerosa	rosa anaranjado
15	035C	orange pink	rose orangé	orangerosa	rosa anaranjado
15	037A	orange pink	rose orangé	orangerosa	rosa anaranjado
15	037B	orange pink	rose orangé	orangerosa	rosa anaranjado
15	179D	orange pink	rose orangé	orangerosa	rosa anaranjado
16	035D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
16	036A	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
16	036B	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
16	036C	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
16	036D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
16	037C	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
16	037D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
16	038A	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
16	038B	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
16	038C	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
16	038D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
16	039C	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
16	039D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
16	041D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
16	049B	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
16	049C	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
16	049D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
16	050D	light red pink	rose-rouge clair	hellrotrosa	rosa rojizo claro
17	043C	red pink	rose-rouge	rotrosa	rosa rojizo
17	043D	red pink	rose-rouge	rotrosa	rosa rojizo
17	047D	red pink	rose-rouge	rotrosa	rosa rojizo
17	048B	red pink	rose-rouge	rotrosa	rosa rojizo
17	048C	red pink	rose-rouge	rotrosa	rosa rojizo
17	048D	red pink	rose-rouge	rotrosa	rosa rojizo
17	049A	red pink	rose-rouge	rotrosa	rosa rojizo
17	050C	red pink	rose-rouge	rotrosa	rosa rojizo
17	051C	red pink	rose-rouge	rotrosa	rosa rojizo
17	051D	red pink	rose-rouge	rotrosa	rosa rojizo
17	052B	red pink	rose-rouge	rotrosa	rosa rojizo
17	052C	red pink	rose-rouge	rotrosa	rosa rojizo
17	052D	red pink	rose-rouge	rotrosa	rosa rojizo
18	054D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	055C	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	055D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	056A	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	056B	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	056C	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	056D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	062B	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	062C	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	062D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	063D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	065B	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	065C	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix II to Annex II  
 page 125

UPOV Group No.	No. RHS	English	français	deutsch	español
18	065D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	068D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	069A	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	069B	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	070D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	073C	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	073D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
18	075D	light blue pink	rose-bleu clair	hellblaurosa	rosa azulado claro
19	062A	blue pink	rose-bleu	blaurosa	rosa azulado
19	063B	blue pink	rose-bleu	blaurosa	rosa azulado
19	063C	blue pink	rose-bleu	blaurosa	rosa azulado
19	064C	blue pink	rose-bleu	blaurosa	rosa azulado
19	064D	blue pink	rose-bleu	blaurosa	rosa azulado
19	065A	blue pink	rose-bleu	blaurosa	rosa azulado
19	066C	blue pink	rose-bleu	blaurosa	rosa azulado
19	066D	blue pink	rose-bleu	blaurosa	rosa azulado
19	N 066C	blue pink	rose-bleu	blaurosa	rosa azulado
19	N 066D	blue pink	rose-bleu	blaurosa	rosa azulado
19	067B	blue pink	rose-bleu	blaurosa	rosa azulado
19	067C	blue pink	rose-bleu	blaurosa	rosa azulado
19	067D	blue pink	rose-bleu	blaurosa	rosa azulado
19	068A	blue pink	rose-bleu	blaurosa	rosa azulado
19	068B	blue pink	rose-bleu	blaurosa	rosa azulado
19	068C	blue pink	rose-bleu	blaurosa	rosa azulado
19	070C	blue pink	rose-bleu	blaurosa	rosa azulado
19	071D	blue pink	rose-bleu	blaurosa	rosa azulado
19	072C	blue pink	rose-bleu	blaurosa	rosa azulado
19	072D	blue pink	rose-bleu	blaurosa	rosa azulado
19	073A	blue pink	rose-bleu	blaurosa	rosa azulado
19	073B	blue pink	rose-bleu	blaurosa	rosa azulado
19	074D	blue pink	rose-bleu	blaurosa	rosa azulado
19	N 074C	blue pink	rose-bleu	blaurosa	rosa azulado
19	N 074D	blue pink	rose-bleu	blaurosa	rosa azulado
19	186C	blue pink	rose-bleu	blaurosa	rosa azulado
19	186D	blue pink	rose-bleu	blaurosa	rosa azulado
20	N 025A	orange red	rouge orangé	orangerot	rojo anaranjado
20	028A	orange red	rouge orangé	orangerot	rojo anaranjado
20	030A	orange red	rouge orangé	orangerot	rojo anaranjado
20	030B	orange red	rouge orangé	orangerot	rojo anaranjado
20	030C	orange red	rouge orangé	orangerot	rojo anaranjado
20	N 030B	orange red	rouge orangé	orangerot	rojo anaranjado
20	N 030C	orange red	rouge orangé	orangerot	rojo anaranjado
20	031A	orange red	rouge orangé	orangerot	rojo anaranjado
20	032A	orange red	rouge orangé	orangerot	rojo anaranjado
20	032B	orange red	rouge orangé	orangerot	rojo anaranjado
20	033B	orange red	rouge orangé	orangerot	rojo anaranjado
20	035B	orange red	rouge orangé	orangerot	rojo anaranjado
20	039A	orange red	rouge orangé	orangerot	rojo anaranjado
20	039B	orange red	rouge orangé	orangerot	rojo anaranjado
20	040C	orange red	rouge orangé	orangerot	rojo anaranjado
20	040D	orange red	rouge orangé	orangerot	rojo anaranjado
20	041B	orange red	rouge orangé	orangerot	rojo anaranjado
20	041C	orange red	rouge orangé	orangerot	rojo anaranjado
20	042D	orange red	rouge orangé	orangerot	rojo anaranjado
20	044D	orange red	rouge orangé	orangerot	rojo anaranjado
21	N 030A	red	rouge	rot	rojo
21	033A	red	rouge	rot	rojo
21	034A	red	rouge	rot	rojo
21	N 034B	red	rouge	rot	rojo
21	040A	red	rouge	rot	rojo
21	040B	red	rouge	rot	rojo
21	041A	red	rouge	rot	rojo
21	042A	red	rouge	rot	rojo
21	042B	red	rouge	rot	rojo
21	042C	red	rouge	rot	rojo
21	043A	red	rouge	rot	rojo
21	043B	red	rouge	rot	rojo

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
Subsection 3: Color: Appendix II to Annex II  
page 126

UPOV Group No.	No. RHS	English	français	deutsch	español
21	044A	red	rouge	rot	rojo
21	044B	red	rouge	rot	rojo
21	044C	red	rouge	rot	rojo
21	045A	red	rouge	rot	rojo
21	045B	red	rouge	rot	rojo
21	045C	red	rouge	rot	rojo
21	046B	red	rouge	rot	rojo
21	046C	red	rouge	rot	rojo
21	047A	red	rouge	rot	rojo
21	047B	red	rouge	rot	rojo
21	050A	red	rouge	rot	rojo
22	N 034C	dark pink red	rouge-rose foncé	dunkelrosarot	rojo rosado oscuro
22	045D	dark pink red	rouge-rose foncé	dunkelrosarot	rojo rosado oscuro
22	046D	dark pink red	rouge-rose foncé	dunkelrosarot	rojo rosado oscuro
22	047C	dark pink red	rouge-rose foncé	dunkelrosarot	rojo rosado oscuro
22	048A	dark pink red	rouge-rose foncé	dunkelrosarot	rojo rosado oscuro
22	050B	dark pink red	rouge-rose foncé	dunkelrosarot	rojo rosado oscuro
22	051A	dark pink red	rouge-rose foncé	dunkelrosarot	rojo rosado oscuro
22	051B	dark pink red	rouge-rose foncé	dunkelrosarot	rojo rosado oscuro
22	052A	dark pink red	rouge-rose foncé	dunkelrosarot	rojo rosado oscuro
22	053C	dark pink red	rouge-rose foncé	dunkelrosarot	rojo rosado oscuro
22	053D	dark pink red	rouge-rose foncé	dunkelrosarot	rojo rosado oscuro
23	054A	purple red	rouge pourpre	purpurrot	rojo púrpura
23	054B	purple red	rouge pourpre	purpurrot	rojo púrpura
23	054C	purple red	rouge pourpre	purpurrot	rojo púrpura
23	055A	purple red	rouge pourpre	purpurrot	rojo púrpura
23	055B	purple red	rouge pourpre	purpurrot	rojo púrpura
23	057A	purple red	rouge pourpre	purpurrot	rojo púrpura
23	057B	purple red	rouge pourpre	purpurrot	rojo púrpura
23	057C	purple red	rouge pourpre	purpurrot	rojo púrpura
23	057D	purple red	rouge pourpre	purpurrot	rojo púrpura
23	N 057A	purple red	rouge pourpre	purpurrot	rojo púrpura
23	N 057B	purple red	rouge pourpre	purpurrot	rojo púrpura
23	N 057C	purple red	rouge pourpre	purpurrot	rojo púrpura
23	N 057D	purple red	rouge pourpre	purpurrot	rojo púrpura
23	058B	purple red	rouge pourpre	purpurrot	rojo púrpura
23	058C	purple red	rouge pourpre	purpurrot	rojo púrpura
23	058D	purple red	rouge pourpre	purpurrot	rojo púrpura
23	059D	purple red	rouge pourpre	purpurrot	rojo púrpura
23	060D	purple red	rouge pourpre	purpurrot	rojo púrpura
23	061C	purple red	rouge pourpre	purpurrot	rojo púrpura
23	061D	purple red	rouge pourpre	purpurrot	rojo púrpura
23	063A	purple red	rouge pourpre	purpurrot	rojo púrpura
23	066A	purple red	rouge pourpre	purpurrot	rojo púrpura
23	066B	purple red	rouge pourpre	purpurrot	rojo púrpura
23	N 066A	purple red	rouge pourpre	purpurrot	rojo púrpura
23	N 066B	purple red	rouge pourpre	purpurrot	rojo púrpura
24	N 034A	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
24	046A	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
24	053A	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
24	053B	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
24	059A	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
24	059B	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
24	060A	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
24	060B	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
24	185A	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
24	187B	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
24	187C	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
24	187D	dark purple red	rouge-pourpre foncé	dunkelpurpurrot	rojo púrpura oscuro
25	178C	brown red	rouge-brun	braunrot	rojo amarronado
25	178D	brown red	rouge-brun	braunrot	rojo amarronado
25	179A	brown red	rouge-brun	braunrot	rojo amarronado
25	179B	brown red	rouge-brun	braunrot	rojo amarronado
25	180A	brown red	rouge-brun	braunrot	rojo amarronado
25	180B	brown red	rouge-brun	braunrot	rojo amarronado
25	180C	brown red	rouge-brun	braunrot	rojo amarronado
25	180D	brown red	rouge-brun	braunrot	rojo amarronado

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
Subsection 3: Color: Appendix II to Annex II  
page 127

UPOV Group No.	No. RHS	English	français	deutsch	español
25	181A	brown red	rouge-brun	braunrot	rojo amarronado
25	181B	brown red	rouge-brun	braunrot	rojo amarronado
25	181C	brown red	rouge-brun	braunrot	rojo amarronado
25	181D	brown red	rouge-brun	braunrot	rojo amarronado
25	182A	brown red	rouge-brun	braunrot	rojo amarronado
25	182B	brown red	rouge-brun	braunrot	rojo amarronado
25	182C	brown red	rouge-brun	braunrot	rojo amarronado
25	182D	brown red	rouge-brun	braunrot	rojo amarronado
26	N 077A	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	178A	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	178B	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	183A	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	183B	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	183C	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	183D	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	184A	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	184B	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	184C	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	184D	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	185B	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	185C	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	185D	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	186A	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	186B	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	N 186C	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	N 186D	brown purple	pourpre brun	braunpurpur	púrpura amarronado
26	187A	brown purple	pourpre brun	braunpurpur	púrpura amarronado
27	058A	purple	pourpre	purpurn	púrpura
27	059C	purple	pourpre	purpurn	púrpura
27	060C	purple	pourpre	purpurn	púrpura
27	061A	purple	pourpre	purpurn	púrpura
27	061B	purple	pourpre	purpurn	púrpura
27	064A	purple	pourpre	purpurn	púrpura
27	064B	purple	pourpre	purpurn	púrpura
27	067A	purple	pourpre	purpurn	púrpura
27	070A	purple	pourpre	purpurn	púrpura
27	070B	purple	pourpre	purpurn	púrpura
27	071A	purple	pourpre	purpurn	púrpura
27	071B	purple	pourpre	purpurn	púrpura
27	071C	purple	pourpre	purpurn	púrpura
27	072A	purple	pourpre	purpurn	púrpura
27	072B	purple	pourpre	purpurn	púrpura
27	074A	purple	pourpre	purpurn	púrpura
27	074B	purple	pourpre	purpurn	púrpura
27	074C	purple	pourpre	purpurn	púrpura
27	N 074A	purple	pourpre	purpurn	púrpura
27	N 074B	purple	pourpre	purpurn	púrpura
27	N 079C	purple	pourpre	purpurn	púrpura
28	075A	violet	violet	violett	violeta
28	075B	violet	violet	violett	violeta
28	075C	violet	violet	violett	violeta
28	077A	violet	violet	violett	violeta
28	077B	violet	violet	violett	violeta
28	077C	violet	violet	violett	violeta
28	077D	violet	violet	violett	violeta
28	N 077B	violet	violet	violett	violeta
28	N 077D	violet	violet	violett	violeta
28	078A	violet	violet	violett	violeta
28	078B	violet	violet	violett	violeta
28	078C	violet	violet	violett	violeta
28	078D	violet	violet	violett	violeta
28	N 078A	violet	violet	violett	violeta
28	N 078B	violet	violet	violett	violeta
28	N 078C	violet	violet	violett	violeta
28	N 078D	violet	violet	violett	violeta
28	N 079D	violet	violet	violett	violeta
28	080A	violet	violet	violett	violeta

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix II to Annex II  
 page 128

UPOV Group No.	No. RHS	English	français	deutsch	español
28	080B	violet	violet	violett	violeta
28	080C	violet	violet	violett	violeta
28	080D	violet	violet	violett	violeta
28	N 080A	violet	violet	violett	violeta
28	N 080B	violet	violet	violett	violeta
28	N 080C	violet	violet	violett	violeta
28	N 080D	violet	violet	violett	violeta
28	081A	violet	violet	violett	violeta
28	081B	violet	violet	violett	violeta
28	081C	violet	violet	violett	violeta
28	081D	violet	violet	violett	violeta
28	N 081A	violet	violet	violett	violeta
28	N 081B	violet	violet	violett	violeta
28	N 081C	violet	violet	violett	violeta
28	N 081D	violet	violet	violett	violeta
28	082A	violet	violet	violett	violeta
28	082B	violet	violet	violett	violeta
28	082C	violet	violet	violett	violeta
28	082D	violet	violet	violett	violeta
28	N 082A	violet	violet	violett	violeta
28	084A	violet	violet	violett	violeta
28	084B	violet	violet	violett	violeta
28	087A	violet	violet	violett	violeta
28	087B	violet	violet	violett	violeta
28	087C	violet	violet	violett	violeta
28	087D	violet	violet	violett	violeta
28	088D	violet	violet	violett	violeta
29	N 077C	dark violet	violet foncé	dunkelviolet	violeta oscuro
29	079A	dark violet	violet foncé	dunkelviolet	violeta oscuro
29	079B	dark violet	violet foncé	dunkelviolet	violeta oscuro
29	079C	dark violet	violet foncé	dunkelviolet	violeta oscuro
29	079D	dark violet	violet foncé	dunkelviolet	violeta oscuro
29	N 079A	dark violet	violet foncé	dunkelviolet	violeta oscuro
29	N 079B	dark violet	violet foncé	dunkelviolet	violeta oscuro
29	083A	dark violet	violet foncé	dunkelviolet	violeta oscuro
29	083B	dark violet	violet foncé	dunkelviolet	violeta oscuro
29	086A	dark violet	violet foncé	dunkelviolet	violeta oscuro
29	N 092A	dark violet	violet foncé	dunkelviolet	violeta oscuro
29	N 092D	dark violet	violet foncé	dunkelviolet	violeta oscuro
30	069C	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
30	069D	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
30	076A	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
30	076B	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
30	076C	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
30	076D	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
30	084C	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
30	084D	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
30	085A	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
30	085B	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
30	085C	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
30	085D	light blue violet	violet-bleu clair	hellblauviolett	violeta azulado claro
31	N 082B	blue violet	violet-bleu	blauviolett	violeta azulado
31	N 082C	blue violet	violet-bleu	blauviolett	violeta azulado
31	N 082D	blue violet	violet-bleu	blauviolett	violeta azulado
31	083C	blue violet	violet-bleu	blauviolett	violeta azulado
31	083D	blue violet	violet-bleu	blauviolett	violeta azulado
31	086B	blue violet	violet-bleu	blauviolett	violeta azulado
31	086C	blue violet	violet-bleu	blauviolett	violeta azulado
31	086D	blue violet	violet-bleu	blauviolett	violeta azulado
31	N 087A	blue violet	violet-bleu	blauviolett	violeta azulado
31	N 087B	blue violet	violet-bleu	blauviolett	violeta azulado
31	N 087C	blue violet	violet-bleu	blauviolett	violeta azulado
31	N 087D	blue violet	violet-bleu	blauviolett	violeta azulado
31	088A	blue violet	violet-bleu	blauviolett	violeta azulado
31	088B	blue violet	violet-bleu	blauviolett	violeta azulado
31	088C	blue violet	violet-bleu	blauviolett	violeta azulado
31	N 088A	blue violet	violet-bleu	blauviolett	violeta azulado



TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
Subsection 3: Color: Appendix II to Annex II  
page 129

UPOV Group No.	No. RHS	English	français	deutsch	español
31	N 088B	blue violet	violet-bleu	blauviolett	violeta azulado
31	N 088C	blue violet	violet-bleu	blauviolett	violeta azulado
31	N 088D	blue violet	violet-bleu	blauviolett	violeta azulado
31	N 089C	blue violet	violet-bleu	blauviolett	violeta azulado
31	N 089D	blue violet	violet-bleu	blauviolett	violeta azulado
31	090A	blue violet	violet-bleu	blauviolett	violeta azulado
31	090B	blue violet	violet-bleu	blauviolett	violeta azulado
31	090C	blue violet	violet-bleu	blauviolett	violeta azulado
31	090D	blue violet	violet-bleu	blauviolett	violeta azulado
32	091B	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
32	091C	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
32	091D	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
32	092B	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
32	092C	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
32	092D	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
32	093D	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
32	094D	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
32	095D	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
32	097B	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
32	097C	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
32	097D	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
32	100D	light violet blue	bleu-violet clair	hellviolettblau	azul violáceo claro
33	089A	violet blue	bleu-violet	violettblau	azul violáceo
33	089B	violet blue	bleu-violet	violettblau	azul violáceo
33	089C	violet blue	bleu-violet	violettblau	azul violáceo
33	089D	violet blue	bleu-violet	violettblau	azul violáceo
33	N 089A	violet blue	bleu-violet	violettblau	azul violáceo
33	N 089B	violet blue	bleu-violet	violettblau	azul violáceo
33	091A	violet blue	bleu-violet	violettblau	azul violáceo
33	092A	violet blue	bleu-violet	violettblau	azul violáceo
33	N 092B	violet blue	bleu-violet	violettblau	azul violáceo
33	N 092C	violet blue	bleu-violet	violettblau	azul violáceo
33	093A	violet blue	bleu-violet	violettblau	azul violáceo
33	093B	violet blue	bleu-violet	violettblau	azul violáceo
33	093C	violet blue	bleu-violet	violettblau	azul violáceo
33	094A	violet blue	bleu-violet	violettblau	azul violáceo
33	094B	violet blue	bleu-violet	violettblau	azul violáceo
33	094C	violet blue	bleu-violet	violettblau	azul violáceo
33	095A	violet blue	bleu-violet	violettblau	azul violáceo
33	095B	violet blue	bleu-violet	violettblau	azul violáceo
33	095C	violet blue	bleu-violet	violettblau	azul violáceo
33	096A	violet blue	bleu-violet	violettblau	azul violáceo
33	096B	violet blue	bleu-violet	violettblau	azul violáceo
33	096C	violet blue	bleu-violet	violettblau	azul violáceo
33	096D	violet blue	bleu-violet	violettblau	azul violáceo
33	097A	violet blue	bleu-violet	violettblau	azul violáceo
34	101D	light blue	bleu clair	hellblau	azul claro
34	104D	light blue	bleu clair	hellblau	azul claro
34	106B	light blue	bleu clair	hellblau	azul claro
34	106C	light blue	bleu clair	hellblau	azul claro
34	106D	light blue	bleu clair	hellblau	azul claro
34	107C	light blue	bleu clair	hellblau	azul claro
34	107D	light blue	bleu clair	hellblau	azul claro
34	108A	light blue	bleu clair	hellblau	azul claro
34	108B	light blue	bleu clair	hellblau	azul claro
34	108C	light blue	bleu clair	hellblau	azul claro
34	108D	light blue	bleu clair	hellblau	azul claro
34	109D	light blue	bleu clair	hellblau	azul claro
34	N 109D	light blue	bleu clair	hellblau	azul claro
34	112A	light blue	bleu clair	hellblau	azul claro
34	112B	light blue	bleu clair	hellblau	azul claro
35	098A	medium blue	bleumoyen	mittelblau	azul medio
35	098B	medium blue	bleu moyen	mittelblau	azul medio
35	098C	medium blue	bleu moyen	mittelblau	azul medio
35	098D	medium blue	bleu moyen	mittelblau	azul medio
35	099C	medium blue	bleu moyen	mittelblau	azul medio
35	099D	medium blue	bleu moyen	mittelblau	azul medio

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix II to Annex II  
 page 130

UPOV Group No.	No. RHS	English	français	deutsch	español
35	100A	medium blue	bleu moyen	mittelblau	azul medio
35	100B	medium blue	bleu moyen	mittelblau	azul medio
35	100C	medium blue	bleu moyen	mittelblau	azul medio
35	101A	medium blue	bleu moyen	mittelblau	azul medio
35	101B	medium blue	bleu moyen	mittelblau	azul medio
35	101C	medium blue	bleu moyen	mittelblau	azul medio
35	102B	medium blue	bleu moyen	mittelblau	azul medio
35	102C	medium blue	bleu moyen	mittelblau	azul medio
35	102D	medium blue	bleu moyen	mittelblau	azul medio
35	103D	medium blue	bleu moyen	mittelblau	azul medio
35	104A	medium blue	bleu moyen	mittelblau	azul medio
35	104B	medium blue	bleu moyen	mittelblau	azul medio
35	104C	medium blue	bleu moyen	mittelblau	azul medio
35	105A	medium blue	bleu moyen	mittelblau	azul medio
35	105B	medium blue	bleu moyen	mittelblau	azul medio
35	105C	medium blue	bleu moyen	mittelblau	azul medio
35	105D	medium blue	bleu moyen	mittelblau	azul medio
35	106A	medium blue	bleu moyen	mittelblau	azul medio
35	107A	medium blue	bleu moyen	mittelblau	azul medio
35	107B	medium blue	bleu moyen	mittelblau	azul medio
35	109A	medium blue	bleu moyen	mittelblau	azul medio
35	109B	medium blue	bleu moyen	mittelblau	azul medio
35	109C	medium blue	bleu moyen	mittelblau	azul medio
35	N 109A	medium blue	bleu moyen	mittelblau	azul medio
35	N 109B	medium blue	bleu moyen	mittelblau	azul medio
35	N 109C	medium blue	bleu moyen	mittelblau	azul medio
35	110A	medium blue	bleu moyen	mittelblau	azul medio
35	110B	medium blue	bleu moyen	mittelblau	azul medio
36	099A	dark blue	bleu foncé	dunkelblau	azul oscuro
36	099B	dark blue	bleu foncé	dunkelblau	azul oscuro
36	102A	dark blue	bleu foncé	dunkelblau	azul oscuro
36	103A	dark blue	bleu foncé	dunkelblau	azul oscuro
36	103B	dark blue	bleu foncé	dunkelblau	azul oscuro
36	103C	dark blue	bleu foncé	dunkelblau	azul oscuro
37	110C	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
37	110D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
37	111C	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
37	111D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
37	112C	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
37	112D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
37	113C	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
37	113D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
37	117A	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
37	117B	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
37	117C	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
37	117D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
37	118C	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
37	118D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
37	119D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
37	120D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
37	121C	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
37	121D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
37	122D	light green blue	bleu-vert clair	hellgrünblau	azul verdoso claro
38	111A	green blue	bleu-vert	grünblau	azul verdoso
38	111B	green blue	bleu-vert	grünblau	azul verdoso
38	113A	green blue	bleu-vert	grünblau	azul verdoso
38	113B	green blue	bleu-vert	grünblau	azul verdoso
38	114A	green blue	bleu-vert	grünblau	azul verdoso
38	114B	green blue	bleu-vert	grünblau	azul verdoso
38	114C	green blue	bleu-vert	grünblau	azul verdoso
38	114D	green blue	bleu-vert	grünblau	azul verdoso
38	115A	green blue	bleu-vert	grünblau	azul verdoso
38	115B	green blue	bleu-vert	grünblau	azul verdoso
38	116A	green blue	bleu-vert	grünblau	azul verdoso
38	116B	green blue	bleu-vert	grünblau	azul verdoso
38	116C	green blue	bleu-vert	grünblau	azul verdoso
38	116D	green blue	bleu-vert	grünblau	azul verdoso

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
Subsection 3: Color: Appendix II to Annex II  
page 131

UPOV Group No.	No. RHS	English	français	deutsch	español
38	118A	green blue	bleu-vert	grünblau	azul verdoso
38	118B	green blue	bleu-vert	grünblau	azul verdoso
38	119A	green blue	bleu-vert	grünblau	azul verdoso
38	121A	green blue	bleu-vert	grünblau	azul verdoso
39	115C	grey blue	bleu-gris	graublau	azul grisáceo
39	115D	grey blue	bleu-gris	graublau	azul grisáceo
39	119B	grey blue	bleu-gris	graublau	azul grisáceo
39	119C	grey blue	bleu-gris	graublau	azul grisáceo
39	122A	grey blue	bleu-gris	graublau	azul grisáceo
39	122B	grey blue	bleu-gris	graublau	azul grisáceo
39	122C	grey blue	bleu-gris	graublau	azul grisáceo
40	166C	light brown	brun clair	hellbraun	marrón claro
40	166D	light brown	brun clair	hellbraun	marrón claro
40	N 170A	light brown	brun clair	hellbraun	marrón claro
40	N 170B	light brown	brun clair	hellbraun	marrón claro
40	N 170C	light brown	brun clair	hellbraun	marrón claro
40	173C	light brown	brun clair	hellbraun	marrón claro
40	173D	light brown	brun clair	hellbraun	marrón claro
40	174B	light brown	brun clair	hellbraun	marrón claro
40	174C	light brown	brun clair	hellbraun	marrón claro
40	174D	light brown	brun clair	hellbraun	marrón claro
40	176D	light brown	brun clair	hellbraun	marrón claro
40	177C	light brown	brun clair	hellbraun	marrón claro
40	177D	light brown	brun clair	hellbraun	marrón claro
41	165A	medium brown	brun moyen	mittelbraun	marrón medio
41	166A	medium brown	brun moyen	mittelbraun	marrón medio
41	166B	medium brown	brun moyen	mittelbraun	marrón medio
41	171A	medium brown	brun moyen	mittelbraun	marrón medio
41	172A	medium brown	brun moyen	mittelbraun	marrón medio
41	172B	medium brown	brun moyen	mittelbraun	marrón medio
41	173A	medium brown	brun moyen	mittelbraun	marrón medio
41	174A	medium brown	brun moyen	mittelbraun	marrón medio
41	175A	medium brown	brun moyen	mittelbraun	marrón medio
41	175B	medium brown	brun moyen	mittelbraun	marrón medio
41	175C	medium brown	brun moyen	mittelbraun	marrón medio
41	175D	medium brown	brun moyen	mittelbraun	marrón medio
41	176A	medium brown	brun moyen	mittelbraun	marrón medio
41	176B	medium brown	brun moyen	mittelbraun	marrón medio
41	176C	medium brown	brun moyen	mittelbraun	marrón medio
41	177A	medium brown	brun moyen	mittelbraun	marrón medio
41	177B	medium brown	brun moyen	mittelbraun	marrón medio
41	200D	medium brown	brun moyen	mittelbraun	marrón medio
42	N 199B	dark brown	brun foncé	dunkelbraun	marrón oscuro
42	200A	dark brown	brun foncé	dunkelbraun	marrón oscuro
42	200B	dark brown	brun foncé	dunkelbraun	marrón oscuro
42	200C	dark brown	brun foncé	dunkelbraun	marrón oscuro
42	N 200A	dark brown	brun foncé	dunkelbraun	marrón oscuro
43	158A	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	158B	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	158C	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	158D	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	159A	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	159B	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	159C	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	159D	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	160A	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	160B	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	160C	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	160D	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	161A	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	161B	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	161C	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	161D	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	162A	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	162B	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	162C	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	162D	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 3: Color: Appendix II to Annex II  
 page 132

UPOV Group No.	No. RHS	English	français	deutsch	español
43	163B	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	163C	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	163D	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	164D	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
43	165D	light yellow brown	brun-jaune clair	hellgelbbraun	marrón amarillento claro
44	163A	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	N 163C	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	N 163D	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	164A	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	164B	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	164C	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	165B	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	165C	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	167A	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	167B	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	167C	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	167D	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	N 167A	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	N 167B	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	N 167C	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	N 167D	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	168C	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	168D	yellow brown	brun-jaune	gelbbraun	marrón amarillento
44	N 172D	yellow brown	brun-jaune	gelbbraun	marrón amarillento
45	031B	orange brown	brun-orange	orangebraun	marrón anaranjado
45	031C	orange brown	brun-orange	orangebraun	marrón anaranjado
45	032C	orange brown	brun-orange	orangebraun	marrón anaranjado
45	033C	orange brown	brun-orange	orangebraun	marrón anaranjado
45	034B	orange brown	brun-orange	orangebraun	marrón anaranjado
45	034C	orange brown	brun-orange	orangebraun	marrón anaranjado
45	034D	orange brown	brun-orange	orangebraun	marrón anaranjado
45	N 034D	orange brown	brun-orange	orangebraun	marrón anaranjado
45	035A	orange brown	brun-orange	orangebraun	marrón anaranjado
45	N 163A	orange brown	brun-orange	orangebraun	marrón anaranjado
45	N 163B	orange brown	brun-orange	orangebraun	marrón anaranjado
45	168A	orange brown	brun-orange	orangebraun	marrón anaranjado
45	168B	orange brown	brun-orange	orangebraun	marrón anaranjado
45	169A	orange brown	brun-orange	orangebraun	marrón anaranjado
45	169B	orange brown	brun-orange	orangebraun	marrón anaranjado
45	169C	orange brown	brun-orange	orangebraun	marrón anaranjado
45	169D	orange brown	brun-orange	orangebraun	marrón anaranjado
45	N 170D	orange brown	brun-orange	orangebraun	marrón anaranjado
45	170A	orange brown	brun-orange	orangebraun	marrón anaranjado
45	170B	orange brown	brun-orange	orangebraun	marrón anaranjado
45	170C	orange brown	brun-orange	orangebraun	marrón anaranjado
45	170D	orange brown	brun-orange	orangebraun	marrón anaranjado
45	171B	orange brown	brun-orange	orangebraun	marrón anaranjado
45	171C	orange brown	brun-orange	orangebraun	marrón anaranjado
45	171D	orange brown	brun-orange	orangebraun	marrón anaranjado
45	172C	orange brown	brun-orange	orangebraun	marrón anaranjado
45	172D	orange brown	brun-orange	orangebraun	marrón anaranjado
45	N 172A	orange brown	brun-orange	orangebraun	marrón anaranjado
45	N 172B	orange brown	brun-orange	orangebraun	marrón anaranjado
45	N 172C	orange brown	brun-orange	orangebraun	marrón anaranjado
45	173B	orange brown	brun-orange	orangebraun	marrón anaranjado
45	179C	orange brown	brun-orange	orangebraun	marrón anaranjado
46	199A	grey brown	brun-gris	graubraun	marrón grisáceo
46	199B	grey brown	brun-gris	graubraun	marrón grisáceo
46	199C	grey brown	brun-gris	graubraun	marrón grisáceo
46	199D	grey brown	brun-gris	graubraun	marrón grisáceo
46	N 199A	grey brown	brun-gris	graubraun	marrón grisáceo
46	N 199C	grey brown	brun-gris	graubraun	marrón grisáceo
46	N 199D	grey brown	brun-gris	graubraun	marrón grisáceo
47	151A	green brown	brun-vert	grünbraun	marrón verdoso
47	151B	green brown	brun-vert	grünbraun	marrón verdoso
47	151C	green brown	brun-vert	grünbraun	marrón verdoso
47	151D	green brown	brun-vert	grünbraun	marrón verdoso

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
Subsection 3: Color: Appendix II to Annex II  
page 133

UPOV Group No.	No. RHS	English	français	deutsch	español
47	152A	green brown	brun-vert	grünbraun	marrón verdoso
47	152B	green brown	brun-vert	grünbraun	marrón verdoso
47	152C	green brown	brun-vert	grünbraun	marrón verdoso
47	152D	green brown	brun-vert	grünbraun	marrón verdoso
47	153A	green brown	brun-vert	grünbraun	marrón verdoso
47	153B	green brown	brun-vert	grünbraun	marrón verdoso
47	153C	green brown	brun-vert	grünbraun	marrón verdoso
47	153D	green brown	brun-vert	grünbraun	marrón verdoso
48	156A	grey	gris	grau	gris
48	156B	grey	gris	grau	gris
48	156C	grey	gris	grau	gris
48	156D	grey	gris	grau	gris
48	157A	grey	gris	grau	gris
48	157B	grey	gris	grau	gris
48	157C	grey	gris	grau	gris
48	N 187B	grey	gris	grau	gris
48	N 187C	grey	gris	grau	gris
48	N 187D	grey	gris	grau	gris
48	194D	grey	gris	grau	gris
48	195A	grey	gris	grau	gris
48	195B	grey	gris	grau	gris
48	195C	grey	gris	grau	gris
48	195D	grey	gris	grau	gris
48	196A	grey	gris	grau	gris
48	196B	grey	gris	grau	gris
48	196C	grey	gris	grau	gris
48	196D	grey	gris	grau	gris
48	197A	grey	gris	grau	gris
48	197B	grey	gris	grau	gris
48	197C	grey	gris	grau	gris
48	197D	grey	gris	grau	gris
48	198A	grey	gris	grau	gris
48	198B	grey	gris	grau	gris
48	198C	grey	gris	grau	gris
48	198D	grey	gris	grau	gris
48	N 200B	grey	gris	grau	gris
48	N 200C	grey	gris	grau	gris
48	N 200D	grey	gris	grau	gris
48	201A	grey	gris	grau	gris
48	201B	grey	gris	grau	gris
48	201C	grey	gris	grau	gris
48	201D	grey	gris	grau	gris
48	202B	grey	gris	grau	gris
48	202C	grey	gris	grau	gris
48	202D	grey	gris	grau	gris
49	188A	green grey	gris-vert	grüngrau	gris verdoso
49	188B	green grey	gris-vert	grüngrau	gris verdoso
49	188C	green grey	gris-vert	grüngrau	gris verdoso
49	188D	green grey	gris-vert	grüngrau	gris verdoso
49	189B	green grey	gris-vert	grüngrau	gris verdoso
49	189C	green grey	gris-vert	grüngrau	gris verdoso
49	189D	green grey	gris-vert	grüngrau	gris verdoso
49	N 189A	green grey	gris-vert	grüngrau	gris verdoso
49	N 189B	green grey	gris-vert	grüngrau	gris verdoso
49	N 189C	green grey	gris-vert	grüngrau	gris verdoso
49	N 189D	green grey	gris-vert	grüngrau	gris verdoso
49	190A	green grey	gris-vert	grüngrau	gris verdoso
49	190B	green grey	gris-vert	grüngrau	gris verdoso
49	190C	green grey	gris-vert	grüngrau	gris verdoso
49	190D	green grey	gris-vert	grüngrau	gris verdoso
49	191C	green grey	gris-vert	grüngrau	gris verdoso
49	191D	green grey	gris-vert	grüngrau	gris verdoso
49	192A	green grey	gris-vert	grüngrau	gris verdoso
49	192B	green grey	gris-vert	grüngrau	gris verdoso
49	192C	green grey	gris-vert	grüngrau	gris verdoso
49	192D	green grey	gris-vert	grüngrau	gris verdoso
49	193C	green grey	gris-vert	grüngrau	gris verdoso

UPOV Group No.	No. RHS	English	français	deutsch	español
49	193D	green grey	gris-vert	grüngrau	gris verdoso
50	N 186A	black	noir	schwarz	negro
50	N 186B	black	noir	schwarz	negro
50	N 187A	black	noir	schwarz	negro
50	202A	black	noir	schwarz	negro
50	203A	black	noir	schwarz	negro
50	203B	black	noir	schwarz	negro
50	203C	black	noir	schwarz	negro
50	203D	black	noir	schwarz	negro

[Subsection 4 follows]

**SUBSECTION 4. DEFINITIONS FOR SHAPE, STRUCTURE AND COLOR TERMS**

Term	Definition / comment
<b>Abaxial</b>	The lower, outer or dorsal side; the side facing away from the axis. Compare 'adaxial'.
<b>Acicular</b>	Needle-shaped; rigid, long and narrow and tapering to a fine point. Round or grooved in transverse section, e.g. conifers. Applies primarily to three-dimensional shape but may also be used for the outline.
<b>Aciculate</b>	With fine, straight stripes, like needle scratches, lying in different directions, and of a different color or texture. Compare 'striate' (parallel lines).
<b>Aciculate</b>	(see Section 2, Subsection 3, chapter 4 "Color distribution and color patterns")
<b>Actinomorphic</b>	Radially symmetric, so that median division in any direction will produce two equal halves, e.g. inflorescence of <i>Asteraceae</i> . Compare 'zygomorphic'.
<b>Aculeate</b>	Type of appendage covered by the general term "spine" in the Test Guidelines. Bearing prickles; with stiff, sharp projections from the superficial layers of the plant part. Compare 'spinose' (from the superficial and deeper layers).
<b>Acuminate</b>	Tapering gradually, with concave margins, to a sharp or blunt tip. Applies to the apex. Compare 'apiculate', tapering more abruptly and 'caudate', tapering more gradually, both applying to the tip only.
<b>Acute</b>	With straight or slightly convex margins, at an angle of less than 90 °. Applies to the base, apex, etc. Compare 'obtuse' where the angle is >90 °. In cases where it is useful to distinguish between 'narrow acute' and 'broad acute', one should remember that they should both still be <90 °.
<b>Adaxial</b>	The upper, inner or ventral side; the side facing the axis. Compare 'abaxial'.
<b>Adherent</b>	Dissimilar plant parts in close contact, e.g. anthers adherent to style. Compare 'adnate', 'coalesced', 'coherent', 'connate', 'contiguous'.
<b>Adnate</b>	Dissimilar plant parts fused histologically, e.g. stamens implanted onto the corolla. Compare 'adherent', 'coalesced', 'coherent', 'connate', 'contiguous'.
<b>Adpressed</b>	Lying close to or flat against the surface or another organ.
<b>Anthela</b>	a cymose corymb with the lateral flowers higher than the central ones.
<b>Apex</b>	The apex (apical or distal part) of an organ or plant part is the end furthest from the point of attachment. The shape of the apex is taken as the general shape, excluding any differentiated tip (if present)
<b>Apical</b>	Located at the apex and/or furthest from the position of attachment. Compare 'proximal', 'basal' which is closest to the position of attachment. Synonyms: Apical, Distal, Terminal (most appropriate term to be decided on a case-by-case basis)
<b>Apiculate</b>	Terminating abruptly in a small sharp but not rigid point which is both vascular and laminar in nature. Applies to the most distal part of the apex (tip). Compare 'acuminate' where the tapering is less abrupt and 'cuspidate' which is rigid.
<b>Apopetalous</b>	With separate petals; petals not fused into a corolla tube. Compare 'sympetalous'.
<b>Arachnoid</b>	Covered by the general term "hair" in the Test Guidelines. Cobwebby; with loosely tangled, long, fine, white hair.
<b>Arched, Arching</b>	Strongly curved more or less symmetrically, as an arch.
<b>Aristate</b>	Awned; bearing a stiff, straight, bristle-like continuation of the primary vein. Applies to the most distal part of the apex (tip) or used for other parts where bristles may occur. Compare 'mucronate' where the point is shorter.
<b>Ascending</b>	use "upwards"
<b>Asymmetric</b>	Not being capable of median division into two equal halves in any direction.
<b>Attenuate</b>	Tapering gradually, with lateral margins concave. Generally more tapered than 'acute'. Applies to the base. Compare 'acuminate' which applies to the apex.
<b>Attitude</b>	For UPOV purposes, 'attitude' is used for plant parts, while 'growth habit' is used for the whole plant. 'Attitude' is used in relation to soil level and to other plant parts. Rather to use 'attitude' instead of 'stance'.

Term	Definition / comment
<b>Auriculate</b>	Eared; with two rounded lobes directed outwards to either side and projecting beyond the general outline of the plant part. Applies to the base. Compare 'hastate' with triangular lobes directed outwards, and 'sagittate' with triangular lobes directed downwards. Compare 'auriculiform' which applies to full plane shape.
<b>Auriculiform</b>	Eared; with two rounded basal lobes directed outwards and projecting beyond the general outline of the plant part. Compare 'auriculate' which applies to the base.
<b>Axillary</b>	Situated within or arising from the axil, which is the upper angle between the axis and any lateral off-shoot, e.g. an axillary bud arising from the axil of a leaf.
<b>Banded</b>	(see Section 2, Subsection 3, chapter 4 "Color distribution and color patterns")
<b>Barbate</b>	Bearded; with tufts of long hairs. See also 'barbed'
<b>Barbed</b>	Terminating in a reflexed hook. Type of appendage covered by the general term "spine" in the Test Guidelines. With short, rigid, hooked to reflexed bristles or points, like the barb of a fish-hook.
<b>Basal</b>	Located at the base, closest to the position of attachment. Compare 'apical', 'distal', 'terminal'. Synonyms: Basal, Proximal (most appropriate term to be decided on a case-by-case basis)
<b>Base</b>	The base (proximal part) of a plant part is the end nearest to the point of attachment.
<b>Bearded</b>	See 'barbate'.
<b>Bicrenate</b>	Doubly crenate; with the crenations themselves crenate, or with alternating larger and smaller crenations.
<b>Bidentate</b>	Doubly dentate; with the dentations themselves dentate, or with alternating larger and smaller dentations.
<b>Biserrate</b>	Doubly serrate; with the serrations themselves serrate, or with alternating larger and smaller serrations.
<b>Blistered</b>	use 'bullate'.
<b>Blotch</b>	Sharp, clear outlined irregular shaped colored area.
<b>Blotched</b>	(see Section 2, Subsection 3, chapter 4 "Color distribution and color patterns")
<b>Bristly</b>	With stiff, strong trichomes. A general term including both 'hispid' (harsh to the touch) and 'setose' (spiny to the touch).
<b>Bullate</b>	Blistered; the surface covered with irregular blister-like convexities. Compare 'papillose' with more elevated, nipple-like projections and 'verrucose' which is warty.
<b>Bumpy</b>	A general term for a surface with rounded lumps or swellings.
<b>Campanulate</b>	Bell-shaped; with an inflated tube, gradually widening distally into a limb or lobes. Normally applies to the corolla. Compare 'funnel-shaped' which is not inflated basally and 'cup-shaped' which does not diverge distally.
<b>Canaliculate</b>	Channeled, gutter-shaped; long and narrow, with a longitudinal groove.
<b>Capitate</b>	Headed; refers to a plant part which is stalked and terminates in a knob. Also applies to an inflorescence type with crowded flowers (florets) borne in a head-like cluster, e.g. Asteraceae.
<b>Capitulum (flower head)</b>	A flower head or capitulum is a very contracted raceme in which the single sessile flowers share are borne on an enlarged stem. It is characteristic of <i>Dipsacaceae</i> .
<b>Cartilaginous</b>	Firm and tough, like cartilage. Compare 'coriaceous' which is more flexible.
<b>Catkin (ament)</b>	A catkin or ament is a scaly, generally drooping spike or raceme. Cymose or other complex inflorescences that are superficially similar are also generally called thus.
<b>Caudate</b>	Tailed; tapering to a long, narrow, pointed appendage which is both vascular and laminar in nature. Applies to the most distal part of the apex (tip). Compare 'acuminate' where the point is shorter.
<b>Central bar</b>	(see Section 2, Subsection 3, chapter 4 "Color distribution and color patterns")
<b>Ciliate</b>	Bearing a marginal fringe of fine trichomes (outgrowths from the epidermis). Compare 'fimbriate' which arises not only from the epidermis but from the deeper layers as well.
<b>Circular</b>	Round; length/width ratio as well as dimension in all directions 1:1. The term 'circular' is preferable to 'round' and 'orbicular' for UPOV use. Forms part of the 'elliptic' series. Also applies to arrangement. Compare 'rounded' which applies to part of an outline, not the full shape.



Term	Definition / comment
<b>Cirrhous</b>	With a tendril; terminating in a narrow spiralled tip which is a continuation of the primary vein. Applies to the most distal part of the apex (tip) or to other parts with tendrils.
<b>Clambering</b>	Climbing without the aid of special structures e.g. tendrils. Compare 'climbing'.
<b>Clavate</b>	Club shaped - shaped like a club; thickening towards the apex from a tapered base
<b>Clawed</b>	Abruptly contracted to a narrow, petiole-like basal portion. Applies to petals and sepals. Compare 'spatulate' which narrows more gradually towards the base.
<b>Climbing (Climber)</b>	Climbing by means of special structures e.g. tendrils. Compare 'clambering'.
<b>Clustered</b>	Clumped; closely grouped, arising from a common point.
<b>Coalesced</b>	Unlike plant parts partially and irregularly fused. Compare 'adherent', 'adnate', 'coherent', 'connate', 'contiguous'.
<b>Coarse</b>	use 'rough'.
<b>Coherent</b>	Similar plant parts in close contact, not fused, e.g. anthers clinging together. Compare 'adherent', 'adnate', 'coalesced', 'connate', 'contiguous'.
<b>Color</b>	Color is complex and can be defined in terms of three main elements: HUE (distinguishes the different colors), SATURATION (the element of color that indicates the purity or grayness of the color) and INTENSITY (distinguishes the total amount of light that is reflected by the color, how the color is perceived by the eye on the dark to light scale). For describing colors of plants in Test Guidelines, it is generally the practice to look at one or more of the three elements of color, separately or in combination.
<b>Color distribution</b>	(see Section 2, Subsection 3, chapter 4.2.2 "Color distribution")
<b>Color names</b>	The RHS Colour Chart contains up to 896 colors. UPOV has identified 50 color "groups". The names used for the 50 UPOV Color Groups consist of either the [pure color] / [color hue] (e.g. yellow, orange, red), a combination of two [pure colors] / [color hues] (e.g. yellow orange, orange pink, purple red), or a combination of the [pure color(s)] / [color hue(s)] with "light" or "dark" (e.g. light yellow, dark pink red).
<b>Columnar</b>	Upright, with a dominant main stem and suppressed branch development. Compare 'fastigiate' where the branch development is not suppressed.
<b>Compressed</b>	Flattened laterally or lengthwise. Compare 'depressed'.
<b>Concave</b>	Hollowed; curved inwards.
<b>Congested</b>	Densely crowded; with almost no intervening spaces. Compare 'crowded' which is less dense.
<b>Conic</b>	Cone-shaped; tapering evenly from a circular base to an acute apex. The conic series also includes 'deltoid', with a more specific length/diameter ratio. Compare 'triangular' which applies to two-dimensional shape and 'obconic' which narrows towards the base.
<b>Connate</b>	Like parts fused histologically, e.g. staminal filaments fused into a tube. Compare 'adherent', 'adnate', 'coalesced', 'coherent', 'contiguous'.
<b>Connivent</b>	Converging but not fused, e.g. stamens with anthers touching.
<b>Conspicuous</b>	Clearly visible, evident (see "conspicuousness")
<b>Conspicuousness</b>	CONSPICUOUS: clearly visible, evident. INCONSPICUOUS: not clearly visible, obscure. To make clear what is meant with the term conspicuousness the following standard wording could be used in the Test Guidelines: (a) The conspicuousness is determined by the color contrast (b) The conspicuousness is determined by the color contrast combined with size.
<b>Contiguous</b>	Touching but not fused. Not 'adnate', 'connate', 'adherent' or 'coherent'.
<b>Continuous</b>	In an uninterrupted arrangement. Compare 'interrupted'.
<b>Convex</b>	Rounded and curved outwards.
<b>Convolute</b>	Rolled up longitudinally with the plant parts overlapping, as petals in a bud.
<b>Cordate</b>	Heart-shaped; with two equal, rounded, basal lobes divided by a deep sinus. Compare 'obcordate' which has the sinus at the apex and 'cordiform' which applies to full plane shape.

Term	Definition / comment
<b>Cordiform</b>	Heart-shaped; with two equal, rounded, basal lobes divided by a deep sinus, and tapering fairly straightly to the apex. Compare 'cordate' which applies to the base and 'obcordate' which is broadest towards the apex.
<b>Coriaceous</b>	Leathery; thick, tough and flexible. Compare 'cartilaginous' which is more firm.
<b>Corrugated</b>	Wrinkled, crumpled or folded into alternating furrows and ridges, e.g. <i>Papaver</i> petals in the bud. Compare 'rugose'.
<b>Crenate</b>	Scalloped, with rounded teeth.
<b>Crenulate</b>	having a margin with <i>small</i> rounded teeth (minutely crenate). Compare "crenate".
<b>Crispate</b>	With the margin curled or crumpled and irregularly twisted.
<b>Crowded</b>	Grouped together but with some intervening spaces. Compare 'congested' which is more densely crowded.
<b>Crustaceous</b>	Thin, hard and brittle.
<b>Cuneate</b>	Wedge-shaped; broadest towards the apex, the lateral margins more or less straight and converging towards the base at an acute or obtuse angle. Applies to the base.
<b>Cuneiform</b>	use 'obconic'
<b>Cup-Shaped</b>	With a tube which is rounded basally and which does not diverge distally. Compare 'campanulate' which diverges distally and 'funnel-shaped' which is not rounded basally.
<b>Cuspidate</b>	Terminating in a short rigid point, or cusp, which is both vascular and laminar in nature. Applies to the most distal part of the apex (tip). Compare 'mucronate' which is only vascular, 'apiculate' where the point is not rigid and 'pungent' where the point is long and rigid.
<b>Cylindric</b>	Solid, long and narrow with an even diameter, circular in transverse section. Compare 'tubular' which is hollow.
<b>Cymose corymb</b>	The so called cymose corymb is similar to a racemose corymb but has a panicle-like structure.
<b>Decumbent</b>	Growing horizontally on the ground but with the apical parts ascending. Compare 'prostrate' where the apical parts do not ascend.
<b>Decurrent</b>	Running downwards
<b>Deflexed</b>	use 'reflexed'.
<b>Deltate</b>	More or less equilaterally triangular; narrowing towards the apex, that is away from the point of attachment. Forms part of the 'triangular' series. Compare 'deltoid' which applies to three-dimensional shape, also compare 'obtriangular' and 'obdeltate' which narrow towards the base.
<b>Deltoid</b>	More or less equilaterally cone-shaped; tapering evenly from a circular base to an acute apex. Forms part of the 'conic' series. Compare 'deltate' which applies to two-dimensional shape and 'obdeltoid' which narrows towards the base.
<b>Dense (Density)</b>	Numerous per unit area, as opposed to sparse.
<b>Dentate</b>	With sharp teeth pointed outwards. The two sides of a tooth are the same length. Compare 'denticulate' which is finer, 'crenate' where the teeth are rounded and 'serrate' where the teeth point towards the apex.
<b>Denticulate</b>	With <i>fine</i> , sharp teeth pointed outwards (finely dentate). Compare "dentate".
<b>Depressed</b>	Sunken, as if pressed into the middle from above or from above and below, causing a concavity. Compare 'compressed'.
<b>Descending</b>	Growing or orientated gradually downwards in relation to soil level or to other plant parts. Synonyms: Descending, Downwards (most appropriate term to be decided on a case-by-case basis)
<b>Diffuse</b>	With plant parts, e.g. petals, spread widely, or with branches spread widely and frequently branching. Compare 'divergent', spreading at almost right angles to the main axis.
<b>Discoïd</b>	Having a flat, circular form; disk-shaped.
<b>Distal</b>	Located at the apex and/or furthest from the position of attachment. Compare 'proximal', 'basal' which is closest to the position of attachment. Synonyms: Apical, Distal, Terminal (most appropriate term to be decided on a case-by-case basis)
<b>Distinct</b>	to be used only in terms of the meaning within DUS.

Term	Definition / comment
<b>Divaricate</b>	With branches spreading widely, at almost right angles to the main axis. 'Divaricate' applies more specifically to the growth habit while 'divergent' applies to the direction of the branches. 'A divaricate plant would have divergent branches.
<b>Divergent</b>	With plant parts, specifically branches, spreading away from each other. Compare 'diffuse' and 'divaricate'. 'Divaricate' applies more specifically to the growth habit while 'divergent' applies to the direction of the branches. 'A divaricate plant would have divergent branches.
<b>Dorsal</b>	The lower, outer or abaxial side in relation to the axis. Compare 'ventral'.
<b>Downwards</b>	Growing or orientated gradually downwards in relation to soil level or to other plant parts. Synonyms: Descending, Downwards (most appropriate term to be decided on a case-by-case basis)
<b>Drooping</b>	Bending downwards. Compare 'weeping' where the downward bending is more pronounced and 'pendulous' which is hanging, rather than bending downwards. Also used for growth habit.
<b>Dwarfed (Dwarf)</b>	A plant or part of a plant of which the growth is suppressed, leading to a much reduced size compared to the average of its kind.
<b>Ellipsoid</b>	A three-dimensional ellipse; broadest at the middle, with margins tapering convexly and evenly to either end. The 'ellipsoid' series also includes 'spheric' and 'obloid', differing only in their length/diameter ratios. Compare 'elliptic', 'circular' and 'oblate' which apply to two-dimensional shapes.
<b>Elliptic</b>	Ellipse-shaped; broadest at the middle, the margins tapering convexly and evenly to either end. The elliptic series also includes 'circular' and 'oblate', differing only in their length/width ratios.
<b>Emarginate</b>	Notched; with an acute, deep, central sinus. Applies to the apex. Compare 'retuse' and 'obcordate'.
<b>Entire</b>	With an undivided margin; not toothed or lobed.
<b>Equilateral</b>	With sides or halves of equal shape and/or size. Compare 'inequilateral'.
<b>Erect</b>	Vertical in relation to the ground or perpendicular to the surface where the plant part is attached. For UPOV purposes 'erect' is used for plant parts only (attitude) and not for the whole plant (habit). The term to be used for plant habit is 'upright'.
<b>Erose</b>	Gnawed; with an irregularly toothed margin, as if chewed.
<b>Even</b>	Smooth; opposite of rough. For internal texture characteristics the term 'fine' is used.
<b>Exserted</b>	Extending beyond the surrounding parts, e.g. stamens protruding beyond the corolla. Compare 'included'.
<b>Falcate</b>	Sickle-shaped; strongly curved sideways.
<b>Farinaceous (Farinose)</b>	Mealy; with a whitish, powdery covering. Compare 'granular'.
<b>Fasciated</b>	With stems fused together and congested lengthwise, malformed and flattened; e.g. stems of pea.
<b>Fastigate</b>	Strongly upright, with a narrow crown, the branches virtually erect, parallel and adpressed. Applies to trees. Compare 'columnar' of which the branch development is suppressed.
<b>Felted</b>	use 'pannose'.
<b>Fibrous</b>	With tough strands.
<b>Filiform</b>	'Thread-like'.
<b>Fimbriate</b>	Bearing a marginal fringe of hair-like appendages extending not only from the epidermis but from the deeper layers as well. Compare 'ciliate' which arises from the epidermis only.
<b>Fine</b>	Not textured; smooth, opposite of 'rough'. For surface characteristics the term 'smooth' or 'even' is used.
<b>Flabellate (fan shape)</b>	Fan shaped; rounded at the apex and flattened at the base.
<b>Fleshy</b>	Pulpy; succulent but firm, easy to cut.
<b>Flexuous</b>	(a) Resiliently bendable, like a whip / lithe or fluid in movement; or (b) Having curves, turns or bends

Term	Definition / comment
<b>Floccose</b>	Covered by the general term “hair” in the Test Guidelines. With tufts of long, soft hairs, usually rubbing off easily.’
<b>Flush</b>	(see Section 2, Subsection 3, chapter 4 “Color distribution and color patterns”)
<b>Form</b>	in the UPOV Test Guidelines, the term “shape” should be used in its broadest sense and the use of terms such as “form” and “profile” should be avoided to minimize discrepancies in translation
<b>Free</b>	Separate from one another; not joined.
<b>Funnel-Shaped (Infundibular)</b>	With an obconic tube gradually diverging distally. Compare ‘campanulate’ and ‘cup-shaped’ which are rounded basally.
<b>Fusiform</b>	Spindle-shaped; long and narrow, circular in transverse section, thick in the middle and tapering to both ends.
<b>Glabrate</b>	Almost hairless.
<b>Glabrescent</b>	Becoming hairless with age.
<b>Glabrous</b>	Bald; without trichomes, smooth, hairless.
<b>Glandular</b>	Bearing glands; with short-stalked or sessile glands or with hairs bearing glands at their tips.
<b>Globose</b>	Ball-shaped; round in outline when viewed from any angle.
<b>Granular (Grainy)</b>	Covered with small granules or grains. Compare ‘farinaceous’.
<b>Grooved</b>	With one or more narrow channels
<b>Ground color</b>	When an organ has two layers of tissue containing color pigmentation and one layer is covering the other, the colors of the two layers can be described as ground color and over color. The term ground color can be used in different ways: (i) The ground color is the first color to appear chronologically during the development of the plant part. Other colors may develop in time in the form of spots, blotches, or a flush. (ii) The ground color is the color which has a continuous dispersion across the surface of the plant part. The ground color is not always the color occupying the largest surface area of the plant part concerned. For certain organs having two layers of tissue containing color pigmentation, and one layer is covering the other on the upper side of the organ it may be appropriate to determine the ground color by observing the main color of the lower side of the organ (see example Phalaenopsis in Section 2, Subsection 3, chapter 3.2).
<b>Hastate</b>	Arrow-shaped; with two equal, more or less triangular lobes directed outwards to either side. Applies to the base of a leaf blade. Compare ‘auriculate’ with rounded lobes directed outwards, ‘sagittate’ with triangular lobes directed downwards and ‘hastiform’ which applies to full plane shape.
<b>Hastiform</b>	Arrowhead-shaped; gradually enlarged basally from an acute apex, but with two widely divergent basal lobes, directed outwards. Compare ‘hastate’ which applies to the base and ‘sagittate’ of which the lobes are directed downwards.
<b>Herbaceous (Herb)</b>	Plant with soft, non-woody stems, of which the above-ground parts die back after the growing season, or, more generally, any non-woody plant.
<b>Hirsute</b>	Covered by the general term “hair” in the Test Guidelines. With long, more or less erect, coarse, stiff trichomes. Compare ‘setose’ which is spiny to the touch and ‘hispid’ which is coarser.
<b>Hispid</b>	Covered by the general term “hair” in the Test Guidelines. With stiff, bristly trichomes; harsh to the touch. Compare ‘setose’ which is spiny to the touch, ‘hirsute’ which is somewhat finer and ‘scabrous’ which is also harsh to the touch.
<b>Horizontal</b>	Level; parallel to the ground. To be used in relation to soil level, i.e. perpendicular to ‘vertical’. To be used for plant parts and not for growth habit. ‘Prostrate’ is to be used for habit. ‘Adpressed’ is preferable for plant parts lying flat on a surface, therefore not necessarily parallel to the ground.
<b>Hue</b>	Distinguishes the different colors.
<b>Included</b>	Enclosed within; not extending beyond the surrounding parts, e.g. stamens not sticking out beyond the corolla. Compare ‘exserted’.
<b>Inconspicuous</b>	Not clearly visible, obscure (see “conspicuousness”)

Term	Definition / comment
Incurved	Curving inwards or upwards (adaxially). Compare 'inflexed', which is bent inwards or upwards more abruptly.
Indistinct	not to be used (see "distinctness")
Inequilateral	With sides or halves of unequal shape and/or size; oblique. Compare 'equilateral'.
Inflated	Blown up; hollow and swollen in appearance.
Inflexed	Bent inwards or upwards (adaxially) abruptly. Compare 'incurved'.
Infundibular	See 'funnel-shaped'.
Intensity	Distinguishes the total amount of light that is reflected by the color, how the color is perceived by the eye on the dark to light scale
Interrupted	Not continuous; an arrangement which is disturbed at some point/points. Compare 'continuous'.
Intricate	Entangled; irregularly intertwined.
Involute	With margins rolled towards the adaxial surface. Compare 'revolute' with margins rolled downwards.
Inwards	a plant part/plant parts facing inwards in relation to the whole plant or in relation to other relevant plant parts, e.g. stamens facing inwards in relation to the corolla. Compare 'outwards'.
Kidney-shaped	Synonyms: Reniform, Kidney-shaped (most appropriate term to be decided on a case-by-case basis)
Lanate	Covered by the general term "hair" in the Test Guidelines. Woolly; with long, somewhat matted, tangled trichomes. Compare 'tomentose' with shorter, denser hairs and 'pannose' which is even denser (felted).
Lanceolate	Lance-shaped; narrow ovate, broadest towards the base, that is towards the point of attachment. The apex may have a sharp or blunt tip. Forms part of the 'ovate' series.
Lateral	Towards or at the side of an axis or plant part.
Lax	Loose; not compact, in an open arrangement.
Lenticular	Lens-shaped; doubly convex.
Lepidote (Leprous)	Peltate-scaly; with small stalked scales.
Ligneous	Woody.
Ligulate (Lorate)	Strap-shaped; long and narrow, with the lateral margins parallel. Forms part of the 'oblong' series.
Linear	Long and narrow, with the lateral margins parallel. Forms part of the 'oblong' series.
"Lisbon" approach	In this approach all colors of the plant part concerned are assessed using the RHS Colour Charts first. The colors are then ordered from the lowest to highest number according to the color number from the Colour Chart, with the lowest number being RHS 1 A and the highest number being RHS 203 D. Additional cards in new editions of the RHS Colour charts may increase the highest number. In this approach the determination of color is made without consideration of the surface area occupied by that color.
Lobe, Lobed	See Part II "STRUCTURE", Section 1.4.2: in general, terms such as 'lobed' (cut 1/8 to 1/4 of the distance to the middle), 'cleft' (cut 1/4 to 1/2 way to the middle), 'parted' (cut 1/2 to 3/4 way to the middle) and 'divided' (cut 3/4 way to almost all the way to the middle) are not used because they can be misleading if used as states of expression.
Longitudinal	Parallel to the axis extending through the base and the apex, whether or not this is the longest axis.
Lorate	See 'Ligulate'
Lunate	Crescent-shaped with more or less acute ends. Compare 'reniform'.
Lyrate	Lyre-shaped: pinnately lobed, with the terminal lobe much larger than the more basal (lower) lobes.
Main color	The main color is the color with the largest surface area. In cases where the areas of the main and secondary color are too similar to reliably decide which color has the largest area, [the darkest color] / [the color...[location]...] is considered to be the main color.
Marbled	(see Section 2, Subsection 3, chapter 4 "Color distribution and color patterns")

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 4: Definitions for shape, structure and color terms  
 page 142

Term	Definition / comment
<b>Marginal</b>	Associated with the margin or edge of an organ.
<b>Marginal zone</b>	(see Section 2, Subsection 3, chapter 4 "Color distribution and color patterns")
<b>Marginate</b>	(see Section 2, Subsection 3, chapter 4 "Color distribution and color patterns")
<b>Membranous</b>	Like a membrane; thin and somewhat transparent. Compare 'papyraceous' which is more opaque.
<b>Mucronate</b>	Terminating abruptly in a short, hard point which is a continuation of the primary vein and is only vascular in nature. Applies to the most distal part of the apex (tip). Compare 'aristate' where the point is longer and 'cuspidate' which is both vascular and laminar.
<b>Net</b>	(see Section 2, Subsection 3, chapter 4 "Color distribution and color patterns")
<b>Netted</b>	(see Section 2, Subsection 3, chapter 4 "Color distribution and color patterns")
<b>Obconic</b>	Inversely conic; tapering evenly from a circular apex to an acute base. The obconic series also includes 'obdeltoid', with a more specific length/diameter ratio. Compare 'obtriangular' which applies to two-dimensional shape and 'conic' which narrows towards the apex.
<b>Obcordate</b>	Inversely heart-shaped; with two equal, rounded, apical lobes divided by a deep sinus, and tapering fairly straightly to the base. Applies to full plane shape and the general shape of the apex. Compare 'cordate' which has the sinus at the base and 'obcordiform' which applies to full plane shape. Also compare 'emarginate' and 'retuse' where the incisions are too small to affect the general shape.
<b>Obcordiform</b>	Inversely heart-shaped; with two equal, rounded, apical lobes divided by a deep sinus, and tapering fairly straightly to the base. Compare 'obcordate' which applies to the apex and 'cordiform' which is broadest towards the base.
<b>Obdeltate</b>	Inversely deltate; more or less equilaterally obtriangular, narrowing towards the base, that is towards the point of attachment. Forms part of the 'triangular' series. Compare 'obdeltoid' which applies to three-dimensional shape and 'deltate' which narrows towards the apex.
<b>Ob lanceolate</b>	Inversely lanceolate; broadest towards the apex, that is furthest from the point of attachment. Forms part of the 'obovate' series.
<b>Oblate</b>	Transverse elliptic; ellipse shaped but shorter than broad, broadest at the middle, with margins tapering convexly and evenly to the base and apex, the longest dimension orientated transversely. Forms part of the 'elliptic' series.
<b>Oblique</b>	Orientation of plant part: Orientated at an angle other than 90 degrees to or parallel to the longitudinal axis. Shape of plant part: Inequilateral; bilaterally asymmetric. Applies to the base, apex, two-dimensional outline, position and attitude in relation to plant parts.
<b>Obloid</b>	Transverse ellipsoid; shorter than broad, broadest at the middle with margins tapering convexly and evenly to the base and apex, the longest dimension orientated transversely. Forms part of the 'ellipsoid' series.
<b>Oblong</b>	Approximately rectangular, with more or less parallel sides terminating obtusely at both ends; four-sided with opposite sides parallel and all angles approximately 90 degrees. The 'oblong' series also includes 'square' and 'linear', differing only in their length/width ratios, 'square' having the same dimension in both its length and its width.
<b>Obovate</b>	Inversely ovate; broadest above the middle, that is towards the apex. Compare the 'ovate' series which is broadest towards the base and 'obovoid' which applies to three-dimensional shape.
<b>Obovoid</b>	Inversely ovoid; broadest above the middle, that is towards the apex. Compare the 'ovoid' series which is broadest towards the base and 'obovate' which applies to two-dimensional shape.
<b>Obtriangular</b>	Inversely triangular; with three more or less straight sides, broadest at the apex and narrowing towards the point of attachment. The 'obtriangular' series also includes 'obdeltate', with a more specific length/width ratio.  Compare 'triangular' which is broadest at the base and 'obconic' which applies to three-dimensional shape.
<b>Obtrullate</b>	Inversely trullate; broadest above the middle and tapering towards the basal and apical ends, the lateral margins more or less straight but angled at the position of greatest width. Compare the 'obovate' series which is less angular, and the 'rhombic' series which is broadest at the middle.

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
 Subsection 4: Definitions for shape, structure and color terms  
 page 143

Term	Definition / comment
<b>Obtuse</b>	With straight or slightly convex margins, at an angle of 90 ° or more. Applies to the apex, base, etc. Compare 'acute' where the angle is <90 °. In cases where it is useful to distinguish between 'narrow obtuse' and 'broad obtuse', one should remember that they should both still be >90 °.
<b>Open</b>	Term used to describe plants with sparse branches or foliage.
<b>Orbicular</b>	use "Circular"
<b>Outwards</b>	a plant part/ plant parts facing outwards in relation to the whole plant or in relation to other relevant plant parts, e.g. the corolla facing outwards in relation to the longitudinal axis of the flower. Compare 'inwards'.
<b>Ovate</b>	Chicken-egg-shaped; broadest below the middle, that is towards the point of attachment, the margin entirely convex, although the apex may be either rounded or pointed. Compare the 'obovate' series which is broadest towards the apex and 'ovoid' which applies to three-dimensional shape.
<b>Over color</b>	In the case of a plant part which has a ground color upon which a second color such as a flush develops over time, the flush is considered the over color. The over color is not always the color occupying the smallest surface area of the plant part concerned.
<b>Ovoid</b>	Chicken-egg-shaped; broadest below the middle, that is towards the base, entirely convex, although the apex may be either rounded or pointed. Compare the 'obovoid' series which is broadest towards the apex and 'ovate' which applies to two-dimensional shape.
<b>Panicle</b>	a definite inflorescence that is increasingly more strongly and irregularly branched from the top to the bottom and where each branching has a terminal flower.
<b>Pannose</b>	Covered by the general term "hair" in the Test Guidelines. Felted; densely covered with short, matted, intertwined hairs.' Compare 'tomentose' which is less matted.
<b>Papillose</b>	Pimpled, with small, rounded, soft to firm, unequal bumps. Compare 'bullate' which has flatter, blister-like convexities.
<b>Papyraceous, Papery</b>	With the consistency of paper; thin and somewhat opaque. Compare 'membranous' which is more transparent.
<b>Patches</b>	(see Section 2, Subsection 3, chapter 4 "Color distribution and color patterns")
<b>Pear-shaped</b>	See 'pyriform'.
<b>Pedicel</b>	A stalk which attaches single flowers or fruits to the main stem peduncle of the inflorescence or infructescence.
<b>Pedicelled (Pedicellate)</b>	An individual flower or fruit borne on a stalk.
<b>Peduncle</b>	A stem supporting a solitary flower, solitary fruit, inflorescence, or infructescence.
<b>Peltate</b>	Shield-shaped; applies to a stalked plant part, normally circular in shape and with the stalk attached at or near the center of the lower surface.
<b>Pendent</b>	Hanging downwards due to its own weight. Compare 'pendulous'. Compare 'drooping' and 'weeping', which are 'bending downwards', 'weeping' being more pronounced than 'drooping'.
<b>Pendulous</b>	Hanging downwards, due to the weakness of its support. Compare 'pendent'.
<b>Perpendicular</b>	At right angle to another plant part.
<b>Petiole</b>	A stalk attaching the leaf blade to the stem.
<b>Petiolule</b>	A stalk of any of the leaflets making up a compound leaf.
<b>Pilose</b>	Covered by the general term "hair" in the Test Guidelines. With long, soft, sparse, slender trichomes. Compare 'villous' which is more shaggy.
<b>Pointed</b>	A general term for a base or apex, etc. with straight or slightly convex margins terminating in a sharp or blunt tip. Compare 'acute' (<90°), 'obtuse' (>90°). For the base, the term cuneate may be used instead of 'pointed'.
<b>Prickly</b>	See 'aculeate'.
<b>Procumbent</b>	Growing flat on the ground but not rooting at the nodes. Compare 'stoloniferous' rooting at the nodes.

Term	Definition / comment
<b>Profile</b>	In the UPOV Test Guidelines, the term “shape” should be used in its broadest sense and the use of terms such as “form” and “profile” should be avoided to minimize discrepancies in translation
<b>Prominent</b>	Standing out clearly from the surrounding surface, e.g. veins raised on the abaxial side of a leaf. Compare ‘conspicuous’, which is ‘clearly visible’.
<b>Prostrate</b>	Growing flat on the ground. Compare ‘procumbent’ (not rooting at the nodes) and ‘stoloniferous’ (rooting at the nodes or tips), both more specific types of prostrate. Also compare ‘decumbent’ of which the apical parts ascend.
<b>Proximal</b>	Located at the base, closest to the position of attachment. Compare ‘apical’, ‘distal’, ‘terminal’. Synonyms: Basal, Proximal (most appropriate term to be decided on a case-by-case basis)
<b>Pubescent</b>	The terms ‘pubescent’/‘pubescence’ are synonymous with ‘hairy’/‘hairiness’ for the purposes of Test Guidelines.
<b>Pungent</b>	Terminating in a long, rigid, sharp point which is both vascular and laminar in nature. Applies to the most distal part of the apex (tip). Compare ‘cuspidate’ where the point is shorter.
<b>Pyramidal</b>	Pyramid-shaped
<b>Pyriform</b>	Pear-shaped; obovoid with a contraction towards the base.
<b>Quadrangular</b>	Rectangular; four-sided with opposite sides parallel and all angles approximately 90 degrees. The term ‘oblong’ is preferred for UPOV use.
<b>Raceme</b>	an unbranched, indeterminate inflorescence with pedicellate (having short floral stalks) flowers along the axis
<b>Racemose corymb</b>	an unbranched, indeterminate inflorescence that is flat-topped or convex due to their outer pedicels which are progressively longer than inner ones.
<b>Ramified</b>	Branched.
<b>Reclining</b>	With branches gradually curving downwards from an erect position, the distal parts lying on the ground.
<b>Rectangular</b>	use ‘oblong’
<b>Recurved</b>	Curving downwards (abaxially). Compare ‘reflexed’, which is bent downwards more abruptly.
<b>Reflexed</b>	(a) An angle which is >180°; or (b) Bent downwards (abaxially) abruptly. Compare ‘recurved’ of which the downward curving is less abrupt.
<b>Reniform</b>	Kidney-shaped; thickly lunate with rounded ends. Compare ‘lunate’. Synonyms: Reniform, Kidney-shaped (most appropriate term to be decided on a case-by-case basis)
<b>Repand</b>	Shallowly sinuate. Compare ‘undulate’ which is wavy perpendicular to the plane of the plant part.
<b>Resinous</b>	Covered with or exuding resin, which may be sticky. Compare ‘viscid’.
<b>Reticulate</b>	Netted; with a fine network contrasting in color or texture, e.g. veins on the abaxial side of a leaf. Compare ‘rugose’ which has convex areas in between the netted venation.
<b>Retuse</b>	Notched; with an obtuse, shallow, central sinus. Applies to the apex. Compare ‘emarginate’ and ‘obcordate’.
<b>Revolute</b>	With margins rolled towards the abaxial surface. Compare ‘involute’ with margins rolled upwards.
<b>Rhombic</b>	Diamond-shaped; broadening towards the middle and tapering with more or less straight margins to the basal and apical end. Compare ‘trullate’ which is broadest below the middle and ‘obtrullate’ which is broadest above the middle.
<b>Rhomboid</b>	Diamond-shaped; square in transverse section, broadest and angled at the middle, tapering with more or less straight margins to each end.
<b>Rigid</b>	Stiff; not easily bendable.
<b>Rotate</b>	Disc-shaped; with a short tube and spreading, flattened, circular limb or lobes. Usually applies to the corolla. Compare ‘salverform’ which has a long tube.
<b>Rough</b>	Coarse; opposite of ‘even’, ‘fine’ and ‘smooth’.
<b>Round</b>	use “circular”



Term	Definition / comment
<b>Rounded</b>	Curved like the outline of a circle. Applies to the base, apex, lateral sides, etc. but not to be used for describing the general outline of a plane figure.
<b>Rugose</b>	Impressed wrinkled; as in a leaf with convex areas in between the netted venation. Compare 'corrugated' and 'reticulate'.
<b>Sagittate</b>	Arrowhead-shaped; with two equal, more or less triangular lobes directed downwards. Applies to the base and overall outline. Compare 'hastate' with triangular lobes directed outwards and 'auriculate' with rounded lobes directed outwards.
<b>Salverform</b>	Salver-shaped; with a long, narrow tube abruptly expanding to a flattened limb or lobes. Applies to the corolla. Compare 'rotate' which has a short tube.
<b>Saturation</b>	The element of color that indicates the purity or grayness of the color.
<b>Scabrous</b>	Rough to the touch
<b>Secondary color</b>	The color with the largest surface area is the main color; the one with the second largest area is the secondary color and so on. In cases where the areas of the main and secondary color are too similar to reliably decide which color has the largest area, [the darkest color] / [the color...[location]...] is considered to be the main color.
<b>Semi-ellipsoid</b>	Ellipsoid with the basal half cut off; rounded at the apex and flattened at the base.
<b>Semi-erect</b>	Standing up at more or less 45 degrees in relation to the ground or to the surface where the plant part is attached. For UPOV purposes 'semi-erect' is used for plant parts only (attitude) and not for the whole plant (habit). The term to be used for plant habit is 'semi-upright'.
<b>Semi-upright</b>	Half-upright; between 'upright' and 'spreading', not as tall and narrow as 'upright' and not as wide as 'spreading'. For UPOV purposes 'semi-upright' is used for the whole plant only (habit) and not for plant parts (attitude). The term to be used for plant parts is 'semi-erect'.
<b>Sericeous</b>	Silky; with fine, long, adpressed trichomes.
<b>Serrate</b>	With sharp teeth pointed forwards, towards the apex. The front side of a tooth is shorter than the back. Compare 'crenate' where the teeth are rounded and 'dentate' where the teeth point outwards.
<b>Serrulate</b>	Finely serrated. See "serrate".
<b>Sessile</b>	Stalkless; attached directly to the supporting plant part. Compare 'stalked' and 'pedicelled'.
<b>Setose, Setaceous</b>	Covered by the general term "hair" in the Test Guidelines. Bristly; with long, erect, sharply pointed, rigid trichomes. Spiny to the touch. Compare 'hispid' which is harsh to the touch and 'strigose' with adpressed trichomes.
<b>Shape</b>	In the UPOV Test Guidelines, the term "shape" should be used in its broadest sense and the use of terms such as "form" and "profile" should be avoided to minimize discrepancies in translation
<b>Sheathing</b>	Surrounding a plant part and resembling a tube; e.g. the leaf base of a grass surrounding the stem.
<b>Single flower</b>	A single flower is the reproductive structure found in flowering plants. A single flower could be a solitary flower or part of an inflorescence.
<b>Sinuate</b>	Alternatively concave and convex in the plane of the organ; wavy. Compare 'repand' which is shallowly 'sinuate' and 'undulate' which is wavy perpendicular to the plane of the plant part.
<b>Smooth</b>	Even; opposite of rough. For internal texture characteristics the term 'fine' is used.
<b>Spadix</b>	a spike of flowers densely arranged around it, enclosed or accompanied by a highly specialized bract called a spathe. It is characteristic of the <i>Araceae</i> family.
<b>Sparse</b>	Few per unit area, as opposed to 'dense'. The term "open" is used to describe plants with sparse branches or foliage.
<b>Spathulate</b>	use 'spatulate'.
<b>Spatulate</b>	Spoon-shaped; attenuate at the base and rounded at the apex. Compare 'clawed' ('unguiculate') which narrows more abruptly towards the base.
<b>Speckle</b>	Diffuse outlined irregular shaped colored area.
<b>Speckled</b>	(see Section 2, Subsection 3, chapter 4 "Color distribution and color patterns")
<b>Spheric</b>	use 'Globose'

Term	Definition / comment
<b>Spike</b>	An indeterminate inflorescence with sessile flowers on an unbranched axis.
<b>Spine</b>	A rigid, sharply pointed modified organ or part of an organ e.g. a modified stem or reduced branch, leaf, stipule, etc. Contains superficial as well as deeper layers. Compare 'prickle' which arises from the superficial layers only and 'thorn' which can be used synonymously to 'spine' but normally applies to modified stems only.
<b>Spinose (Spiny, Thorny)</b>	Bearing spines; with stiff, sharp projections from the superficial and deeper layers of the plant part. Compare 'aculeate' (only from the superficial layers).
<b>Spiral</b>	Corkscrew-shaped; the circumference even or diminishing.
<b>Spot</b>	Sharp, clear outlined round or nearly round shaped colored area.
<b>Spotted</b>	(see Section 2, Subsection 3, chapter 4 "Color distribution and color patterns")
<b>Spreading</b>	Directed outwards; e.g. branches diverging. Also applies to growth habit.
<b>Spur Type</b>	Plant habit in which the shoot internodes are very short. Found in some fruit varieties.
<b>Squamose</b>	Scaly; with minute adpressed scales.
<b>Square</b>	Equilaterally quadrangular or rectangular; with the length and the width having the same dimensions. Length/width ratio 1:1. Forms part of the 'oblong' series.
<b>Stalked</b>	Attached to the supporting plant by a stalk. Compare 'sessile' and 'pedicelled'.
<b>Stance</b>	use 'attitude'
<b>Star-shaped</b>	use 'stellate'
<b>Stellate</b>	Star-shaped: with several points radiating from the center
<b>Stipitate</b>	use 'stalked'.
<b>Stoloniferous</b>	Bearing prostrate stems rooting at the nodes or at the tips, producing new plants. Compare 'procumbent' not rooting at the nodes.
<b>Striate</b>	Finely striped; with more or less parallel lines of a different color, or grooves or ridges. Compare 'aciculate' (needle scratches in different directions).
<b>Strigose</b>	Covered by the general term "hair" in the Test Guidelines. With stiff, sharp, coarse, adpressed, bristly trichomes, often swollen at the base. Compare 'setose' with erect trichomes.
<b>Striped</b>	(see Section 2, Subsection 3, chapter 4 "Color distribution and color patterns")
<b>Stripes</b>	(see Section 2, Subsection 3, chapter 4 "Color distribution and color patterns")
<b>Subulate</b>	Awl-shaped; tapering from a narrow base to a fine, sharp point.
<b>Symmetric</b>	Being capable of median division into two equal halves, at least along the longitudinal axis. Compare 'asymmetric', 'actinomorphic'.
<b>Sympetalous</b>	With petals fused, at least partly, into a corolla tube. Compare 'apopetalous'.
<b>Terete</b>	Long and slender, tapering towards the apex, circular in transverse section.
<b>Terminal</b>	Located at the apex and/or furthest from the position of attachment. Compare 'proximal', 'basal' which is closest to the position of attachment. Synonyms: Apical, Distal, Terminal (most appropriate term to be decided on a case-by-case basis)
<b>Tesselate</b>	(see Section 2, Subsection 3, chapter 4 "Color distribution and color patterns")
<b>Tetrahedral</b>	In the shape of a triangular pyramid
<b>Thorn</b>	A rigid, sharply pointed modified organ or part of an organ, normally a modified stem. Contains superficial as well as deeper layers. Compare 'prickle' which arises from the superficial layers only and 'spine' which can be used synonymously to 'thorn' but may apply to other modified organs as well, e.g. a leaf or stipule, etc.
<b>Thorny</b>	See 'spinose'.
<b>Thyrse</b>	A raceme in which the single flowers are replaced by cymes is called a (indefinite) thyrse. A botryoid in which the single flowers are replaced by cymes is a definite thyrse or thyrsoid. Thyrses are often confusingly called panicles.
<b>Tip</b>	See Part I "SHAPE", Section 2.4

TGP/14/5 Draft 1: SECTION 2: BOTANICAL TERMS  
Subsection 4: Definitions for shape, structure and color terms  
page 147

Term	Definition / comment
<b>Tomentose</b>	Covered by the general term "hair" in the Test Guidelines. Densely woolly; with short, matted, interwoven trichomes. 'Densely and softly matted-lanate.' Compare 'pannose' which is even denser and more matted (felted) and compare 'lanate' with longer, less matted hairs.
<b>Top</b>	To be used in relation to soil level. Compare 'tip' and 'apex'.
<b>Transverse band</b>	(see Section 2, Subsection 3, chapter 4 "Color distribution and color patterns")
<b>Transverse</b>	Perpendicular to the longitudinal axis, i.e. at right angle to the axis extending through the base and the apex, whether or not this is the longest axis. Compare 'longitudinal'.
<b>Trapezoidal</b>	Four-sided, with one pair of parallel sides
<b>Triangular</b>	With three more or less straight sides, broadening towards the base, that is towards the point of attachment. The triangular series also includes 'deltate', with a more specific length/width ratio. Compare 'obtriangular' which is broadest towards the apex and 'conic' which applies to three-dimensional shape.
<b>Trichome</b>	Unbranched hair-like outgrowth from the epidermis.
<b>Trullate</b>	Broadest below the middle and tapering towards the basal and apical end, the lateral margins more or less straight but angled at the position of greatest width. Compare the 'ovate' series which is less angular, and the 'rhombic' series which is broadest at the middle.
<b>Truncate</b>	With the base (apex) abruptly terminated in a straight, transverse, basal (distal) margin, as if cut off. Applies to the base and apex.
<b>Tubular</b>	Hollow, long and narrow with an even diameter, circular in transverse section. Compare 'cylindric', which is solid.
<b>Twining</b>	Climbing by coiling around a support.
<b>Umbel</b>	a type of raceme with a short axis and multiple floral pedicels of equal length that appear to arise from a common point.
<b>Undulate</b>	Wavy perpendicular to the plane of the plant part. Compare 'repand' and 'sinuate' which are wavy in the plane of the plant part.
<b>Unguiculate</b>	use 'clawed'.
<b>Unsuitable color names</b>	Color terms such as "bronze", "fuchsia", "gold", "ochre", "salmon", "silver", etc. should not be used as states of expression in the Test Guidelines because they could cause confusion concerning the intended color. Therefore, these terms should be replaced by standard colors (e.g. orange brown instead of bronze).
<b>UPOV Color Groups</b>	(see "Color names")
<b>Upright</b>	General term used for tall and narrow plants. More specifically, 'fastigiate' may be used if the branches are virtually erect and parallel to the main stem, and 'columnar' if the branch development is suppressed. For UPOV purposes 'upright' is used for the whole plant only (habit) and not for plant parts (attitude). The term to be used for plant parts is 'erect'.
<b>Upwards</b>	Growing or orientated gradually upwards in relation to soil level or to other plant parts.
<b>Urceolate</b>	Pitcher-shaped; with a tube that is very wide at the base, narrowing towards the apex, and strongly constricted at or below the mouth. Applies to the corolla.
<b>Variegation</b>	Well defined areas of different colors or intensities, with less or no chlorophyll, especially as very light green, yellow or white longitudinal stripes or irregular shaped areas or marginal zone combined with a green color on leaves.
<b>Veined</b>	(see Section 2, Subsection 3, chapter 4 "Color distribution and color patterns")
<b>Velutinous</b>	Covered by the general term "hair" in the Test Guidelines. Velvety; with long, dense, straight trichomes. Compare 'tomentose' with interwoven trichomes.
<b>Ventral</b>	The upper, inner or adaxial side in relation to the axis. Compare 'dorsal'.
<b>Verrucose</b>	Warty; with more or less irregularly shaped wart-like elevations. Compare 'bullate', where the convexities are blister-like.
<b>Vertical</b>	Upright in relation to the ground. To be used in relation to soil level, i.e. perpendicular to 'horizontal'.
<b>Villous</b>	Covered by the general term "hair" in the Test Guidelines. Shaggy; with long, slender, soft trichomes. Compare 'pilose' which is less shaggy.
<b>Viscid</b>	Sticky or gummy. Compare 'resinous', in which case the stickiness is due to resin.

Term	Definition / comment
Wart	See 'verrucose'
Weeping	Bending downwards, the terminal parts hanging. Compare 'drooping' where downward bending is less pronounced.
Wrinkled	With folds or creases; a general term. Compare 'corrugated' and 'rugose' where the wrinkling has a more specific nature.
Zig-zag	With regular, angular, alternating changes of direction.
Zygomorphic	Bilaterally symmetric, only along the longitudinal axis, e.g. flower of Fabaceae. Compare 'actinomorphic'.

[Section 3 follows]

## SECTION 3. STATISTICAL TERMS

The definitions included in this glossary are in relation to the use of these terms in DUS examination.

**Acceptance probability:** “The minimum probability of accepting a variety with the population standard of off-types.” (See document TGP/8: Part II, Section 8 “The Method of Uniformity Assessment on the Basis of Off-types”).

**Additivity:** Effects, for example in an analysis of variance, are said to be additive if there is no interaction between them.

**Alpha ( $\alpha$ ):** Statisticians use the Greek letter alpha to indicate the probability of rejecting the statistical hypothesis tested when in fact, that hypothesis is true.  $\alpha$  is called the significance level of a test. Before conducting any statistical test, it is important to set a value for alpha. For establishing distinctness, alpha is sometimes set at 0.01. This is the equivalent of asserting that one will reject the hypothesis tested 1 out of 100 times if the obtained test statistic is among those that would occur from random samples drawn from a population in which the hypothesis is true. If the obtained statistic leads to rejection of the tested hypothesis, it is not because the obtained statistic could not have occurred by chance, but because the probability of obtaining the statistic by chance is sufficiently low (1 in 100), and so it is reasonable to conclude that the results are not due to chance.

**Alpha-design:** Alpha designs are a very flexible class of resolvable incomplete block designs. Such designs are particularly useful when there are many treatments to be examined, the variability of the experimental units is such that the block size needs to be kept small, and blocks can be combined into complete replicates.

**Alternative Hypothesis:** In hypothesis testing, the null hypothesis and an alternative hypothesis are put forward. If the data support sufficiently strongly rejection of the null hypothesis, then the null hypothesis is rejected in favor of an alternative hypothesis. For instance, if the null hypothesis were that  $\mu_1 = \mu_2$  then the alternative hypotheses would be  $\mu_1 \neq \mu_2$  (two-sided), or  $\mu_1 < \mu_2$  or  $\mu_1 > \mu_2$  (one-sided).

**ANOVA:** This term is an acronym for a procedure entitled Analysis of Variance. This procedure employs the statistic (F) to test the statistical significance of the differences among the obtained means of two or more random samples from a given population. When there are one or two factors in the experiment, the analysis is called a one-way or a two-way analysis of variance respectively. See also factorial design.

**Assumptions:** see model assumptions.

**(Balanced) Complete Block Design / Randomized complete block design :** An experimental lay-out where all treatments are present once in every block. Blocking is done to make the experimental units more homogeneous within each group. All treatments are randomly assigned within each block to minimize the confounding effect of the heterogeneous experimental units. This is a common design for field trials of agricultural crops.

**Balanced Incomplete Block Design:** This differs from a balanced complete block design in that the block size is less than the total number of treatments. Each treatment is replicated equally and the assignment of the treatments over the blocks is such that the SED of each pair of treatment means has the same value.

**Bar graph:** A bar graph is much like a histogram, differing in that the columns are separated from each other by a small distance. Bar graphs are commonly used for qualitative variables.

**Beta ( $\beta$ ):** Statisticians use the Greek letter beta to indicate the probability of failing to reject the null hypothesis when it is false and a specific alternative hypothesis is true. For a given test, the value of beta is determined by the value of alpha, features of the statistic that is being calculated (particularly the sample size) and the specific alternative hypothesis that is being entertained. While it is possible to carry out a statistical test without defining a specific alternative hypothesis, neither beta nor power can be calculated. It is relevant to note here that power (the probability that the test will reject the hypothesis tested when a specific alternative hypothesis is true) is equal to one minus beta (i.e. power = 1 - beta). See Power.

**Between plot standard deviation:** When speaking about variance components this term is commonly used for the variability between experimental units, like plots.

**Bias:** Bias is the difference between the true value of the parameter and the expected value of the estimator. An estimator is biased if the expected value of the estimator doesn't equal the parameter it is estimating.


**Binomial Distribution:** When a coin is flipped, the outcome is either a head or a tail. In this example, the event has two mutually exclusive possible outcomes. For convenience, one of the outcomes can be labeled "success" and the other outcome "failure." If an event occurs N times (for example, a coin is flipped N times), then the binomial distribution can be used to determine the probability of obtaining exactly r successes in the N outcomes. The binomial probability for obtaining r successes in N trials is:

$$P(r) = \binom{N}{r} \pi^r (1 - \pi)^{N-r}, \quad r = 0, 1 \dots N$$

where P(r) is the probability of exactly r successes, N is the number of events, and  $\pi$  is the probability of success on any one trial. This formula assumes that the events:

- (a) are dichotomous (fall into only two categories)
- (b) are mutually exclusive
- (c) are independent and
- (d) are randomly selected

**Bivariate Normality:** A particular form of distribution of two variables that has the traditional 'bell' shape (but not all bell-shaped distributions are normal). If plotted in three-dimensional space, with the vertical axis showing the number of cases, the shape would be that of a three-dimensional bell (if the variances on both variables were equal) or a flattened three-dimensional bell (if the variances were unequal). When perfect bivariate normality obtains, the distribution of one variable is normal for each and every value of the other variable. See also Normal Distribution.



**Blocking:** A method in the design of experiments used to reduce the variability of residuals. Types of designs that use this method are generally called block designs. A great number of types exist but only a few one are considered in this document. See also Block Design.

**Block Design:** see Balanced Complete Block Design, (Balanced) Incomplete Block Design, Randomized Complete Block Design, Alpha Design.

**Box plot – also called box-and-whisker diagram:** A schematic plot to display the distribution of a variable. The box spans the interquartile range of the values in the variable, so that the middle 50% of the data lie within the box, with a line indicating the median. Whiskers can extend beyond the ends of the box as far as the minimum and maximum values.

**Categorical variables:** see Variables

**Central Limit Theorem:** The Central Limit Theorem is a statement about the characteristics of the sampling distribution of means of random samples from a given population. That is, it describes the characteristics of the distribution of values we would obtain if we were able to draw an infinite number of random samples of a given size from a given population and we calculated the mean of each sample.

The Central Limit Theorem consists of three statements:

1. The mean of the sampling distribution of means is equal to the mean of the population from which the samples were drawn.
2. The variance of the sampling distribution of means is equal to the variance of the population from which the samples were drawn divided by the size of the samples.
3. If the original population is distributed normally (i.e. it is bell shaped), the sampling distribution of means will also be normal. If the original population is not normally distributed, the sampling distribution of means will increasingly approximate a normal distribution as sample size increases. (i.e. when increasingly large samples are drawn).

**Chi-Square:** The statistic  $\chi^2$  (Chi-Square) is what statisticians call an enumeration statistic. Rather than measuring the value of each of a set of items, a calculated value of Chi-Square compares the frequencies of various kinds (or categories) of items in a random sample to the frequencies that are expected if the population frequencies are as hypothesized by the investigator. Chi-square is often used to assess the “goodness of fit” between an obtained set of frequencies in a random sample and what is expected under a given statistical hypothesis. For example, Chi-Square can be used to determine if there is reason to reject the statistical hypothesis that the frequencies in a random sample are as expected when the items are from a normal distribution.

**Chi-squared ( $\chi^2$ ) distribution:** distribution of the sum of squared independent standard normal variables. Used to do significance tests on chi-squared statistics.

**Coefficient:** A coefficient is a constant used to multiply another value. In the linear transformation  $Y = 3X + 7$ , the coefficient “3” is multiplied by the variable X. In the linear combination of means  $L = (2)M_1 + (-1)M_2 + (-1)M_3$  the three numbers in parentheses are coefficients.

**Completely Randomised Design:** An experimental lay-out where the experimental units are homogenous and the treatments are randomly assigned to the uniform experimental units without any constraint. It is the simplest experimental design, which is used in the testing of many horticultural and ornamental crops under greenhouse condition where the experimenter has more control over the experimental units.

**Confidence Interval:** A confidence interval is a range of values that has a specified probability of containing the parameter being estimated. The 95% and 99% confidence intervals, which have 0.95 and 0.99 probabilities of containing the parameter respectively are most commonly used. If the parameter being estimated were  $\mu$ , the 95% confidence interval might look like the following:

$$12.5 \leq \mu \leq 30.2$$

What this means is that the interval between 12.5 and 30.2 has a 0.95 probability of containing  $\mu$ .

**Confounding:** Two factors are confounded if they vary together in such a way that it is impossible to determine which factor is responsible for an observed effect. For example, consider an experiment in which two fungicides treatments for foliar disease control were compared. Treatment one was given to the one variety and treatment two was given to another variety. If a difference between treatments were found, it would be impossible to tell if one treatment were more effective than the other or if treatments for disease control are more effective for one variety than the other. In this case, varieties and treatment are confounded. Sometimes, confounding is much more subtle. An experimenter may accidentally manipulate a factor in addition to the factor of interest.

**Consistency:** An estimator is consistent if the estimator tends to get closer to the parameter it is estimating as the sample size increases.

**Contingency Table:** A contingency table is a table showing the responses of subjects to one factor as a function of another factor. For instance, the following contingency table shows a characteristic as a function of different varieties (the data are hypothetical). The entries show the number of plants for each variety with particular notes for a characteristic.

<i>Characteristic Variety</i>	State 1	State 2	State 3
Variety A	18	20	2
Variety B	3	10	27
Variety C	6	24	10

**Continuous Variable:** A continuous variable is one for which, within the limits the variable's range, any value is possible. For example, the variable 'plant height' is continuous since it may be 1.21m, 1.25m or even 1.30m etc to measure plant heights. The variable 'Number of lobed leaves' is not a continuous variable since it is not possible to get 54.12 lobed leaves from 100 leaves counted. It must be an integer. See also 'discrete variable'.

**Correlation (Pearson):** Given a pair of related measures (X and Y) on each of a set of items, the correlation coefficient (r) provides an index of the degree to which the paired measures co-vary in a linear fashion. In general r will be positive when items with large values of X also tend to have large values of Y whereas items with small values of X tend to have small values of Y. Correspondingly, r will be negative when items with large values of X tend to have small values of Y whereas items with small values of X tend to have large values of Y. Numerically, r can assume any value between -1 and +1 depending upon the degree of the relationship. Plus and minus one indicate perfect positive and negative relationships whereas zero indicates that the X and Y values do not co-vary in any linear fashion. See Measures of association.

**COYD:** Abbreviation of Combined-Over-Years Distinctness criterion. Statistical method to test distinctness in DUS testing. See TGP/9.

**COYU:** Abbreviation of Combined-Over-Years Uniformity criterion. Statistical method to test uniformity in DUS testing. See TGP/10.

**Critical Value:** A critical value (which depends on the level of significance, alpha) is used in significance testing. It is the value that a test statistic must exceed in order for the null hypothesis to be rejected. For example, the critical value of t (with 12 degrees of freedom in a two-sided test using the alpha=0.05 significance level) is 2.18. This means that for the probability to be less than or equal to 0.05, the absolute value of the t statistic must be 2.18 or greater.

**Degrees of Freedom:** Statisticians use the terms 'degrees of freedom' to describe the number of values in the final calculation of a statistic that are free to vary. Consider, for example the statistic  $s^2$ , the estimated variance of a sample. To calculate the estimated variance of a random sample, we must first calculate the mean of that sample and then compute the sum of the several squared deviations from that mean. While there will be n such squared deviations only (n - 1) of them are, in fact, free to assume any value whatsoever. This is because the final squared deviation from the mean must include the one value of X such that the sum of all the Xs divided by n will equal the obtained mean of the sample. All of the other (n - 1) squared deviations from the mean can, theoretically, have any values whatsoever. For these reasons, the statistic  $s^2$ , the estimated variance of a sample, is said to have only (n - 1) degrees of freedom.

**Dependent Variable:** A variable which the analyst is trying to explain in terms of one or more independent variables. The distinction between dependent and independent variables is typically made on theoretical grounds-in terms of a particular causal model or to test a particular hypothesis. This is often called the Y-variable.

**Design of experiment:** see Experimental design.

**Discrete Variable:** A discrete variable is one that cannot take on all values within the limits of the variable. For example, responses to a five-point rating scale can only take on the values 1, 2, 3, 4, and 5. The variable cannot have the value 1.7. A variable such as a plant height can take on any value. Variables that can take on any value and therefore are not discrete are called continuous. Statistics computed from discrete variables can be continuous. The mean on a five-point scale could be 3.117 even though 3.117 is not possible for an individual score.

**Dispersion:** Synonyms are variation, variability or spread. A variable's dispersion is the degree to which scores on the variable differ from each other. If every score on the variable were about equal, the variable would have very little dispersion. There are many measures of dispersion, eg. variance, standard deviation, range, interquartile range etc.



**Distribution (Probability Distribution):** Form of a function that describes the possible outcomes of a variable. The distribution of a variable specifies the chance that the variable takes a value in any subset of the real numbers. Examples include [Binomial Distribution, Chi-squared distribution, Continuous Distribution, Discrete Distribution, F-Distribution, Frequency Distribution, Normal Distribution, Relative Frequency Distribution, Standard Normal Distribution, Symmetric Distribution, Student's t-Distribution, t-Distribution, Z-Distribution etc.].

**Effect:** see Main Effect.

**Efficiency:** The efficiency of a statistic is the degree to which the statistic is stable from sample to sample. That is, the less subject to sampling fluctuation a statistic is, the more efficient it is. The efficiency of a statistic is measured relative to the efficiency of other statistics and is therefore often called the relative efficiency. If statistic A has a smaller standard error than statistic B, then statistic A is more efficient than statistic B. The relative efficiency of two statistics may depend on the distribution involved. For instance, the mean is more efficient than the median for normal distributions but not for many types of skewed distributions. The efficiency of a statistic can also be thought of as the precision of the estimate: the more efficient the statistic, the more precise the statistic is as an estimator of the parameter.

**Estimation:** The process of using a statistic to estimate a parameter of a distribution.

**Estimator:** An estimator is used to estimate a parameter. Normally a statistic is used as an estimator. Three important characteristics of estimators are: bias, consistency, and relative efficiency.

**Expected Value:** A theoretical average value of a statistic over an infinite number of samples from the same population.

**Experimental Design:** The lay-out of an experiment. See Completely Randomised Design, Balanced Complete Block Design, Incomplete Block Design, Alpha Design, Factorial Design.

**Experimental Unit:** An experimental unit is the smallest subdivision of the experiment (trial) to which the varieties are randomized. If there are more than one plant within a plot, the observations of a certain characteristic on each plant are used for estimating the plant-to-plant variability of the variety. The mean (or other function) of the observations can be considered as the plot measurement for that characteristic. Usually the experimental unit in a field trial is a plot.

**F Distribution:** The F distribution is the distribution of the ratio of two chi-squared variables, e.g. ratio of two estimates of variance. It is used to compute probability values in the analysis of variance. The F distribution has two parameters: degrees of freedom numerator (dfn) and degrees of freedom denominator (dfd). The dfn is the number of degrees of freedom of the numerator, and dfd is the number of degrees of freedom of the denominator. The dfd is often called the degrees of freedom for error or dfe. In the simplest case of a one-factor between-subjects ANOVA,

$$\text{dfn} = a - 1$$

$$\text{dfd} = N - a$$

where "a" is the number of groups and "N" is the total number of subjects in the experiment. The shape of the F distribution depends on dfn and dfd. The lower the degrees of freedom, the larger the value of F needed to be significant. For instance, if dfn = 4 and dfd = 12, then an F of 3.26 would be needed to be significant at the 0.05 level. If the dfn were 10 and the dfd were 100, then an F of 1.93 would suffice.

**Factor:** Each basic treatment will be called a factor. If an experiment is testing the effect of fertiliser dosage, then 'fertiliser' is a factor. Some experiments have more than one factor. For example, if the effect of fertiliser dosage and irrigation water were both manipulated in the same experiment, then these two variables would be factors. The experiment would then be called a two-factor experiment.

**Factor Level:** The possible forms of a factor are called the levels of that factor. The levels of factor 'variety' for example are the different varieties in an experiment.

**Factorial Design:** When an experimenter is interested in the effects of two or more factors, it is usually more efficient to combine these factors in one experiment than to run a separate experiment for each factor. Moreover, only in experiments with more than one factor is it possible to test for interactions between factors. Consider a hypothetical experiment on the effects of the factor nitrogen on grain yield in a cereal crop. There were three levels of nitrogen dosage: 50kg, 100kg and 150kg per hectare. A second factor, water level, was also manipulated. There were two levels of irrigation water on the field: 5cm and 10cm. The grain yield data (t/ha) for each condition (often called treatment) in the experiment is shown below:

<i>Water</i>	5cm	10cm
<i>Dosage</i>		
50 kg/ha	1.5	1.8
100 kg/ha	2.5	2.2
150 kg/ha	2.8	1.9

The number of combinations (six) is therefore the product of the number of levels of dosage (three) and levels of water (two). Also see: Main Effect.

**Fisher's Exact Test:** a statistical test used for assessing significance in categorical data (see document TGP/8: Part II, Section 6 "Fisher's Exact Test").

**Fitted Values of dependent variable:** Explained part of observed values of the dependent variable. These values are calculated by using the estimated parameters in a model.

**Fitted Constants:** Special type of an (non-orthogonal) analysis of variance model assuming additivity of the factors.

**Fixed term/Fixed factor:** A factor is fixed when the levels under study are the only levels of interest. The levels of the factor are said to have fixed effects. For example, the treatments applied to field trials of agricultural crops are usually a fixed factor. See also factor.

**F Ratio:** Ratio (quotient) of two variances that is F-distributed. It is used for example in ANOVA's to test the effect of factors and their interactions.

**Frequency Distribution:** A frequency distribution shows the number of observations falling into each of several intervals of values. Frequency distributions are portrayed as frequency tables, histograms, or polygons. Frequency distributions can show either the actual number of observations falling in each interval or the percentage of observations. In the latter instance, the distribution is called a relative frequency distribution.

**Frequency Table:** A frequency table is constructed by allocating the scores on a variable into intervals and counting the number of scores in each interval. The actual number of scores is displayed as well as the percentage of scores in each interval.

**Heteroscedasticity:** The absence of homogeneity of variance. See Homogeneity of Variance.

**Heterogeneity:** The absence of homogeneity of variance. See Homogeneity of Variance.

**Hierarchical Analysis:** In the context of multidimensional contingency table analysis, a hierarchical analysis is one in which inclusion of a higher order interaction term implies the inclusion of all lower order terms. For example, if the interaction of two factors is included in an explanatory model, then the main effects for both of those factors are also included in the model.

**Histogram:** A histogram is constructed from a frequency table. The intervals are shown on the X-axis and the number of scores in each interval is represented by the area of a rectangle located above the interval, which, if the intervals are of equal width, is equivalent to the rectangle's height.

**Homogeneity of Variance:** The assumption of homogeneity of variance (or homoscedasticity of variance) is that the variance within each of the populations is equal. This is an assumption of analysis of variance (ANOVA). ANOVA works well even when this assumption is violated except in the case where there are unequal numbers of subjects in the various groups. If the variances are not homogeneous, they are said to be heterogeneous or heteroscedastic.

**Homoscedasticity:** See Homogeneity of Variance.

**Hypothesis Testing:** Hypothesis testing is a method of inferential statistics. An experimenter starts with a hypothesis about a population parameter called the null hypothesis. Data are then collected and the viability of the null hypothesis is determined in light of the data. If the data are very different from what would be expected under the assumption that the null hypothesis is true, then the null hypothesis is rejected. If the data are not greatly at variance with what would be expected under the assumption that the null hypothesis is true,

then the null hypothesis is not rejected. Failure to reject the null hypothesis is not the same thing as accepting the null hypothesis.

**Incomplete Block Design:** Block design where the number of plots within each block is smaller than the number of treatments.

**Independence:** Observations on one plot are called independent if they are not influenced by varieties on other plots. For example if tall varieties are planted next to a small one there could be a negative influence of the big ones on the small one. In such a case a row of plants on both sides of the plot can be planted in order to avoid dependency. See also Statistical Independence.

**Independent Variable:** Two variables are independent if knowledge of the value of one variable provides no information about the value of another variable. For example, if you measured the terminal leaf length and the degree of fragrance in a rose variety, then these two variables would in all likelihood be independent. Knowing that leaf length would not effect the fragrance of rose. However, if the variables were leaf length and leaf width, then there may be a high degree of dependence. When two variables are independent then the correlation between them is 0.

**Interaction:** A situation in which the direction and/or magnitude of the relationship between two factors depends on (i.e., differs according to) the value of one or more other factors. When interaction is present, simple additive techniques are inappropriate; hence, interaction is sometimes thought of as the absence of additivity. Synonyms: non-additivity, conditioning effect, moderating effect, contingency effect.

**Interquartile Range:** The interquartile range is a measure of spread or dispersion. It is computed as the difference between the 75th percentile (often called (Q3)) and the 25<sup>th</sup> percentile (Q1). The formula for interquartile range is therefore: Q3-Q1. Since half the scores in a distribution lie between Q3 and Q1, the interquartile range is the distance needed to cover 1/2 the scores. The interquartile range is little affected by extreme scores, so it is a good measure of spread for skewed distributions. However, it is more subject to sampling fluctuation in normal distributions than is the standard deviation and therefore not often used for data that are approximately normally distributed.

**Interval Scale:** A scale consisting of equal-sized units. On an interval scale the distance between any two positions is of known size. Results from analytic techniques appropriate for interval scales will be affected by any non-linear transformation of the scale values. See also Scale of Measurement.

**Intervening Variable:** A variable which is postulated to be a predictor of one or more dependent variables, and simultaneously predicted by one or more independent variables. Synonym: mediating variable.

**Kurtosis:** Kurtosis indicates the extent to which a distribution is more peaked or flat-topped than a normal distribution.

**Least Significant Difference (LSD):** A commonly used mean separation procedure. For example, the difference between two means (based on the same number of observations) is declared significant at any desired level of significance if it exceed the value derived from the following formula:

$$LSD = t \sqrt{(2S^2/n)},$$

where t is the tabulated two-tailed t-value at the required probability and degrees freedom. S is the pooled standard deviation of the observations and n is the number of observations per mean.

**Level of a factor:** See Factor Level.

**Level of significance:** See Significance Level.

**Linear:** The form of a relationship among variables such that when any two variables are plotted, a straight line results. A relationship is linear if the effect on a dependent variable of a change of one unit in an independent variable is the same for all possible such changes.

**Linear Regression:** Linear regression is the prediction of one variable from another variable when the relationship between the variables is assumed to be linear ( $Y=aX+b$ ).

**Linear Transformation:** A linear transformation of a variable involves multiplying each value of the variable by one number and then adding a second number. For example, consider the variable X with the following three values: 2, 3, and 7. One linear transformation of the variable would be to multiply each value by 2 and then to add 5. If the transformed variable is called Y, then  $Y = 2X + 5$ . The values of Y are: 9, 11 and 19.

**LSD:** See Least Significant Difference.

**Main Effect:** The main effect of a factor is the effect of the factor averaging over all levels of other factors in the experiment. The main effect of irrigation water given in Factorial Design example could be assessed by computing the mean for the two levels of water averaging across all three levels of nitrogen dosage. The mean for the 5cm water is:  $(1.5 + 2.5 + 2.8)/3 = 2.27$  and the mean for the 10cm water is:  $(1.8 + 2.2 + 1.9)/3 = 1.97$ . The main effect of water, therefore, involves a comparison of the mean of the 5cm water (2.27) with the mean of the 10cm water (1.97). Analysis of variance provides a significance test for the main effect of each factor in the design.

**Mean:** The arithmetic mean is what is commonly called the average. When the word "mean" is used without a modifier, it can be assumed that it refers to the arithmetic mean. The mean is the sum of all the scores divided by the number of scores. The formula in summation notation is:  $\mu = \sum X/N$ , where  $\mu$  is the population mean and N is the number of scores. If the scores are from a sample, then the symbol M refers to the mean and N refers to the sample size. The formula for M is the same as the formula for  $\mu$ . The mean is a good measure of central tendency for roughly symmetric distributions but can be misleading in skewed distributions since it can be greatly influenced by extreme scores. Therefore, other statistics such as the median may be more informative for distributions such as reaction time or family income that are frequently very skewed. The sum of squared deviations of scores from their mean is lower than their squared deviations from any other number. For normal distributions, the mean is the most efficient and therefore the least subject to sample fluctuations of all measures of central tendency.

**Mean Square Error:** The mean square error (MSE) is an estimate of the population variance in the analysis of variance. The mean square error is the denominator of the F ratio.

**Measure of Association:** A number (a statistic) whose magnitude indicates the degree of correspondence i.e. strength of relationship between two variables. An example is the Pearson product-moment correlation coefficient. Measures of association are different from statistical tests of association (e.g. Pearson chi-square, F-test) whose primary purpose is to assess the probability that the strength of a relationship is different from some pre-selected value (usually zero). See also Statistical Measure, Statistical Test.

**Median:** The median is the middle of a distribution: half the scores are above the median and half are below the median. The median is less sensitive to extreme scores than the mean and this makes it a better measure than the mean for highly skewed distributions.

**Missing Data:** Information that is not available for a particular case for which at least some other information is available.

**Mixed model:** A mixed model contains both fixed factors and random factors. The fixed factors might represent treatments, and the random factors might represent blocks, or rows and columns of a field experiment. See also fixed factor and random factor. A mixed model is as opposed to a fixed model or a random model, which are, respectively, models that contains only fixed factors and only random factors.

**Model:** see statistical model

**Model assumptions:** With all statistical models assumptions are assumed. For example, with ANOVA two assumptions are: the residuals are normally distributed and have homogeneity of variance.

**Modified Joint Regression Analysis:** A statistical method used to adjust for when marked differences between years in the range of expression of a characteristic can occur. For example, in a late spring, the heading dates of grass varieties can converge. The method involves fitting a model to the variety-by-year table of means for the characteristic such that the model allows for a proportionately larger or smaller variety response depending on the year the data was observed in. For greater detail see TGP/8.

**Multiple Comparison Test:** See Range Test.

**Multivariate Normality:** The form of a distribution involving more than two variables in which the distribution of one variable is normal for each and every combination of categories of all other variables. See also Normal Distribution.

**Mutually Exclusive Events:** Two events are mutually exclusive if it is not possible for both of them to occur at once. For example, if a dice is rolled, the event “getting a 1” and the event “getting a 2” are mutually exclusive since it is not possible for the dice to be both a one and a two on the same roll. The occurrence of one event “excludes” the possibility of the other event.

**Nominal Scale:** A classification of cases which defines their equivalence and non-equivalence, but implies no quantitative relationships or ordering among them. Analytic techniques appropriate for nominally scaled variables are not affected by any one-to-one transformation of the numbers assigned to the classes. See also Scale of Measurement.

**Non-additive:** Not additive. See Interaction.

**Normal Distribution:** A particular form for the distribution of a variable which, when plotted, produces a ‘bell’ shaped curve- symmetrical, rising smoothly from a small number of cases at both extremes to a large number of cases in the middle. Not all symmetrical bell-shaped distributions meet the definition of normality.

**Normality:** See Normal Distribution.

**Normal Probability Plot:** Gives a visual indication of whether the distribution of a set of data is approximately normal. The data are ranked and the percentile of each data value is obtained. The data value is then plotted against the normal equivalent deviate of the data value’s percentile. If the distribution is close to normal, the plotted points will lie close to a straight line.

**Null Hypothesis:** The null hypothesis is an hypothesis about a population parameter. The purpose of hypothesis testing is to test the viability of the null hypothesis in the light of experimental data. Depending on the data, the null hypothesis either will or will not be rejected as a viable possibility. Consider a researcher interested in whether the Variety 1 is taller than Variety 2. The null hypothesis is that  $\mu_1 - \mu_2 = 0$  where  $\mu_1$  is the mean height of Variety 1 and  $\mu_2$  is the mean height of Variety 2. Thus, the null hypothesis concerns the parameter  $\mu_1 - \mu_2$  and the null hypothesis is that the parameter equals zero. The null hypothesis is often the reverse of what the experimenter actually believes; it is put forward to allow the data to contradict it. In the experiment, the experimenter probably expects that Variety 1 is taller than Variety 2. If the experimental data show that Variety 1 has a sufficiently higher plant height, then the null hypothesis that there is no difference in plant height can be rejected.

**Ordinal Scale:** A classification of cases into a set of ordered classes such that each case is considered equal to, greater than, or less than every other case. Analytic techniques appropriate for ordinally scaled variables are not affected by any monotonic transformation of the numbers assigned to the classes. See also Scale of Measurement.

**Outlier:** See Outlying Case.

**Outlying Case (Outlier):** A case whose score on a variable deviates substantially from the mean (or other measure of central tendency). Such cases can have disproportionately strong effects on statistics.

**Parameter:** A parameter is a numerical quantity measuring some aspect of a population of scores. For example, the mean is a measure of central tendency. Greek letters are used to designate parameters. Following are some examples of parameters of great importance in statistical analyses and the Greek symbol that represents each one. Parameters are rarely known and are usually estimated by statistics computed in samples. To the right of each Greek symbol is the symbol for the associated statistic used to estimate it from a sample.

<b>Quantity</b>	<b>Parameter</b>	<b>Statistic</b>
Mean	$\mu$	M
Standard deviation	$\sigma$	S
Proportion	$\pi$	P
Correlation	$\rho$	R

**Pattern Variable:** A nominally scaled variable whose categories identify particular combinations (patterns) of scores on two or more other variables.

**Pooled Standard Deviation:** Square root of pooled variance.

**Pooled Variance:** Weighted average of a number of variances.

**Population:** A population consists of an entire set of objects, observations, or scores that have something in common. The distribution of a population can be described by several parameters such as the mean and standard deviation. Estimates of these parameters taken from a sample are called statistics.

**Population standard:** The maximum percentage of off-types that would be permitted if all individuals of the variety could be examined. (See document TGP/8: Part II, Section 8 "The Method of Uniformity Assessment on the Basis of Off-types").

**Power:** Power is the probability of correctly rejecting a false null hypothesis. Power is therefore defined as:  $1 - \beta$  where  $\beta$  is the Type II error probability. If the power of an experiment is low, then there is a good chance that the experiment will be inconclusive. That is why it is so important to consider power in the design of experiments. There are methods for estimating the power of an experiment before the experiment is conducted. If the power is too low, then the experiment can be redesigned by changing one of the factors that determine power.

**Precision:** also called reproducibility or repeatability, is a term applied to the likely spread of estimates of a parameter in a statistical model. Thus it expresses the extent to which further estimates will show the same or similar results. It is measured by the standard error of the estimator.

**Predicted Values:** see prediction.

**Prediction:** For a given set of values for the explanatory variables of a model, the prediction, or predicted value, is the value of the response variable that is predicted by a statistical model. See also statistical model.

**Probability Value:** In hypothesis testing, the probability value is the probability of obtaining a statistic as different from or more different from the parameter specified in the null hypothesis as the statistic obtained in the experiment. The probability value is computed assuming the null hypothesis is true. If the probability value is below the significance level then the null hypothesis is rejected. The probability value is also known as the significance probability.

**P-Value:** See Probability Value.

**Qualitative Variable:** see Variable.

**Quantitative Variable:** see Variable.

**Random Sampling:** In random sampling, each item or element of the population has an equal chance of being chosen at each draw. A sample is random if the method for obtaining the sample meets the criterion of randomness (each element having an equal chance at each draw). The actual composition of the sample itself does not determine whether or not it was a random sample.

**Random Term / Random Factor:** A factor is random when the levels under study can be considered a random sample drawn from some large homogeneous population. A goal of the study may be to make a statement regarding the larger population. See also factor.

**Randomized complete block design:** See (Balanced) complete block design.

**Randomisation:** In designing an experiment to compare a number of varieties with each other it is important to randomize the varieties over the plots.

**Range:** The range is the simplest measure of spread or dispersion. It is equal to the difference between the largest and the smallest values. The range can be a useful measure of spread because it is so easily understood. However, it is very sensitive to extreme scores since it is based on only two values. The range should almost never be used as the only measure of spread, but can be informative if used as a supplement to other measures of spread such as the standard deviation or semi-interquartile range; e.g. the range of the numbers 1, 2, 4, 6, 12, 15, 19, 26 is 25 ( $=26 - 1$ ).

**Range Test:** Range tests are used to compare each mean in an experiment with every other mean; they are based on the studentized range distribution. The most commonly used range tests are: Duncan's Multiple range Test, Student-Newman-Keul's Test, Tukey's Test.

**Ranks:** The expression of a particular characteristic (e.g., plant height) relative to other cases on a defined scale—as in 'Short,' 'Medium,' 'Tall' etc. Note that when the actual values of the numbers designating the relative positions (the ranks) are used in analysis they are being treated as an interval scale, not an ordinal scale. See also Interval Scale, Ordinal Scale.

**Ratio Scale:** Ratio scales are like interval scales except they have true zero points. A good example is the Kelvin scale of temperature. This scale has an absolute zero. Thus, a temperature of 300 Kelvin is twice as high as a temperature of 150 Kelvin.

**Regression Line:** A regression line is a line drawn through a scatter-plot of two variables, one is the independent variable (Y) and the other is the dependent variable. The line is chosen so that it comes as close to the points as possible. In linear regression, Y values are obtained from several populations, each population being determined by a corresponding X value. The randomness of Y is essential and it is assumed that the Y populations are normally distributed and have a common variance.

**Relative Frequency Distribution:** See Frequency Distribution.

**REML:** Restricted Maximum Likelihood method used to analyse a non-orthogonal ANOVA with more than one type of experimental unit.

**Residual:** Unexplained part of an observation. Remains after fitting a model. It is the difference of the observation and the prediction from the model.

**Replication:** In order to know whether a difference between a new variety and another variety exists, replicates are needed of the varieties. This is in order to know whether the difference is a real difference between the varieties or a difference due to random fluctuations.

**Resolvable Design:** A resolvable design is one in which each block contains only a selection of the treatments, but the blocks can be grouped together into subsets in which each treatment is replicated once. The groupings of blocks thus form replicates.

**Sample:** A sample is a subset of a population. Since it is usually impractical to test every member of a population, a sample from the population is typically the best approach available. Inferential statistics generally require that sampling be random although some types of sampling seek to make the sample as representative of the population as possible by choosing the sample to resemble the population on the most important characteristics.

**Sample Size:** The sample size is very simply the size of the sample. If there is only one sample, the letter "N" is often used to designate the sample size. If samples are taken from each of "a" populations, then the small letter "n" is often used to designate size of the sample from each population. When there are samples from more than one population, N is used to indicate the total number of subjects sampled and is equal to (a)\*(n). If the sample sizes from the various populations are different, then  $n_1$  would indicate the sample size from the first population,  $n_2$  from the second, etc. The total number of subjects sampled would still be indicated by N. When correlations are computed, the sample size (N) refers to the number of subjects and thus the number of pairs of scores rather than to the total number of scores. The symbol N also refers to the number of subjects in the formulas for testing differences between dependent means. Again, it is the number of subjects, not the number of scores.

**Sampling Fluctuation:** Sampling fluctuation refers to the extent to which a statistic takes on different values with different samples. That is, it refers to how much the statistic's value fluctuates from sample to sample. A statistic whose value fluctuates greatly from sample to sample is highly subject to sampling fluctuation.

**Scale of Measurement:** Scale of measurement refers to the nature of the assumptions one makes about the properties of a variable; in particular, whether that variable meets the definition of nominal, ordinal, interval or ratio measurement. See also Nominal Scale, Ordinal Scale, Interval Scale, Ratio Scale.

**SED:** Abbreviation of Standard Error of Difference of two means.

**SEM:** Abbreviation of Standard Error of Mean. See Standard Error of Mean.

**Semi-Interquartile Range:** The semi-interquartile range is a measure of spread or dispersion. It is computed as one half the difference between the 75th percentile [often called (Q3)] and the 25th percentile (Q1). The formula for semi-interquartile range is therefore:  $(Q3-Q1)/2$ . Since half the scores in a distribution lie between Q3 and Q1, the semi-interquartile range is 1/2 the distance needed to cover 1/2 the scores. In a symmetric distribution, an interval stretching from one semi-interquartile range below the median to one semi-interquartile above the median will contain 1/2 of the scores. This will not be true for a skewed distribution, however. The semi-interquartile range is little affected by extreme scores, so it is a good measure of spread for skewed distributions. However, it is more subject to sampling fluctuation in normal distributions than is the standard deviation and therefore not often used for data that are approximately normally distributed.

**Significance Level:** In hypothesis testing, the significance level is the probability threshold used for rejecting the null hypothesis. The significance level is used in hypothesis testing as follows: First, the results of the experiment are compared with the results that would be expected if the null hypothesis were true. Then, assuming the null hypothesis is true, the probability of observing as or more extreme results is computed. Finally, this probability is compared to the significance level. If the probability is less than or equal to the significance level, then the null hypothesis is rejected and the outcome is said to be statistically significant. Traditionally, experimenters have used either the 0.05 level (sometimes called the 5% level) or the 0.01 level (1% level), although the choice of levels is largely subjective. The lower the significance level, the more the data must diverge from the null hypothesis to be significant. Therefore, the 0.01 level is more conservative than the 0.05 level. The Greek letter alpha ( $\alpha$ ) is used to indicate the significance level.

**Significance Test:** A significance test is performed to determine if an observed value of a statistic differs enough from a hypothesized value of a parameter to draw the inference that the hypothesized value of the parameter is not the true value. The hypothesized value of the parameter is called the "null hypothesis". A significance test consists of calculating the probability of obtaining a statistic as or more extreme than the statistic obtained in the sample assuming that the null hypothesis is correct. If this probability is sufficiently low, then the difference between the parameter and the statistic is said to be "statistically significant". Just how low is sufficiently low? The choice is somewhat arbitrary but by convention levels of 0.05 and 0.01 are most commonly used. For instance, in Plant Breeder's Rights varietal distinctness based on measured characteristics are often tested at 0.01 level.

**Significant:** A test is said to be significant if the test statistic supersedes a predetermined threshold.

**Simple Effect:** A simple effect of a factor is the effect at a single level of another factor. Often simple effects are computed following a significant interaction.

**Size of Test:** Synonym of Significance Level.

**Skewness:** A measure of lack of symmetry of a distribution.

**Spread:** See Dispersion.

**Standard Deviation:** It is the square root of the average squared deviation of each observation from the arithmetic mean. In other words it is the square root of variance. See Variance.

**Standard Error:** The standard error of a statistic is the standard deviation of the sampling distribution of that statistic. Standard errors are important because they reflect how much sampling fluctuation a statistic will show. The inferential statistics involved in the construction of confidence intervals and significance testing are based on standard errors. The standard error of a statistic depends on the sample size. In general, the larger the sample size the smaller the standard error. The standard error of a statistic is usually designated by the Greek letter sigma ( $\sigma$ ) with a subscript indicating the statistic. For instance, the standard error of the mean is indicated by the symbol:  $\sigma_M$ .

**Standard Error of Mean:** The standard error of the mean is designated as:  $\sigma_M$ . It is the standard deviation of the sampling distribution of the mean. The formula for the standard error of the mean is:  $\sigma_M = \sigma/\sqrt{N}$ , where  $\sigma$  is the standard deviation of the original distribution and N is the sample size (the number of scores each mean is based upon). This formula does not assume a normal distribution. However, many of the uses of the formula do assume a normal distribution. The formula shows that the larger the sample size, the smaller the standard error of the mean. More specifically, the size of the standard error of the mean is inversely proportional to the square root of the sample size.



**Standard Normal Distribution:** The standard normal distribution is a normal distribution with a mean of 0 and a standard deviation of 1. Normal distributions can be transformed to standard normal distributions by the formula:

$$Z = (X - \mu) / \sigma$$

where X is a score from the original normal distribution,  $\mu$  is the mean of the original normal distribution, and  $\sigma$  is the standard deviation of original normal distribution. The standard normal distribution is sometimes called the Z-distribution.

**Standard Scores:** When a set of scores are converted to z-scores, the scores are said to be standardized and are referred to as standard scores. Standard scores have a mean of 0 and a standard deviation of 1.

**Standardized Coefficient:** When an analysis is performed on variables that have been standardized so that they have variances of 1.0, the estimates that result are known as standardized coefficients; for example, a regression run on original variables produces unstandardized regression coefficients known as b's, while a regression run on standardized variables produces standardized regression coefficients known as betas. (In practice, both types of coefficients can be estimated from the original variables.)

**Standardized Variable:** A variable that has been transformed by multiplication of all scores by a constant and/or by the addition of a constant to all scores. Often these constants are selected so that the transformed scores have a mean of zero and a variance (and standard deviation) of 1.0.

**Statistical Independence:** A complete lack of covariation between variables, a lack of association between variables. When used in analysis of variance or covariance, statistical independence between the independent variables is sometimes referred to as a balanced design.

**Statistical Measure:** A number (a statistic) whose size indicates the magnitude of some quantity of interest e.g., the strength of a relationship, the amount of variation, the size of a difference, the level of income, etc. Examples include means, variances, correlation coefficients, and many others. Statistical measures are different from statistical tests. See also Statistical Test.

**Statistical Method:** Examples include Analysis of Variance (ANOVA), Modified Joint Regression Analysis, COYD, COYU, and many others.

**Statistical Model:** is a formalized mathematical expression describing the process that is assumed to have generated a set of observed data. A statistical model provides a general structure for the analysis of the observed data and also makes clear the assumptions that are necessary for the analysis to be valid. The observed data usually comprise a variable of primary importance, i.e. the response variable, and one or more explanatory variables. The usual objective of the analysis is to study the effects of treatments and/or other explanatory variables on the response variable, and so provide a suitable statistical model for the relationship between it and the explanatory variables. Thus the model predicts or explains the response variable using the explanatory variables.

**Statistical Significance:** Significance tests are performed to see if the null hypothesis can be rejected. If the null hypothesis is rejected, then the effect found in a sample is said to be statistically significant. If the null hypothesis is not rejected, then the effect is not significant. The experimenter chooses a significance level before conducting the statistical analysis. The significance level chosen determines the probability of a Type I error.

**Statistical Test:** A statistical test can be used to assess the probability that a statistical measure deviates from some pre-selected value (often zero) by no more than would be expected due to the operation of chance if the cases studied were randomly selected from a larger population. Examples include Pearson chi-square, F test, t test, and many others. Statistical tests are different from statistical measures. See also Statistical Measure and Hypothesis Testing.

**Statistic:** Any numerical quantity (such as the mean) calculated from a sample. Such statistics are used to estimate parameters. The term "statistics" sometimes refers to calculated quantities regardless of whether or not they are from a sample.

**Statistics:** The word “statistics” is used in several different senses. In the broadest sense, “statistics” refers to a range of techniques and procedures for analyzing data, interpreting data, displaying data, and making decisions based on data. This is what courses in “statistics” generally cover. In a second usage, statistics is used as the plural of statistic.

**Student’s t-Distribution:** Student’s t-distribution is the distribution of the ratio of a standard normal variable and the square root of a chi-squared variable divided by its degrees of freedom, where the standard normal and the chi-squared variables are independent. It is used to compute probabilities and hence test significance in t-tests. See also t-test. The Student’s t-distribution has one parameter, its degrees of freedom, which is the same as the degrees of freedom of the chi-squared variable it is calculated from. The shape of the Student’s t-distribution resembles the bell shape of a standard normal variable, except that it is a bit lower and wider. As the number of degrees of freedom grows, the Student’s t-distribution approaches the standard normal distribution.

**Symmetric Distribution:** is a distribution without skewness. Thus its opposing sides are symmetric about the mean and median.

**t-Distribution:** See Student’s t-distribution.

**Test:** See Statistical Test

**Test Statistic:** A numerical quantity calculated from the observations with which a test is performed.

**Transformation:** A change made to the scores of all cases on a variable by the application of the same mathematical operation(s) to each score. (Common operations include addition of a constant, multiplication by a constant, taking logarithms, arcsine, ranking, bracketing, etc.).

**t-Test:** A t-test is any of a number of tests based on the t distribution. The general formula for t is:

$$t = (\text{statistic} - \text{hypothesised value}) / \text{estimated standard error of statistic}$$

The most common t-test is a test for a difference between two means.

**Two-Point Scale:** If each case is classified into one of two categories (e.g., present/absent, tall/dwarf, dead/alive) the variable is a two-point scale. For analytic purposes, two-point scales can be treated as nominal scales, ordinal scales, or interval scales.

**Type I and Type II Error:** There are two kinds of errors that can be made in significance testing: (1) a true null hypothesis can be incorrectly rejected and (2) a false null hypothesis can fail to be rejected. The former error is called a Type I error and the latter error is called a Type II error. These two types of errors are defined in the following table. The probability of a Type I error is designated by the Greek letter alpha ( $\alpha$ ) and is called the Type I error rate; the probability of a Type II error (the Type II error rate) is designated by the Greek letter beta ( $\beta$ ). A Type II error is only an error in the sense that an opportunity to reject the null hypothesis correctly was lost.

		Statistical Decision	
		Reject $H_0$	Do not Reject $H_0$
True situation	$H_0$ True	Type I error	Correct
	$H_0$ False	Correct	Type II error

**Type of Characteristic:** See TGP/8.

**Type of Expression:** See TGP/8.

**Unbalanced Data:** Observations not coming from a balanced design.

**Variability:** See Dispersion.

**Variable:** A variable is any measured characteristic or attribute that differs for different subjects. For example, if the height of 30 plants were measured, then height would be a variable. Variables can be quantitative or qualitative. (Qualitative variables are sometimes called “categorical variables”). Quantitative variables are measured on an ordinal, interval, or ratio scale; qualitative variables are measured on a nominal scale.

**Variance:** The variance is a measure of how spread out a distribution is. It is computed as the average squared deviation of each observation from its arithmetic mean. Standard deviation is measured as the square root of variance. Both variance and standard deviation are measures of dispersion of data.

**Variance Component:** variance estimate of a random term in a mixed model.

**Variation:** See Dispersion.

**Weighted Data:** Weights are applied when one wishes to adjust the impact of cases in the analysis, e.g., to take account of the number of population units that each case represents. In sample surveys weights are most likely to be used with data derived from sample designs having different selection rates or with data having markedly different subgroup response rates.

**Within plot standard deviation:** When speaking about variance components this term is commonly used for the variability within experimental units, e.g. within plots. For example, if observations are made on several plants on the same plot it is the standard deviation between these plants.

**Z-Distribution:** The standard normal distribution is sometimes called the Z-distribution. See Standard Normal Distribution.

[Index of All Terms follows]

## INDEX OF ALL TERMS

---

### A

Abaxial · 135  
Acceptance probability · 149  
Acicular · 19, 43, 135  
Aciculate · 57, 68, 70, 135  
Actinomorphic · 135  
Aculeate · 49, 56, 135  
Acuminate · 42, 135  
Acute · 41, 42, 135  
Adaxial · 135  
Additional characteristic · 5  
Additional Standard Wording (Test Guidelines) · 5  
Additional test · 5  
Additivity · 149  
Adherent · 52, 135  
Administrative and Legal Committee · 5  
Adnate · 52, 135  
Adpressed · 51, 52, 135  
Alate · 19  
Alpha ( $\alpha$ ) · 149  
Alpha-design · 149  
Alternative Hypothesis · 149  
Angle of the base · 30  
Angular set · 18  
ANOVA · 149  
Anthela · 54, 135  
Anthocyanin · 67  
Apex · 16, 32, 42, 135  
Apex shapes · 42  
Apex/tip shape characteristics · 32  
Apical · 135  
Apiculate · 42, 135  
Apopetalous · 135  
Appendages · 57  
Arachnoid · 56, 135  
Arched · 51, 135  
Arching · 135  
Area · 39, 60, 63, 64, 65, 66, 69  
Aristate · 42, 135  
Ascending · 135  
Assumptions · 149  
Asterisked characteristic · 5  
ASW (Test Guidelines) · 5  
Asymmetric · 135  
Asymmetric apex · 44  
Asymmetric base · 44  
Asymmetric full shape · 44  
Asymmetric position · 44  
Attenuate · 41, 135  
Attitude · 135  
Attitude / direction (plant parts) · 51  
Attitude / direction (Plant parts) · 46  
Atypical plant · 5  
Auriculate · 41, 136  
Auriculiform · 19, 136  
Authority · 5  
Axillary · 136

---

### B

Balanced Complete Block Design · 149  
Balanced Incomplete Block Design · 149  
Banded · 68, 70, 136  
Bar graph · 149  
Barbate · 56, 136  
Barbed · 56, 136  
Basal · 136  
Base · 16, 136  
Base (proximal part) · 16  
Base Shape Characteristics · 30  
Base shapes · 41  
Bearded · 136  
Beta ( $\beta$ ) · 149  
Between plot standard deviation · 150  
Bias · 150  
Bicrenate · 55, 136  
Bidentate · 55, 136  
Binomial Distribution · 150  
Biserrate · 55, 136  
Bivariate Normality · 150  
Blistered · 136  
Block Design · 150  
Blocking · 150  
Blotch · 69, 136  
Blotched · 68, 69, 136  
BMT · 5  
Box plot · 150  
Box-and-whisker diagram · 150  
Breeder · 5  
Breeder's Right · 5  
Bristly · 136  
Broad upright · 46  
Bullate · 57, 136  
Bumpy · 136

---

### C

CAJ · 6  
Calathid · 54  
Calcarate · 41  
Campanulate · 43, 136  
Canaliculate · 43, 136  
Capitate · 43, 136  
Capitulum (flower head) · 53, 136  
Cartilaginous · 136  
Categorical variables · 150  
Catkin · 53  
Catkin (ament) · 136  
Caudate · 42, 136  
CC · 6  
Central bar · 68, 70, 136  
Central Limit Theorem · 150  
Characteristic · 6  
Characteristics for Plant Structures · 45  
Chart for Other Plane Shapes · 19

Chart for Simple Symmetric Plane Shapes · 17, 18  
Chi-Square · 151  
Chi-squared ( $\chi^2$ ) distribution · 151  
Ciliate · 55, 57, 136  
Circular · 136  
Cirrhous · 42, 137  
Clambering · 50, 137  
Clavate · 19, 43, 137  
Clawed · 19, 137  
Climbing · 50  
Climbing (Climber) · 137  
Clustered · 137  
Coalesced · 137  
Coarse · 137  
Coefficient · 151  
Coherent · 52, 137  
Color · 40, 58, 59, 137  
Color change over time · 67  
Color chart · 59, 60, 61  
Color combinations · 59  
Color Distribution · 71, 137  
Color names · 61, 73, 137  
Color patterns · 58, 63, 65, 66, 68, 69, 71  
Color range · 59, 60  
Color: Approach according to defined parts of an organ · 64  
Color: Approach according to the RHS Colour Chart number (Lisbon approach) · 64  
Color: Approach according to the size of the surface area · 63  
Color: Approach according to tissue layers · 63  
Color: Hue · 58, 64, 73, 140  
Color: Intensity · 58, 59, 60, 67, 141  
Color: Saturation · 58, 145  
Columnar · 50, 137  
Combination of full plane-, base- and apex shape characteristics · 35  
Combined characteristic · 6  
Comparable varieties · 6  
Complete Block Design · 149  
Completely Randomised Design · 151  
Composite characteristic · 6, 39  
Compound (double) umbel · 53  
Compound (triple) umbel · 53  
Compound capitulum · 53  
Compound inflorescences · 53  
Compound spike · 53  
Compressed · 17, 18, 137  
Concave · 137  
Confidence Interval · 151  
Confounding · 151  
Congested · 137  
Conic · 43, 137  
Connate · 52, 137  
Connivent · 137  
Consistency · 151  
Conspicuous · 67, 137  
Conspicuousness · 65, 67, 137  
Consultative Committee · 6  
Contiguous · 137  
Contingency Table · 151  
Continuous · 137  
Continuous Variable · 152

Contracting Party · 6  
Convention · 7  
Convex · 137  
Convolute · 51, 137  
Cordate · 41, 137  
Cordiform · 19, 138  
Coriaceous · 138  
Correlation · 152  
Corrugated · 57, 138  
Council · 7  
COYD · 152  
COYU · 152  
Crenate · 55, 138  
Crenulate · 55, 138  
Crispate · 55, 138  
Critical Value · 152  
Crowded · 138  
Crustaceous · 138  
Cuneate · 41, 138  
Cuneiform · 138  
Cup-shaped · 43, 138  
Curvature at the base · 30  
Cuspidate · 42, 138  
Cyathia · 54  
Cyathium · 54  
Cylindric · 43, 138  
Cymose corymb · 54, 138

---

## D

Decumbent · 45, 50, 138  
Decurrent · 41, 138  
Deflexed · 138  
Degrees of Freedom · 152  
Deltate · 138  
Deltoid · 43, 138  
Dense · 138  
Density · 138  
Dentate · 55, 138  
Denticulate · 55, 138  
Dependent Variable · 152  
Depressed · 138  
Descending · 138  
Design of experiment · 152  
Differentiated tip · 32, 42  
Diffuse · 138  
Discoïd · 43, 138  
Discrete Variable · 152  
Dispersion · 152  
Distal · 138  
Distal part · 16  
Distinct · 138  
Distinct / Distinctness · 7  
Distribution · 60, 63, 64, 65, 66, 67, 68, 71, 72, 74, 153  
Divaricate · 50, 139  
Divergent · 139  
Dorsal · 139  
Downwards · 47, 139  
Drafter's Kit for Test Guidelines · 7  
Drilled plot · 7  
Drooping · 45, 46, 50, 139

DUS · 7  
DUS test · 7  
DUST/DUSTNT · 7  
Dwarfed (Dwarf) · 139

---

## E

Ear-row · 7  
Editorial Committee · 7  
Effect · 153  
Efficiency · 153  
Ellipsoid · 43, 139  
Elliptic · 18, 139  
Elongated · 17, 18  
Emarginate · 42, 139  
Enlarged Editorial Committee · 7  
Entire · 55, 139  
Equilateral · 139  
Erect · 45, 47, 51, 139  
Erose · 55, 139  
Essential characteristic · 7  
Estimation · 153  
Estimator · 153  
Even · 139  
Example variety · 7  
Expected Value · 153  
Experimental Design · 153  
Experimental Unit · 153  
Exserted · 52, 139

---

## F

F Distribution · 153  
F Ratio · 154  
Factor · 153  
Factor Level · 153  
Factorial Design · 153  
Falcate · 19, 139  
Fan shape · 139  
Farinaceous (Farinose) · 139  
Fasciated · 139  
Fastigate · 46, 50, 139  
Felted · 139  
Fibrous · 139  
Filliform · 43, 139  
Fimbriate · 55, 57, 139  
Fine · 139  
Fisher's Exact Test · 154  
Fitted Constants · 154  
Fitted Values of dependent variable · 154  
Fixed factor · 154  
Fixed term · 154  
Flabellate · 139  
Flabellate (fan shape) · 19  
Fleshy · 139  
Flexuous · 139  
Floccose · 56, 140  
Flush · 68, 69, 140  
Form · 140  
Free · 48, 52, 140  
Frequency Distribution · 154

Frequency Table · 154  
Full plane shape characteristics · 20  
Full plane shapes · 41  
Funnel-shaped · 43, 140  
Fusiform · 43, 140

---

## G

G · 7  
GAIA · 7  
General Introduction · 7  
GENIE database · 8  
Glabrate · 140  
Glabrescent · 140  
Glabrous · 140  
Glandular · 57, 140  
Globose · 43, 140  
GN (Test Guidelines) · 8  
Granular (Grainy) · 140  
Grooved · 57, 140  
Ground color · 63, 64, 140  
Grouping characteristic · 8  
Grouping varieties · 8  
Growing cycle / independent growing cycle · 8  
Growth habit · 45  
Guidance Note (Test Guidelines) · 8

---

## H

Habit · 50  
Hairiness · 56  
Hairs and spines · 49  
Hastate · 41, 140  
Hastiform · 19, 140  
Herbaceous (Herb) · 140  
Heterogeneity · 154  
Heteroscedasticity · 154  
Heterothetic compound raceme · 53  
Hierarchical Analysis · 154  
Hirsute · 56, 140  
Hispid · 56, 140  
Histogram · 154  
Homeothetic compound raceme · 53  
Homogeneity of Variance · 154  
Homoscedasticity · 154  
Horizontal · 47, 51, 140  
Hue · 58, 64, 73, 140  
Hypothesis Testing · 154

---

## I

Illustrations of plant structures · 50  
Included · 52, 140  
Incomplete Block Design · 155  
Inconspicuous · 67, 140  
Incurved · 51, 141  
Independence · 155  
Independent Variable · 155  
Indistinct · 141  
Inequilateral · 141

Inflated · 141  
Inflexed · 51, 141  
Inflorescence · 53  
Infundibular · 140, 141  
Intensity · 58, 59, 60, 67, 141  
Interaction · 155  
Interested Expert (Test Guidelines) · 8  
Intermediate · 45, 48  
Interquartile Range · 155  
Interrupted · 141  
Interval Scale · 155  
Intervening Variable · 155  
Intricate · 141  
Involute · 51, 55, 141  
Inwards · 51, 141

---

## K

Kidney-shaped · 141  
Kurtosis · 155

---

## L

Laciniate · 42  
Lanate · 49, 56, 141  
Lanceolate · 141  
Lateral · 141  
Lateral outline · 16, 17, 20  
Lax · 141  
Leading Expert (Test Guidelines) · 8  
Least Significant Difference · 155  
Lemniscate · 19  
Lenticular · 43, 141  
Lepidote · 57, 141  
Leptous · 141  
Level of a factor · 155  
Level of significance · 155  
Ligneous · 141  
Ligulate · 141  
Linear · 43, 141, 155  
Linear Regression · 155  
Linear Transformation · 156  
Lisbon · 141  
Lisbon approach · 63, 64  
Lobe, Lobed · 141  
Long · 17  
Longitudinal · 141  
Lorate · 141  
LSD · 155, 156  
Lunate · 19, 141  
Lyrate · 19, 141

---

## M

M, MG, MS · 8  
Main color · 73, 141  
Main Effect · 156  
Marbled · 68, 70, 141  
Marginal · 142  
Marginal zone · 68, 70, 142

Marginate · 68, 70, 142  
Margins · 48, 55  
Mean · 156  
Mean Square Error · 156  
Measure of Association · 156  
Measurement · 8  
Median · 156  
Member of the Union · 8  
Membranous · 142  
Minor color · 59  
Missing Data · 156  
Mixed model · 156  
Model · 156  
Model assumptions · 156  
Modified Joint Regression Analysis · 156  
Mucronate · 42, 142  
Multiple Comparison Test · 156  
Multivariate Normality · 157  
Mutually Exclusive Events · 157

---

## N

Net · 68, 142  
Netted · 68, 70, 142  
Nominal Scale · 157  
Non-additive · 157  
Non-fastigiate · 46  
Normal Distribution · 157  
Normal Probability Plot · 157  
Normality · 157  
Note · 8  
Null Hypothesis · 157

---

## O

Obconic · 43, 142  
Obcordate · 42, 142  
Obcordiform · 19, 142  
Obdeltate · 142  
Oblanceolate · 142  
Oblate · 142  
Oblique · 52, 142  
Obloid · 43, 142  
Oblong · 18, 43, 142  
Obovate · 18, 142  
Obovoid · 43, 142  
Obtriangular · 18, 142  
Obtrullate · 18, 142  
Obtuse · 41, 42, 143  
Off-type · 9  
Open · 143  
Orbicular · 143  
Ordinal Scale · 157  
Outlier · 157  
Outlying Case · 157  
Outwards · 47, 51, 143  
Ovate · 18, 143  
Over color · 63, 64, 67, 143  
Overlapping · 48  
Ovoid · 43, 143

---

## P

Panicle · 54, 143  
Pannose · 56, 143  
Papillose · 57, 143  
Papyraceous, Papery · 143  
Parallel set · 18  
Parameter · 157  
Parent(al) formula · 9  
Patches · 68, 143  
Pattern Variable · 158  
Patterns · 58, 63, 65, 66, 68, 69, 71  
PBR · 9  
Pear-shaped · 143  
Pearson · 152  
Pedicel · 143  
Pedicelled (Pedicellate) · 143  
Peduncle · 143  
Peltate · 43, 143  
Pendent · 51, 143  
Pendulous · 51, 143  
Perpendicular · 143  
Perspective from which to observe plant shapes · 37  
Petiole · 143  
Petiolule · 143  
Photographs to illustrate color distribution and color patterns · 71  
Pigment · 63, 67  
Pigments (anthocyanin, carotenoid) · 67  
Pilose · 143  
Plant · 9  
    growth type · 45  
    type · 45  
Plant (or tree)  
    growth habit · 45  
    type · 45  
Plant Breeders' Right · 9  
Plant grouping · 9  
Plant Variety Database · 9  
PLUTO database · 9  
Pointed · 143  
Pooled Standard Deviation · 158  
Pooled Variance · 158  
Population · 158  
Population standard · 158  
Position of broadest part · 16, 17, 20  
Power · 158  
Precision · 158  
Predicted Values · 158  
Prediction · 158  
Predominant color · 59  
Prickly · 143  
Probability Distribution · 153  
Probability Value · 158  
Procumbent · 143  
Procumbent (not rooting) · 50  
Profile · 144  
Prominence · 65  
Prominent · 144  
Prostrate · 45, 50, 144  
Proximal · 144  
Pseudoqualitative characteristic · 9

Pubescent · 56, 144  
Pungent · 42, 144  
P-Value · 158  
Pyramidal · 43, 144  
Pyriform · 43, 144

---

## Q

Quadrangular · 144  
Qualitative characteristic · 9  
Qualitative Variable · 158  
Quantitative characteristic · 10  
Quantitative Variable · 158  
Quantity · 157

---

## R

Raceme · 53, 144  
Racemose corymb · 53, 144  
Ramified · 50, 144  
Random Factor · 158  
Random Sampling · 158  
Random Term · 158  
Randomisation · 158  
Randomized complete block design · 149, 158  
Range · 158  
Range Test · 159  
Ranks · 159  
Ratio length/width · 15, 17, 18, 20  
Ratio Scale · 159  
Ratio width/length · 15, 17  
Reclining · 50, 144  
Rectangular · 144  
Recurved · 51, 144  
Reflexed · 47, 51, 144  
Regression Line · 159  
Relative Frequency Distribution · 159  
Relative position · 48, 52  
Relevant characteristic · 10  
REML · 159  
Reniform · 19, 144  
Repand · 55, 144  
Replication · 159  
Residual · 159  
Resinous · 144  
Resolvable Design · 159  
Reticulate · 57, 144  
Retuse · 42, 144  
Revolvate · 51, 55, 144  
Rhombic · 18, 144  
Rhomboid · 43, 144  
RHS Colour Chart · 40, 59, 60, 61, 63, 64, 65, 66, 72, 73, 75  
Rigid · 144  
Rotate · 43, 144  
Rough · 144  
Round · 144  
Rounded · 41, 42, 145  
Rounded set · 18  
Rugose · 57, 145



---

## S

- S · 10
  - Sagittate · 19, 41, 145
  - Salverform · 43, 145
  - Sample · 159
  - Sample Size · 159
  - Sampling Fluctuation · 159
  - Saturation · 58, 145
  - Scabrous · 145
  - Scale of Measurement · 159
  - Secondary color · 63, 74, 145
  - SED · 159
  - SEM · 160
  - Semi-ellipsoid · 43, 145
  - Semi-erect · 45, 47, 51, 145
  - Semi-Interquartile Range · 160
  - Semi-prostrate · 45
  - Semi-upright · 145
  - Sericeous · 56, 145
  - Serrate · 55, 145
  - Serrulate · 55, 145
  - Sessile · 52, 145
  - Setaceous · 145
  - Setose · 56, 145
  - Shape · 18, 145
  - Shape illustrations · 41
  - Shape of apex · 20
  - Shape of base · 20
  - Shape: defining the characteristic · 40
  - Shape: Technical Questionnaire Characteristics · 40
  - Shape: types of expression and states / notes · 39
  - Shape: Use of composite characteristics for determining distinctness and uniformity · 39
  - Shape-related Characteristics · 20
  - Sheathing · 43, 145
  - Short · 17
  - Significance Level · 160
  - Significance Test · 160
  - Significant · 160
  - Simple Effect · 160
  - Simple inflorescences · 53
  - Single color · 59, 60
  - Single flower · 145
  - Sinuate · 55, 145
  - Size of Test · 160
  - Skewness · 160
  - Smooth · 145
  - Spaced plant plot/trial · 10
  - Spadix · 53, 145
  - Sparse · 145
  - Spathulate · 145
  - Spatulate · 19, 145
  - Special characteristic · 10
  - Speckle · 69, 145
  - Speckled · 68, 69, 145
  - Spheric · 145
  - Spike · 53, 146
  - Spikelets · 54
  - Spine · 146
  - Spines · 56
  - Spinose · 56, 146
  - Spiny · 146
  - Spiral · 43, 146
  - Spot · 69, 146
  - Spotted · 68, 69, 146
  - Spread · 160
  - Spreading · 45, 46, 50, 146
  - Spur Type · 146
  - Squamose · 146
  - Square · 146
  - Stability · 10
  - Stalked · 146
  - Stance · 146
  - Standard color · 61
  - Standard Deviation · 160
  - Standard Error · 160
  - Standard Error of Mean · 160
  - Standard Normal Distribution · 161
  - Standard Scores · 161
  - Standard Test Guidelines characteristic · 10
  - Standardized Coefficient · 161
  - Standardized Variable · 161
  - Star-shaped · 146
  - State of Expression · 10
  - Statistic · 157, 161
  - Statistical Independence · 161
  - Statistical Measure · 161
  - Statistical Method · 161
  - Statistical Model · 161
  - Statistical Significance · 161
  - Statistical Test · 161
  - Statistics · 162
  - Stellate · 19, 146
  - Stipitate · 146
  - Stipitate (stalked) · 52
  - Stoloniferous · 146
  - Stoloniferous (rooting) · 50
  - Striate · 57, 146
  - Strigose · 56, 146
  - Striped · 68, 70, 146
  - Stripes · 68, 146
  - Structure · 45
  - Student's t-Distribution · 162
  - Subgroup (Test Guidelines) · 10
  - Subulate · 19, 146
  - Syconium · 54
  - Symmetric · 146
  - Symmetric Distribution · 162
  - Symmetry · 37, 44
  - Sympetalous · 146
- 
- ## T
- TC · 11
  - TC-EDC · 11
  - t-Distribution · 162
  - Technical Committee · 11
  - Technical Questionnaire · 11
  - Technical Working Party · 11
  - Technical Working Party for Agricultural Crops · 11
  - Technical Working Party for Fruit Crops · 11
  - Technical Working Party for Ornamental Plants and Forest Trees · 11

Technical Working Party for Vegetables · 11  
 Technical Working Party on Automation and  
 Computer Programs · 11  
 Terete · 43, 146  
 Terminal · 146  
 Territory · 11  
 Tessellate · 68, 70, 146  
 Test · 162  
 Test Guidelines · 11  
 Test Guidelines characteristic · 11  
 Test Guidelines Subgroup · 11  
 Test Statistic · 162  
 Tetrahedral · 43, 146  
 Texture · 57  
 TG · 12  
 TG Drafter's Kit · 11  
 TG Template · 12  
 TGP documents · 12  
 Thorn · 146  
 Thorny · 146  
 Three-dimensional shape characteristics · 37  
 Three-Dimensional Shapes · 43  
 Thyse · 54, 146  
 Thyrsoid · 54  
 Tip · 32, 146  
 Tomentose · 49, 56, 147  
 Top · 147  
 Touching · 48  
 TQ · 12  
 Transformation · 162  
 Transverse · 147  
 Transverse band · 68, 70, 147  
 Trapezoidal · 19, 147  
 Triangular · 18, 147  
 Trichome · 147  
 Trullate · 18, 147  
 Truncate · 41, 42, 147  
 t-Test · 162  
 Tubular · 43, 147  
 TWA · 12  
 TWC · 12  
 TWF · 12  
 Twining · 50, 147  
 TWO · 12  
 Two-Point Scale · 162  
 TWP · 12  
 TWV · 12  
 Type I and Type II Error · 162  
 Type of Characteristic · 162  
 Type of Expression · 162

---

## U

Umbel · 53, 147  
 Unbalanced Data · 162  
 Undulate · 55, 147  
 Unguiculate · 147

Uniformity · 12  
 Unsuitable color name · 147  
 Unsuitable color names · 61  
 UPOV · 12  
 UPOV code · 12  
 UPOV Code System · 12  
 UPOV color groups · 147  
 UPOV Color Groups · 73, 74  
 UPOV Color names · 60  
 UPOV Lex · 12  
 UPOV member · 12  
 Upright · 45, 46, 50, 147  
 Upright to spreading · 45  
 Upwards · 47, 147  
 Urceolate · 43, 147

---

## V

V, VG, VS · 12  
 Variability · 162  
 Variable · 163  
 Variance · 163  
 Variance Component · 163  
 Variation · 163  
 Variegation · 66, 147  
 Variety · 13  
 Variety collection · 12  
 Variety denomination · 12  
 Variety of common knowledge · 12  
 Veined · 68, 70, 147  
 Velutinous · 56, 147  
 Ventral · 147  
 Verrucose · 57, 147  
 Vertical · 147  
 Villous · 147  
 Viscid · 147  
 Visual observation (V) · 13

---

## W

Wart · 148  
 Weeping · 45, 46, 50, 148  
 Weighted Data · 163  
 Within plot standard deviation · 163  
 Working Group on Biochemical and Molecular  
 Techniques, and DNA-Profiling in Particular · 13  
 Wrinkled · 148

---

## Z

Z-Distribution · 163  
 Zig-zag · 51, 148  
 Zygomorphic · 148