



Disclaimer: unless otherwise agreed by the Council of UPOV, only documents that have been adopted by the Council of UPOV and that have not been superseded can represent UPOV policies or guidance.

This document has been scanned from a paper copy and may have some discrepancies from the original document.

Avertissement: sauf si le Conseil de l'UPOV en décide autrement, seuls les documents adoptés par le Conseil de l'UPOV n'ayant pas été remplacés peuvent représenter les principes ou les orientations de l'UPOV.

Ce document a été numérisé à partir d'une copie papier et peut contenir des différences avec le document original.

Allgemeiner Haftungsausschluß: Sofern nicht anders vom Rat der UPOV vereinbart, geben nur Dokumente, die vom Rat der UPOV angenommen und nicht ersetzt wurden, Grundsätze oder eine Anleitung der UPOV wieder.

Dieses Dokument wurde von einer Papierkopie gescannt und könnte Abweichungen vom Originaldokument aufweisen.

Descargo de responsabilidad: salvo que el Consejo de la UPOV decida de otro modo, solo se considerarán documentos de políticas u orientaciones de la UPOV los que hayan sido aprobados por el Consejo de la UPOV y no hayan sido reemplazados.

Este documento ha sido escaneado a partir de una copia en papel y puede que existan divergencias en relación con el documento original.

INTERNATIONAL UNION FOR THE PROTECTION OF NEW VARIETIES OF PLANTS

GENEVA

COUNCIL

**Eighteenth Ordinary Session
Geneva, October 17 to 19, 1984**

**LIST OF THE TAXA PROTECTED IN THE MEMBER STATES OF UPOV
AND IN THE SIGNATORY STATES OF THE 1978 ACT OF THE CONVENTION**

Document prepared by the Office of the Union

TABLE OF CONTENTS

	Page
Introduction	2
Explanation of the Symbols Used in the Main Table	5
Main Table	6
Notes Classified by States	
- BE/Belgium	43
- CH/Switzerland	43
- DE/Germany (Federal Republic of)	43
- DK/Denmark	44
- GB/United Kingdom	44
- HU/Hungary	46
- IT/Italy	46
- JP/Japan	46
- NL/Netherlands	47
- NZ/New Zealand	47
- SE/Sweden	48
- US/United States of America	48
Notes Classified by Taxa	49
Index of English Common Names	75
Index of French Common Names	83
Index of German Common Names	87

INTRODUCTION

1. The International Convention for the Protection of New Varieties of Plants is applicable, according to its Article 4(1), to all botanical genera and species. Its Article 4(2) provides that "the member States of the Union undertake to adopt all measures necessary for the progressive application of the provisions of this Convention to the largest possible number of botanical genera and species." This document surveys the measures for the protection of the various taxa* that have been instituted by the member States of the Union and the States not yet members but signatories of the 1978 Revised Act of the Convention. It also contains additional information which may be useful in the context of this document.

2. This document contains the following parts:

- (i) a main table;
- (ii) notes classified by States;
- (iii) notes classified by taxa;
- (iv) three indexes of common names.

3. The main table contains the list of the taxa protected in at least one of the States defined above with, for each of them, indications with respect to its protection in each of the States. Explanations of the symbols used for this purpose appear on page 5.

4. The taxa are listed in the alphabetical order of their Latin names, except in the case of complex genera which contain many species and subspecies. These are isolated from the rest of the table by dotted lines and are treated differently, for instance with the use of titles, in order to facilitate consultation of the table.

5. The Latin names of the taxa are taken over from the rules and regulations of the member States protecting them, except in the following circumstances:

(i) The legislation of a member State may not contain Latin names and may therefore specify the protected taxa by means of their common names (in the case of France, Italy--with respect to certain taxa--Japan and Spain). Where relevant, the Office of the Union has added the Latin name corresponding to the common name.

(ii) The legislation of a member State may contain a Latin name the scope of which is much greater than that of the corresponding common name which defines the protected taxon. Where relevant, the Office of the Union has completed the Latin name.

(iii) Two or more States protecting the same taxon may use different Latin names. Two cases may exist:

(a) The differences are small (presence and absence of authors' names, different spellings, etc.): in this case, the Office of the Union has retained only one Latin name.

(b) The differences are substantial: where the difference relates to the use of synonyms (for example, *Prunus amygdalus* and *Amygdalus communis*), each designation is the subject of an entry in which the synonym is given in square brackets. Where the difference relates to the rank of the designations used and where, in practice, they cover about the same set of varieties (for example, *Hordeum L.* and *H. vulgare* to designate barley), these designations are the subject of one entry only in which one of them is given in square brackets.

6. For its decisions on the Latin names, the Office of the Union mainly had recourse to the following works:

- (i) "Diccionario de Plantas Agricolas" by E. Sanchez Monje y Parellada - Ministerio de Agricultura, Servicio de Publicaciones Agrarias, Madrid;
- (ii) "Dictionary of Gardening" (second edition (1977)) by P.M. Syng - Oxford University Press;

* The expression "protected taxon" and the similar expressions mean that titles of protection may be issued for varieties of the taxon concerned.

iii) "Elsevier's Dictionary of Botany - I. Plant Names" by P. Macura - Elsevier Scientific Publishing Company, Amsterdam - Oxford - New York, 1979;

(iv) "ISTA List of Stabilized Plant Names" (second edition (1984));

(v) "Zander - Handwörterbuch der Pflanzennamen" (tenth edition (of 1972) and twelfth edition (of 1980)), Eugen Ulmer Publications, Stuttgart, Federal Republic of Germany.

The species names stabilized by ISTA are preceded by an asterisk.

7. The common names originate from the national laws and regulations or have been indicated by the competent authorities of the member States, or again have been added by the Office of the Union. In this respect, three types of common names may be distinguished:

(i) true common names (examples: wheat, onion, apple, carnation, poplar);

(ii) common names deriving from the corresponding Latin name or from which the Latin name is derived (examples: abutilon, acacia, chrysanthemum, dahlia);

(iii) Latin names which, in the absence of true common names, are used in the common language (examples: Cymbidium, Dieffenbachia, Romneya). Such names may also co-exist with a true common name (example: Anthurium and Tail Flower). As time passes, they may pass into the common language as names of the second type (example: Gerbera). These names may be the subject of some changes, of which the most important are phonetic or spelling adaptations (addition of accents in French, change of the last syllable, -ia becoming for example -ie in German, etc.) and total or partial translations (for example Abies sachalinensis becomes "Sachalin Fir" and Pelargonium peltatum becomes "Ivy-leaved Pelargonium"). The result is that several variants may be used in one and the same language. Variants may also exist for other reasons. It should be noted in particular that the spelling of compound names is not always consistent in English (example: meadowgrass, meadow-grass and meadow grass).

8. Where relevant, the Office of the Union has added common names of the third type, thereby choosing those which seemed or were likely to prevail in usage. Concerning ornamental species, it is frequent usage to designate them, in the absence of names of the first or second type, by the name of the genus. Thus the species Allamanda cathartica is designated by "Allamanda." This usage also prevails in the case of certain genera containing several ornamental species. In that case, in order to reduce the list, the Office of the Union has regrouped in one entry all species concerned where this was possible. Thus, Abutilon megapotamicum, A. X milleri, A. ochsenii and A. vitifolium are the subject of one entry only.

9. Attention is drawn to the fact that the relationships between common names and Latin names may be different from one taxon to another: in the case of the genera for instance, the common name may apply either to the whole of the species of the genus, or to certain species only. In the case of Viola, for instance, violet applies to the whole of the genus, on the one hand, and more particularly to the small flowered species on the other hand, the large flowered garden plants being called pansies. The main table and the indexes should therefore not be used without care as glossaries.

10. As the above indications show, the drawing up of the synoptical list of protected taxa has led to some departures from the relevant national laws and regulations, in particular because nomenclatures used are not uniform. In this respect, useful information is given in the "notes." In any case, it is recommended to consult these laws and regulations when precise information is needed.

11. The notes classified by States follow the alphabetical order of the codes applicable to countries. The following will be found therein, wherever it has appeared necessary:

(i) general notes relating in particular to the way in which the national list of protected taxa has been established;

(ii) special notes relating to a peculiarity of the national list which concerns a given taxon.

12. The notes classified by taxa contain more detailed information on systematics, notably on the synonyms.

13. The indexes of common names contain alphabetical lists of the common names mentioned in the main table with, opposite each of them, the Latin name of the corresponding genus. The compound common names are the subject of a double entry, as far as this is necessary, for example "Maidenhair Fern" and "Fern (Maidenhair)." In general, common names identical or very similar to Latin names do not appear in the indexes, neither do species names where they contain the name of the corresponding genus.

14. Unless otherwise indicated, the protection of a fruit crop taxon means that both fruiting varieties and rootstocks may be protected.

EXPLANATION OF THE SYMBOLS USED IN THE MAIN TABLE

Letters in the column headings (country codes)

BE	Belgium	IL	Israel
CA	Canada	IT	Italy
CH	Switzerland	JP	Japan
DE	Germany (Federal Republic of)	MX	Mexico
DK	Denmark	NL	Netherlands
ES	Spain	NZ	New Zealand
FR	France	SE	Sweden
GB	United Kingdom	US	United States of America
HU	Hungary	ZA	South Africa
IE	Ireland		

Signs in the columns

X Protected taxon

+ Taxon protected as a result of:

(i) the protection of a taxon of higher rank to which it belongs (for example in the case of a species: the genus to which it belongs is protected);

(ii) the protection of all taxa of lower rank which belong to it (for example, in the case of a genus, all its species are protected).

This sign is not used where the protected taxa are mentioned in national legislation not by name, but by means of a collective word or expression. This is the case of Hungary, New Zealand and the United States of America.

(X) Protection of the taxon envisaged in the near future.

* Before a taxon name: species name stabilized by ISTA;

After a taxon name: refers to the Notes Classified by Taxa;

After X or +: refers to a special note to be found under the name of the State concerned in the Notes Classified by States.

Numerals Refer to the general notes to be found under the name of the State concerned in the Notes Classified by States.

0168

MAIN TABLE - TABLEAU PRINCIPAL - HAUPTTABELLE

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
001 <i>Abelia R. Br.*</i>	Abelia	Abelia	Abelia	001	X2	X	.	.	.	X6	.	X	.	X	.	001		
002 <i>Abelmoschus esculentus (L.) Moench*</i>	Okra, Gombo	Ambrette	Okra	002	X	.	.	.	X2	.	X	.	X	.	002		
003 <i>Abies Mill.*</i>	Fir	Sapin	Tanne	003	.	.	.	X	.	.	+	X	X	.	X	.	003	
004 * <i>Abies sachalinensis (Fr. Schmidt) Mast.*</i>	Sachalin Fir	Sapin de Sakhaline	Tanne der Insel Sachalin	004	.	.	.	+	.	.	+	X	.	.	.	X6	.	X	.	X	.	004	
005 <i>Abutilon megapotamicum St.-Hil. et Naud.*</i> , A. <i>X milleri</i> hort.*, A. <i>ochsenii</i> (Phil.) Phil., A. <i>vitifolium</i> Presl	Abutilon	Abutilon	Abutilon	005	+	.	X2	X	X	.	X	.	005		
006 <i>Acacia Mill.*</i>	Acacia	Acacia	Akazie	006	X	.	.	.	X6	.	X	.	X	.	006		
007 <i>Acer L.*</i>	Maple	Erable, Sycomore	Ahorn	007	X2	X	.	.	.	X6	.	X	.	X	.	007	
008 <i>Achillea L.*</i>	Milfoil, Yarrow	Achillée	Schafgarbe	008	X1	X	.	.	.	X5	.	X	.	X	.	008	
009 <i>Achimenes-Hybridii*</i>	Achimenes	Achimenes	Achimenes, Schiefteller	009	.	.	.	X	.	.	+	X	X	.	X	.	009	
010 <i>Aconitum L.</i>	Monkshood	Aconit	Eisenhut	010	X1	X	X	.	X	.	010		
011 <i>Actinidia Lindl.</i>	Actinidia	Actinidia	Strahlengriffel	011	X2	X	.	.	.	X3	.	X	.	X	.	011	
012 <i>Actinidia chinensis</i> Planch.	Kiwifruit	Actinidia, Groseille de Chine	Kiwifrucht	012	+	X	.	.	.	+	.	X	.	X	X	012		
013 <i>Adiantum L.*</i>	Maidenhair Fern	Capillaire	Frauenhaarfarn	013	X	.	.	.	X5	.	X	.	X	.	013		
014 <i>Aechmea Ruiz et Pav.*</i>	Aechmea	Aechmea	Aechmea	014	+*	.	.	X	.	.	+	X	.	.	.	X5	.	+*	X	.	X	.	014
015 <i>Aërides Lour.*</i>	Aërides	Aërides	Aërides	015	+	+	X	.	+	.	X5	.	+	X	.	X	.	015	
016 <i>Aeschynanthus Jack*</i>	Aeschynanthus	Aeschynanthus	Aeschynanthus	016	.	.	.	X	.	.	+	X	X	.	X	.	016		
017 <i>Aesculus L.*</i>	Horse Chestnut	Marronnier	Roskastanie	017	X2	X	X	.	X	.	017		
018 <i>Agapanthus L'Hér.</i>	Agapanthus, African Lily	Agapanthe, Fleur d'amour	Agapanthus, Schmucklilie	018	X	.	.	.	X5	.	X	.	X	.	018		
019 <i>Agaricus L.*</i>	Mushroom	Champignon de couche	Champignon	019	X	X	.	X	.	X	.	019	
020 <i>Agaricus bisporus (Lange.) Sing.</i>	Mushroom	Champignon de couche	Champignon	020	X	.	.	.	X8	.	+	.	X	.	020		
021 <i>Ageratum L.*</i>	Ageratum, Flossflower	Ageratum	Leberbalsam	021	X	.	.	.	X5	.	X	.	X	.	021		
022 <i>Agrostis L.*</i>	Bentgrass	Agrostis, Agrostide	Straussgras	022	.	.	.	X	X1	.	.	X	.	X	X4	.	X	X1	X	.	022		
023 * <i>Agrostis canina L. [A. canina L. ssp. canina Hwd]</i>	Velvet Bent	Agrostis des chiens	Hundsstraussgras	023	X	.	.	+	+	.	X	X	.	+	+	.	X	X	+	X	.	023	
024 * <i>Agrostis gigantea Roth*</i>	Red Top (Black Bent)	Agrostide blanche, Weisses Agrostide géante	Straussgras	024	X	.	.	+	+	.	X	X	.	+	+	.	X	X	+	X	.	024	

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
025 * <i>Agrostis stolonifera</i> L.*	Creeping Bent	<i>Agrostide blanche</i> , Flechtstraussgras	025	X	.	.	+	+	.	.	X	X	.	.	+	+	.	X	X	+	X	.	025	
026 * <i>Agrostis tenuis</i> Sibth.*	Brown Top, Common Bent	<i>Agrostide commune</i> Rotes Straussgras	026	X	.	.	+	+	.	.	X	X	.	.	+	+	.	X	X	+	X	.	026	
027 * <i>Albizia julibrissin</i> Durazz.*	Silk-tree	<i>Acacia de Constantinople</i> , Arbre de soie	027	X	.	.	.	X6	.	.	X	.	X	.	027		
028 <i>Allamanda cathartica</i> L.*	Allamanda	Allamanda	Allamanda	028	X	.	.	X	X	.	X	.	028		
ALLIUM																								
<u>Ornamental Plants/Plantes ornementales/Zierpflanzen</u>																								
029 <i>Allium</i> L.*	Allium	Allium	Zierlauch	029	X	X	X	.	X	.	029		
030 <i>Allium giganteum</i> Regel	Giant Allium	Oignon géant	-	030	X	.	.	.	X5	.	+	X	.	X	.	030		
<u>Vegetables/Plantes potagères/Gemüsepflanzen</u>																								
031 <i>Allium</i> L.	-	-	Lauch	031	X	X	X2	X	.	031			
032 <i>Allium ascalonicum</i> L.*	Shallot	Echalote	Schalotte	032	X	.	.	X	X	X	+	X	.	032		
033 <i>Allium bakeri</i> Regel*	Rakyo	-	-	033	X	.	.	.	X2	.	.	X	+	X	.	033		
034 * <i>Allium cepa</i> L.*	Onion	Oignon	Zwiebel	034	X	.	X*	X	X	.	.	X	.	X	X	X2	.	X	X	+	X	X	034	
035 * <i>Allium fistulosum</i> L.*	Welsh Onion	Ciboule	Winterzwiebel	035	X	.	.	X	.	X2	.	.	X	+	X	.	035	
036 * <i>Allium porrum</i> L.*	Leek	Poireau	Porree	036	.	.	.	X	X	.	.	X	.	X	.	X	.	X	X	+	X	.	036	
037 * <i>Allium sativum</i> L.*	Garlic	Ail	Knoblauch	037	X	.	X	.	X2	.	.	X	+	X	.	037		
038 * <i>Allium schoenoprasum</i> L.*	Chives, Asatsuki	Ciboulette, Civette	Schnittlauch	038	.	.	.	X	X	.	.	X	.	.	X2	.	.	X	+	X	.	038		
039 <i>Allium tuberosum</i> Rottler ex Spreng.*	Chinese Chives	-	-	039	X	.	.	.	X2	.	.	X	+	X	.	039		
040 <i>Alnus</i> Mill.*	Alder	Aulne	Erle	040	X2	X	X	.	X	.	040			
041 <i>Alocasia</i> (Schott) G. Don*	Alocasia	Alocasia	Alocasia, Pfeilwurz, Tropenwurz	041	X	.	.	X	X5	.	.	X	.	X	.	041		
042 Aloë spec.*	Aloe	Aloës	Aloe, Bitterschopf	042	X	X	.	X	X	042			
043 * <i>Alopecurus pratensis</i> L.	Meadow Foxtail	Vulpin des prés	Wiesenfuchsschwanz	043	.	.	.	X	.	.	.	X	X	X1	X	.	043			
044 <i>Alstroemeria</i> L. [A.-Hybridii]	Alstroemeria, Herb Lily	Alstroemeria, Lis des Incas	Inkalilie	044	X	.	.	X	X	.	X	X1	X	.	X	X	X5	.	X	X	X4	X	.	044
045 <i>Althaea rosea</i> (L.) Cav.*	Hollyhock	Rose trémière	Stockmalve, Stockrose	045	X	.	.	.	X5	.	.	X	.	X	.	045		
046 * <i>Amaranthus tricolor</i> L.*	Ganea Amaranth	Amarante tricolore, Amarante du Gange	Dreifarbiges Fuchsschwanz	046	X	.	.	.	X5	.	.	X	.	X	.	046		
047 <i>Amelanchier</i> Medik.*	Serviceberry, Snowy Mespilus	Amelanchier	Felsenbirne	047	X2	X	X	.	X	.	047			

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
048 *Ammobium alatum R. Br.	Winged Everlasting	Ammobium élevé	Papierknöpfchen, Sandimmortelle	048	X	.	.	.	X5	.	.	X	.	X	048		
049 Amorphophallus konjac C. Koch [A. rivieri Durieu*]	Konnyaku, Devil's tongue	-	-	049	X	.	.	.	X1	.	.	X	.	X	049		
050 Ampelopsis hort.*	Ampelopsis	Vigne-vierge	Doldenrebe	050	X2	X	X	.	X	050		
051 Amygdalus spec. [A. communis L.; Prunus amygdalus Bartock*; P. dulcis (Mill.) D.A. Webb]	Almond	Amandier	Mandel	051	X	+2	X	.	X	X	.	.	X	.	X	051		
052 Ananas comosus (L.) Merr.*	Pineapple	Ananas	Ananas	052	X	.	.	.	X3	.	.	X	.	X	052		
053 Anchusa angustissima K. Koch*	-	Langue-de-boeuf	Ochsenzunge	053	X1	X	X	.	X	.	053		
054 Anchusa italicica Retz.*	Italian Bugloss	Buglosse d'Italie, Italianische Langue-de-boeuf	Ochsenzunge	054	X1	X	X	.	X	.	054		
055 Andromeda L.*	Bog Rosemary	Andromède	Gränke, Rosmarinheide	055	X2	X	X	.	X	.	055		
056 Anemone L.*	Anemone	Anémone	Anemone, Windröschen	056	X	.	X	.	X5	.	.	X	.	X	056		
057 Anemone hupehensis Lemoine*	Japanese Anemone	Anémone du Japon	Herbstanemone	057	X1	X	.	+	.	+	.	X	.	X	.	057	
058 *Anethum graveolens L.*	Dill	Aneth	Dill	058	X	.	.	X	X	X	X2	X	.	058		
059 Angelica acutiloba Kitagawa	Angelica	Angélique	Engelwurz	059	X	.	.	.	X1	.	.	X	.	X	059		
060 Angraecum Bory*	Bourbon Tea Orchid	Angraecum, Angrec	Angraecum, Tropensporn	060	+	+	.	X	.	+	.	X5	.	+	X	.	X	060		
061 *Annona cherimola P. Mill.	Annona, Cherimoya	Chérimolier	"Cherimoya"	061	X	.	X	.	.	.	X	.	X	.	061		
062 *Annona squamosa L.*	Annona, Sugar Apple, Sweet Sop	Pommier-cannelle	Rahmapfel, Süss- sack, Zuckerapfel	062	X	.	X	.	.	.	X	.	X	.	062		
063 Anthemis L.*	Chamomile	Anthémis	Hundskamille	063	X1	X	X	.	X	.	063		
064 *Anthriscus cerefolium (L.) Hoffm.*	Chervil	Cerfeuil	Kerbel	064	X	.	.	X	X	X	.	X	.	064		
065 Anthurium Schott*	Anthurium, Tail Flower	Anthurium	Flamingoblume	065	.	.	.	X	.	.	.	X	.	X	.	X5	.	X	X	.	X	065		
066 *Antirrhinum majus L.	Common Snapdragon	Muflier, Gueule de Toup, Gueule de lion	Gartenlöwenmaul	066	X	.	.	.	X5	.	.	X	.	X	066		
067 *Apium graveolens L.	Celery, Celery	Céleri, Céleri-rave	Sellerie	067	X	.	.	X	X	.	.	X	X	.	.	X	X2	.	X	X	X2	X	.	067
068 Aquilegia L.*	Columbine	Ancolie, Colombine	Akelei	068	X	.	.	.	X5	.	.	X	.	X	.	068	
069 *Arachis hypogaea L.* [Arachis spec.]	Groundnut, Peanut	Arachide	Erdnuss	069	X	.	X	.	X1	.	.	X	.	X	X	069	
070 Aralia chinensis L.	Chinese Angelica Tree	Angélique en arbre	Angelikabaum de Chine	070	X2	X	X	.	X	.	070		
071 Aralia elata (Miq.) Seem.*	Japanese Angelica Tree	Angélique en arbre - du Japon	-	071	X2	X	X	.	X	.	071		
072 Aralia spinosa L.	Hercules Club, Devil's Walking Stick	Angélique épineuse, Bâton du diable	-	072	X2	X	X	.	X	.	072		

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

0171

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
073 <i>Arbutus L.*</i>	Strawberry Tree	Arbousier	Erdbeerbaum	073	X2	X	X	.	X	.	073		
074 * <i>Arctium lappa L.*</i>	Edible Burdock	Grande bardane comestible	Grosse essbare Klette	074	X	.	.	.	X2	.	.	X	.	X	.	074		
075 <i>Arctostaphylos Adans.*</i>	Bearberry	Raisin d'ours	Bärentraube	075	X2	X	X	.	X	.	075		
076 <i>Ardisia crispa A. DC.*</i>	Ardisia	Baie corail	Spitzenblume	076	X	.	.	.	X6	.	.	X	.	X	.	076		
077 <i>Armeria (DC.) Willd.*</i>	Thrift, Sea Pink	Arméria	Grasnelke	077	X1	X	.	.	X5	.	.	X	.	X	.	077		
078 <i>Armoracia rusticana Gaertn., Mey. et Scherb.*</i>	Horse Radish	Raifort sauvage	Meerrettich	078	X	.	.	X	X	.	X	.	078		
079 <i>Aronia Medik.*</i>	Chokeberry	Aronia	Apfelbeere	079	X2	X	X	.	X	.	079		
080 * <i>Arrhenatherum elatius (L.) P. Beauv. ex J.S et K.B. Presl*</i>	Tall Oatgrass, False Oatgrass	Fromental, Avoine élevée	Glatthafer	080	.	.	.	X	.	.	X	X	X	.	X	.	080		
081 <i>Artemisia L.*</i>	Mugwort	Armoise	Beifuss	081	X1	X	.	.	X1	.	.	X	.	X	.	081		
082 <i>Asclepias L.*</i>	Milkweed, Silk-weed, Bloodflower	Asclépiade	Seidenpflanze	082	X	.	.	.	X5	.	.	X	.	X	.	082		
083 <i>Ascocentrum Schlechter*</i>	Ascocentrum	Ascocentrum	Ascocentrum	083	+	+	.	X	.	+	.	X5	.	+	X	.	X	.	083	
084 * <i>Asparagus officinalis L. [Asparagus L.]</i>	Asparagus	Asperge	Spargel	084	.	.	.	X	X	.	.	X	.	.	X	X2	.	X	X	X2	.	084		
085 <i>Asparagus plumosus Bak.*</i>	"Asparagus Fern"	Asparagus	Asparagus, Federspargel	085	X	.	.	X	.	.	+	.	.	X	.	X	.	085		
086 <i>Aspidistra elatior Bl.*</i>	Aspidistra, Cast-iron Plant	Aspidistra	Schusterpalme	086	X	.	.	.	X5	.	.	X	.	X	.	086		
087 <i>Aster L.*</i>	Aster, Michaelmas Daisy	Aster	Aster	087	X1	X	.	X	.	X5	.	.	X	.	X	.	087	
088 <i>Astilbe Buch.-Ham. ex D. Don*</i>	Astilbe	Astilbe, Hoteia	Astilbe, Prachtspiere	088	X1	X	.	.	X5	.	.	X	.	X	.	088		
089 <i>Aucuba Thunb.</i>	Aucuba	Aucuba	Aukube	089	X2	X	X	.	X	.	089		
090 * <i>Aucuba japonica Thunb. ex Murray</i>	Aucuba	Aucuba	Aukube	090	+	X	.	.	.	X6	.	.	X	.	X	.	090	
091 <i>Aulax spec.*</i>	Aulax, Protea	Aulax, Protea	Aulax, Protea	091	X	X	.	X	X	091		
092 <i>Auricularia auricula-judae (Fr.) Quel. Jew's Ear</i>	Oreille de Judas	Judasohr	092	X	.	.	.	X8	.	.	.	X	.	X	.	092		
093 <i>Auricularia polytricha (Mont.) Sacc. Jew's Ear</i>	Oreille de Judas	Judasohr	093	X	.	.	.	X8	.	.	.	X	.	X	.	093		
094 <i>Avena L.*</i>	Oats	Avoine	Hafer	094	X	X	X	X	.	X	X	094		
095 * <i>Avena byzantina K. Koch</i>	Algerian Oats	Avoine (d'Algérie)	Mittelmeerhafer	095	X	.	.	.	X	X	+	+	X	X	X1	X	+	095		
096 <i>Avena nuda L.*</i>	Naked Oats	Avoine nue	Nackthafer	096	X	.	.	X	.	.	+	+	X	X	.	X	+	096		
097 * <i>Avena sativa L.</i>	Oats	Avoine	Hafer	097	X	,	X	X	X	X	+	+	X	X	X	X	X1	.	X	X	X1	X	+	097
098 <i>Babiana stricta (Ait.) Ker-Gawl.*</i>	Babiana	Babiana	Babiana	098	X	.	.	.	X5	.	.	X	.	X	.	098		
099 <i>Begonia L.</i>	Begonia	Bégonia	Begonie	099	X	.	.	X	.	X	.	X5	.	.	X	.	X	.	099	
100 <i>Begonia-Elatior-Hybridi [B. elatior (B. X hiemalis); B. X hiemalis Fotsch; Begonia L.]</i>	Elatior Begonia	Bégonia elatior	Elatior-Begonie	100	X	.	X	X	+	.	X	X	X	.	+	X	+	.	X	X	X4	X	.	100

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
101 * <i>Begonia X tuberhybrida</i> Voss [B.-Knollenbegonien-Hybriden]	Tuberous Begonia	Bégonia tubéreux	Knollenbegonie	101	X	.	X	+	.	.	X	.	+	.	+	.	X	.	X	.	101		
102 <i>Belamcanda chinensis</i> (L.) DC.*	Blackberry Lily	Iris tigre	Leopardenblume	102	X	.	.	.	X5	.	X	.	X	.	102		
103 * <i>Bellis perennis</i> L.	True Daisy, English Daisy	Pâquerette	Gänseblümchen, Tausendschön	103	X	.	.	.	X5	.	X	.	X	.	103		
104 <i>Benincasa hispida</i> (Thunb.) Cogn.*	Wax Gourd	Courge à cire	Wachskürbis	104	X	.	.	.	X2	.	X	.	X	.	104		
105 <i>Berberis</i> L.*	Berberis, Barberry	Berberis, Epine-vinette	Berberitz	105	X	.	X	X2	X	.	.	X6	.	X	.	X	.	105	
106 <i>Bergenia Moench</i> *	Megasea	Bergenia	Wickelwurz	106	X1	X	X	.	X	.	106		
107 * <i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>alba</i> DC. [var. <i>crassa</i> Alef.]	Fodder Beet	Betterave fourragère	Runkelrübe	107	.	.	.	X	X	.	.	X	.	.	X	.	X1	X	X1	X	.	107	
108 * <i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>altissima</i> Doeell [var. <i>saccharifera</i> Alef.]	Sugar Beet	Betterave sucrière	Zuckerrübe	108	.	.	.	X	.	.	.	X	.	.	X	X1	.	X1	X	X1	X	.	108
109 * <i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>conditiva</i> Alef. [var. <i>esculenta</i> L.; var. <i>hortensis</i>]	Garden Beet, Beetroot	Betterave rouge, Betterave potagère	Rote Rübe Betterave potagère	109	.	.	.	X	X	.	.	X	X	.	.	.	X	X	X2	X	X	109	
110 * <i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>vulgaris</i> * [var. <i>cicla</i> (L.) Ulrich]	Mangel, Leaf Beet, Swiss Chard	Bette commune, Poirée	Mangold	110	.	.	.	X	X	.	.	X	.	.	.	X2	.	X	X	.	X	.	110
111 <i>Betula</i> L.*	Birch	Bouleau	Birke	111	X2	X	X	.	X	.	X	.	111
112 <i>Bletilla Rchb. F.</i> *	Bletilla	Bletilla	Bletilla	112	+	+	.	X	.	+	.	X5	.	+	X	.	X	.	112
113 <i>Boltonia asteroides</i> (L.) L'Hér.*	False Chamomile	Boltonie blanche	Boltonie	113	X	.	.	.	X5	.	X	.	X	.	X	.	113
114 <i>Bougainvillea</i> Comm.	Bougainvillea	Bougainvillier	Bougainvillea	114	X	.	.	X	.	.	.	X	X	.	X	.	X	.	114
115 <i>Bougainvillea spectabilis</i> Willd.*	Great Bougainvillea	-	-	115	X	.	.	.	X6	.	+	X	.	X	.	115	
116 <i>Brassavola</i> R. Br.*	Brassavola	Brassavola, Orchidée dame de la nuit	Brassavola	116	+	+	.	X	.	+	.	X5	.	+	X	.	X	.	116

BRASSICA

117 * <i>Brassica juncea</i> (L.) Czern. et Coss. in Czern.	Brown Mustard	Moutarde brune	Sareptasenf	117	.	.	.	X	.	.	X	X	.	.	X2	.	.	X	.	X	.	117	
* <i>Brassica napus</i> L.																							
118 - var. <i>napo</i> <i>brassica</i> (L.) Rchb.*	Swede	Chou-navet, Rutabaga	Kohlrübe	118	.	.	.	X	X	.	.	X	X	.	.	+	.	X	X	X*	X	.	118
119 - ssp. <i>oleifera</i> (Metzg.) Sinsk; [var. <i>oleifera</i> Metzg.]*	Swede Rape, incl. Colza Oilseed Rape	Raps	Raps	119	.	.	.	X	X	.	X	X	X	X	.	X	.	X	X	X1	X	.	119
120 - [partim]	Rape	Colza	Raps	120	.	.	.	+	+	.	+	+	X	.	.	+	X1*	.	X	+	X	.	120
121 * <i>Brassica nigra</i> (L.) W. Koch*	Black Mustard	Moutarde noire	Schwarzer Senf	121	.	.	.	X	.	.	X	X	X	X1	X	.	121	
* <i>Brassica oleracea</i> L.																							
122 - (Vegetables/Plantes potagères/ Gemüsepflanzen)	Brassica vegetables	Choux maraîchers	Gemüsekohl	122	X	X	X2	X	.	122		

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
- convar. <u>acephala</u> (DC.) Alef.																							
123 - ssp. <u>acephala</u> DC.	Fodder Kale	Chou fourrager	Futterkohl	123	X	X	X	X1	X	.	123		
124 - (Ornamental plants/Plantes ornementales/Zierpflanzen)	Ornamental Cabbage	Chou ornemental	Zierkohl	124	X	.	.	.	X5	.	X	.	X	.	124		
125 + var. <u>gongylodes</u> L.	Kohlrabi	Chou-rave	Kohlrabi	125	X	.	X	X	X	.	.	X	X	X	+	X	.	125	
126 + var. <u>sabellica</u> L. [var. <u>acephala</u> (DC.) Alef. subvar. <u>sabellica</u> (<u>laciniata</u>) L.; var. <u>laciniata</u> (L.) Schulz]	Curly Kale	Chou frisé	Grünkohl	126	X	.	X	X	X	.	.	X	X	X	+	X	.	126	
127 + var. <u>medullosa</u> Thell.	Marrow-stem Kale	Chou moellier	Markkohl	127	X	.	.	+	X	.	.	+	X	X1	X	+	X	.	127
128 + var. <u>viridis</u> L. + var. <u>medullosa</u> Thell.	Fodder Kale	Chou fourrager	Futterkohl	128	X	.	.	X	.	.	+	X	X	+	X	.	128	
- convar. <u>botrytis</u> (L.) Alef.																							
129 - var. <u>botrytis</u>	Cauliflower	Chou-fleur	Blumenkohl	129	X	.	.	X	X	.	.	X	X	.	X	X2	.	X	X	+	X	X	129
130 - var. <u>cymosa</u> Duch. [var. <u>italica</u> Plenck]	Sprouting Broccoli, Calabrese	Brocoli (à jets)	Brokkoli, Spargelkohl, Sprossenbrokkoli	130	X	.	.	X	X2	.	X	X	+	X	.	130
- convar. <u>capitata</u> (L.) Alef.																							
131 - var. <u>capitata</u> (L.) Alef.	Cabbage	Chou pommé	Kopfkohl	131	+	.	.	X	+	.	.	+	X	.	.	X2	.	X	+	X	X	131	
132 + var. <u>capitata</u> L. f. <u>alba</u> DC.	White Cabbage	Chou cabus	Weisskohl	132	X	.	.	+	X	.	.	X	X	.	.	+	.	X	X	+	X	+	132
133 + var. <u>capitata</u> L. f. <u>rubra</u> (L.) Thell.	Red Cabbage	Chou rouge	Rotkohl	133	X	.	.	+	X	.	.	X	X	.	.	+	.	X	X	+	X	+	133
134 - var. <u>sabauda</u> L. [var. <u>bullata</u> DC. + var. <u>sabauda</u> L.]	Savoy Cabbage	Chou de Milan	Wirsing	134	X	.	.	X	X	.	.	X	X	.	.	.	X	X	+	X	+	134	
135 - convar. <u>oleracea</u> var. <u>gemmifera</u> DC. [var. <u>bullata</u> DC. subvar. <u>gemmifera</u> DC.]	Brussels Sprouts	Chou de Bruxelles	Rosenkohl	135	X	.	.	X	X	.	.	X	X	.	.	X2	.	X	X	+	X	.	135
136 * <u>Brassica pekinensis</u> (Lour.) Rupr.*	Chinese Cabbage	Chou de Chine, Pé-tsai	Chinakohl, Schantungkohl	136	X	.	.	.	X2	.	X	.	X	.	136	
137 * <u>Brassica rapa</u> L.*	Turnip, Turnip Rape	Navet, Navette	Herbstrübe, Mairübe, Rübsen	137	.	.	.	X	+	.	.	X	.	.	.	+	.	X	+	X	.	137	
138 - var. <u>rapa</u> (L.) Thell.	Turnip	Navet	Herbstrübe, Mairübe	138	X	.	.	+	X*	.	.	X*	X	.	.	X2	.	X	X	X*	X	X	138
139 - [partim]	[Leaf vegetable]	[Légume-feuille]	[Blattgemüse]	139	X	.	.	.	X1*	.	X	.	X	.	139	
140 - var. <u>silvestris</u> (Lam.) Briggs [var. <u>oleifera</u> Metzg.]	Turnip Rape	Navette	Rübsen	140	.	.	.	X	X	.	.	X	.	.	+	.	.	X	X1	X	.	140	
.....																							
141 Bromeliaceae Juss. partim	Bromeliaceae	Broméliacées	Bromeliaceen	141	X*	X	X*	X	.	X	.	141	
142 *Bromus arvensis L.*	Field Brome	Brome des champs	Ackertrespe	142	X	X	X1	X	.	142	
143 *Bromus inermis Leyss.	Smooth Brome (Awnless Brome)	Brome inerme	Wehrlose Trespe	143	.	.	.	X	.	.	.	X	.	.	.	X4	.	X	X1	X	.	143	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
144 <i>Buddleja</i> L.*	<i>Buddleia</i> , Butterfly-bush	<i>Buddleia</i>	<i>Buddleie,</i> <i>Schmetterlings-</i> <i>strauch</i>	144	X	.	X	.	.	.	X6	.	.	X	.	X	.	144
145 <i>Buddleja</i> L. (excl. <i>B. asiatica</i> Lour., <i>B. auriculata</i> Benth., <i>B. madagascariensis</i> Lam.*, <i>B. officinalis</i> Maxim.)	<i>Buddleia</i> , Butterfly-bush	<i>Buddleia</i>	<i>Buddleie,</i> <i>Schmetterlings-</i> <i>strauch</i>	145	+	X2	X	.	.	.	+	.	.	X	.	X	.	145
146 <i>Bupleurum falcatum</i> L.	<i>Bupleurum</i>	<i>Buplèvre</i>	<i>Hasenohr</i>	146	X	.	.	.	X1	.	.	X	.	X	.	146
147 <i>Buxus</i> L.	<i>Box</i>	<i>Buis</i>	<i>Buchsbaum</i>	147	X2	X	.	.	.	X6	.	.	X	.	X	.	147
148 <i>Caladium bicolor</i> (Ait.) Vent.*	<i>Caladium</i>	<i>Coeur saignant,</i> <i>Caladium bicolor,</i> <i>Caladiion bicolor</i>	<i>Kaladie, Buntwurz</i>	148	X	.	.	.	X5	.	.	X	.	X	.	148
149 <i>Calanthe</i> R. Br.*	<i>Calanthe</i>	<i>Calanthe</i>	<i>Calanthe</i>	149	+	+	.	X	.	+	.	X5	.	+	X	.	X	.	149
150 <i>Calathea</i> G.F.W. Mey.*	<i>Calathea</i>	<i>Calathea</i>	<i>Calathea,</i> <i>Korbmarante</i>	150	X	.	.	.	X5	.	.	X	.	X	.	150
151 <i>Calceolaria</i> L.*	<i>Slipperwort,</i> <i>Slipper Flower</i>	<i>Calcéolaire</i>	<i>Pantoffelblume</i>	151	X	.	.	.	X5	.	.	X	.	X	.	151
152 * <i>Calendula officinalis</i> L.	<i>Pot Marigold</i>	<i>Souci des jardins</i>	<i>Gartenringelblume</i>	152	X	.	.	.	X5	.	.	X	.	X	.	152
153 <i>Callicarpa</i> L. (excl. <i>C. purpurea</i> Juss., <i>C. rubella</i> Lindl.)	<i>Callicarpa</i> , French Mulberry, Beauty-berry	<i>Callicarpa</i>	<i>Schönfrucht</i>	153	X2	X	X	.	X	.	153
154 <i>Callistemon</i> R. Br.*	<i>Bottle-brush</i>	<i>Callistemon</i>	<i>Zylinderputzer</i>	154	X	.	.	.	X6	.	.	X	.	X	.	154
155 * <i>Callistephus chinensis</i> (L.) Nees* [<i>Callistephus</i> Cass.]	<i>China Aster</i>	<i>Aster,</i> <i>Aster de Chine,</i> <i>Reine-marguerite</i>	<i>Sommeraster</i>	155	X	.	+	.	X5	.	.	X	.	X	.	155
156 <i>Calluna Salisb.</i> [<i>C. vulgaris</i> (L.) Hull*]	<i>Heather, Ling</i>	<i>Callune</i>	<i>Besenheide</i>	156	.	.	.	X	.	.	.	X2	X	X	.	X	.	156
157 <i>Caltha</i> L.	<i>Marsh Marigold,</i> <i>King Cup</i>	<i>Populage</i>	<i>Dotterblume</i>	157	X1	X	X	.	X	.	157	
158 * <i>Camelina sativa</i> (L.) Crantz*	<i>Large-seeded</i> <i>False Flax</i>	<i>Caméline cultivée</i>	<i>Angebauter</i> <i>Leindotter</i>	158	X	X	X1	X	.	158	
159 <i>Camellia</i> L.*	<i>Camellia</i>	<i>Camélia</i>	<i>Kamelie</i>	159	X	.	.	.	X6	.	.	X	.	X	.	159
160 * <i>Camellia japonica</i> L.*	<i>Camellia</i>	<i>Camélia du Japon</i>	<i>Kamelie</i>	160	X2	X	.	.	+	.	.	X	.	X	.	160	
161 <i>Camellia reticulata</i> Lindl., <i>C. saluenensis</i> Stapf ex Bean, <i>C. saluenensis</i> Stapf ex Bean X <i>C. reticulata</i> Lindl., <i>C. sasanqua</i> Thunb.*, <i>C. X williamsii</i> W.W. Sm.	<i>Camellia</i>	<i>Camélia</i>	<i>Kamelie</i>	161	X2	X	.	.	+	.	.	X	.	X	.	161	
162 <i>Campanula</i> L.*	<i>Campanula,</i> <i>Bell Flower</i>	<i>Campanule</i>	<i>Glockenblume</i>	162	X1	X	.	.	.	X5	.	.	X	.	X	.	162
163 <i>Campsis</i> Lour.* (Tecoma)	<i>Trumpet Flower</i>	<i>Bignonia,</i> <i>Jasmin de Virginie</i>	<i>Trompetenblume,</i> <i>Trompetenwinde</i>	163	X2	X	X	.	X	.	163	
164 <i>Canna</i> L.	<i>Canna</i>	<i>Canna, Balisier</i>	<i>Blumenrohr</i>	164	X	.	.	.	X5	.	.	X	.	X	.	164	
165 * <i>Cannabis sativa</i> L.*	<i>Hemp</i>	<i>Chanvre</i>	<i>Hanf</i>	165	.	.	.	X	.	.	.	X	.	.	.	X1	.	.	X	X1	X	.	165
				BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
166 Capsicum spec.	Sweet Pepper	Poivron, Piment	Paprika	166	X	X	.	X	X	166		
167 *Capsicum annuum L.	Sweet Pepper, Capsicum, Chili	Poivron, Piment	Paprika	167	.	.	.	X	.	.	X	.	X	.	X	X2	.	X	X	X2	X	+	167	
168 Caragana Fabr.	Pea Shrub, Pea Tree	Caragana	Erbsenstrauch	168	X2	X	X	.	X	.	168		
169 *Carica papaya L.*	Pawpaw	Papayer, Arbre à melon	Melonenbaum, Papaya	169	X	.	(X)	.	.	.	X	.	X	X	169		
170 Carpinus L.*	Hornbeam	Charme	Hainbuche	170	X2	X	X	.	X	.	170		
171 *Carthamus tinctorius L.	Safflower	Carthame, Safran bâtarde	Saflor, Färberdistel	171	X	.	X	.	.	.	X	.	X	.	171		
172 *Carum carvi L.	Caraway	Carvi, Cumin des prés	Kümmel	172	X	.	.	X	.	X	.	.	.	X1	X	.	X	.	172	
173 Carya illinoiensis (Wangenh.) C. Koch*	Pecan Nut	Pacanier	Pekan, Pekannuss	173	X	.	X	.	.	.	X	.	X	X	173		
174 Caryopteris Bunge	Caryopteris	Caryopteris	Bartblume	174	X2	X	X	.	X	.	174		
175 Caryopteris incana (Thunb. ex Houtt.) Miq.*	Blue Spirea, Blue Beard	Caryopteris, Barbe bleue	Blaubart	175	+	X	.	.	.	X5	.	X	.	X	.	175		
176 Cassiope D. Don*	Cassiope	Cassiope	Schuppenheide	176	X2	X	X	.	X	.	176		
177 Castanea Mill.*	Chestnut	Châtaignier	Kastanie	177	X	X2	X	.	.	.	X3	.	X	.	X	.	177	
178 *Castanea sativa Mill.*	Chestnut	Châtaignier	Kastanie	178	+	X	.	X	+	.	.	X	.	X	.	178		
179 Catalpa v. Wolf	Indian Bean	Catalpa, Bois trompette	Trompetenbaum	179	X2	X	X	.	X	.	179		
180 Catananche L.	Cupid's Dart	Catananche	Rasselblume	180	X1	X	X	.	X	.	180		
181 *Catharanthus roseus (L.) G. Don*	Vinca	Catharanthus	Catharanthus	181	X	.	X	.	.	.	X	.	X	.	181			
182 Cattleya Lindl.*	Cattleya	Cattleya	Cattleya	182	+	.	.	X	.	.	+	.	X	.	+	.	X5	.	+	X	.	X	.	182
183 Ceanothus L.*	Ceanothus	Ceanothe	Säckelblume	183	X2	X	X	.	X	.	183		
184 Celosia L.	Cockscomb	Célosie, Crête de coq	Hahnenkamm, Federbusch-Celosie	184	X	X5	.	X	.	X	.	184		
185 *Cenchrus ciliaris L.*	Blue Buffalo Grass	Cenchrus cilié	Büffelgras	185	X	X	.	X	X	185			
186 Centaurea L.*	Cornflower, Blue Bottle	Centaurée	Flockenblume	186	X1	X	.	.	.	X5	.	X	.	X	.	186		
187 Ceratostigma Bunge (excl. C. plumbaginoides Bunge)	Hardy Plumbago	Dentelaire	Bleiwurz	187	X2	X	X	.	X	.	187		
188 Ceratostigma plumbaginoides Bunge*	Hardy Plumbago	Dentelaire	Bleiwurz	188	X1	X	X	.	X	.	188		
189 Cercidiphyllum Sieb. et Zucc.	Katsura Tree	Katsura	Katsurabaum	189	X2	X	X	.	X	.	189		
190 Cercis L.	Judas Tree	Gainier, Arbre de Judée	Judasbaum	190	X2	X	X	.	X	.	190		
191 Chaenomeles Lindl.* (Cydonia)	Flowering Quince	Cognassier du Japon	Japanische Quitte	191	X2	X	.	.	.	X6	.	X	.	X	.	191		
192 Chamaecyparis Spach*	Chamaecyparis	Chamaecyparis	Scheinzypresse	192	.	.	.	X	X	.	.	+	X	X	.	X	.	192		

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
193 * <i>Chamaecyparis obtusa</i> (Sieb. et Zucc.) Hinoki Cypress Sieb. et Zucc. ex Endl.*		Cyprès japonais	-	193	.	.	+	+	.	.	+	X	.	.	.	X6	.	.	X	.	X	.	193	
194 * <i>Cheiranthus cheiri</i> L.*	Wallflower	Giroflée des murailles	Goldlack	194	X	.	.	.	X5	.	.	X	.	X	.	194	
195 <i>Chimonanthus</i> Lindl.* [Meratia]	Winter Sweet, Japanese Allspice	Chimonanthe	Winterblüte	195	X2	X	.	.	X6	.	.	X	.	X	.	195	
196 <i>Chloranthus glaber</i> Mak.	Chloranthus	Chloranthus	Chloranthus, Pflaumenpfeffer	196	X	.	.	.	X6	.	.	X	.	X	.	196	
197 * <i>Chloris gayana</i> Kunth	Rhodesgrass	Herbe de Rhodes	Rhodes-gras	197	X	.	.	.	X4	.	.	X	.	X	.	197	
198 <i>Choisya</i> H.B.K.	Mexican Orange	Oranger du Mexique	Orangenblume	198	(X)	X	X	.	X	.	198	
199 <i>Chrysanthemum</i> L.*	Chrysanthemums, Daisies	Chrysanthèmes, Marguerites	Chrysanthemen, Margueriten	199	X	.	.	X	.	.	X	X	X4	X	.	199	
200 <i>Chrysanthemum</i> L. partim [C.-Indicum-Hybrid; <i>C. morifolium</i> Ramat.*]	Chrysanthemum	Chrysanthème	Chrysantheme	200	X	.	X	X	X	.	X	X*	X	.	X	+	X5	.	+	X	+	X	X	200
201 <i>Chrysanthemum cinerariaefolium</i> Bocq.*	Dalmatian Pyrethrum	Pyrèdre de Dalmatie	Dalmatinische Insektenblume	201	X	.	.	+	X1	.	+	X	+	X	.	201	
202 <i>Chrysanthemum coccineum</i> Willd.*	Pyrethrum	Pyrèdre	Kaukasische Insektenblume	202	X1	X	.	.	+	.	.	+	X	+	X	.	202
203 * <i>Chrysanthemum coronarium</i> L.*	Garland Chrysanthemum	Chrysanthème des jardins, Chrysanthème couronné	-	203	X	.	.	+	X2	.	+	X	+	X	.	203	
204 <i>Chrysanthemum frutescens</i> L.	Marguerite, Paris Daisy	Marguerite	Strauchmarguerite	204	.	.	.	X	.	.	.	X	.	.	+	X5	.	+	X	+	X	.	204	
205 <i>Chrysanthemum maximum</i> Ram.*	Shasta Daisy	Grande marguerite	-	205	X1	X	.	.	+	.	.	+	X	+	X	.	205
206 * <i>Cicer arietinum</i> L.	Chick-pea	Pois chiche	Kichererbse	206	X	.	X	X	.	X	.	206	
207 * <i>Cichorium endivia</i> L.	Endive	Chicorée frisée, Scarole	Winterendivie	207	X	.	.	X	X	.	X	.	X	.	.	X	.	.	X	X	.	X	.	207
208 * <i>Cichorium intybus</i> L.	Chicory	Chicorée, Endive	Wurzelzichorie, Salatzichorie	208	.	.	.	X	X	.	.	X	.	.	X	.	.	X	X	.	X	.	208	
209 * <i>Cichorium intybus</i> L. var. <i>foliosum</i> Hegi	[Salad] Chicory	Chicorée amère	Salatzichorie	209	.	.	(X)	+	+	.	.	X	.	.	+	.	.	+	X	.	X	.	209	
210 <i>Cimicifuga</i> Wernischek*	Bugwort, Bugbane	Cimicaire, Cimifuge	Silberkerze, Wanzenkraut	210	X1	X	X	.	X	.	210	
211 <i>Cinnamomum camphora</i> (L.) Sieb. var. <i>glaucescens</i> Kamikoti*	Camphor Tree, Camphor Laurel	Camphrier, Laurier du Japon	Kampferbaum	211	X	.	.	.	X1	.	.	X	.	X	.	211	
212 <i>Cirsium</i> Mill. emend. Scop.*	Cirsium, Plumed Thistle	Cirse, Chardon plumeux	Kratzdistel	212	X	.	.	.	X5	.	.	X	.	X	.	212	
213 <i>Cistus</i> L.*	Rock Rose	Ciste	Zistrose	213	X2	X	X	.	X	.	213	
214 * <i>Citrullus lanatus</i> (Thunb.) Matsum. et Nakai*	Watermelon	Pastèque	Wassermelone	214	X	.	X	.	X2	.	.	X	.	X	X	214	
215 <i>Citrus</i> L.*	Citrus	Agrumes	Zitrus	215	X	.	X	.	X3	.	.	X	.	X	X	215	
216 * <i>Citrus limon</i> (L.) Burm. f.*	Lemon	Citronnier	Zitrone, Limone, Sauerzitrone	216	X	.	X	.	+	X	+	.	X	.	X	+	216		

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
217 * <i>Citrus X paradisi</i> Macfad.*	Grapefruit	Pomélo	Grapefruit	217	X	.	.	X	.	+	X	+	.	.	X	.	X	+	217	
218 * <i>Citrus reticulata</i> Blanco*	Mandarine	Mandarinier	Mandarine	218	X	.	.	X	.	+	X	+	.	.	X	.	X	+	218	
219 <i>Citrus reticulata</i> Blanco X <i>C. X paradisi</i> Macfad.	Tangelo	Tangélo	Tangelo	219	X	.	+	X	+	.	.	X	.	X	+	219	
220 <i>Citrus reticulata</i> Blanco X <i>C. sinensis</i> (L.) Osbeck	Tangor	Tangor	Tangor	220	X	.	+	X	+	.	.	X	.	X	+	220	
221 * <i>Citrus sinensis</i> (L.) Pers.*	Orange	Oranger	Apfelsine, Orange	221	X	.	.	X	.	+	X	+	.	.	X	.	X	+	221	
222 <i>Clematis</i> L.*	Clematis	Clématite	Waldrebe	222	+	X	.	.	.	X5	.	.	X	.	X	.	222
223 <i>Clematis</i> L. (excl. <i>C. heracleifolia</i> DC.)	Clematis	Clématite	Waldrebe	223	X2	X	.	.	.	+	.	.	X	.	X	.	223
224 <i>Clematis heracleifolia</i> DC.*	-	-	-	224	X1	X	.	.	.	+	.	.	X	.	X	.	224
225 <i>Cleome</i> L.*	Spider Flower	Cléome, Fleur araignée	Cleome, Spinnenpflanze	225	X	.	.	.	X5	.	.	X	.	X	.	225	
226 <i>Clethra acuminata</i> Michx.	White Alder	-	-	226	X2	X	X	.	X	.	226
227 <i>Clethra alnifolia</i> L.*	Sweet Pepper Bush	-	-	227	X2	X	X	.	X	.	227
228 <i>Clethra barbinervis</i> Sieb. et Zucc.* <i>C. fargesii</i> Franch., <i>C. tomentosa</i> Lam.*	-	-	-	228	X2	X	X	.	X	.	228
229 <i>Clivia</i> Lindl.*	Clivia, Kaffir-lily	Clivia	Klivie, Riemenblatt	229	X	.	.	.	X5	.	.	X	.	X	.	229	
230 <i>Codiaeum variegatum</i> (L.) A. Juss.* [<i>Codiaeum</i> A. Juss.]	Croton	Croton	Wunderstrauch, Croton	230	X	.	.	X	X6	.	.	X	.	X	.	230	
231 * <i>Coffea arabica</i> L.	Coffee	Caféier	Kaffee	231	X	X	.	X	X	231	
232 <i>Coix ma-yuen</i> Roman.	Coix	Coix	Coix	232	X	.	.	.	X1	.	.	X	.	X	.	232	
233 <i>Colchicum</i> L.*	Autumn-crocus	Colchique	Zeitlose	233	X	.	.	.	X5	.	.	X	.	X	.	233	
234 <i>Coleus</i> Lour.*	Coleus, Flame Nettle	Coléus	Coleus, Buntessel	234	X	.	.	.	X5	.	.	X	.	X	.	234	
235 <i>Colocasia</i> Schott*	Taro	Taro	Taro	235	X	.	.	.	X2	.	.	X	.	X	.	235	
236 <i>Coniferae</i> (Coniferales)	Conifers	Conifères	Nadelhölzer	236	X	X	X	.	X	.	236	
237 <i>Convallaria</i> L.* [<i>C. majalis</i> L.]	Lily of the Valley Muguet		Maiblume, Mäiglöckchen	237	X1	X	.	.	X5	.	.	X	.	X	.	237	
238 <i>Coptis japonica</i> Mak.	Goldthread	Coptis	Goldfaden	238	X	.	.	.	X1	.	.	X	.	X	.	238	
239 <i>Cordyline</i> Comm. ex Juss.*	Cordyline	Cordyline	Cordyline, Keulenlilie, Keulenbaum	239	X	.	.	.	X6	.	.	X	.	X	.	239	
240 <i>Coreopsis</i> L.*	Tickseed	Coréopsis	Mädchenauge	240	X1	X	.	.	.	X5	.	.	X	.	X	.	240
241 <i>Cornus</i> L.*	Dogwood, Cornel	Cornouiller	Hartriegel	241	X	.	.	.	X6	.	.	X	.	X	.	241	
242 <i>Cornus alba</i> L.*	Dogwood, Red Barked Dogwood	Cornouiller blanc	Weisser Hartriegel	242	X2	X	.	.	.	+	.	.	X	.	X	.	242
243 <i>Cornus controversa</i> Hemsl.*	-	Cornouiller	-	243	X2	X	.	.	.	+	.	.	X	.	X	.	243

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
244 <i>Cornus florida</i> L.*	Flowering Dogwood	Cornouiller à fleur	Blumenhartriegel	244	X2	X	.	.	.	+	.	.	X	.	X	.	244
245 <i>Cornus kousa</i> (Buerger ex Miq.) Hance*	-	Cornouiller	-	245	X2	X	.	.	.	+	.	.	X	.	X	.	245
246 * <i>Cornus mas</i> L.*	Cornelian Cherry	Cornouiller mâle	Kornelkirsche, Dirlitze	246	X2	X	.	.	.	+	.	.	X	.	X	.	246
247 <i>Cornus nuttallii</i> Audub.*	-	Cornouiller	-	247	X2	X	.	.	.	+	.	.	X	.	X	.	247
248 <i>Cortaderia</i> Stapf*	Pampas Grass	Gynérum, Herbe de Pampa-gras la pampa, Gynéron	-	248	X1	X	X	.	X	.	248	
249 <i>Corylopsis</i> Sieb. et Zucc.	Corylopsis, Winter Hazel	Corylopsis	Scheinhasel	249	X2	X	.	.	.	X6	.	.	X	.	X	.	249
250 * <i>Corylus avellana</i> L.	Hazelnut, Filbert	Noisetier, Coudrier	Haselnuss	250	X	.	X	X	.	X	.	250	
251 <i>Cosmos</i> Cav.*	Cosmos	Cosmos	Schmuckkörbchen, Kosmee	251	X	.	X	.	.	X5	.	.	X	.	X	.	251
252 <i>Cotinus</i> Mill. (<i>Rhus</i> L. in part)	Smoke Tree	Arbre à perruque	Perückenstrauch	252	X2	X	X	.	X	.	252	
253 <i>Cotoneaster</i> (B. Ehrh.) Medik.*	Cotoneaster	Cotoneaster	Cotoneaster	253	.	.	.	X	.	.	X2	X	X	X	.	X	.	253
254 <i>Crataegus</i> L.*	Hawthorn	Aubépine	Weissdorn	254	X2	X	X	.	X	.	254	
255 <i>Crocosmia</i> Planch.*	Crocosmia	Crocosmia	Crocosmia	255	(X)	X	X	.	X	.	255	
256 <i>Crocus</i> L.	Crocus	Crocus	Krokus	256	X	.	.	.	X5	.	.	X	.	X	.	256	
257 <i>Cryptanthus</i> Otto et A. Dietr.*	Cryptanthus	Cryptanthus	Cryptanthus	257	+	*	X	+	*	X	.	X	.	257	
258 * <i>Cryptomeria</i> japonica (L. f.) D. Don*	Japanese Cedar	Cryptomeria, Cèdre du Japon	Sicheltanne	258	+	X	.	.	X6	.	.	X	.	X	.	258	
259 <i>Cryptotaenia</i> japonica Hassk.*	Japanese Honewort	-	Kanadische Rispendedolle	259	X	.	.	.	X2	.	.	X	.	X	.	259	
260 <i>Cucumis</i> L.*	Sweet Melon, Cucumber	Melon, Concombre	Melone, Gurke	260	X	X	.	X	X	.	260	
261 * <i>Cucumis melo</i> L.	Melon	Melon	Melone	261	X	.	.	X	.	X	.	X2	.	X	X	X2	X	+	261
262 * <i>Cucumis sativus</i> L.	Cucumber, Gherkin	Concombre, Cornichon	Gurke	262	X	.	.	X	X	.	.	X	.	X	X	X2	.	X	X	X2	X	+	262
263 <i>Cucurbita</i> L.*	Pumpkin, Squash	Potiron, Giraumon, Kürbis Courge, Pâtisson, Citrouille	Potiron, Giraumon, Kürbis Courge, Pâtisson, Citrouille	263	X	.	.	X2	.	.	X	.	X	X	X	263	
264 * <i>Cucurbita maxima</i> Duch.*	Pumpkin	Potiron, Giraumon	Riesenkürbis	264	.	.	.	X	X	.	.	X	.	.	+	.	.	X	.	X	+	264	
265 * <i>Cucurbita pepo</i> L.*	Pumpkin, Marrow, Courgette, Vegetable Marrow	Courge, Pâtisson, Citrouille	Gartenkürbis, Ölkürbis	265	.	.	.	X	X	.	.	X	X	.	X	X	+	.	X	.	X	+	265
266 X <i>Cupressocyparis</i> Dallim.*	Leyland Cypress	Cyprès de Leyland	Leyland Zypresse	266	X	+	X	X	.	X	.	266
267 X- <i>Cupressocyparis</i> -Hybrid	-	-	-	267	X	+	X	X	.	X	.	267	
268 * <i>Cupressus arizonica</i> E. Greene*	Arizona Cypress	Cyprès de l'Arizona	Arizonazypresse	268	X	+	X	X	.	X	.	268	
269 <i>Cupressus dupreziana</i>	Duprez Cypress	Cyprès de Duprez	Duprez Zypresse	269	X	+	X	X	.	X	.	269	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
270 * <i>Cupressus sempervirens</i> L.*	Mediterranean Cypress	Cyprès de Provence	Echte Zypresse	270	X	+	X	X	.	X	.	270		
271 <i>Curtonus</i> N.E. Br.*	<i>Curtonus</i>	<i>Curtonus</i>	<i>Curtonus</i>	271	(X)	X	X	.	X	.	271		
272 <i>Cyclamen</i> L.	<i>Cyclamen</i>	<i>Cyclamen</i>	<i>Alpenveilchen</i>	272	X	.	.	.	X5	.	X	X	.	X	.	272		
273 * <i>Cyclamen persicum</i> Mill.*	Ivy-leaved Cyclamen, Persian Cyclamen	<i>Cyclamen de Perse</i>	<i>Alpenveilchen</i>	273	X	.	.	X	+	.	+	X	.	X	.	273		
274 <i>Cydonia</i> Mill. [<i>C. oblonga</i> Mill.]	Quince	Cognassier	Quitte	274	X	.	.	X	X*	.	X	.	X	.	.	X3	.	X	.	X	X	274		
275 <i>Cydonia</i> (<i>Chaenomeles</i> Lindl.)	Flowering Quince	Cognassier du Japon	Japanische Quitte	275	X2	X	.	.	X6	.	X	.	X	.	X	275		
276 <i>Cymbidium</i> Sw.*	<i>Cymbidium</i>	<i>Cymbidium</i>	<i>Cymbidie</i>	276	+	.	.	X	.	.	+	X	X	.	+	.	X5	.	+	X	.	X	.	276
277 <i>Cynara</i> L.	Globe Artichoke, Cardoon	Artichaut, Cardon	Artischocke, Kardone	277	X	.	X	.	.	.	X	.	X	.	X	.	277	
278 * <i>Cynara scolymus</i> L.	Globe Artichoke	Artichaut	Artischocke	278	X	.	+	X	.	.	.	X	.	X	.	X	.	278
279 * <i>Cynosurus cristatus</i> L.	Crested Dog's-tail	Crételle	Kammgras	279	.	.	.	X	X	.	.	X	X	X	X1	X	.	279		
280 <i>Cyperus monophyllus</i> Vahl	<i>Cyperus</i>	Souchet	Zypergras	280	X	.	.	X1	.	.	X	.	X	.	X	.	280	
281 <i>Cyrtanthus</i> L. f.*	Ifafa Lily	Cyrtanthus	Cyrtanthus	281	X	.	.	X5	.	.	X	.	X	.	X	.	281	
282 <i>Cytisus</i> L.*	Broom	Genêt	Geissklee	282	X	.	.	X6	.	.	X	.	X	.	X	.	282	
283 <i>Cytisus</i> L. (excl. <i>C. canariensis</i> Steud., <i>C. fragrans</i> Lam.*)	Broom	Genêt	Geissklee	283	X2	X	.	.	+	.	X	.	X	.	X	.	283	
284 <i>Daboecia</i> D. Don*	Saint Dabeoc's Heath	Daboécie	Irische Heide	284	X2	X	X	.	X	.	X	.	284	
285 * <i>Dactylis glomerata</i> L.	Cocksfoot, Orchard Grass	Dactyle	Knaulgras	285	X	.	X	X	X	.	X	X	X	.	.	X4	.	X	X	X1	X	X	285	
286 <i>Dahlia</i> Cav.*	<i>Dahlia</i>	<i>Dahlia</i>	<i>Dahlie</i>	286	.	.	.	X	.	.	X	X	.	.	.	X5	.	X	X	.	X	.	286	
287 <i>Daphne</i> L.*	<i>Daphne</i>	Daphné	Seidelbast	287	X2	X	X	.	X	.	X	.	287	
288 * <i>Daphne odora</i> Thunb.* ex Murray	Winter Daphne	Daphné odorant	Duftender Seidelbast	288	+	X	.	.	.	X6	.	X	.	X	.	X	.	288
289 * <i>Daucus carota</i> L.	Carrot	Carotte	Möhre	289	X	.	X	X	X	.	.	X	.	.	X	X2	.	X	X	X2	X	X	289	
290 <i>Delphinium</i> L.*	Delphinium, Larkspur	Pied d'alouette	Rittersporn	290	X	.	.	X5	.	.	X	.	X	.	X	.	290	
291 <i>Delphinium</i> L. partim	Perennial Delphinium	Pied d'alouette vivace	Ausdauernder Rittersporn	291	X	X	.	.	+	.	.	X	.	X	.	X	.	291
292 <i>Dendrobium</i> Sw.*	<i>Dendrobium</i>	<i>Dendrobium</i>	Dendrobium, Baumwucherer	292	+	+	.	X	.	+	.	X5	.	+	X	.	X	.	292
293 <i>Deutzia</i> Thunb.	<i>Deutzia</i>	Deutzia	Deutzie	293	X2	X	.	.	.	X6	.	.	X	.	X	.	293	
294 <i>Dianthus</i> L.*	Carnation, Pink, Sweet William	Oeillet	Nelke	294	.	.	X*	.	.	.	X	.	X	.	X5	.	X	X	.	X	.	X	.	294
295 <i>Dianthus</i> L. (excl. * <i>D. barbatus</i> L.)	Carnation, Pink, Border Carnation (excl. Sweet William)	Oeillet (sauf Oeillet de poète)	Nelke (ausser Bartnelke)	295	.	.	+*	.	.	.	X	X	.	+	.	+	.	+	X	.	X	.	295	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Francais</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
296 * <i>Dianthus caryophyllus</i> L. [<i>Dianthus</i> L. Carnation partim; D.- <i>Caryophyllus</i> -Hybrid <i>i</i>]		Oeillet	Nelke	296	X	.	+*	X	X	X	+	X	.	+	X	+	.	+	X	X	X	296	
297 <i>Dicentra</i> Borkh. emend. Bernh.*	Bleeding Heart, Dutchman's Breeches	Dicentra, Dielytra, Coeur de Marie	Tränendes Herz, Flammendes Herz	297	X1	X	X	.	X	.	297	
298 <i>Dieffenbachia</i> Schott*	Dieffenbachia, Tuft Root, Dumb Bane	Dieffenbachia	Dieffenbachia	298	X	.	.	X	.	.	.	X	.	X	.	298	
299 <i>Diervilla</i> Mill.* (<i>Weigela</i> Thunb.)	Diervilla	Weigela	Weigelie	299	X	X2	X	.	.	.	X6	.	.	X	.	X	.	299
300 <i>Digitalis</i> L.*	Foxglove	Digitale	Fingerhut	300	X	.	.	.	X5	.	.	X	.	X	.	300	
301 <i>Dioscorea</i> L.*	Yam	Igname	Yamswurzel	301	X	.	.	.	X2	.	.	X	.	X	.	301	
302 <i>Diospyros</i> L. [<i>D. kaki</i> L. f.]	Japanese Persimmon, Kaki	Plaqueminier, Kaki	Kakipflaume	302	X	.	X	.	X3	.	.	X	.	X	.	302	
303 X <i>Doritaenopsis</i> hort.*	Doritaenopsis	Doritaenopsis	Doritaenopsis	303	+	.	.	X	.	+	.	X	.	+	.	.	+	X	.	X	.	303	
304 <i>Doronicum</i> L.*	Leopard's Bane	Doronic	Gemswurz	304	X1	X	X	.	X	.	X	.	304
305 <i>Dracaena</i> Vand. ex L.*	Dragon Tree, Dracena	Dragonnier, Dracaena	Drachenbaum	305	X	.	.	X	X6	.	.	X	.	X	.	305	
306 <i>Duboisia leichardtii</i> F. Moell.	Duboisia	Duboisia	Duboisie	306	X	.	X	.	.	.	X	.	X	.	X	.	306
307 <i>Echinochloa utilis</i> Ohwi et Yabuno	Echinochloa	Echinochloa	Hühnerhirse	307	X	.	.	.	X1	.	.	X	.	X	.	307	
308 <i>Echinops</i> L.	Globe Thistle	Echinops	Kugeldistel	308	X1	X	X	.	X	.	X	.	308
309 <i>Elaeagnus</i> L.	Elaeagnus	Chalef	Ölweide	309	X2	X	X	.	X	.	X	.	309
310 <i>Embothrium</i> J.R. et G. Forst.	Chilean Fire Bush	Embothrium	Embothrium, Prachtstrauch	310	X2	X	X	.	X	.	X	.	310
311 <i>Emilia Cass.*</i>	Emilia, Tassel Flower	Cacalie	Emilia	311	X	.	.	.	X5	.	.	X	.	X	.	311	
312 <i>Enkianthus</i> Lour.*	Enkianthus	Enkianthus	Prachtglocke	312	X2	X	.	.	.	X6	.	.	X	.	X	.	312
313 <i>Epidendrum</i> L. 1763, non 1753*	Epidendrum, Tree Orchid	Epidendrum, Orchidée coque	Epidendrum, Baumwurzler	313	+	+	.	X	.	+	.	X5	.	+	X	.	X	.	313
314 <i>Epiphyllumopsis Berger*</i>	Easter Cactus	Cactus de Pâques	Osterkaktus	314	.	.	.	+*	X*	.	.	(X)	X	X*	X	.	X	.	314
315 * <i>Eragrostis curvula</i> (Schrad.) Nees*	Weeping Lovegrass	Eragrostis courbé	Behaartes Liebegras	315	X	X	.	X	.	X	X	315	
316 <i>Erica</i> L.	Heath	Bruyère	Glockenheide	316	.	.	.	X	.	.	.	X	.	.	.	X6	.	.	X	.	X	.	316
317 <i>Erica arborea</i> L.	Tree Heath	Bruyère arborescente	Baumheide	317	.	.	.	+	.	.	X2	X	.	.	+	.	.	X	.	X	.	317	
318 <i>Erica australis</i> L.	Spanish Heath	Bruyère	-	318	.	.	.	+	.	.	X2	X	.	.	+	.	.	X	.	X	.	318	
319 <i>Erica carnea</i> L.*	Spring Heath	Bruyère d'hiver, Bruyère des neiges	Schneeheide	319	.	.	.	+	.	.	X2	X	.	.	+	.	.	X	.	X	.	319	
320 <i>Erica ciliaris</i> L.*	Dorset Heath	Bruyère ciliée	-	320	.	.	.	+	.	.	X2	X	.	.	+	.	.	X	.	X	.	320	
321 <i>Erica cinerea</i> L.	Bell Heather, Scotch or Grey Heath	Bruyère cendrée	Graue Heide	321	.	.	.	+	.	.	X2	X	.	.	+	.	.	X	.	X	.	321	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
322 <i>Erica X darleyensis</i> Bean*, <i>E. lusitanica</i> Rud.*, <i>E. mackaiana</i> Bab.*, <i>E. X praegeri</i> Ostenf.*, <i>E. terminalis</i> Salisb.*, <i>E. X veitchii</i> Bean*, <i>E. X watsonii</i> Benth.*, <i>E. X williamsii</i> Druce*	-	Bruyère	-	322	.	.	.	+	.	.	X2	X	.	.	.	+	.	X	.	X	.	322	
323 <i>E. mediterranea</i> hort.*	Biscay Heath	Bruyère de la Méditerranée	Mittelmeerheide	323	.	.	.	+	.	.	X2	X	.	.	.	+	.	.	X	.	X	.	323
324 <i>Erica scoparia</i> L.	Besom Heath	Bruyère à balai	-	324	.	.	.	+	.	.	X2	X	.	.	.	+	.	.	X	.	X	.	324
325 <i>Erica tetralix</i> L.	Cross-leaved Heath	Bruyère à quatre angles	Moorheide	325	.	.	.	+	.	.	X2	X	.	.	.	+	.	.	X	.	X	.	325
326 <i>Erica vagans</i> L.	Cornish Heath	Bruyère vagabonde	-	326	.	.	.	+	.	.	X2	X	.	.	.	+	.	.	X	.	X	.	326
327 <i>Erigeron</i> L.*	Flea-bane	Erigéron, Vergerette	Berufskraut, Feinstrahl	327	.	.	.	+	.	.	X1	X	X	.	X	.	327	
328 <i>Eriobotrya</i> Lindl. [<i>E. japonica</i> (Thunb.) Lindl.*]	Loquat	Néflier du Japon	Japanische Mispel, Loquate	328	.	.	.	+	.	.	.	X	.	X	.	X3	.	.	X	.	X	.	328
329 <i>Eryngium</i> L.	Eryngo	Panicaut	Edeldistel, Mannstreu	329	.	.	.	+	.	.	X1	X	X	X	.	X	.	329
330 <i>Escallonia</i> Mutis ex L. f.	Escallonia	Escallonia	Escallonia	330	.	.	.	+	.	.	X2	X	X	.	X	.	330	
331 * <i>Eschscholzia californica</i> Cham.	California Poppy	Eschscholtzie de Californie, Pavot de Californie	Schlafmützchen, Kappenmohn	331	.	.	.	+	.	.	.	X	.	.	.	X5	.	.	X	.	X	.	331
332 <i>Eucalyptus</i> L'Hér.	Eucalyptus	Eucalyptus	Eukalyptus	332	.	.	.	+	.	.	X2	X	X	.	X	.	332	
333 <i>Eucryphia cordifolia</i> Cav., <i>E. glutinosa</i> (Poepp. et Endl.) Baill.*, <i>E. X intermedia</i> Bausch*, <i>E. X nymansensis</i> Bausch*	-	-	-	333	.	.	.	+	.	.	X2	X	X	.	X	.	333	
334 <i>Euonymus</i> L.	Spindle Tree	Fusain	Pfaffenhütchen, Spindelstrauch	334	.	.	.	+	.	.	X2	X	X	X	.	X	.	334
335 <i>Euonymus japonicus</i> L. f.	Evergreen Spindle-tree	Fusain du Japon	Japanischer Spindelstrauch	335	.	.	.	+	.	.	+	X	.	.	.	X6	.	+	X	.	X	.	335
336 <i>Euphorbia</i> L. partim*	Spurges	Euphorbe	Wolfsmilch	336	.	.	.	+	.	.	X1	X	X	.	X	.	336	
337 <i>Euphorbia fulgens</i> Karw.*	<i>Euphorbia fulgens</i>	Euphorbia fulgens	Korallenranke	337	.	.	.	X	X	.	X	.	X	X	X	.	X	.	337
338 <i>Euphorbia lathyris</i> L.	Caper Spurge	Euphorbe épurge	Kreuzblättrige Wolfsmilch	338	.	.	.	X	.	.	+	X	X	.	X	.	338	
339 <i>Euphorbia-Milii-Hybrid*</i>	Christ's Thorn, Crown of Thorns	Epine du Christ	Christusdorn	339	.	.	.	X	X	.	.	X	X	.	X	.	339	
340 <i>Euphorbia pulcherrima</i> Willd. ex Klotzsch*	Poinsettia	Poinsettia	Poinsettie, Weihnachtsstern	340	.	.	X	X	X	.	X	(X)	X	.	(X)	X	X6	.	X	X	X4	X	340
341 <i>Eustoma russellianum</i> (Hook.) G. Don*	Prairie Gentian	-	-	341	.	.	.	+	.	.	X	.	.	.	X5	.	.	X	.	X	.	341	
342 <i>Exochorda</i> Lindl.*	Pearlbush	Exochorda	Perlbusch, Prunkspiere	342	.	.	.	+	.	.	X2	X	X	.	X	.	342	
343 * <i>Fagopyrum esculentum</i> Moench*	Buckwheat	Sarrasin, Blé noir	Buchweizen	343	.	.	.	X	.	.	X	.	.	X1	.	.	X	.	X	.	X	.	343

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
344 <i>Fagus L.*</i>	Beech	Hêtre	Buche	344	X2	X	X	.	X	.	344	
345 X <i>Fatshedera Guillaum.*</i>		Fatshedera	Bastardaralie	345	X2	X	X	.	X	.	345		
346 <i>Festuca L.*</i>	Fescue	Fétuque	Schwingel	346	.	.	.	X	X1	.	.	X	X	X1	X	.	346		
347 * <i>Festuca arundinacea Schreb.*</i>	Tall Fescue	Fétuque élevée	Rohrschwingel	347	.	.	.	+	+	.	X	X	.	.	.	X4	.	X	X	+	X	.	347
348 * <i>Festuca ovina L. sensu lato*</i>	Hard Fescue, Sheep's Fescue	Fétuque durette, Fétuque ovine, Fétuque des moutons, Poil de chien	Schafschwingel	348	.	.	.	+	+	.	X	X	X	+	X	.	348		
349 * <i>Festuca pratensis Huds.*</i>	Meadow Fescue	Fétuque des prés	Wiesenschwingel	349	X	.	X	+	+	.	X	X	.	.	.	X4	.	X	X	+	X	.	349
350 * <i>Festuca rubra L.*</i>	Red Fescue, Creeping Fescue	Fétuque rouge	Rotschwingel	350	X	.	.	+	+	.	X	X	X	X	+	X	.	350	
351 <i>Ficus carica L.</i>	Fig	Figuier	Echte Feige	351	X	.	.	X	X3	.	.	X	.	X	.	351	
352 * <i>Ficus elastica Roxb.</i>	Rubber Plant	Ficus, Caoutchouc	Gummibaum	352	X	.	.	.	X6	.	X	.	X	.	352		
353 <i>Flammulina velutipes (Er.) Sing.</i>	Enokitake, Velvet- footed Collybia	Patte-de-velours, Collybie à pied velouté	Samtfussrübling	353	X	.	.	.	X8	.	.	.	X	.	353		
354 * <i>Foeniculum vulgare P. Mill.*</i>	Fennel	Fenouil	Fenchel	354	.	.	X	.	.	.	(X)	.	X	.	.	X	X	.	X	.	X	.	354
355 <i>Forsythia Vahl</i>	Forsythia, Golden Bell	Forsythia	Forsythie, Goldflieder, Goldglöckchen	355	X	X2	X	.	.	X6	.	X	.	X	.	355	
356 <i>Fortunella Swingle*</i>	Kumquat	Kumquat	Kumquat	356	X	.	.	.	X3	.	X	.	X	.	356		
357 <i>Fragaria L. [F. ananassa Duch.]</i>	Strawberry	Fraisier	Erdbeere	357	X	.	X	X	X	.	X	X	.	X	X	X2	.	X	X	X3	X	X	357
358 <i>Fraxinus L.</i>	Ash	Frêne	Esche	358	X2	X	X	.	X	.	X	.	358
359 * <i>Fraxinus excelsior L.</i>	Common Ash	Frêne élevé	Gemeine Esche	359	+	X	.	.	.	X	X	.	X	.	X	.	359
360 <i>Freesia Eckl. ex Klatt [F.-Hybrid]</i>	Freesia	Freesia	Freesie	360	X	.	.	X	X	.	X	X	.	X	X	X5	.	X	X	.	X	X	360
361 <i>Fuchsia L.</i>	Fuchsia	Fuchsia	Fuchsie	361	X	.	.	X	.	.	.	X5	.	X	.	X	.	361	
362 <i>Fuchsia magellanica Lam.* var. macrostemma (Ruiz et Pav.), F. magellanica Lam. var. 'Riccartonii'</i> *	Fuchsia	Fuchsia arbustif	Fuchsie	362	+	.	X2	X	.	.	.	+	.	X	.	X	.	362	
363 <i>Gaillardia Foug.*</i>	Blanket-flower	Gaillarde	Kokardenblume	363	X1	X	.	.	.	X5	.	X	.	X	.	363	
364 <i>Galega L.*</i>	Goats' Rue	Galéga	Geissraute	364	X1	X	X	.	X	.	X	.	364
365 <i>Gardenia Ellis*</i>	Gardenia	Gardénia	Gardenia	365	X	.	.	.	X6	.	X	.	X	.	365		
366 <i>Garrya elliptica Douglas ex Lindl., G. X thuretii Carr.*</i>	Silk-tassel Tree	-	Becherkätzchen	366	X2	X	X	.	X	.	366		
367 X <i>Gaulnettya W.J. Merchant*</i>	Gaulnettya	Gaulnettya	Gaulnettya	367	X2	X	X	.	X	.	367		
368 <i>Gaultheria Kalm ex L.*</i>	Wintergreen	Gaultheria	Scheinbeere	368	X2	X	X	.	X	.	368		
369 <i>Gaya (Hoheria; Plagianthus)</i>	Twinebark	Gaya	-	369	X2	X	X	.	X	.	369		
370 <i>Genista L.*</i>	Broom	Genêt	Ginster	370	X2	X	X	.	X	.	370		
				BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA
371 <i>Gentiana</i> L.*	Gentian	Gentiane	Enzian	371	X	.	.	.	X5	.	X	.	X	.	371	
372 <i>Geranium</i> L.*	Crane's Bill	Géranium	Storchschnabel	372	X1	X	X	.	X	.	372	
373 <i>Gerbera</i> L. [Gerbera Cass.]	Gerbera	Gerbera	Gerbera	373	X	.	X*	X	.	X	(X)	X	.	X	X5	.	X	X	.	X	.	373
374 <i>Geum</i> L.*	Avens	Benoîte	Nelkenwurz	374	X1	X	.	.	X5	.	X	.	X	.	374	
375 <i>Gladiolus</i> L.*	Gladiolus	Glaïeul	Gladiole	375	X	X	X	.	X	X	X5	.	X	X	.	X	X	375
376 <i>Gleditsia</i> L.	Honey Locust	Gleditsia, Gleditschia, Févier	Christusdorn	376	X2	X	X	.	X	.	376	
377 * <i>Glycine max</i> (L.) Merrill*	Soya Bean, Soybean Soja		Sojabohne	377	.	.	.	X	.	X	.	X	X1	.	.	X	X1	X	X	377		
378 <i>Godetia</i> Spach*	Godetia	Godétie	Godetie, Atlasblume	378	X	.	.	.	X5	.	X	.	X	.	378	
379 <i>Gomphrena globosa</i> L.	Common Globe-amaranth	Amarantoïde violette	Kugelamarant	379	X	.	.	.	X5	.	X	.	X	.	379	
380 <i>Gossypium</i> L.	Cotton	Cotonnier	Baumwolle	380	X	.	X	.	.	.	X	.	X	.	380	
381 * <i>Gossypium hirsutum</i> L.*	Cotton	Cotonnier	Baumwolle	381	X	.	+	.	.	.	X	.	X	X	381	
382 <i>Grifola frondosa</i> (Fr.) S.F. Gray*	Hen of the Woods	Poule de bois	-	382	X	.	.	.	X8	.	.	.	X	.	382	
383 <i>Guzmania Ruiz et Pav.*</i>	Guzmania	Guzmania	Guzmania	383	+*	X	.	.	.	X5	.	+*	X	.	X	.	383
384 <i>Gypsophila</i> L.*	Gyp, Gypsophila, Baby's Breath	Gypsophile	Gipskraut, Schleierkraut	384	X1	X	.	X	.	X5	.	X	.	X	.	384
385 <i>Halesia J. Ellis ex L.*</i>	Snowdrop Tree, Silver-bell Tree	Halesia, Arbre aux cloches d'argent	Schneeglöckchen- baum	385	X2	X	X	.	X	.	385	
386 <i>Hamamelis</i> L.	Witch-hazel	Hamamélis	Zaubernuss	386	X2	X	.	.	.	X6	.	X	.	X	.	386
387 <i>Hebe Comm. ex Juss.*</i> (excl. <i>H. speciosa</i> (Cunn.) Cock. et Allan)	Shrubby Speedwell	Véronique	Strauchveronika	387	X2	X	X	.	X	.	387	
388 <i>Hedera</i> L.*	Ivy	Lierre	Efeu	388	X2	X	.	.	.	X6	.	X	.	X	.	388
389 <i>Hedychium</i> J.G. Koenig	Ginger-lily, Butterfly Lily	Hedychium	Hedychium, Kranzblume	389	X	.	.	.	X5	.	X	.	X	.	389	
390 <i>Helenium</i> L.	Sneezeweed	Hélinium	Sonnenkraut	390	X1	X	.	.	.	X5	.	X	.	X	.	390
391 <i>Helianthemum</i> Mill.*	Sun Rose	Hélianthème	Sonnenröschen	391	X2	X	X	.	X	.	391	
392 <i>Helianthus</i> L.*	Sunflower	Hélianthus	Sonnenblume	392	X1	X	.	.	.	X5	.	X	.	X	.	392
393 * <i>Helianthus annuus</i> L.*	Common Sunflower	Tournesol, Soleil	Sonnenblume	393	.	.	X*	X	.	X	X	.	X	X	+	.	X	X1	X	X	393	
394 * <i>Helianthus tuberosus</i> L.	Jerusalem Artichoke	Topinambour	Topinambur	394	.	.	.	X	.	.	.	X	.	.	+	.	X	.	X	.	394	
395 <i>Helichrysum</i> Mill. corr. Pers.*	Everlasting	Immortelle	Strohblume	395	X	.	.	.	X5	.	X	.	X	.	395	
396 <i>Heliopsis</i> Pers.	Heliopsis, North American Ox-eye	Héliopsis	Sonnenauge	396	X1	X	.	.	.	X5	.	X	.	X	.	396
397 <i>Helleborus</i> L.	Hellebore, Christmas Rose, Lenten Rose	Hellébore	Nieswurz	397	X1	X	.	.	.	X	X	.	X	.	397	
398 <i>Helleborus niger</i> L.*	Christmas Rose	Hellébore, Rose de Noël	Schneerose, Christusrose	398	X	.	.	+	X	.	.	.	+	X	.	X	.	398

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
399 <i>Hemerocallis L.*</i>	Day-lily	Hémérocalle	Taglilie	399	X1	X	.	.	.	X5	.	X	.	X	.	399		
400 <i>Heuchera L.*</i>	Alum Root, Coral Flower	Heuchera	Purpurlöckchen	400	X1	X	X	.	X	.	X	.	400	
401 <i>Hibiscus L.*</i>	Rose-mallow	Hibiscus	Eibisch	401	X	X6	.	X	.	X	.	401		
402 <i>*Hibiscus cannabinus L.*</i>	Kenaf	Kénaf, Chanvre de Guinée	Ambari, Dekkan-Hanf	402	X	X	.	X	X	.	402		
403 <i>Hibiscus sinosyriacus Bailey</i>	-	Hibiscus	Eibisch	403	X2	X	.	.	.	+	.	X	.	X	.	403		
404 <i>Hibiscus syriacus L.*</i>	Tree Mallow	Hibiscus	Roseneibisch	404	X2	X	.	.	.	+	.	X	.	X	.	404		
405 <i>Hippeastrum Herb.* [H.-Hybridii]</i>	Amaryllis	Amaryllis	Ritterstern, Amaryllis	405	X	.	.	X	.	.	.	X5	.	X	X	.	X	.	405	
406 <i>Hoheria A. Cunn. (Plagianthus; Gaya)</i>	Twinebark	Gaya	-	406	X2	X	X	.	X	.	406		
407 <i>Holcus L.*</i>	Yorkshire Fog	Houque, Houlque	Honiggras	407	X1	X	X	.	X	.	407		
408 <i>*Holcus lanatus L.</i>	Yorkshire Fog	Houlque laineuse, Foin de mouton	Wolliges Honiggras	408	+	X	X	.	X	.	408		
409 <i>*Hordeum vulgare L. sensu lato*</i> <i>[H. vulgare L.; Hordeum L.]</i>	Barley	Orge	Gerste	409	X	.	X	X	X	X	X	X	X	X	X	X1	.	X	X	X1	X	X	409	
410 <i>Hosta Tratt.*</i>	Plantain Lily, Funkia, Hosta	Hémérocalle du Japon, Funkia	Funkie	410	X1	X	.	.	.	X5	.	X	.	X	.	410		
411 <i>*Humulus lupulus L.</i>	Hop	Houblon	Hopfen	411	X	.	X	.	.	X	X	X	.	.	.	X1	.	X	.	X	X	.	411	
412 <i>*Hyacinthus orientalis L.</i>	Common Hyacinth	Jacinthe	Hyazinthe	412	.	.	.	X	.	.	X	.	.	X	.	.	X5	.	X	X	.	X	.	412
413 <i>Hydrangea L.</i>	Hydrangea	Hortensia	Hortensie	413	.	X	X	.	.	X	X2	X	.	.	.	X6	.	X	.	X	.	413		
414 <i>Hypericum L.*</i>	Rose of Sharon, Saint John's Wort	Millepertuis	Johanniskraut	414	X2	X	.	.	.	X6	.	X	.	X	.	414		
415 <i>Iberis L.*</i>	Candytuft	Ibéris, Thlaspi	Schleifenblume	415	X	X5	.	X	.	X	.	415		
416 <i>Ilex L.*</i>	Holly	Houx	Ilex, Stechpalme	416	.	.	X	.	.	.	X	X6	.	X	.	X	.	416		
417 <i>Ilex X altaclarensis (Loud.) Dallim.*</i>	Holly	Houx	Ilex, Stechpalme	417	.	.	+	.	.	+	X2	X	.	.	.	+	.	X	.	X	.	417		
418 <i>*Ilex aquifolium L.</i>	Common Holly	Houx	Ilex, Stechpalme	418	.	.	+	.	+	.	X2	X	.	.	.	+	.	X	.	X	.	418		
419 <i>Ilex-Aquifolium-Hybridii</i>	Holly	Houx	Ilex, Stechpalme	419	.	.	+	.	X	.	X	.	.	.	+	.	X	.	X	.	419			
420 <i>Impatiens L.*</i>	Balsam, Busy Lizzie, Touch-me-not	Balsamine, Impatiante	Springkraut, Balsamine	420	.	.	.	X	.	.	X	.	(X)	.	X5	.	X	X	.	X	.	420		
421 <i>Impatiens-Neu-Guinea-Hybriden*</i>	New Guinea Impatiens	Impatiante de Nouvelle-Guinée	Neu-Guinea- Impatiens	421	.	.	X	+	.	.	X	.	.	.	+	.	+	X	.	X	.	421		
422 <i>Indigofera amblyantha Craib, I. gerardiana (Wall.) Bak., I. hebetpetala Benth. ex Bak., I. incarnata (Willd.) Nakai*, I. kirilowii Maxim. ex Palib., I. potaninii Craib, I. pseudotinctioria Matsum.</i>	Indigo	Indigo	Indigostrauch	422	X2	X	X	.	X	.	422		
423 <i>Ipomoea batatas (L.) Poir.*</i>	Sweet Potato	Patate	Süßkartoffel, Batate	423	X	.	.	.	X1	.	X	.	X	.	423			

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
424 * <i>Ipomoea tricolor</i> Cav.*	Tricolor Ipomoea	Ipomée volubilis	Prunkwinde	424	X	.	.	.	X5	.	X	.	X	.	424		
425 <i>Iris L.*</i>	Iris	Iris	Iris, Schwertlilie	425	X	X	.	X	.	X	X5	.	X	X	.	X	.	425	
426 <i>Iris L. partim</i>	<i>Iris (excluding bulbous varieties)</i>	<i>Iris (sauf bulbous varieties)</i>	<i>Iris (ausser zwiebelbildende Sorten)</i>	426	+	+	X1	X	.	+	+	.	+	X	.	X	.	426	
427 <i>Ixia L. 1762, non 1753*</i>	African Cornlily, <i>Ixia</i>	<i>Ixia</i>	<i>Ixia, Klebschwertel</i>	427	X	.	.	.	X5	.	X	.	X	.	427		
428 <i>Ixora L.</i>	Ixora	Ixora	Ixora	428	X	.	.	.	X6	.	X	.	X	.	428		
429 <i>Jasminum beesianum</i> Forr. et Diels, <i>J. X stephanense</i> Lemoine*	Jasmine	Jasmin	Jasmin	429	X2	X	X	.	X	.	429		
430 <i>Jasminum grandiflorum</i> L.*	Spanish Jasmine	Jasmin d'Espagne,	Malabarjasmin	430	X2	X	X	.	X	.	430		
431 <i>Jasminum humile</i> L.* (incl. <i>J. wallichianum</i> Lindl.)	Italian Jasmine	Jasmin	Jasmin	431	X2	X	X	.	X	.	431		
432 <i>Jasminum nudiflorum</i> Lindl.	Winter Jasmine	Jasmin d'hiver	Winterjasmin	432	X2	X	X	.	X	.	432		
433 <i>Jasminum officinale</i> L.*	Common Jasmine	Jasmin blanc, Jasmin commun	Jasmin	433	X2	X	X	.	X	.	433		
434 <i>Juglans L.*</i>	Walnut	Noyer	Walnuss	434	X	.	.	.	X3	.	X	.	X	.	434		
435 * <i>Juglans regia</i> L.*	Walnut	Noyer	Walnuss	435	X	.	.	X	+	.	X	.	X	.	435		
436 <i>Juncus decipiens</i> Nakai	Rush	Jonc	Binse	436	X	.	.	X1	.	X	.	X	.	X	.	436	
437 <i>Juniperus L.*</i>	Juniper	Genévrier	Wacholder	437	.	.	.	X	X	.	X	+	X	.	.	X6	.	X	.	X	.	437	
438 <i>Kalanchoë</i> Adans.*	Kalanchoë	Kalanchoë	Kalanchoë	438	.	X	X	X	.	X	.	X	.	X	.	X5	.	X	X	.	X	.	438
439 <i>Kalmia L.*</i>	Calico Bush, Mountain Laurel, American Laurel	Kalmia	Kalmie, Berglorbeer, Lorbeerrose	439	X2	X	.	.	X6	.	X	.	X	.	439		
440 <i>Kerria DC. [K. japonica (L.) DC.]</i> *	Jew's Mallow, <i>Kerria</i>	Corète du Japon	Kerrie, Ranunkelstrauch	440	X2	X	.	.	X6	.	X	.	X	.	440		
441 <i>Kniphofia Moench*</i>	Red Hot Poker, Torch-lily	Tritoma, Faux-aloès	Fackellilie, Tritome	441	X1	X	.	.	X5	.	X	.	X	.	441		
442 <i>Kolkwitzia Graebn.</i>	Kolkwitzia	Kolkwitzia	Kolkwitzie	442	X2	X	X	.	X	.	442		
443 <i>Laburnum Fabr.*</i>	Laburnum, Golden Chain	Cytise	Goldregen	443	X2	X	X	.	X	.	443		
444 <i>Lachenalia Jacq. f. ex Murr.*</i>	Lachenalia, Cape Cowslip	Lachenalia, Coucou du Cap	Lachenalia	444	X	.	.	.	X5	.	X	.	X	X	444		
445 * <i>Lactuca sativa</i> L.*	Lettuce	Laitue	Salat	445	X	.	X	X	X	(X)	X	X	.	X	X	X2	.	X	X	X2	X	445	
446 <i>Laelia Lindl.*</i>	Laelia	Laelia	Laelia	446	+	+	.	X	.	+	.	X5	.	+	X	.	X	.	446
447 <i>X Laeliocattleya Rolfe*</i>	Laeliocattleya	Laeliocattleya	Laeliocattleya	447	+	.	.	X	.	.	+	.	X	.	+	.	+	.	+X	.	X	.	447
448 * <i>Lagenaria siceraria</i> (Mol.) Standl. var. <i>hispida</i> Hara*	Bottle Gourd, Calabash Cucumber	Courge calebasse, Calebasse du pèlerin	Flaschenkürbis, Kalebasse	448	X	.	.	X2	.	X	.	X	.	X	.	448	
449 <i>Lagerstroemia L.</i>	Crape Myrtle	Lagerstroemia	Lagerstroemia	449	X	.	X	.	.	X6	.	X	.	X	.	449		

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
450 <i>Lantana</i> L.*	Lantana	Lantana	Wandelröschen	450	X	.	.	.	X6	.	X	.	X	.	450	
451 <i>Larix</i> Mill.	Larch	Mélèze	Lärche	451	.	.	.	X	.	.	.	+ X	X	.	X	.	451	
452 * <i>Larix kaempferi</i> (Lamb.) Carr.*	Japanese Larch	Mélèze du Japon	Japanische Lärche	452	.	.	.	+	.	.	.	+ X	.	.	.	X6	.	X	.	X	.	452	
453 * <i>Lathyrus cicera</i> L.	Dwarf Chickling Vetch	Gesse chiche, Jarrosse	Rotblühende Platterbse	453	.	.	.	X	.	.	.	X	X	.	X	.	453	
454 * <i>Lathyrus odoratus</i> L.	Sweet Pea	Pois de senteur, Gesse odorante	Wohlriechende Wicke	454	X	.	.	.	X5	.	X	.	X	.	454	
455 * <i>Lathyrus sativus</i> L.	Grass Pea Vine	Gesse cultivée	Gewöhnliche Platterbse	455	.	.	.	X	.	.	.	X	X	.	X	.	455	
456 * <i>Lathyrus tingitanus</i> L.	Tangier Pea	Gesse du Maroc	Purpurblühende Platterbse	456	.	.	.	X	.	.	.	X	X	.	X	.	456	
457 * <i>Lavandula angustifolia</i> Mill.*	Lavender	Lavande vraie	Echter Lavendel	457	X	.	X	X	.	X	.	457	
458 <i>Lavandula X burnatii</i> Briq.*	Lavender	Lavandins	Lavendel	458	X	.	X	X	.	X	.	458	
459 <i>Lavandula latifolia</i> Medik.*	Lavender	Lavande spic, Aspic	Lavendel, Grosser Speik	459	X	.	X	X	.	X	.	459	
460 <i>Lavandula officinalis</i> Chaix ex Villars*	Lavender	Lavande vraie	Echter Lavendel	460	+	X2	X	X	.	X	.	460	
461 <i>Lavandula spica</i> Cav.*	Lavender	Lavande spic, Aspic	Lavendel, Grosser Speik	461	+	X2	X	X	.	X	.	461	
462 * <i>Lens culinaris</i> Medik.*	Lentil	Lentille	Linse	462	.	.	.	X	.	.	.	X	X	.	X	.	462		
463 <i>Lentinus elodes</i> (Berk.) Sing.	Shiitake	Shiitake	Korkschwamm	463	X	X8	.	.	.	X	.	463	
464 * <i>Lepidium sativum</i> L.*	Cress	Cresson alénois	Gartenkresse	464	X	.	.	X	X	X	.	X	.	464	
465 <i>Leptospermum scoparium</i> Forst.*	Tea Tree, Manuka	-	Südseemyrte	465	X2	X	X	.	X	.	465		
466 <i>Leucadendron</i> R. Br.	Leucadendron, Protea	Leucadendron, Protea	Leucadendron, Protea	466	X	.	X	.	.	.	X	.	X	X	.	466	
467 <i>Leucospermum</i> R. Br.*	Leucospermum, Protea	Leucospermum, Protea	Leucospermum, Protea	467	X	.	X	.	.	.	X	.	X	X	.	467	
468 Leucothoë D. Don*	Leucothoë	Leucothoë	Traubenheide	468	X2	X	X	.	X	.	468		
469 <i>Liatris</i> Gaertn. ex Schreb.	Liatris, Blazing Star, Gayfeather	Liatris	Prachtscharte	469	X1	X	.	X	.	X5	.	X	X	.	X	.	469
470 <i>Ligularia</i> Cass.*	Golden Ray	Ligulaire	Goldkolben	470	X1	X	X	.	X	.	470		
471 <i>Ligustrum</i> L.	Privet	Troène	Liguster	471	X2	X	X	.	X	.	471		
472 <i>Lilium</i> L.*	Lily	Lis	Lilie	472	X	X	X	.	X	X	X5	.	X	X	.	X	.	472
473 <i>Limonium</i> Mill.* (<i>Statice</i>)	Sea Lavender, Statice	Limonium, Statice	Widerstoss, Meerlavendel	473	X1	X	.	X	.	X5	.	X	.	X	.	473	
474 <i>Linaria</i> Mill.*	Toadflax	Linaire	Leinkraut	474	X	X5	.	X	.	X	.	474	
475 * <i>Linum usitatissimum</i> L.*	Flax, Linseed	Lin	Lein	475	X	.	.	X	X	.	X	X	X	.	.	.	X	X	X1	X	.	475	
476 <i>Liquidambar</i> L.	Sweet Gum	Liquidambar, Copalme	Amberbaum	476	X2	X	X	.	X	.	476		
477 <i>Liriodendron</i> L.	Tulip Tree	Tulipier	Tulpenbaum	477	X2	X	X	.	X	.	477		

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
478 * <i>Litchi chinensis</i> Sonn.*	Litchi	Litchi	Litschi	478	X	.	X	.	.	.	X	.	X	X	478			
479 <i>Lithospermum L.</i> *	Gromwell	Grémil	Steinsame	479	X2	X	X	.	X	.	479			
480 <i>Lobelia L.</i> *	Lobelia, Cardinal Flower	Lobélie	Lobelie	480	X1	X	.	.	.	X5	.	X	.	X	.	480		
481 <i>Lolium L.</i>	Ryegrass	Ray-grass	Weidelgras	481	.	.	X	X	X1	(X)	X	.	X	X	X1	X	X	481		
482 * <i>Lolium X boucheanum</i> Kunth* [<i>L. X hybridum</i> Hausskn.]	Hybrid Ryegrass	Ray-grass hybride	Bastardweidelgras, Oldenburgisches Weidelgras	482	X	.	+	+	+	(+)	+	X	X	X	.	.	.	X1	X	+	X	+	482	
483 * <i>Lolium multiflorum</i> Lam.*	Italian Ryegrass, Westerwold Ryegrass	Ray-grass d'Italie	Welsches Weidelgras, Italienisches Raygras	483	X	.	+	+	+	(+)	+	X	X	X	.	X	X4	.	X	X	+	X	+	483
484 * <i>Lolium perenne</i> L.	Perennial Ryegrass	Ray-grass anglais	Deutsches Weidelgras	484	X	.	+	+	+	(+)	+	X	X	X	.	.	X4	.	X	X	+	X	+	484
485 <i>Lonicera L.</i>	Honeysuckle, Lonicera	Lonicéra, Chèvrefeuille	Heckenkirsche, Geissblatt	485	X2	X	.	.	.	X6	.	.	X	.	X	.	485	
486 <i>Lotus</i> spp.*	Lotus	Lotier	Hornklee	486	X	X	.	X	.	486		
487 * <i>Lotus corniculatus</i> L.	Bird's Foot Trefoil	Lotier corniculé	Hornschartenklee	487	.	.	.	X	.	.	X	X	.	X	.	487		
488 * <i>Lotus uliginosus</i> Schkuhr*	Major Bird's Foot Trefoil	Lotier velu, Lotier des marais	Sumpfschartenklee	488	.	.	.	X	.	.	X	X	.	X	.	488			
489 <i>Luffa cylindrica</i> M.J. Roem.*	Sponge Gourd, Dishcloth Gourd	Courge torchon	Schwammgurke	489	X	X2	.	.	X	.	X	.	489	
490 <i>Lupinus L.</i>	Lupin	Lupin	Lupine	490	X*	X	.	.	.	X5	.	.	X	.	X	X	490	
491 * <i>Lupinus albus</i> L.*	White Lupin	Lupin blanc	Weisslupine	491	.	.	.	X	X	.	X	X	.	.	.	+	.	X	X	.	X	+	491	
492 * <i>Lupinus angustifolius</i> L.*	Blue Lupin	Lupin bleu	Blaue Lupine	492	.	.	.	X	X	.	X	X	.	.	.	+	.	X	X	X1	X	+	492	
493 * <i>Lupinus luteus</i> L.	Yellow Lupin	Lupin jaune	Gelbe Lupine	493	.	.	.	X	X	.	X	X	.	.	.	+	.	X	X	X1	X	+	493	
494 <i>Lycaste Lindl.</i> *	Lycaste	Lycaste	Lycaste	494	+	+	.	X	.	+	.	X5	.	+	X	.	X	.	494	
495 <i>Lychnis L.</i> *	Campion	Lychnis	Lichtnelke	495	X1	X	X	.	X	.	495		
496 * <i>Lychnis coronaria</i> (L.) Desr.*	Mullein Pink, Rose Campion	Coquelourde des jardins	Vexiernelke	496	X	X5	.	.	X	.	X	.	496	
497 * <i>Lycopersicon lycopersicum</i> (L.) Karst. Tomato ex Farwell* [<i>L. esculentum</i> P. Mill.; <i>Solanum lycopersicum</i> L.]	Tomato	Tomate	Tomate	497	X	.	.	X	X	.	X	.	X	X	X2	.	X	X	X2	X	X	497		
498 <i>Lycoris Herb.</i> *	Lycoris, Cluster-amarillys	Lycoride	Lycoris	498	X	X5	.	.	X	.	X	.	498	
499 <i>Lythrum L.</i>	Loosestrife	Lythrum	Weiderich	499	X1	X	X	.	X	.	499		
500 <i>Macadamia</i> spec.	Macadamia, Queensland Nut	Macadamia	Macadamia	500	X	X	.	X	X	500		
501 <i>Magnolia L.</i> *	Magnolia	Magnolia	Magnolie	501	X2	X	.	.	.	X6	.	.	X	.	X	.	501	
502 <i>X Mahoberberis</i> C.K. Schneid.	Mahoberberis	Mahoberberis	Mahoberberis	502	X2	X	X	.	X	.	502		
503 <i>Mahonia Nutt.</i> *	Mahonia	Mahonia	Mahonie	503	X	X6	.	X	X	.	X	.	503	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>		BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
504 <i>Mahonia acanthifolia</i> G. Don, <i>M. bealei</i> (Fort.) Carr., <i>M. japonica</i> (Thunb.) DC.*, <i>M. lomariifolia</i> Takeda, <i>M. pumila</i> (Greene) Fedde, <i>M. repens</i> (Lindl.) G. Don*	<i>Mahonia</i>	<i>Mahonia</i>	<i>Mahonie</i>	504	X2	X	.	.	.	+	.	+	X	.	X	.	504	
505 <i>Mahonia aquifolium</i> (Pursh) Nutt.*	Oregon Grape	<i>Mahonia commun,</i> <i>Mahonia à feuilles</i> de houx	<i>Mahonie</i>	505	X2	X	.	.	.	+	.	+	X	.	X	.	505	
MALUS																								
<u>Fruit Crops/Plantes fruitières/Obstpflanzen</u>																								
506 <i>Malus Mill.</i> *	Apple	Pommier	Apfel	506	X	.	X	X	.	.	X	.	X	.	.	.	X3	.	X	X	X3	X	X	506
507 <i>Malus domestica</i> Borkh.* [<i>M. communis</i> L.; <i>M. sylvestris</i> Mill.]	Apple	Pommier	Apfel	507	+	.	+	+	X2	(X)	+	X3	X	.	X	X	+	.	+	X	+	X	+	507
<u>Ornamental Plants/Plantes ornementales/Zierpflanzen</u>																								
508 <i>Malus Mill.</i> *	Crab Apple, Flowering Crab	Pommier ornemental	Zierapfel	508	.	.	.	X	.	.	X	X2	X	.	.	.	+	.	.	X	.	X	.	508
509 <i>Malva L.</i> * [Malvaceae]	Mallow	Mauve	Malve	509	X	.	.	X1	X	X	.	X	.	509	
510 * <i>Mangifera indica</i> L.	Mango	Manguier	Mango	510	X	.	X	X	.	X	X	510	
511 <i>Maranta L.</i> *	Maranta	Maranta, Dormeuse	Maranta, Pfeilwurz	511	X	.	.	.	X5	.	X	.	X	.	X	.	511
512 <i>Matthiola spec.</i>	Stock	Giroflée	Levköje	512	.	.	.	X	.	.	(X)	X	X	.	X	.	X	.	512
513 * <i>Matthiola incana</i> (L.) R. Br.*	Common Stock	Giroflée d'hiver	Levköje	513	.	.	.	+	.	.	(+)	X	.	.	.	X5	.	X	.	X	.	X	.	513
514 <i>Medicago L.</i>	Alfalfa, Lucerne	Luzerne	Schneckenklee	514	X	.	.	X	X4	.	.	X	X1	X	.	.	514	
515 * <i>Medicago falcata</i> L.*	Yellow Lucerne (Sickle Medick), Variegated Lucerne	Luzerne (en faucille)	Sichelluzerne	515	.	.	.	X	.	.	X	.	.	+	+	.	.	X	+	X	.	X	.	515
516 <i>Medicago hispida</i> Gaertn.*	Hairy Medick	Luzerne hérissée	Steifhaariger Schneckenklee, Gezähnelter Schneckenklee	516	X	.	X	+	+	.	.	X	+	X	.	.	516	
517 * <i>Medicago lupulina</i> L.*	Black Medick, Yellow Trefoil	Luzerne lupuline, Minette	Gelbklee (Hopfenklee)	517	.	.	.	X	X	.	.	X	.	.	+	+	.	.	X	+	X	.	.	517
518 * <i>Medicago sativa</i> L.*	Lucerne, Alfalfa	Luzerne (cultivée)	Blaue Luzerne	518	X	.	.	X	X	(X)	X	X	.	X	+	+	.	X1	X	+	X	X	518	
519 * <i>Medicago X varia</i> Martyn*	(Hybrid) Lucerne	Luzerne hybride	Bastardluzerne	519	X	.	.	X	X	.	X	X	.	.	+	+	.	X1	X	+	X	.	519	
520 <i>Mentha L.</i> *	Mint	Menthe	Minze	520	X	.	.	X1	.	.	X	.	X	.	X	.	520	
521 <i>Menziesia Sm.</i>	Skunkbush	Menziesia	Menziesia	521	X2	X	X	.	X	.	X	.	521	
522 <i>Meratia</i> [Chimonanthus Lindl.*]	Winter Sweet, Japanese Allspice	Chimonanthe	Winterblüte	522	X2	X	.	.	.	X6	.	X	.	X	.	X	.	522
523 <i>Miltonia</i> Lindl.*	Pansy-orchid	Miltonia	Miltonia	523	+	+	.	X	.	+	.	X5	.	+	X	.	X	.	523	
524 <i>Mimetes spec.</i> *	Mimetes, Protea	Mimetes, Protea	Mimetes, Protea	524	X	X	.	.	X	.	X	X	524	
					BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
525 * <i>Mirabilis jalapa</i> L.	Marvel of Peru, Common Four O'clock	Belle de nuit	Wunderblume	525	X	.	.	.	X5	.	.	X	.	X	525		
526 * <i>Momordica charantia</i> L.*	Balsam Pear	Momordique à feuille de vigne, Margose	Balsambirne	526	X	.	.	.	X2	.	.	X	.	X	526		
527 <i>Monarda</i> L.	Bergamot, Bee Balm, Horsemint	Monarde	Monarde, Bienenbalsam, Pferdeminze	527	X2	X	X	.	X	.	527		
528 <i>Monstera</i> Adans.*	Monstera	Monstera, Ananas du pauvre	Monstera	528	X	.	.	.	X5	.	.	X	.	X	528		
529 <i>Morus</i> L.*	Mulberry	Mûrier	Maulbeerbaum	529	X	.	.	.	X1	.	.	X	.	X	529		
530 <i>Musa cavendishii</i> Lamb.* [<i>Musa</i> L.*]	Banana	Bananier	Banane	530	X	.	X	.	.	.	X	.	X	X	530		
531 <i>Myosotis</i> L.	Forget-me-not	Myosotis	Vergissmeinnicht	531	X	.	.	.	X5	.	.	X	.	X	531		
532 * <i>Nandina domestica</i> Thunb. ex Murray	Nandina, Sacred Bamboo	Nandine fruitière	Nandina	532	X	.	.	.	X6	.	.	X	.	X	532		
533 <i>Narcissus</i> L.*	Narcissus, Daffo- dil, Jonquil	Narcisse, Jonquille	Narzisse	533	X	.	.	X	X	.	X	.	X5	.	X	X	.	X	533	
534 * <i>Nelumbo nucifera</i> Gaertn.*	East Indian Lotus	Fleur de lotus	Indische Lotosblume	534	X	.	.	.	X2	.	.	X	.	X	534		
535 <i>Neoregelia</i> L.B. Sm.*	Neoregelia	Neoregelia	Neoregelia	535	+*	X	.	.	.	X5	.	+*	X	.	X	.	535	
536 <i>Nepeta</i> L.*	Cat Mint	Népeta, Herbe- aux-chats	Katzenminze	536	X1	X	X	.	X	.	X	536	
537 <i>Nephrolepis</i> Schott*	Sword-fern, Ladder Fern	Nephrolepis	Nephrolepis	537	X	.	.	.	X5	.	.	X	.	X	.	537	
538 <i>Nerine</i> Herb.*	Nerine	Nerine	Nerine	538	(X)	X	.	.	X5	.	X	X	.	X	.	538	
539 <i>Nerium</i> L.	Oleander, Rose Bay	Laurier rose	Oleander	539	X	.	.	.	X6	.	.	X	.	X	.	539	
540 <i>Nerium oleander</i> L.	Oleander, Rose Bay	Laurier rose, <i>Nerium oleander</i>	Oleander	540	X	.	X	.	.	+	.	.	X	.	X	.	540	
541 * <i>Nicotiana rustica</i> L.	Syrian Tobacco	Nicotiane rustique	Bauerntabak	541	.	.	.	X	.	.	.	X	X	.	X	.	X	541	
542 * <i>Nicotiana tabacum</i> L.	Tobacco (common)	Tabac	Tabak	542	.	.	.	X	.	.	.	X	.	X	X	.	.	X	.	X	.	X	542	
543 * <i>Nigella damascena</i> L.	Love-in-a-mist, Devil-in-a-bush	Nigelle de Damas, Cheveux de Vénus	Braut in Haaren, Jungfer im Grünen	543	X	.	.	.	X5	.	.	X	.	X	.	543	
544 <i>Nopalxochia</i> Britt. et Rose*	Nopalxochia	Nopalxochia	Nopalxochia	544	X	.	.	.	X5	.	.	X	.	X	.	544	
545 <i>Nothofagus</i> Bl.*	Southern Beech	Hêtre antarctique	Scheinbuche	545	X2	X	X	.	X	.	X	545	
546 <i>Nymphaea</i> L.*	Water-lily	Nénuphar	Seerose	546	X	.	.	.	X5	.	.	X	.	X	.	546	
547 X <i>Odontioda</i> hort.*	Odontioda	Odontioda	Odontioda	547	+	.	.	X	.	.	+	.	X	.	+	.	.	+	X	.	X	.	X	547
548 <i>Odontoglossum</i> H. B. K.*	Odontoglossum	Odontoglossum, Orchidée muguet	Odontoglossum	548	+	.	.	X	.	.	+	.	X	.	+	.	X5	.	+	X	.	X	.	548
549 <i>Oenanthe javanica</i> (Bl.) DC.*	Water Dropwort	Oenanthe	Rebendolde	549	X	.	.	.	X2	.	.	X	.	X	.	549	
550 <i>Oenothera</i> L.*	Oenothera, Evening Onagre		Nachtkerze	550	X*	X	X	.	X	.	X	550	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
551 * <i>Olea europaea</i> L.*	Olive	Olivier	Ölbaum, Olive	551	X	.	X	X	X3	.	X	.	X	.	551			
552 <i>Olearia albida</i> (Hook. f.) Hook. f., O. <i>X haastii</i> Hook. f.*, O. <i>ilicifolia</i> Hook. f., O. <i>macrodonta</i> Bak., O. <i>moschata</i> Hook. f., O. <i>nummulariifolia</i> (Hook. f.) Hook. f.	Daisy Bush, Tree Daisy	Olearia	Baumaster	552	X2	X	X	.	X	.	552			
553 <i>Oncidium</i> Sw.*	Oncidium	Oncidium, Orchidée Oncidium danseuse	Oncidium	553	+	+	.	X	.	+	.	X5	.	+	X	.	X	.	553	
554 * <i>Onobrychis viciifolia</i> Scop.*	Sainfoin	Sainfoin, Esparsette	Esparsette	554	.	.	.	X	.	.	.	X	X	.	X	.	554		
555 <i>Orchidaceae</i> Juss.*	Orchids	Orchidées	Orchideen	555	X	X	.	X	.	X	.	.	X	X	.	X	.	555		
556 <i>Origanum</i> L.*	Sweet Marjoram	Origan	Dost	556	X1	X	X	.	X	.	556		
557 <i>Ornithogalum</i> spec.*	Chinkerinchee, Star of Bethlehem	Ornithogale, Dame d'onze heures	Milchstern, Vogelmilch, Stern von Bethlehem	557	X	.	(X)	.	.	.	(X)	X	.	X	X	557		
558 * <i>Ornithopus sativus</i> Brot.*	Serradella	Serradelle	Serradella	558	.	.	.	X	.	.	.	X	X1	X	X1	X	.	558		
559 <i>Orothamnus</i> spec.*	Orothamnus	Orothamnus, Protea	Orothamnus, Protea	559	X	X	.	X	X	.	559		
560 * <i>Oryza sativa</i> L.	Rice	Riz	Reis	560	X	X	.	X	.	X	X1	.	X	.	X	X	560		
561 <i>Oryzopsis holciformis</i> (N. B.) Hack.	Oryzopsis	Petit millet, <i>Oryzopsis</i> , Faux-millet	Grannenhirse	561	X	.	X	.	.	.	X	.	X	.	X	.	561	
562 <i>Osmanthus</i> Lour.*	Osmanthus	Osmanthus	Duftblüte	562	X	X6	.	X	.	X	.	562		
563 <i>Osmanthus heterophyllus</i> (G. Don) P.S. Green* (<i>O. aquifolium</i> Sieb., O. <i>ilicifolius</i> Mouillief.)	Osmanthus	Osmanthus	Duftblüte	563	X2	X	.	.	+	.	X	.	X	.	563			
564 <i>Oxalis</i> L.*	Oxalis, Wood-sorrel	Oxalis	Sauerklee	564	X	.	.	.	X5	.	X	.	X	.	X	.	564	
565 <i>Paeonia</i> L.	Paeony	Pivoine	Päonie, Pfingstrose	565	X*	X	X	.	X	.	X	.	565	
566 <i>Paeonia albiflora</i> Pall.*	Chinese Paeony	Pivoine de Chine	Chinesische Päonie	566	+	X	.	.	.	X5	.	X	.	X	.	566		
567 <i>Paeonia officinalis</i> L.*	Common Paeony	Pivoine des jardins	Korallenpäonie	567	+	X	.	.	.	X5	.	X	.	X	.	567		
568 * <i>Paeonia suffruticosa</i> Andr.*	Tree Paeony, Moutan Paeony	Pivoine en arbre	Strauchpäonie	568	+	X	.	.	.	X6	.	X	.	X	.	568		
569 <i>Panax ginseng</i> C.A. Mey.*	Ginseng	Ginseng	Ginseng	569	X	.	.	.	X1	.	X	.	X	.	569			
570 <i>Panicum</i> L.*	Panicum	Panic	Hirse	570	X	.	.	.	X1	.	X	.	X	.	570			
571 * <i>Panicum miliaceum</i> L.	Common Millet	Millet commun, <i>Panic</i> millet, <i>Panic</i> faux millet	Rispenhirse	571	.	.	.	X	.	.	X	.	.	+	.	X	.	X	.	X	.	571		
572 <i>Papaver</i> L.	Poppy, Oriental Poppy	Pavot	Mohn	572	X1	X	.	.	.	X5	.	X	.	X	.	572		
573 * <i>Papaver somniferum</i> L.	Opium Poppy	Oeillette, Pavot	Mohn	573	.	.	.	X	X	.	.	X	X	X	X1	X	.	573		
574 <i>Paphiopedilum</i> Pfitz.*	Lady's Slipper	Sabot de Vénus	Venussschuh	574	+	.	.	X	.	.	+	.	X	.	+	.	X5	.	+	X	.	X	.	574
				BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
575 <i>Paranomus spec.*</i>	<i>Paranomus, Protea</i>	<i>Paranomus, Protea</i>	<i>Paranomus, Protea</i>	575	X	X	.	X	X	575		
576 <i>Parrotia C.A. Mey.*</i>	<i>Parrotia</i>	<i>Parrotia</i>	<i>Parrotzie, Eisenholz</i>	576	X2	X	X	.	X	.	576		
577 <i>Parthenocissus Planch.*</i>	<i>Virginia Creeper</i>	<i>Vigne vierge</i>	<i>Jungfernrebe, Wilder Wein</i>	577	X2	X	X	.	X	.	577		
578 * <i>Paspalum dilatatum Poir.</i>	<i>Dallisgrass</i>	<i>Herbe de Dallis, Paspale dilaté</i>	<i>"Dallis grass", Brasilianische Futterhirse</i>	578	X	.	.	.	X4	.	.	X	.	X	.	578	
579 * <i>Paspalum notatum Fluegge</i>	<i>Bahia Grass</i>	<i>Herbe de Bahia</i>	<i>Bahiagrass</i>	579	X	.	.	.	X4	.	.	X	.	X	.	579	
580 <i>Passiflora caerulea L.</i>	<i>Passion Flower</i>	<i>Passiflore, Fleur de la Passion</i>	<i>Passionsblume</i>	580	X2	X	X	.	X	.	580		
581 * <i>Passiflora edulis Sims*</i>	<i>Granadilla</i>	<i>Barbadine</i>	<i>Purpurgranailla, Passionsfrucht</i>	581	X	X	.	X	X	581		
582 * <i>Pastinaca sativa L.*</i>	<i>Parsnip</i>	<i>Panaïs</i>	<i>Pastinak</i>	582	X	.	.	X	X	X2	X	.	582		
583 <i>Pelargonium L'Hér. ex Ait.*</i>	<i>Geranium, Pelargonium, Stork's Bill</i>	<i>Géranium, Pelargonium</i>	<i>Pelargonie</i>	583	X*	.	.	X	X	.	X	X	X5	.	.	X	.	X	X	583
584 <i>Pelargonium-Grandiflorum-Hybridī*</i>	<i>Show and Fancy Pelargoniums</i>	<i>Pelargonium des fleuristes</i>	<i>Edelpelargonie</i>	584	.	.	.	X	+	.	.	+ X	.	+	+	+	.	.	X	.	X	+	584	
585 <i>Pelargonium-Peltatum-Hybridī*</i>	<i>Ivy-leaved Pelargonium</i>	<i>Géranium-Tierre</i>	<i>Efeupelargonie</i>	585	X	.	X	X	+	.	X	+	X	.	+	+	+	.	X	X4	X	+	585	
586 <i>Pelargonium-Peltatum X P.-Zonale- Hybridī</i>	-	-	<i>Halbpeltaten</i>	586	X	.	X	X	+	.	X	+	X	.	+	+	+	.	X	X4	X	+	586	
587 <i>Pelargonium-Zonale-Hybridī*</i>	<i>Zonal Pelargonium</i>	<i>Géranium, Pelar- gonium zonale</i>	<i>Zonalpelargonie</i>	587	X	.	X	X	+	.	X	+	X	.	+	+	+	.	X	X4	X	+	587	
588 <i>Pennisetum typhoides (Burm. f.) Stapf* et C.E. Hubb.*</i>	<i>Pearl Millet</i>	<i>Pénicillaire, Mil à chandelle</i>	<i>Federborstengras</i>	588	X	X	.	X	X	588		
589 <i>Penstemon Schmidel*</i>	<i>Beard Tongue</i>	<i>Penstemon, Galane barbue</i>	<i>Bartfaden</i>	589	X1	X	.	.	X5	.	.	X	.	X	.	589	
590 <i>Peperomia Ruiz et Pav.</i>	<i>Peperomia</i>	<i>Peperomia</i>	<i>Peperomie, Zwergpfeffer</i>	590	X	.	.	.	X5	.	.	X	.	X	.	590	
591 <i>Perilla L.*</i>	<i>Perilla, Beefsteak Plant</i>	<i>Périlla, Plante- beefsteak</i>	<i>Schwarznessel</i>	591	X	.	.	.	X2	.	.	X	.	X	.	591	
592 <i>Pernettya Gaudich.*</i>	<i>Arrayan</i>	<i>Pernettya</i>	<i>Torfmyrte</i>	592	X2	X	X	.	X	.	592		
593 <i>Perovskia Kar.</i>	<i>Russian Sage</i>	<i>Perovskia</i>	<i>Perovskia</i>	593	X2	X	X	.	X	.	593		
594 * <i>Persea americana P. Mill.*</i>	<i>Avocado</i>	<i>Avocatier</i>	<i>Avocado</i>	594	X	.	X	X	.	X	X	594		
595 <i>Petasites japonicus (Sieb. et Zucc.) Fr. Schmidt*</i>	<i>Japanese Butter Bur</i>	<i>Pétasite du Japon</i>	<i>Japanische Pestwurz</i>	595	X	.	.	.	X2	.	.	X	.	X	.	595		
596 * <i>Petroselinum crispum (Mill.) Nym. ex A.W. Hill*</i>	<i>Parsley</i>	<i>Persil</i>	<i>Petersilie</i>	596	.	.	.	X	.	.	.	X	.	.	.	X2	.	X	X	X2	X	.	596	
597 * <i>Petroselinum crispum (P. Mill.) Nym. ex A.W. Hill ssp. crispum</i>	<i>Parsley</i>	<i>Persil</i>	<i>Blattpetersilie</i>	597	.	.	.	+	X	.	.	X	.	.	.	+	.	+	X	+	X	.	597	
598 * <i>Petroselinum crispum (P. Mill.) Nym. ex A.W. Hill ssp. tuberosum (Bernh. ex Rchb.) Soo.*</i>	<i>Turnip-rooted Parsley</i>	<i>Persil à grosse racine</i>	<i>Wurzelopersilie</i>	598	.	.	.	+	X	.	.	X	.	.	.	+	.	+	X	.	X	.	598	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA			
599 <i>Petunia</i> Juss.	Petunia	Pétunia	Petunie	599	(X)	X	.	X	X	X5	.	X	.	X	.	599			
600 * <i>Phacelia tanacetifolia</i> Benth.	Scorpion Weed	Phacélie à feuilles de tanaisie	Phazelie	600	.	.	.	X	.	.	.	X	X	.	X	.	600				
601 <i>Phalaenopsis</i> Bl.*	Moth Orchid	Orchidée papillon	Phalaenopsis	601	+	.	.	X	.	.	+	.	X	.	+	.	X5	.	+	X	.	X	.	601	
602 <i>Phalaris</i> spp.*	Phalaris	Alpiste, Phalaris	Glanzgras	602	X	X	.	X	.	X	.	602	
603 * <i>Phalaris arundinacea</i> L.*	Reed Canary Grass	Alpiste roseau	Rohrglanzgras	603	.	.	.	X	.	.	.	X	X	X1	X	.	X	.	603	
604 * <i>Phalaris canariensis</i> L.	Canary Grass, Canary Seed	Alpiste des Canaries, Phalaris	Kanariengras	604	X	X1	X	.	X	.	X	.	604
605 <i>Phalaris tuberosa</i> L.*	Hardings Grass	Herbe de Harding, Alpiste tubéreux	Knolliges Glanzgras	605	X	.	X	.	.	.	X	.	X	.	X	.	605	
606 <i>Pharbitis nil</i> Chois.*	Morning Glory	Volubilis	Japanische Kaiserwinde	606	X	X5	.	.	X	.	X	.	606	
607 * <i>Phaseolus angularis</i> (Willd.) W.F. Wight*	Azuki Red Bean	Haricot Adzuki	Adzukibohne	607	X	X1	.	.	X	.	X	.	607	
608 * <i>Phaseolus coccineus</i> L.*	Runner Bean, Kidney Bean	Haricot d'Espagne	Prunkbohne	608	X	.	.	X	X	X	X	X	X	.	X	X	X1	.	X	X	X4	X	X	608	
609 * <i>Phaseolus vulgaris</i> L.	French Bean	Haricot	Gartenbohne	609	X	.	+	X	X	X	X	X	X	.	X	X	X1	.	X	X	X*	X	X	609	
610 * <i>Phaseolus vulgaris</i> L. var. <i>nanus</i> (L.) Aschers.	Dwarf French Bean	Haricot nain	Buschbohne	610	+	.	X	+	+	+	+	+	X	.	+	+	.	+	X	+	X	+	X	+	610
611 * <i>Phaseolus vulgaris</i> L. var. <i>vulgaris</i>	Climbing French Bean	Haricot à rames	Stangenbohne	611	+	.	X	+	+	+	+	+	X	.	+	+	+	+	X	+	X	+	X	+	611
612 <i>Philadelphus</i> L.	Mock Orange	Seringa	Pfeifenstrauch, Falscher Jasmin	612	X2	X	.	.	.	X6	.	X	.	X	.	X	.	612
613 <i>Phillyrea</i> L.	Mock Privet	Philaria	Steinlinde	613	X2	X	X	.	X	.	X	.	613
614 <i>Philodendron</i> Schott corr. Schott*	Philodendron	Philodendron	Philodendron	614	X	X5	.	X	.	X	.	X	.	614
615 <i>Phleum</i> spec.	Timothy	Fléole	Lieschgras	615	X	X	X	X	.	X	.	615	
616 * <i>Phleum bertolonii</i> DC. [<i>P. nodosum</i> L.]*	Timothy	Fléole diploïde, Petite fléole	Zwiebellieschgras	616	X	.	.	X	X	.	.	X	X	X	X	+	X	.	616		
617 * <i>Phleum pratense</i> L.	Timothy	Fléole des prés	Wiesenlieschgras	617	X	.	.	X	X	.	.	X	X	X	.	.	X4	.	X	X	+	X	.	617	
618 <i>Phlomis fruticosa</i> L.	Common Jerusalem Sage	Phlomis ligneux	Brandkraut	618	X2	X	X	.	X	.	X	.	618	
619 <i>Phlox</i> L.	Phlox	Phlox	Phlox, Flammenblume	619	X1	X	.	.	.	X5	.	X	.	X	.	X	.	619
620 * <i>Phoenix dactylifera</i> L.	Date, Date Palm	Palmier dattier	Dattelpalme	620	X	.	.	X	.	.	X	.	X	.	X	.	620	
621 <i>Pholiota nameko</i> (T. Ito) S. Ito et Imai	Nameko	Pholiote du peuplier	Nameko	621	X	.	.	X	.	.	X8	.	.	.	X	.	621	
622 <i>Phormium</i> J.R. et G. Forst.*	New Zealand Flax	Lin de Nouvelle-Zélande	Neuseeländer Flachs	622	X2	X	X	.	X	.	X	.	622
623 * <i>Phormium tenax</i> J.R. et G. Forst.	New Zealand Flax	Lin de Nouvelle-Zélande	Neuseeländer Flachs	623	+	X	.	.	.	X6	.	X	.	X	.	X	.	623
624 <i>Photinia</i> Lindl.*	Photinia	Photinia	Glanzmispel	624	X2	X	X	.	X	.	X	.	624	
				BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA			

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
625 <i>Phygelia E. Mey.</i>	Cape Figwort	Phygelius	Phygelius	625	X1	X	X	.	X	.	625	
626 <i>Physalis L.</i>	Husk-tomato, Chinese Lantern Plant, Cape Gooseberry, Tomatillo	Coqueret, Amour en cage, Alkékenge	Lampionblume, Blasenkirsche	626	X	.	.	.	X5	.	.	X	.	X	.	626	
627 <i>Physostegia Benth.</i>	Obedient Plant, Lion's Heart	Physostégie	Gelenkblume	627	X1	X	X	.	X	.	627	
628 <i>Physostegia virginiana (L.) Benth.*</i>	Obedient Plant	Physostégie de Virginie	Gelenkblume	628	+	X	.	.	.	X5	.	.	X	.	X	.	628
629 <i>Picea A. Dietr.*</i>	Spruce	Épicéa	Fichte	629	.	.	.	X	.	.	+	X	X	.	X	.	629	
630 * <i>Picea glehnii (Fr. Schmidt) Mast.*</i>	Sachsen Spruce	Pin de Sakhaline, Épicéa de Glehn	Japanische Sachalinfichte, Glehn's Fichte	630	.	.	.	+	.	.	+	X	.	.	.	X6	.	.	X	.	X	.	630
631 * <i>Picea jezoensis (Sieb. et Zucc.) Carr.*</i>	Yezo Spruce, Hondo Spruce	Pin de Hondo, Épicéa de Yeso	Yedofichte	631	.	.	.	+	.	.	+	X	.	.	.	X6	.	.	X	.	X	.	631
632 <i>Pieris D. Don*</i>	Pieris	Andromède	Lavendelheide	632	X2	X	X	.	X	.	632	
633 <i>Pieris japonica (Thunb.) D. Don ex G. Don*</i>	Japanese Andromeda	Andromède du Japon	Japanisches Bitterkraut	633	+	X	.	.	.	X6	.	.	X	.	X	.	633
634 <i>Pinus L.*</i>	Pine	Pin	Kiefer	634	.	.	.	X	.	.	+	X	X	.	X	.	634	
635 * <i>Pinus densiflora Sieb. et Zucc.</i>	Japanese Red Pine	Pin rouge du Japon	Japanische Rotkiefer	635	.	.	.	+	.	.	+	X	.	.	.	X6	.	.	X	.	X	.	635
636 <i>Pinus luchuensis Mayr</i>	-	-	-	636	.	.	.	+	.	.	+	X	.	.	.	X6	.	.	X	.	X	.	636
637 * <i>Pinus thunbergii Parl.*</i>	Japanese Black Pine	Pin noir du Japon, Pin des temples	Japanische Schwarzkiefer	637	.	.	.	+	.	.	+	X	.	.	.	X6	.	.	X	.	X	.	637
638 * <i>Pistacia vera L.*</i>	Pistache	Pistachier	Echte Pistazie	638	X	.	.	X	.	.	.	X	.	X	.	638	
639 <i>Pisum spec.</i>	Pea	Pois	Erbse	639	X	X	.	X	X	639		
640 * <i>Pisum sativum L. sensu lato*</i>	Pea	Pois	Erbse	640	X	.	X	X	X	X	X	X	.	.	X1	.	X	X	X*	X	+	640	
641 <i>Pisum sativum L.*</i>	Garden Pea	Petit pois	Gemüseerbse	641	+	.	+	+	+	+	+	X	.	.	X	+	.	+	X	+	X	+	641
642 <i>Pisum sativum L. partim</i>	Field Pea	Pois fourrager	Futtererbse	642	+	.	+	+	+	+	+	X	X	.	.	+	.	+	X	+	X	+	642
643 <i>Pittosporum Banks et Soland. ex Gaertn.</i>	Pittosporum	Pittosporum	Klebsame	643	X2	X	.	.	.	X6	.	.	X	.	X	.	643
644 <i>Plagianthus (Gaya; Hoheria)</i>	Twinebark	Gaya	-	644	X2	X	X	.	X	.	644	
645 <i>Platanus L.</i>	Plane	Platane	Platane	645	X2	X	X	.	X	.	645	
646 <i>Platycodon grandiflorus (Jacq.) A. DC.*</i>	Balloon Flower, Chinese Bell-flower	Platycodon, Campanule à grandes fleurs bleues	Ballonblume	646	X	.	.	.	X5	.	.	X	.	X	.	646	
647 <i>Pleurotus cornucopiae (Pers.) Rolland. Tamagitake</i>	Pleurote corne d'abondance, Pleurote de l'orme, Oreille d'orme	-	-	647	X	.	.	.	X8	.	.	X	.	X	.	647	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
648 <i>Pleurotus ostreatus</i> (Fr.) Quel.	Hiratake, Oyster Mushroom	Pleurote en forme d'huître, Pleurote écailleux, Pleurote en coquille	Austernseitling	648	X	.	.	X8	.	.	.	X	.	648			
649 <i>Poa</i> L.*	Meadow-grass	Pâturin	Rispengras	649	.	.	.	X	X1	.	.	X	.	.	X	.	.	X	X1	X	.	649		
650 * <i>Poa annua</i> L.	Annual Meadow-grass	Pâturin annuel	Einjähriges Rispengras	650	.	.	.	+	+	.	.	X	.	.	+	.	.	X	X	+	X	.	650	
651 * <i>Poa compressa</i> L.	Canada Bluegrass, Flattened Meadow-grass	Pâturin comprimé	Flaches Rispengras	651	.	.	.	+	+	.	.	X	.	.	+	.	.	X	X	+	X	.	651	
652 * <i>Poa nemoralis</i> L.	Wood Meadow-grass	Pâturin des bois	Hainrispengras	652	.	.	.	+	+	.	.	X	X	.	.	+	.	.	X	X	+	X	.	652
653 * <i>Poa palustris</i> L.	Swamp Meadow-grass	Pâturin des marais	Sumpfrispengras	653	.	.	.	+	+	.	.	X	X	.	.	+	.	.	X	X	+	X	.	653
654 * <i>Poa pratensis</i> L.	Kentucky Blue-grass, Smooth Stalked Meadow-grass	Pâturin des prés	Wiesenrispengras	654	X	.	.	+	+	.	X	X	X	.	.	+	X4	.	X	X	+	X	.	654
655 * <i>Poa trivialis</i> L.	Rough Stalked Meadow-grass	Pâturin commun	Gemeines Rispengras	655	X	.	.	+	+	.	X	X	.	.	+	.	.	X	X	+	X	.	655	
656 <i>Polemonium</i> L.*	Jacob's Ladder	Polemoine	Jakobsleiter, Sperrkraut	656	X1	X	X	.	X	.	X	.	656
657 <i>Polygonatum</i> Mill.*	Solomon's Seal	Sceau de Salomon	Salomons Siegel	657	X1	X	X	.	X	.	X	.	657
658 <i>Polygonum</i> L.*	Knotweed, Knotgrass	Renouée	Knöterich	658	X1	X	X	.	X	.	X	.	658
659 <i>Poncirus</i> Raf.*	Trifoliate Orange, Oranger trifolié Golden Apple	Bitterorange	Bitterorange	659	X	.	.	.	X6	.	.	X	.	X	.	X	.	659
660 <i>Porphyra tenera</i> Kjellmann	Purple Laver	Porphyre	Purpurtang	660	X	.	.	.	X7	.	.	.	X	.	X	.	660	
661 <i>Porphyra yezoensis</i> Ueda	Purple Laver	Porphyre	Purpurtang	661	X	.	.	.	X7	.	.	.	X	.	X	.	661	
662 <i>Populus</i> L.	Poplar	Peuplier	Pappel	662	X	.	.	X	.	.	X	X2	X	.	.	X	.	.	X	X	.	X	.	662
663 * <i>Portulaca grandiflora</i> Hook.	Rose-moss, Sun Plant	Pourpier à grande fleur, Chevalier d'onze heures	Grossblumiger Portulak	663	X	.	.	.	X5	.	.	X	.	X	.	X	.	663
664 <i>Potentilla</i> L.*	Cinquefoil	Potentille	Fingerkraut	664	X1	X	X	X	.	X	.	664	
665 <i>Potentilla fruticosa</i> L.*	Shrubby Cinquefoil	Potentille ligneuse	Strauchfingerkraut	665	.	.	.	X	X	.	X2	X	+	X	X4	X	.	665		
666 <i>Potentilla fruticosa</i> L. var. <i>davurica</i> (Nestl.) Ser. (<i>P. glabra</i> Lodd.)	Shrubby Cinquefoil	Potentille ligneuse	Strauchfingerkraut	666	.	.	.	+	.	.	X2	X	+	X	+	X	.	666		
667 <i>Potentilla fruticosa</i> L. var. <i>rigida</i> (Wall. ex Lehm.) T.H. Wolf (<i>P. arbuscula</i> D. Don)	Shrubby Cinquefoil	Potentille ligneuse	Strauchfingerkraut	667	.	.	.	+	+	.	X2	X	+	X	+	X	.	667		
668 <i>Primula</i> L.	Auricula, Oxlip, Cowslip, Primrose	Primevère	Primel, Schlüsselblume	668	X1	X	.	.	.	X5	.	.	X	.	X	.	668	
669 <i>Protea</i> spec.*	Protea	Protea	Protea	669	X	X	.	X	X	X	.	669	
				BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
PRUNUS*																								
670 Prunus L.	-	-	-	670	X	.	.	X3	.	.	X	.	X	.	670		
<u>Fruit Crops/Plantes fruitières/Obstpflanzen</u>																								
- subg. <u>Amygdalus</u>																								
671 Prunus amygdalus Bartock* [P. dulcis (Mill.) D.A. Webb; Amygdalus spec.; A. communis L.]	Almond	Amandier	Mandel	671	X	.	X	.	X X	+	.	.	X	.	X X	671		
- subg. <u>Armeniaca</u>																								
672 Prunus armeniaca L.* [Prunus L.]	Apricot	abricotier	Aprikose	672	X	X	.	X	.	X X	+	.	.	X	X3	X	X	672	
- subg. <u>Cerasus</u>																								
673 Prunus L.	Cherry	Cerisier	Kirsche	673	X	.	X	X*	.	.	X	.	X	.	.	+	.	X	X	X3	X	.	673	
674 *Prunus avium (L.) L.*	Sweet Cherry	Cerisier (cerises douces: guignes, bigarreaux)	Süßkirsche	674	+	.	+	+	X2	.	+	X3	X	.	.	X	+	.	+	X	+	X X	674	
675 Prunus cerasus L.*	Morello, Sour Cherry	Cerisier (cerises acides: griottes, amarelles)	Sauerkirsche	675	+	.	+	+	X2	.	+	X3	X	.	.	X	+	.	+	X	+	X X	675	
676 Prunus fruticosa Pall.*	Dwarf Cherry, Ground Cherry	Cerisier nain de Russie	Steppenkirsche, Zwergkirsche	676	+	.	+	+	.	.	+	X3	X	.	.	.	+	.	+	X	+	X	.	676
- subg. <u>Prunus</u>																								
677 Prunus L.	Plum	Prunier	Pflaume	677	X	.	X*	X*	.	.	X	.	X	.	.	.	+	.	X	X	X3	X	.	677
678 Prunus cerasifera Ehrh.* [Prunus L.]	Myrobalan, Cherry-plum	Myrobalan	Kirschpflaume, Myrobalane	678	X	.	+	+	.	.	+	+	X	.	.	.	+	.	+	X	.	X	.	678
679 *Prunus domestica L.*	Plum	Prunier	Pflaume	679	+	.	+	+	X2	.	+	+	X	.	X X	+	.	+	X	+	X X	679		
680 *Prunus domestica L. et P. cerasifera Ehrh.	Plum	Prunier	Pflaume	680	+	.	+	+	.	.	+	X3	X	.	.	.	+	.	+	X	.	X	.	680
681 Prunus insititia L.*	Damson, Bullace, Mirabelle	Prunier de Damas, -, Haferpflaume, Mirabelle	681	+	.	+	+	+	.	.	+	X3	X	.	.	+	.	+	X	+	X	+	681	
682 Prunus salicina Lindl.*	Plum, Japanese Plum	Prunier du Japon, Prunier japonais	Japanese Pflaume	682	+	.	+	+	.	.	+	.	X	.	X X*	+	.	+	X	+	X X	682		
- subg. <u>Persica</u>																								
683 Prunus persica (L.) Batsch* [Prunus L.]	Peach	Pêcher	Pfirsich	683	X	X	X	.	X	.	X X	+	.	.	X	X3	X	X	683	
- <u>Hybridæ</u>																								
684 Amygdalus communis L. X genus Prunus	Peach X Plum	Pêcher X prunier	Pfirsich X Pflaume	684	X	.	.	X	+	.	.	X	.	X	.	684	
685 Prunus persica X Amygdalus communis L.	Peach X Almond	Pêcher X amandier	Pfirsich X Mandel	685	X	.	.	X	+	.	.	X	.	X	.	685	
<u>Ornamental Plants/Plantes ornementales/Zierpflanzen</u>																								
686 Prunus L.	-	-	-	686	X2	X	.	.	.	+	.	.	X	.	X	.	686	
687 Prunus X amygdalo-persica (Weston) Rehd.	-	Amandier-pêcher	-	687	X2	X	.	.	.	+	.	.	X	.	X	.	687	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
688 <i>Prunus X cistena</i> N.E. Hansen	-	-	-	688	X2	X	.	.	.	+	.	.	X	.	X	.	688	
689 <i>Prunus concinna</i> Koehne	-	-	-	689	X2	X	.	.	.	+	.	.	X	.	X	.	689	
690 <i>Prunus glandulosa</i> Thunb.*	Almond Cherry	Amandier à fleurs du Japon	-	690	X2	X	.	.	.	+	.	.	X	.	X	.	690	
691 <i>Prunus laurocerasus</i> L.*	Cherry-laurel	Laurier-cerise	Kirschlaubbeer	691	X2	X	.	.	.	+	.	.	X	.	X	.	691	
692 <i>Prunus lusitanica</i> L.*	Portugal Laurel	Laurier du Portugal	Portugiesischer Kirschlaubbeer	692	X2	X	.	.	.	+	.	.	X	.	X	.	692	
693 <i>Prunus maritima</i> Wangenh.	Beach-plum	Prunier des grèves	Strandpflaume	693	X2	X	.	.	.	+	.	.	X	.	X	.	693	
694 <i>Prunus prostrata</i> Labill.*	Rock Cherry	-	-	694	X2	X	.	.	.	+	.	.	X	.	X	.	694	
695 <i>Prunus tenella</i> Batsch*	Russian Almond	Amandier nain de Russie	Zwergmandel	695	X2	X	.	.	.	+	.	.	X	.	X	.	695	
696 <i>Prunus triloba</i> Lindl.*	-	Prunier à trois lobes	Mandelröschen	696	X2	X	.	.	.	+	.	.	X	.	X	.	696	
697 <i>Pseudocydonia sinensis</i> Schneid.*	Chinese Quince	Cognassier de Chine	Chinesische Quitte	697	X	X6	.	.	X	.	X	.	697	
698 <i>Pseudotsuga Carr.</i> *	Douglas Fir	Sapin de Douglas	Douglasie	698	.	.	.	X	.	.	+	X	X	.	X	.	698	
699 * <i>Psidium guajava</i> L.*	Guava	Goyavier	Guayave	699	X	X	.	X	X	.	699	
700 <i>Pulmonaria</i> L.*	Lungwort	Pulmonaire	Lungenkraut	700	X1	X	X	.	X	.	700		
701 <i>Pulsatilla</i> Mill. (<i>Anemone pulsatilla</i> L. and allies)	Pasque Flower	Anémone pulsatille	Gemeine Küchenschelle	701	X2	X	X	.	X	.	701		
702 * <i>Punica granatum</i> L.	Pomegranate	Grenadier	Granatapfel, Granatbaum	702	X	X3	.	.	X	.	X	.	702	
703 <i>Pyracantha</i> M.J. Roem.*	Firethorn	Pyracantha, Buisson ardent	Feuerdorn	703	.	.	.	X	.	.	X	X2	X	.	.	.	X6	.	.	X	.	X	.	703

PYRUSFruit Crops/Plantes fruitières/Obstpflanzen

704 <i>Pyrus</i> L.*	Pear	Poirier	Birne	704	X	.	.	X	.	X	.	X	.	.	X3	.	.	X	X3	X	.	704	
705 <i>Pyrus communis</i> L.*	Pear	Poirier	Birne	705	+	.	.	+	X3	.	+	X3	X	.	X	X	+	.	X	X	+	X	705

Ornamental Plants/Plantes ornementales/Zierpflanzen

706 <i>Pyrus</i> L.*	Ornamental Pear	Poirier ornemental	Zierbirne	706	X2	X	.	.	.	+	.	.	X	.	X	.	706
707 <i>Quamoclit</i> Mill.*	Star-glory, Star Ipomoea, Cypress Vine	Quamoclit	Sternwinde	707	X	X5	.	.	X	.	X	.	707
708 <i>Quercus</i> L.*	Oak	Chêne	Eiche	708	X2	X	X	.	X	X	.	708
709 <i>Ranunculus</i> L.*	Ranunculus, Buttercup	Renoncule	Hahnenfuss	709	X	.	X	.	X5	.	.	X	.	X	.	709	
710 * <i>Ranunculus asiaticus</i> L.*	Garden Ranunculus	Renoncule des jardins	Ranunkel	710	X	.	+	X	+	.	X	.	X	.	X	.	710

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
711 * <i>Raphanus sativus</i> L.	Japanese Radish	Radis japonais	Japanischer Rettich	711	X	.	.	.	X2	.	.	X	.	X	.	711	
712 * <i>Raphanus sativus</i> L. var. <i>niger</i> (Mill.) S. Kerner	Black Radish	Radis d'été, d'automne et d'hiver	Rettich	712	.	.	.	X	X	.	.	X	.	.	.	+	.	X	X	X2	X	.	712	
713 * <i>Raphanus sativus</i> L. var. <i>oleiformis</i> Pers. [ssp. <i>oleifera</i> (DC.) Metzg.]	Fodder Radish	Radis oléifère, Radis chinois	Ölrettich	713	.	.	.	X	X	.	.	X	.	.	.	+	.	X	X	.	X	.	713	
714 * <i>Raphanus sativus</i> L. var. <i>sativus</i> [var. <i>radicula</i> Pers.]	Radish	Radis de tous les mois	Radieschen	714	X	.	.	X	X	.	.	X	.	(X)	.	+	.	X	X	X2	X	.	714	
715 Renanthera Lour.*	Renanthera	Renanthera	Renanthera	715	+	+	.	X	.	+	.	X5	.	+	X	.	X	.	715
716 Rhamnus L.*	Buckthorn	Nerprun	Kreuzdorn	716	X2	X	X	.	X	.	716	
717 Rhipis L. f.	Lady Palm	Rhipis	Steckenpalme, Rutenpalme	717	X	.	.	.	X6	.	.	X	.	X	.	717	
718 Rheum L.	Rhubarb	Rhubarbe	Rhabarber	718	X	X	.	.	.	X1	.	.	X	.	X	.	718
719 * <i>Rheum rhabarbarum</i> L.*	Rhubarb	Rhubarbe	Krauser Rhabarber	719	X	.	.	+	X	.	.	.	+	.	X	X	.	X	.	719
720 Rhipsalidopsis Britt. et Rose*	Easter Cactus	Cactus de Pâques	Osterkaktus	720	.	.	.	X	X*	.	.	(X)	X	X*	X	.	X	.	720
721 Rhododendron L.*	Rhododendron, Azalea, Azaleodendron	Rhododendron, Azalée	Rhododendron, Azalée	721	X	.	X	X	X	.	X	X	X	.	.	.	X6	.	X	X	.	X	.	721
722 Rhodohypoxis baurii (Bak.) Nel*	Rhodohypoxis	Rhodohypoxis	Rhodohypoxis	722	X	.	.	.	X5	.	.	X	.	X	.	722	
723 Rhus L.*	Sumach	Sumac	Sumach, Essigbaum	723	X2	X	X	.	X	.	723	
724 Rhynchostylis Bl.*	Fox Tail Orchid	Rhynchostylis	Rhynchostylis	724	+	+	.	X	.	+	.	X5	.	+	X	.	X	.	724

RIBESFruit Crops/Plantes fruitières/Obstpfanzen

725 Ribes L.	Currants, Gooseberry	Cassis, Groseilliers	Johannisbeeren, Stachelbeere	725	X*	.	X*	X*	.	.	.	X	X	X	X3	X	.	725
726 * <i>Ribes nigrum</i> L.	Black Currant	Cassis	Schwarze Johannisbeere	726	+	.	+	+	X3	.	X	+	X	+	X	+	X	.	726
727 * <i>Ribes nigrum</i> L., R. dikuscha Fisch. ex Turcz., R. ussuriente Jancz.	Black Currant	Cassis	Schwarze Johannisbeere	727	+	.	+	+	.	.	X3	X	+	X	+	X	.	727
728 <i>Ribes niveum</i> Lindl.*	White Currant	Groseillier blanc	Weisse Johannisbeere	728	+	.	+	+	X3	.	X	.	X	+	X	+	X	.	728
729 <i>Ribes sylvestre</i> (Lam.) Mert. et W. Koch*	Red Currant	Groseillier rouge	Rote Johannisbeere	729	+	.	+	+	X3	.	X	(X)	X	+	X	+	X	.	729
730 <i>Ribes uva-crispa</i> L.* [<i>R. grossularia</i> ; <i>R. uva-crispa</i>]	Gooseberry	Groseillier à maquereau	Stachelbeere	730	+	.	+	+	X3	.	X	X3	X	+	X	+	X	.	730

Ornamental Plants/Plantes ornementales/Zierpflanzen

731 Ribes L.	Ornamental Currant	Groseillier ornemental	Zierjohannisbeere	731	X2	X	X	.	X	.	731		
732 * <i>Ricinus communis</i> L.	Castorbean	Ricin	Wunderbaum, Palma Christi	732	X	.	X	.	X5	.	.	X	.	X	X	732

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA			
733 <i>Robinia L.*</i>	False Acacia	Robinier	Robinie	733	X2	X	X	.	X	.	733				
734 * <i>Robinia pseudoacacia L.</i>	False Acacia	Robinier Faux-acacia	Gemeine Robinie, Scheinakazie	734	+	X	X	X	.	X	.	734			
735 <i>Rohdea japonica (Thunb.) Roth*</i>	Rohdea	Rohdea	Rohdea	735	X	.	.	.	X5	.	X	.	X	.	735				
736 <i>Romneya Harv.</i>	Romneya	Romneya	Romneya	736	X2	X	X	.	X	.	736				
737 <i>Rosa L.</i>	Rose	Rosier	Rose	737	X	.	X*	X	X	X	X	X	X	X	X6	.	X	X	X	X	737				
738 * <i>Rosmarinus officinalis L.</i>	Rosemary	Romarin officinal	Rosmarin	738	X2	X	X	.	X	.	738				
RUBUS																									
Fruit Crops/Plantes fruitières/Obstpflanzen																									
739 <i>Rubus L.</i>	Raspberry, Bramble	Framboisier, Ronce	Himbeere, Brombeere	739	X*	.	X*	X*	.	.	.	X	X	X3	X	.	739				
740 <i>Rubus L. partim</i>	Raspberry, Raspberry X Blackberry Hybrids	Framboisier, Hybrides Framboisiere Ronce	Himbeere, Himbeere X Brombeere Hybriden	740	+	.	+	+	.	.	X3	X	X	+	X	.	740				
741 <i>Rubus subg. Eubatus Focke [R. fruticosus L.*]</i>	Blackberry	Ronce fruitière	Brombeere	741	+	.	+	+	X3	.	X	(X) X	X	+	X	.	741				
742 * <i>Rubus idaeus L.</i>	Raspberry	Framboisier	Himbeere	742	+	.	+	+	X3	.	X	+	X	.	.	.	X	+	X	.	742				
Ornamental Plants/Plantes ornementales/Zierpflanzen																									
743 <i>Rubus L.</i>	Ornamental Bramble	Ronce ornementale	Zierbrombeere	743	X2	X	X	.	X	.	743				
744 <i>Rudbeckia L.*</i>	Cone Flower	Rudbeckia	Sonnenhut	744	X1	X	.	.	.	X5	.	X	.	X	.	744			
745 <i>Ruta L.*</i>	Rue	Rue	Raute	745	X2	X	X	.	X	.	X	.	745		
746 <i>Saccharum L.*</i>	Sugar Cane	Canne à sucre	Zuckerrohr	746	X	.	.	.	X1	.	X	.	X	.	746				
747 <i>Saintpaulia H. Wendl.</i>	Saintpaulia, African Violet	Saintpaulia	Usambaraveilchen	747	.	.	.	X	.	.	X	.	.	.	X5	.	X	X	.	X	.	747			
748 * <i>Saintpaulia ionantha H. Wendl.</i>	African Violet	Saintpaulia	Usambaraveilchen	748	X	.	X	+	X	.	X	X	X	.	X	X	+	.	+	X	X4	X	X	748	
749 <i>Salix L.</i>	Willow	Saule	Weide	749	X	.	.	X	.	.	X2	X	.	.	.	X6	.	X	X	X	X	.	749		
750 <i>Salvia L.*</i>	Sage	Sauge	Salbei	750	X1	X	.	.	.	X5	.	X	.	X	.	X	.	750	
751 * <i>Salvia officinalis L.*</i>	Common Sage	Sauge	Echter Salbei	751	X2	X	.	.	.	+	.	X	.	X	.	X	.	751	
752 <i>Sambucus L.</i>	Elder	Sureau	Holunder	752	X2	X	X	.	X	.	X	.	752	
753 <i>Sansevieria Thunb.*</i>	Bowstring Hemp	Sansevieria	Bogenhanf	753	X	.	.	.	X5	.	X	.	X	.	X	.	753		
754 <i>Saponaria L.*</i>	Saponaria	Saponaire	Seifenkraut	754	X1	X	X	.	X	.	X	.	X	.	754
755 <i>Sarcococca Lindl. (excl. S. saligna Muell.)</i>	Sarcococca	Sarcococca	Sarcococca	755	X2	X	X	.	X	.	X	.	755		
756 <i>Sarracenia L.</i>	Pitcher Plant, Side-saddle Flower	Sarracenia	Schlauchpflanze, Krugblatt	756	X	.	.	.	X5	.	X	.	X	.	X	.	756		
757 <i>Saxifraga L.*</i>	Saxifrage	Saxifrage	Steinbrech	757	X	.	.	.	X5	.	X	.	X	.	X	.	757		
				BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA			

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
758 <i>Scabiosa L.*</i>	Scabious	Scabieuse	Grindkraut, Skabiose	758	X1	X	.	.	.	X5	.	X	.	X	.	758		
759 * <i>Schizanthus pinnatus Ruiz et Pav.</i>	Wingleaf Butterfly Flower	Schizanthe papillon	Spaltblume, Schlitzblume	759	X	.	.	.	X5	.	X	.	X	.	759		
760 <i>Schizostylis Backh. et Harv.</i>	Crimson Flag	Schizostylis	Spaltgriffel	760	X1	X	X	.	X	.	760		
761 <i>Schlumbergera Lem.*</i>	Christmas Cactus	Cactus de Noël	Weihnachtskaktus	761	.	.	.	X	X*	.	.	(X) X	X*	X	.	X	.	761	
762 <i>Scilla L.*</i>	Squill, Wild Hyacinth	Scille	Blaustern	762	X	.	.	.	X5	.	X	.	X	.	762		
763 <i>Scindapsus Schott*</i>	Ivy-arum, Silver Vine	Pothos	Scindapsus	763	X	.	.	.	X5	.	X	.	X	.	763		
764 * <i>Scorzonera hispanica L.</i>	Black Salsify	Scorsonère, Salsifis noir	Schwarzwurzel	764	X	.	.	X	X	.	.	X	X	X	.	X	.	764		
765 * <i>Secale cereale L.</i>	Rye	Seigle	Roggen	765	X	.	X	X	X	.	.	X	X	.	.	X	X1	.	X1	X	X1	.	765	
766 <i>Sedum L.*</i>	Stonecrop, Ice Plant	Sédum	Fetthenne	766	X1	X	X	.	X	.	766		
767 <i>Selaginella P. Beauv.*</i>	Club Moss	Sélaginelle	Mooskraut	767	X	.	.	.	X5	.	X	.	X	.	767		
768 * <i>Senecio cruentus (Masson ex l'Hér.) DC.*</i>	Florists' Cineraria	Cinéraire hybride	Kreuzkraut	768	X	.	.	.	X5	.	X	.	X	.	768		
769 <i>Senecio laxifolius J. Buchan.</i>	-	-	Kreuzkraut	769	X2	X	X	.	X	.	769	
770 <i>Serruria spec.*</i>	Serruria, Protea	Serruria, Protea	Serruria, Protea	770	X	X	.	X	X	.	770	
771 * <i>Sesamum indicum L.*</i>	Sesame	Sésame	Sesam	771	X	.	X	.	.	.	X	.	X	.	771		
772 * <i>Setaria italica (L.) P. Beauv.*</i>	Foxtail Millet, Italian Millet	Millet d'Italie, Millet des oiseaux	Kolbenhirse	772	.	.	.	X	.	.	.	X	X	.	X	.	772		
773 <i>Sidalcea A. Gray*</i>	Prairie Mallow	Sidalcea	Präriemalve	773	X1	X	X	.	X	.	773	
774 <i>Silene L.*</i>	Catchfly	Silène	Leimkraut	774	X1	X	.	.	.	X5	.	X	.	X	.	774	
775 <i>Simmondsia chinensis (Link) Schneid.*</i>	Jojoba	-	-	775	X	.	X	.	.	.	X	.	X	.	775		
776 * <i>Sinapis alba L.</i>	White Mustard	Moutarde blanche	Weisser Senf	776	.	.	.	X	X	.	.	X	X	X	X	X1	X	.	776	
777 <i>Sinningia Nees*</i>	Gloxinia	Gloxinia	Gloxinie	777	X	.	.	.	X5	.	X	.	X	.	777		
778 <i>Sisyrinchium L.*</i>	Satin Flower, Blue Eyed Grass	Sisyrinchium, Bermudienne	Grasschwertel, Binsenlilie	778	X1	X	X	.	X	.	778		
779 <i>Skimmia Thunb.</i>	Skimmia	Skimmia	Skimmia	779	X2	X	X	.	X	.	779		
780 <i>Solanum L.*</i>	Solanum	Solanum	Nachtsschatten	780	X	.	.	.	X2	.	X	.	X	.	780		
781 <i>Solanum lycopersicum L. [*Lycopersicon Tomato lycopersicum (L.) Karst. ex Farwell; L. esculentum P. Mill.]</i>	Tomato	Tomate	Tomate	781	X	.	.	X	X	.	X	.	X	X	X2	.	X	X	X2	X	X	781		
782 * <i>Solanum melongena L.* [S. melongena var. esculentum Nees]</i>	Eggplant, Aubergine	Aubergine	Eierfrucht, Aubergine	782	X	.	X	.	X	X	+	.	X	X	.	X	782	
783 * <i>Solanum tuberosum L.* [S. tuberosum L. sensu lato]</i>	Potato	Pomme de terre	Kartoffel	783	X	.	X	X	X	X	X	X	X	X	X	X	+	.	X	X	X1	X	X	783
784 <i>Solidago L.*</i>	Golden Rod	Verge d'or	Goldrute	784	X1	X	X	.	X	.	784		
				BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	ZA			

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA	
785 <i>Sophora</i> L.*	<i>Sophora</i> , Pagoda Tree	<i>Sophora</i>	<i>Schnurrbaum</i>	785	X2	X	X	.	X	.	785	
786 <i>Sophronitis</i> Lindl.*	<i>Sophronitis</i>	<i>Sophronitis</i>	<i>Sophronitis</i>	786	+	+	.	X	.	+	.	X5	.	+	X	.	X	.	786
787 <i>Sorbus</i> L.*	Mountain Ash, Rowan, Whitebeam	<i>Sorbier</i>	Eberesche, Mehlebeere, Elsbeere	787	X2	X	X	.	X	.	787	
788 <i>Sorghum</i> Moench*	Grain and Fodder Sorghum	<i>Sorgho</i>	<i>Mohrenhirse</i>	788	X	.	.	.	X1	.	.	X	.	X	X	788	
789 <i>Sorghum dochna</i> (Forssk.) Snowden*	Sweet Sorghum, Broom Corn	<i>Sorgho sucré, Sorgho à balai</i>	Zuckerhirse, Besenhirse	789	.	.	.	X	.	.	.	X	.	+	+	+	.	.	X	.	X	+	789
790 <i>Sorghum vulgare</i> Pers.*	<i>Sorghum</i>	<i>Sorgho</i>	<i>Mohrenhirse</i>	790	X	.	X	X	+	.	.	X	.	X	+	790	
791 <i>Spartium</i> L.*	Spanish Broom	Genêt d'Espagne	Binsenginster	791	X1	X	X	.	X	.	791	
792 <i>Spathiphyllum</i> spec.*	<i>Spathiphyllum</i>	<i>Spathiphyllum</i>	<i>Spathiphyllum</i>	792	X	.	.	X	X	.	X	.	792	
793 * <i>Spergula arvensis</i> L.	Corn Spurry	Spergule des champs, Spargoute, Espargoute, Fourrage de disette	Ackerspörgel, Ackerspark	793	X	X1	X	.	X	.	793	
794 * <i>Spinacia oleracea</i> L.	Spinach	<i>Epinard</i>	<i>Spinat</i>	794	X	.	.	X	X	.	.	X	.	.	X	X2	.	X	X	X2	X	.	794
795 <i>Spiraea</i> L.*	Bridal Wreath, Spirea	<i>Spirée</i>	<i>Spierstrauch</i>	795	X2	X	.	.	.	X6	.	.	X	.	X	.	795
796 <i>Stachys</i> L.*	Woundwort	<i>Epiaire</i>	<i>Ziest</i>	796	X1	X	X	.	X	.	796	
797 <i>Stachyurus</i> Sieb. et Zucc.	<i>Stachyurus</i>	<i>Stachyurus</i>	<i>Stachyurus</i>	797	X2	X	X	.	X	.	797	
798 <i>Staphylea</i> L.	Bladder Nut	<i>Staphylier</i>	<i>Pimpernuss</i>	798	X2	X	X	.	X	.	798	
799 <i>Stephanandra</i> Sieb. et Zucc.	<i>Stephanandra</i>	<i>Stephanandra</i>	<i>Kranzspiere</i>	799	X2	X	X	.	X	.	799	
800 <i>Stevia rebaudiana</i> (Bertoni) Hemsl.*	"Caa-ehe," "Azuca-caa"	<i>Stevia</i>	<i>Stevia</i>	800	X	.	.	.	X1	.	.	X	.	X	.	800	
801 <i>Stewartia</i> L.*	<i>Stewartia</i>	<i>Stewartia</i>	<i>Scheinkamelie</i>	801	X2	X	X	.	X	.	801	
802 <i>Stokesia</i> L'Hér.	Stocke's Aster	<i>Stokesia</i>	<i>Stokesia</i>	802	X1	X	X	.	X	.	802	
803 <i>Stranvaesia</i> Lindl.*	<i>Stranvaesia</i>	<i>Stranvaesia</i>	<i>Stranvaesie</i>	803	X2	X	X	.	X	.	803	
804 <i>Strelitzia</i> Ait.	Bird of Paradise Flower	Strelitzia, Oiseau du paradis	Strelitzie, Paradiesvogelblume	804	X	.	.	.	X5	.	.	X	.	X	.	804	
805 <i>Streptocarpus</i> Lindl. [* <i>S. X hybridus</i> Voss]	Streptocarpus, Cape Primrose	<i>Streptocarpus</i>	<i>Drehfrucht</i>	805	X	.	X	X	X	.	X	X	X	.	.	X5	.	X	X	X4	X	.	805
806 <i>Styrax</i> L.	Styrax, Storax, Snowbell	<i>Aliboufier</i>	<i>Storaxbaum</i>	806	X2	X	X	.	X	.	806	
807 <i>Symporicarpos</i> Duham.*	Snowberry	<i>Symphorine</i>	<i>Schneebiere</i>	807	X2	X	X	.	X	.	807	
808 <i>Syringa</i> L.*	Lilac	Lilas	<i>Flieder</i>	808	X2	X	X	X	.	X	.	808
809 <i>Syringa vulgaris</i> L.	Common Lilac	Lilas	<i>Flieder</i>	809	+	X	.	.	X6	.	+	X	.	X	.	809	
810 <i>Tagetes</i> L.	Marigold	Tagète, Oeillet d'Inde, Rose d'Inde	<i>Sammetblume</i>	810	(X)	X	.	.	X5	.	.	X	.	X	.	810	

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA
811 Tamarix L.*	Tamarisk	Tamaris	Tamariske	811	X2	X	X	.	X	.	811	
812 Taxales	Taxads	Taxales	Eibengewächse	812	X	X	X	.	X	.	812	
813 Taxus L.	Yew	If	Eibe	813	+	X	.	.	.	X6	.	X	.	X	.	813	
814 Tecoma* (Campsis Lour.)	Trumpet Flower	Bignonia, Jasmin de Virginie	Trompetenblume, Trompetenwinde	814	X2	X	X	.	X	.	814	
815 Teucrium chamaedrys L.*	Wall Germander	Germandrée petit-chêne	Edelgamander	815	X1	X	X	.	X	.	815	
816 Teucrium fruticans L.*	Tree Germander	Germandrée ligneuse	-	816	X2	X	X	.	X	.	816	
817 Thalictrum L.*	Meadow Rue	Pigamon	Wiesenraute	817	X1	X	X	.	X	.	817	
818 Thea sinensis L.*	Tea	Théier	Tee	818	X	.	.	.	+	.	X	.	X	X	818	
819 Thuja L.*	Thuja	Thuja	Lebensbaum	819	.	.	.	X	X1	.	X	+	X	X	.	X	.	819
820 *Thuja orientalis L.*	Chinese Arborvitae	Thuya d'Orient	Orientalischer Lebensbaum	820	.	.	.	+	+	.	+	X	.	.	X6	.	X	.	X	.	820	
821 Tiarella L.*	Foam Flower	Tiarella	Schaumblüte	821	X1	X	X	.	X	.	821	
822 Tilia L.	Lime	Tilleul	Linde	822	X2	X	X	.	X	.	822	
823 Tillandsia L.*	Tillandsia	Tillandsia, Fille de l'air	Tillandsia	823	+*	X	.	.	.	X5	.	+*	X	.	X	.	823
824 Trachelium caeruleum L.	Throatwort	Trachélie bleue	Blaues Halskraut	824	X	.	.	.	X5	.	.	X	.	X	.	824
825 Tradescantia L.*	Spider Wort	Tradescantia, Misère	Dreimasterblume	825	X1	X	X	.	X	.	825	
826 Tricyrtis Wall.	Toad-lily	Tricyrtis	Krötenlilie	826	X	.	.	.	X5	.	.	X	.	X	.	826
827 Trifolium L.	Clover	Trèfle	Klee	827	X	.	.	X	.	.	X	.	X	.	827	
828 *Trifolium alexandrinum L.	Berseem Clover	Trèfle d'Alexandrie	Alexandriner Klee	828	.	.	.	X	.	.	X	.	X	+	.	.	X1	X	.	X	.	828
829 Trifolium berytheum Boiss.	-	-	-	829	X	.	X	+	.	.	X	.	X	.	829		
830 *Trifolium hybridum L.	Alsike Clover	Trèfle hybride	Schwedenklee	830	.	.	.	X	X	.	X	.	+	.	.	.	X	X1	X	X	830	
831 *Trifolium incarnatum L.	Crimson Clover	Trèfle incarnat	Inkarnatklee	831	.	.	.	X	.	.	X	.	+	.	.	.	X	.	X	.	831	
832 *Trifolium pratense L.	Red Clover	Trèfle violet	Rotklee	832	X	.	X	X	X	(X)	X	X	.	+	X4	.	X1	X	X1	X	832	
833 *Trifolium repens L.*	White Clover	Trèfle blanc	Weissklee	833	X	.	X	X	X	.	X	X	X	+	X4	.	X1	X	X1	X	833	
834 *Trifolium resupinatum L.*	Persian Clover	Trèfle de Perse	Persischer Klee	834	.	.	.	X	.	.	X	.	+	.	.	.	X	.	X	X	834	
835 *Trifolium subterraneum L.	Subterranean Clover	Trèfle souterrain	Bodenfrüchtiger Klee	835	.	.	.	X	.	.	X	.	X	+	.	.	X	.	X	X	835	
836 *Trigonella foenum-graecum L.	Fenugreek	Fenugrec	Bockshorn Klee, Griechisch-Heu	836	X	X	X	.	X	.	836	
837 *Trisetum flavescens (L.) Beauv.*	Golden Oatgrass	Avoine jaunâtre	Goldhafer	837	.	.	.	X	.	.	X	X	.	X	.	837	
838 X Triticale [Triticum turgidosecale; X triticosecale Wittmack]	Triticale	Triticale	Triticale	838	X	.	X	X	.	.	X	X	.	X	.	.	(X1)	X	.	X	X	838
839 Triticum L.*	Wheat	Blé	Weizen	839	X	X	.	X	.	.	X	.	X	.	X	X	839

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
840 * <i>Triticum aestivum</i> L. emend. Fiori et Paol. [<i>T. aestivum</i> L. ssp. <i>vulgare</i> (Vill., Host) Mac Kay]*	Wheat, Soft Wheat, Bread Wheat	Blé tendre, Froment	Weichweizen	840	X	.	X	X	X	X	+	X	X	X	+	X1	.	X	X	X1	X	+	840	
841 * <i>Triticum durum</i> Desf.*	Durum Wheat, Macaroni Wheat, Hard Wheat	Blé dur	Hartweizen	841	X	.	.	X	X	X	X	+	X	.	X	+	.	.	X	X	X1	X	+	841
842 <i>Triticum spelta</i> L.*	Spelt	Epeautre	Spelz	842	X	.	X	X	.	.	.	+	X	.	.	+	.	.	X	.	X	.	842	
843 <i>Tritonia</i> Ker-Gawl.*	<i>Tritonia</i> , Montbretia	Monbretia	Tritonia, Montbretie	843	X	.	.	.	X5	.	.	X	.	X	.	843	
844 <i>Trollius</i> L.*	Globe Flower	Trolle	Trollblume	844	X1	X	X	.	X	.	844	
845 * <i>Tropaeolum majus</i> L.	Garden Nasturtium, Grande capucine Indian Cress	Grosse Garten-kresse	Grosse Garten-kresse	845	X	.	.	.	X5	.	.	X	.	X	.	845	
846 <i>Tulipa</i> L.	Tulip	Tulipe	Tulpe	846	X	.	.	.	X	.	X	.	X	.	.	.	X5	.	X	X	.	X	.	846
847 <i>Ulex</i> L.	Gorse	Ajonc	Stechginster	847	X2	X	X	.	X	.	847	
848 <i>Ulmus</i> L.	Elm	Orme	Ulme	848	.	.	.	X	.	.	.	X2	X	X	X	.	X	.	848	

VACCINIUM*

<u>Fruit Crops/Plantes fruitières/Obstpflanzen</u>																						
849 <i>Vaccinium</i> spec.	Bilberry, Whortle- berry, Cranberry Cowberry	Airelle, Myrtille	Heidelbeere, Preiselbeere, Moosbeere	849	X	X	X3	X	.	849
850 <i>Vaccinium-Corymbosum-Hybridum</i>	Blueberry	Myrtille	Kulturheidelbeere	850	.	.	.	X	.	.	.	X	X	+	X	.	850
851 <i>Vaccinium myrtillus</i> L.	Bilberry, Whortle- berry, Blueberry	Myrtille	Heidelbeere	851	X3	.	.	X	X	+	X	.	851
852 <i>Vaccinium vitis-idaea</i> L.*	Cowberry, Mountain Airelle rouge Cranberry	Airelle rouge	Preiselbeere	852	.	.	.	X	.	.	.	X	X	+	X	.	852

Ornamental Plants/Plantes ornementales/Zierpflanzen

853 <i>Vaccinium</i> L.	-	-	-	853	X2	X	X	.	X	.	853			
854 * <i>Valerianella locusta</i> (L.) Laterrade* [<i>V. locusta</i> et <i>eriocarpa</i>]	Cornsalad, Lamb's Lettuce	Mâche, Doucette	Feldsalat	854	.	.	X	X	.	.	X	.	X	.	.	.	X	X	.	X	.	854		
855 <i>Vanda Jones</i> *	Vanda	Vanda	Vanda	855	+	+	.	X	.	+	.	X5	.	+	X	.	X	.	855	
856 <i>Veratrum</i> L.*	False Hellebore	Vétratre	Germer, Nieswurz	856	X1	X	X	.	X	.	X	.	856	
857 <i>Verbascum</i> L.	Mullein	Molène	Königsckerze	857	X1	X	X	.	X	.	X	.	857	
858 <i>Verbena</i> L.*	Vervain	Verveine	Verbene, Eisenkraut	858	X	.	.	.	X5	.	X	.	X	.	X	.	858	
859 <i>Veronica</i> L.*	Speedwell	Véronique	Ehrenpreis	859	X1	X	.	.	.	X5	.	X	.	X	.	X	.	859
860 <i>Viburnum</i> L.*	Snowball Tree	Viorne	Schneeball	860	X2	X	X	.	X	.	X	.	860	
861 * <i>Vicia articulata</i> Hornem.*	One-flowered Vetch	Vesce	Wicklinse	861	.	.	.	X	.	.	X	X	.	X	.	X	.	X	.	861
862 * <i>Vicia faba</i> L.* [V. faba L. sensu lato]	Broad Bean, Horse Bean, Field Bean, Tick Bean	Fève, Féverole	Ackerbohne, Dicke Bohne (Puffbohne)	862	+	.	.	X	+	X	.	X	X	.	.	X	X1	.	X	X	+	X	.	862

BE CA CH DE DK ES FR GB HU IE IL IT JP MX NL NZ SE US ZA

<u>Latine</u>	<u>English</u>	<u>Français</u>	<u>Deutsch</u>	BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		
863 * <i>Vicia faba</i> L. var. <i>major</i> Harz [<i>V. faba</i> L.]	Broad Bean, Horse Bean	Fève	Dicke Bohne (Puffbohne)	863	X	.	+	X	+	.	+	X	.	X	+	+	.	+	X	X2	X	.	863	
864 * <i>Vicia faba</i> L. var. <i>minor</i> Harz [<i>V. faba</i> L. <i>partim</i>]	Field Bean, Tick Bean	Féverole	Ackerbohne	864	X	.	+	X	+	.	+	X	X	.	+	+	.	+	X	X1	X	.	864	
865 * <i>Vicia pannonica</i> Crantz	Hungarian Vetch	Vesce de Pannonie	Pannonische Wicke	865	.	-	.	X	.	.	.	X	X	.	X	.	865		
866 * <i>Vicia sativa</i> L.*	Common Vetch	Vesce commune	Saatwicke	866	.	-	.	X	X	X	.	X	.	X	.	.	.	X	X	X1	X	.	866	
867 * <i>Vicia sepium</i> L.	Bush Vetch, Hedge Vetch	Vesce des haies	Zaunwicke	867	.	-	.	X	.	.	.	X	X	.	X	.	867		
868 * <i>Vicia villosa</i> Roth*	Hairy Vetch	Vesce velue	Zottelwicke	868	.	-	.	X	.	.	.	X	X	X1	X	.	868		
869 * <i>Vigna unguiculata</i> (L.) Walp.* [<i>V. sinensis</i> (L.) Savi ex Hassk.]	Cowpea	Dolique de Chine	Catjangbohne, Spargelbohne, Augenbohne	869	.	-	X	.	.	.	X1	.	X	.	X	X	869		
870 <i>Vinca</i> L.*	Periwinkle	Pervenche	Immergrün	870	.	-	X	.	.	.	X5	.	X	.	X	.	870		
871 <i>Vinca major</i> L.	Larger Periwinkle	Grande pervenche	Immergrün, Singrün	871	.	-	X2	X	.	.	+	.	.	X	.	X	.	871	
872 * <i>Vinca minor</i> L.	Lesser Periwinkle	Petite pervenche	Immergrün	872	.	-	X2	X	.	.	+	.	.	X	.	X	.	872	
873 <i>Viola</i> L.*	Violet, Pansy	Violette, Pensée	Veilchen, Stiefmütterchen	873	.	-	X1	X	.	.	X5	.	X	.	X	.	873		
874 <i>Vitis</i> L.*	Vine	Vigne	Rebe	874	.	-	.	X*	X*	.	.	X	X2	X	.	.	X	X3	.	X	.	X	X	874
875 <i>Vitis vinifera</i> L.	Vine	Vigne	Rebe	875	.	-	.	+	+	.	.	+	+	X	.	X	+	+	.	X	.	X	+	875
876 <i>Vriesea Lindl. corr. Beer*</i>	Vriesea	Vriesea	Vriesea	876	+*	X	.	.	.	X5	.	+*	X	.	X	.	876	
877 * <i>Vriesea splendens</i> (Brongn.) Lem.*	Vriesea	Vriesea	Vriesea	877	+	.	.	X	.	.	.	X	.	.	.	+	.	+	X	.	X	.	877	
878 X <i>Vuylstekeara</i> hort.*	Vuylstekeara	Vuylstekeara	Vuylstekeara	878	+	.	.	X	.	.	+	.	X	.	+	.	.	+	X	.	X	.	878	
879 <i>Wasabia japonica</i> Matsum.	Wasabia	Wasabia	Wasabia	879	.	-	X	.	.	.	X2	.	X	.	X	.	879		
880 <i>Weigela Thunb.*</i> (<i>Diervilla</i> Mill.)	Diervilla	Weigela	Weigelie	880	.	-	X	X2	X	.	.	X6	.	X	.	X	.	880	
881 <i>Wisteria Nutt.*</i>	Wisteria	Glycine	Glyzine, Wistarie	881	.	-	X2	X	.	.	X6	.	X	.	X	.	881		
882 <i>Yucca</i> L.* (excl. <i>Y. aloifolia</i> L.*, <i>Y. baccata</i> Torr.*; <i>Y. whipplei</i> Torr.*)	Yucca	Yucca	Palmilie	882	.	-	X2	X	X	.	X	.	882		
883 <i>Zantedeschia Spreng.*</i>	Calla, Arum-lily	Calla	Zantedeschia, Kalla	883	.	-	X	.	.	.	X5	.	X	.	X	.	883		
884 * <i>Zea mays</i> L.	Maize	Maïs	Mais	884	X	.	X	X	X	(X)	X	X*	X	.	X	X	X1	.	X	X	X*	X	884	
885 <i>Zelkova Spach*</i>	Zelkova	Orme du Caucase	Zelkove	885	.	-	X2	X	X	.	X	.	X	.	885
886 <i>Zingiber officinale</i> Rosc.	Ginger	Gingembre	Ingwer	886	.	-	X	.	.	.	X2	.	X	.	X	.	X	.	886
887 * <i>Zinnia elegans</i> Jacq.	Youth-and-old-age, <i>Zinnia élégant</i> Youth and Age	Zinnie	Zinnie	887	.	-	X	.	.	.	X5	.	X	.	X	.	X	.	887
888 <i>Zoysia</i> Willd.	Lawn Grass	Zoysia	Zoysia	888	.	-	X	.	.	.	X4	.	X	.	X	.	X	.	888
889 <i>Zygocactus</i> K. Schum.*	Crab Cactus, Christmas Cactus	Cactus de Noël	Weihnachtskaktus	889	.	-	.	.	+*	X*	.	.	(X)	X	.	.	X5	.	X*	X	.	X	.	889
				BE	CA	CH	DE	DK	ES	FR	GB	HU	IE	IL	IT	JP	MX	NL	NZ	SE	US	ZA		

NOTES CLASSIFIED BY STATES

BE/BELGIUM¹Special Notes

Bromeliaceae, Aechmea, Cryptanthus, Guzmania, Neoregelia, Tillandsia, Vriesea: the definition of the protected entities is the following: "Bromeliaceae belonging to the genera and to their mutual hybrids: Bromeliaceae: Aechmea Ruiz et Pav., Cryptanthus Otto et A. Dietr., Guzmania Ruiz et Pav., Neoregelia L.B. Sm., Tillandsia L., Vriesea Lindl."

Ribes L.: the definition of the protected entities is the following: "Currants, gooseberry and hybrids of those species."

Rubus L.: the definition of the protected entities is the following: "Raspberry, blackberry."

CH/SWITZERLAND²Special Notes

Allium cepa L.: protection is limited to long-day varieties.

Dianthus L.: protection is limited to vegetatively propagated varieties.

Gerbera Cass.: protection is limited to vegetatively propagated varieties.

Helianthus annuus L.: ornamental varieties are excluded from protection.

Prunus L. subg. Prunus: the definition of the protected entities is the following: "Prunus (excluding ornamental varieties, including rootstocks) - Plum, quetsch, Japanese plum and other diploid plum varieties."

Ribes L.: the definition of the protected entities is the following: "Ribes (excluding ornamental varieties) - Black currant, red currant, gooseberry and hybrids".

Rosa L.: protection is limited to ornamental varieties.

Rubus L.: the definition of the protected entities is the following: "Rubus (excluding ornamental varieties) - Raspberry, blackberry and hybrids".

Vitis L.: ornamental varieties are excluded from protection.

DE/GERMANY (FEDERAL REPUBLIC OF)Special Notes

Epiphyllopsis Berger, Zygocactus K. Schum.: these genera are considered as included in Rhipsalidopsis Britt. et Rose and Schlumbergera Lem., respectively.

Prunus L.: the definition of the protected entities is the following (Fourth Order, of December 14, 1982, Amending the Order of June 26, 1978, Concerning the List of Species Under the Plant Variety Protection Law): "Prunus L. - Cherry, plum, quetsch, excluding ornamental varieties."

Ribes L.: the definition of the protected entities is the following (Order of June 26, 1978): "Currants [Johannisbeere], gooseberry [Stachelbeere], excluding ornamental varieties."

¹ Source: Royal Decree of February 10, 1983, Fixing the Plant Species for Which a New Plant Variety Certificate may be Delivered and Fixing the Duration of Protection for Those Species.

² Source: Ordinance of May 11, 1977, on Plant Variety Protection - Amendment of February 28, 1983.

Rubus L.: the definition of the protected entities is the following (ibid.): "Blackberry, raspberry, excluding ornamental varieties."

Vitis L.: ornamental varieties are excluded from protection (ibid.).

DK/DENMARK¹

General Notes

Protected taxa defined by genera: it is stated for the following genera, identified by the figure 1 in the main table, that all species are protected: Agrostis, Cydonia, Festuca, Lolium, Poa, Thuja. Concerning Cydonia, see also the special note below.

Rootstocks of fruit crops: rootstocks may be protected in the case of the following fruit crops, identified by the figure 2 in the main table: Malus, Prunus avium, P. cerasus, P. domestica. Their protection is not provided for in the case of the following woody fruit crops, identified by the figure 3 (it being understood that grafting is not in use for some of them): Cydonia, Pyrus, Ribes, Rubus, Vaccinium. Concerning Cydonia, see the special note below.

Special Notes

Brassica rapa L. var. rapa (L.) Thell.: the definition of the protected entities is the following:

- (i) Brassica rapa L. var. rapa (L.) Thell. - majroe (common name more particularly applicable to early garden turnips);
- (ii) Brassica rapa L. var. rapifera - turnips (common name more particularly applicable to fodder turnips).

The combination of these two entries corresponds to what the majority of States designate by the name Brassica rapa var. rapa. It is to be noted that certain works use "var. rapifera" as if it were a synonym of "var. rapa."

Cydonia Mill.: it is stated that all species may be protected; protection of rootstocks is not provided for.

Epiphyllopsis Berger, Rhipsalidopsis Britt. et Rose, Schlumbergera Lem., Zygocactus K. Schum.: the definition of the protected taxon is the following (Order of the Ministry of Agriculture No. 436 of August 26, 1981, Concerning the Protection of the Rights of the Breeders of Novelties of Zygocactus K. Schum., Schlumbergera Lem., Rhipsalidopsis Britt. et Rose, Epiphyllopsis Berger ([literally: cactus with jointed stems]) and their Hybrids): "Zygocactus K. Schum., Schlumbergera Lem., Rhipsalidopsis Britt. et Rose, Epiphyllopsis Berger ([literally: cactus with jointed stems], comprising [literally: November] and Christmas Cactus, including Easter and [literally: Whitsun] Cactus) and their hybrids."

Pelargonium L'Hér. ex Ait.: the definition of the protected taxon is the following: "Pelargonium L'Hér. (including P. X domesticum L.H. Bail.; P. X hortorum L.H. Bail. and P. X peltatum (L.) Ait.) - pelargonium."

GB/UNITED KINGDOM

General Notes

Legal form of the extension of protection: protection is extended to a taxon by means of statutory instruments entitled "The Plant Breeders' Rights ([designation of the purpose of the instrument]) Scheme [year]" (example: "The Plant Breeders' Rights (Barley) Scheme 1965"). There is now a tendency to establish instruments relating to groups of plants. Thus, the aforementioned instrument has been repealed by "The Plant Breeders' Rights (Cereals) Scheme 1980," which states by name the protected cereals.

¹ Unless otherwise indicated, the source is the Order of the Ministry of Agriculture No. 386 of July 24, 1975, on Plant Variety Protection (List of Species).

Definition of the protected entity: the precise definition of what may be protected is in general the following:

- in the case of Schemes for individual taxa: "all plant varieties of [common name of the taxon] which conform with the characteristics of cultivated plant varieties of [designation of the rank of the taxon and Latin name thereof]."
- in the case of collective Schemes: "all plant varieties of [collective designation of the group of taxa] which conform with the characteristics of cultivated plant varieties of [designation of the ranks of the taxa concerned and reference to a table containing the list of the Latin names of those taxa and the corresponding common names, if any]."

Herbaceous perennial plants and trees, shrubs and woody climbers: the technique of the collective statutory instruments has been used in particular for two groups of taxa which are identified in the main table because of the limitation of the scope of the Latin names of the taxa deriving from the collective designation:

- (i) the taxa protected under "The Plant Breeders' Rights (Herbaceous Perennials) Scheme 1969" - figure 1: the only varieties which may be protected under that instrument are those which are herbaceous and hardy under the climate of the United Kingdom;
- (ii) the taxa protected under "The Plant Breeders' Rights (Trees, Shrubs and Woody Climbers) Scheme 1969" as amended in 1971 - figure 2: the only varieties which may be protected within a taxon specified under that instrument are varieties of trees, shrubs and woody climbers. Concerning the following species, protection under that instrument has been limited to ornamental varieties by the amendment of 1971: *Prunus L.*, *Pyrus L.*, *Ribes L.*, *Rubus L.*, *Vaccinium L.*

Rootstocks of fruit crops: in the case of woody fruit crops, account is taken of the fact that fruiting varieties and rootstock varieties do not always belong to the same species. In the main table, the "X" indicating that the taxon is protected is placed alongside the fruiting species and is accompanied by the figure 3. The scope of protection of each fruit crop is specified in the following table.

Common names (fruit crops)	Protected taxa	
	Fruiting varieties	Rootstocks
Apple	Species <i>Malus domestica</i> Borkh.	<i>Malus</i> spp.
Cherry	Species <i>Prunus avium</i> L., <i>Prunus cerasus</i> L. and <i>Prunus fruticosa</i> Pall.	<i>Prunus</i> species or varieties of species belonging to the subgenus <i>Cerasus</i> Pers. (genus <i>Cerasus</i> Mill.) and hybrids between any of these, or between species or varieties or hybrids belonging to the subgenus <i>Cerasus</i> Pers. and species or varieties or hybrids belonging to other subgenera, subdivisions or segregates of the genus <i>Prunus</i> L.
Plum	Species <i>Prunus domestica</i> or <i>Prunus cerasifera</i>	<i>Prunus</i> species <i>domestica</i> , <i>Prunus cerasifera</i> or <i>Prunus insititia</i> , including hybrids derived from any two or all of these species.
Damson, Bullace and Mirabelle	Species <i>Prunus insititia</i>	-
Pear	Species <i>Pyrus communis</i>	<i>Pyrus</i> spp.
Gooseberry	<i>Ribes grossularia</i> , <i>Ribes uva-crispa</i>	-
Black Currants	<i>Ribes nigrum</i> , <i>Ribes ussuricense</i> , <i>Ribes diukuscha</i>	-
Raspberry, Raspberry X Blackberry hybrids	<i>Rubus</i>	-

Special Notes

Chrysanthemum L. partim: the reference to the taxon concerned is: "all plant varieties of perennial chrysanthemums which conform with the characteristics of cultivated plant varieties of the genus *Chrysanthemum* of the following species or groups:

Chrysanthemum morifolium Ramatuelle; *C. indicum* auct. non L.;
C. sinense Sabine; *C. chinense* hort.; *C. hortorum* W. Miller;
C. japonense (Makino) Nakai; *C. vestitum* (Hemsley) Stapf;
C. makinoi Matsumura and Nakai; *C. sibiricum* (DC.) Fischer ex Turcz.;
C. zawadskii Herbich and varieties; *C. rubellum* Sealy (*C. erubescens* hort. non Stapf); *C. cuneifolium* Kitamura; *C. okiense* Kitamura;
C. boreale (Makino) Makino; *C. aphrodite* Kitamura; *C. arcticum* auct. non L.; *C. ornatum* Hemsley; *C. koreanum* (*coreanum*) hort.;
C. yezoense Maekawa; Korean chrysanthemums; Konji chrysanthemums and Cascade chrysanthemums."

Brassica rapa L. var. rapa (L.) Thell.: protection has been extended to this taxon under "The Plant Breeders' Rights (Vegetables) (including Field Beans and Field Peas) Scheme 1980," but it is to be noted that turnip is often grouped with the vegetables.

Lupinus L.: this taxon is protected under both statutory instruments mentioned in the paragraph "Herbaceous perennial plants and trees, shrubs and woody climbers."

Oenothera L.: this taxon is protected under "The Plant Breeders' Rights (Herbaceous Perennials) Scheme 1969" and under "The Plant Breeders' Rights (Oil and Fibre Plants) Scheme 1980," the latter not applying to ornamental varieties.

Paeonia L.: this taxon is protected under both statutory instruments mentioned in the paragraph "Herbaceous perennial plants and trees, shrubs and woody climbers."

Zea mays L.: protection does not extend to varieties of sweetcorn and popcorn.

HU/HUNGARYGeneral Notes

Protection is provided for in respect of all genera and species (Article 6(2) of the Law No. II of 1969 on the Protection of Inventions by Patents).

IT/ITALYSpécial Notes

Prunus salicina Lindl.: the definition of the protected entities is the following (Ministerial Decree of August 6, 1983, Concerning the Implementation of Presidential Decree No. 974 of August 12, 1975, Containing the Standards for the Protection of New Plant Varieties) : "Interspecific hybrids between Japanese types and American types from the genus *Prunus*."

JP/JAPANGeneral Notes

The list of protected taxa appears in the implementing regulations to the revised Seeds and Seedlings Law (Cabinet Order No. 391 of December 22, 1978). That list was extended by virtue of a Cabinet Order of October 16, 1981. It is divided into eight groups, identified by the figures 1 to 8 in the main table. The groups bear no titles, but the following may be given:

- Group 1: "agricultural" plants
- Group 2: vegetables
- Group 3: fruit crops
- Group 4: fodder plants
- Group 5: herbaceous ornamental plants
- Group 6: woody ornamental plants
- Group 7: aquatic plants
- Group 8: mushrooms.

Each group is subdivided into genera, species and sub-species. The subdivisions are not identified at all in the main table, because they are readily recognizable in most cases from the Latin names.

The inclusion of the name of a taxon in one of the eight groups has no limitative effect on the scope of the name (for example, the fact that *Camellia L.* is listed in Group 6 does not exclude tea (*Camellia sinensis (L.) O. Kuntze*) from protection). The inclusion in a subdivision of a name denoting a taxon of a lower rank than that of the subdivision concerned also has no limitative effect (for example, the Japanese name equivalent to "cherry, flowering cherry" is mentioned in the subdivision "Genera" of Group 3, but the whole genus *Prunus* --and not the subgenus *Cerasus* only-- is covered).

Special Notes

Brassica napus L., *Brassica rapa L.*: Protection is provided for in respect of Rape (*Brassica napus L. partim*; oilseed rape) and Japanese local types (*Brassica campestris L.*--synonymous with *B. rapa L.*--*partim*; leaf vegetable varieties), and also turnip (*Brassica rapa L.*--including fodder varieties).

NL/NETHERLANDS

General Notes

A special protection regime is provided for in respect of certain taxa--identified by the figure 1 in the main table--by Section 85 of the Seeds and Planting Materials Act: pursuant to that section, reproductive material of a registered variety may only be commercialized, offered for sale or exported by the breeder and by any person who has obtained from the breeder foundation stock suitable for the production of reproductive material.

Special Notes

Bromeliaceae, *Aechmea*, *Cryptanthus*, *Guzmania*, *Neoregelia*, *Tillandsia*, *Vriesea*: the definition of the protected entities is the following (Order of December 15, 1980 (Staatsblad 773) Amending the Plant Breeders' Rights Order of 1975): "Plants of the Bromelia type, provided that they belong to one of the genera mentioned [above] or to a hybrid between them."

Epiphyllopsis Berger, *Rhipsalidopsis Britt. et Rose*, *Schlumbergera Lem.*, *Zygocactus K. Schum.*: the definition of the protected entities is the following (Order of March 19, 1984 (Staatsblad 102) Amending the Plant Breeders' Rights Order of 1975): "Rhipsalidopsis Britt. et Rose (including *Epiphyllopsis Berger*), *Schlumbergera Lem.*, *Zygocactus K. Schum.* - [literally: cactus with jointed stems]."

NZ/NEW ZEALAND

General Notes

New Zealand protects the following (Plant Varieties Act Extension Order 1981 (No. 297)):

"All varieties and species of plants other than fungi, algae, and bacteria."

SE/SWEDENGeneral Notes

The list of protected taxa is divided into two chapters, of which the second is subdivided into three groups, as follows:

- A. Agricultural Crops (figure 1 in the main table)
- B. Horticultural Crops
 - 1 - Vegetables (figure 2)
 - 2 - Fruit Crops (figure 3)
 - 3 - Ornamental Plants (figure 4)

Concerning the fruit crops, protection of rootstocks is provided for in respect of *Malus*, *Prunus*, *Pyrus* and *Ribes*, but not in respect of *Rubus* and *Vaccinium*.

Special Notes

Brassica napus L. var. rapa (L.) Thell.: the protected taxon appears in the group of agricultural crops under the name of "*Brassica rapa L. var. rapifera Metzg. - Rova.*"

Brassica napus L. var. napobrassica (L.) Rchb.: this taxon appears both in the agricultural crops group and in the vegetables group.

Phaseolus vulgaris L.: this taxon appears both in the agricultural crops group and in the vegetables group.

Pisum sativum L.: this taxon appears both in the agricultural crops group and in the vegetables group.

Zea mays L.: this taxon appears both in the agricultural crops group and in the vegetables group.

US/UNITED STATES OF AMERICAGeneral Notes

The United States of America protects:

- (i) all sexually reproduced plant varieties excluding fungi, bacteria and first generation hybrids (Section 42(a) of the Plant Variety Protection Act);
- (ii) all vegetatively propagated plant varieties, including cultivated sports, mutants, hybrids, and newly found seedlings, other than tuber propagated plants [in practice, Irish potato and Jerusalem artichoke] and plants found in an uncultivated state (Section 161 of the General Patent Law, introduced therein by the law commonly known as Plant Patent Law).

The extent to which plant varieties are eligible for protection under the General Patent Law has not yet been judicially determined. The Patent and Trademark Office has, therefore, adopted a case by case procedure for determining eligibility. In general, asexually reproduced varieties not patentable under the Plant Patent Law and sexually reproduced varieties not protectable under the Plant Variety Protection Act may, upon satisfaction of the statutory criteria, be patented under the General Patent Law.

NOTES CLASSIFIED BY TAXA

A botanical nomenclature is not an absolute system, mainly because nature cannot be reduced to such a system. Determining the taxonomic rank which should be given to a certain type of plant, defining the borders of a genus or a species, classifying a species within a genus, all these involve some degree of arbitrary judgement, and thus a risk that different decisions may be taken. This arbitrary element is a source of synonyms, as also is the progress of knowledge when it results in a critical re-examination of earlier decisions.

A list is given below of taxa mentioned in the main table and of their synonyms found mainly in the Diccionario de Plantas Agricolas, in the Dictionary of Gardening and in Zander (see the introduction to this document). Although certain of these synonyms are today no more than curiosities, having fallen into disuse, others still have a definite importance, being used in scientific works and in practice, notably in commerce. Where relevant, the problems arising from nomenclature are briefly explained. Attention is drawn to the fact that it is the responsibility of the competent authorities of States to define with precision what is covered by a particular denomination for the purposes of plant variety protection.

Abelia R. Br.: synonyms with* Linnaea.

Abelmoschus esculentus (L.) Moench: syn.: Hibiscus esculentus L., the latter being stabilized by ISTA.

Abies Mill.: synonyms with Ketcleeria, Larix, Picea, Pinus, Pseudolarix, Pseudotsuga, Tsuga.

Abies sachalinensis (Fr. Schmidt) Mast.: the variety nomorensis has the synonyms A. nemorensis, A. wilsonii.

Abutilon megapotamicum St.-Hil. et Naud.: syn.: A. vexillarium E. Morr.

Abutilon X milleri hort. = A. megapotamicum X A. pictum.

Acacia Mill.: synonyms with Albizia, Leucaena, Mimosa.

Acer L.: certain species have also been grouped into a genus Negundo. A. septemlobum Thunb. is a synonym of Kalopanax septemlobus (Thunb.) Koidz. (K. pictus (Thunb. ex Murray) Nakai (name stabilized by ISTA), Acanthopanax ricinifolius (Sieb. et Zucc.) Seem.).

Achillea L.: synonyms with Anthemis, Tanacetum.

Achimenes-Hybrida: synonyms in the case of the genus Achimenes Pers. with Dicyrta, Dolichoderia, Eucodonia, Gloxinia, Isoloma, Koellikeria, Mandirola, Plectopoma, Scheeria, Trevirana.

Ajantum L.: A. adiantoides (A. hewardia) has the synonym Hewardia adiantoides.

Aechmea Ruiz et Pav.: numerous synonyms, notably with Androlepis, Billbergia, Bromelia, Canistrum, Chevaliera, Echinostachys, Gravisia, Hohenbergia, Hoplophytum, Lamprococcus, Macrochordium, Nicularium, Ortgiesia, Pironneava, Portea, Pothuava, Quesnelia, Streptocalyx, Wittmackia.

Aerides Lour.: see under Orchidaceae. Synonyms with Ascocentrum, Ornithochilus, Rhynchostylis, Saccolabium, Sarcanthus, Vanda.

Aeschynanthus Jack: synonyms with Lysionotus, Trichosporum.

* The expression "synonyms with" means that subdivisions of the taxon concerned have synonyms in the taxa indicated, and vice versa. In the case of the genus Abelia, for instance, a number of species thereof have also been described under the name Linnaea.

Aesculus L.: synonymies with Pavia.

Agaricus L.: synonymies with Pratella, Psalliota.

Ageratum L.: A. corymbosum has the synonym Caelestina ageratooides and A. lasseauxii has the synonym Eupatorium lasseauxii.

Agrostis L.: synonymies with Achnatherum, Aira, Apera, Oryzopsis, Zoysia.

Agrostis gigantea Roth: syn.: A. aiba auct. p.p. non L.

Agrostis stolonifera L.: syn.: A. alba auct. p.p. non L. According to ISTA, this species includes A. palustris Huds.

Agrostis tenuis Sibth.: syn.: A capillaris L. (name stabilized by ISTA), A. vulgaris Willd.

Albizia julibrissin Durazz.: syn.: A. nemu.

Allamanda cathartica L.: syn.: A. aubletii, A. linnaei, Orelia grandiflora. Certain botanical varieties have also been made into species (A. grandiflora Hook., A. henderonii Bull (A. wardleyana), A. nobilis T. Moore, A. schottii Pohl, A. williamsii).

Allium L.: A. fragrans is a synonym of Nothoscordon inodorum.

Allium ascalonicum L.: A. ascalonicum Lour. is a synonym of A. fistulosum L.

Allium bakeri Regel: A. bakeri Hoop. is a synonym of A. fistulosum L.

Allium cepa L.: A. cepa Lour. is a synonym of A. fistulosum L.

Allium fistulosum L.: syn.: A. ascalonicum Lour., A. bakeri Hoop., A. cepa Lour., A. porrum Debeaux.

Allium porrum L.: syn.: A. ampeloprasum porrum. A. porrum Debeaux is a synonym of A. fistulosum L.

Allium sativum L.: A. sativum L. var. ophioscorodon (Link) Döll has the synonyms A. controversum Schrad., A. ophioscorodon Link, A. scorodoprasum Lam.

Allium schoenoprasum L.: syn.: A. sibiricum L. (according to the Diccionario de Plantas Agricolas). The variety sibiricum has also been made into a species under the name A. sibiricum (according to the Dictionary of Gardening).

Allium tuberosum Rottl. ex Spreng.: syn.: A. angulosum Lour. non L., A. chinense Maxim., A. senescens Miq. non L., A. odorum partim (according to the Dictionary of Gardening), A. odorum L. (according to the Diccionario de Plantas Agricolas), A. tuberosum Roxb.

Alnus Mill.: certain species have also been classified in the genus Betula.

Alocasia (Schott) G. Don: synonymies with Arum, Caladium, Colocasia, Cyrtosperma, Schizocasia.

Aloë spec.: synonymies with Apicra, Astroloba, Gasteria, Haworthia, Sansevieria.

Althaea rosea (L.) Cav.: syn.: Alcea rosea L. (name stabilized by ISTA).

Amaranthus tricolor L.: syn.: A. melancholicus L., A. gangeticus L. (according to Zander), A. gangeticus L., A. mangostanus L. (according to the Diccionario de Plantas Agricolas). According to the Dictionary of Gardening, A. tricolor is a botanical variety of A. melancholicus.

Amelanchier Medik.: A. canadensis (L.) Medik. has the synonym Mespilus canadensis L.

Amorphophallus rivieri Durieu: syn.: Hydrosme rivieri (Durieu) Engl., Proteinophallus rivieri.

Ampelopsis hort.: synonymies with Cissus, Parthenocissus, Vitis.

Ananas comosus (L.) Merr.: syn.: Bromelia ananas L., B. comosa L., B. comosa Stickm., A. sativus (Linal.) Schult. f., Ananassa sativa Lindl.

Anchusa angustissima K. Koch: syn.: A. caespitosa hort. non Lam.

Anchusa italicica Retz.: syn.: A. azurea auct. non Mill. according to the tenth edition of Zander, A. azurea Mill. (name stabilized by ISTA) according to the twelfth edition of Zander and ISTA.

Andromeda L.: many species now classified in the genera Arcteria, Cassiope, Chamaedaphne, Enkianthus, Gaultheria, Leucothoë, Lyonia, Oxydendrum, Pernettya, Pieris, Phyllodoce, Vaccinium and Zenobia are still listed and commercialized under the name Andromeda.

Anemone L.: synonymies with Anemonella, Hepatica and Pulsatilla.

Anemone hupehensis Lemoine: A. hupehensis (Lemoine) Lemoine has the synonym A. japonica (Thunb.) Sieb. et Zucc. var. hupehensis Lemoine. Its botanical variety japonica (Thunb.) Bowles et Stearn has the synonyms A. japonica (Thunb.) Sieb. et Zucc. non Houtt. and A. nipponica Merr. A. hupehensis var. tomentosa (Maxim.) Hyl. is a synonym of A. tomentosa (Maxim.) Pe'i (A. vitifolia Buch.-Ham. var. tomentosa (Maxim.) Ulbr.). A.-Japonica-Hybrids is a denomination which according to Zander covers the hybrids of A. hupehensis var. japonica and of A. vitifolia and which has notably the synonym A. X elegans Decne. Concerning A. elegans, the Dictionary of Gardening refers to A. hupehensis.

Anethum graveolens L.: syn.: A. sowa Roxb., Peucedanum graveolens.

Angraecum Bory: see under Orchidaceae. This genus comprises the following sections, which have also been made into genera by certain authors: Aerangis, Angraecum (in the restricted sense), Caliptrichilum, Cyrtorchis, Diaphananthe, Eurychone, Jumellea, Leptocentrum, Microcoelia, Mystacidium, Neofinetia, Tridactyle. In Zander and "Orchid care - A guide to cultivation and breeding" (Walter Richter - Studio Vista, London), Angraecum is considered in the restricted sense. In the Dictionary of Gardening, it is considered in the wide sense. The latter records further synonymies with: Aeonia (Oenia), Aeran-thus, Angraecopsis, Dendrophylax, Listrostachis, Saccolabium.

Annona squamosa L.: syn.: A. asiatica L.

Anthemis L.: synonymies with Achillea, Anacyclus, Chrysanthemum, Cladanthus.

Anthriscus cerefolium (L.) Hoffm.: syn.: Chaerophyllum sativum, Scandix cerefolium L.

Anthurium Schott: synonymies with Philodendron, Pothos, Spathiphyllum.

Aquilegia L.: A. ecalcarata Maxim. is a synonym of Semiaquilegia ecalcarata (Maxim.) Sprague et Hutchins.

Arachis hypogaea L.: syn.: A. nambyquarae Hoehne.

Aralia elata (Miq.) Seem.: syn.: Dimorphanthus elatus Miq., D. mandshuricus (Maxim.) Maxim. et Rupr., A. mandshurica Maxim., A. chinensis L. var. mandshurica (Maxim.) Rehd.

Arbutus L.: synonymies with Arctostaphylos (Arbutus uva-ursi L. and Arctostaphylos uva-ursi (L.) Spreng.) and Pernettya (A. furiens and P. furiens).

Arctium lappa L.: syn.: Lappa major Gaertn.

Arctostaphylos Adans.: synonymies with Arbutus, Arctous, Mairrania, Uva-ursi.

Ardisia crispa A. DC.: syn.: Bladhia crispa Thunb. According to the Dictionary of Gardening, A. crispa has the synonyms A. crenata, A. crenulata, A. elegans. According to Zander, A. crenata Sims (A. crenulata Lodd.) is not A. crispa (Thunb.) A. DC. A. crenata Sims has been stabilized by ISTA.

Armeria (DC.) Willd.: synonymies with Statice.

Armoracia rusticana Gaertn., Mey. et Scherb.: syn.: A. lapathifolia Gilib., A. sativa Bernh., Cochlearia armoracia L., Raphanis magna Moench.

Aronia Medik.: synonymies with *Mespilus*, *Pyrus*, *Sorbus*.

Arrhenatherum elatius (L.) P. Beauv. ex J. et C. Presl: syn.: *A. avenaceum* Beauv., *Avena elatior* L.

Artemisia L.: *A. laxa* (Lam.) Fritsch has the synonym *Absinthium laxum* Lam.

Asclepias L.: synonymies with *Cynanchum*, *Gomphocarpus*, *Hoya*, *Xysmalobium*.

Ascocentrum Schlechter: see under *Orchidaceae*. Synonymies with *Saccolabium*, a genus of which *Ascocentrum* is a section when it is taken in the wide sense.

Asparagus plumosus Bak.: syn.: *A. setaceus* (Kunth) Jessop (name stabilized by ISTA), *Asparagopsis setacea* Kunth.

Aspidistra elatior Bl.: syn.: *A. lurida* hort. non Ker-Gawl., *A. punctata*.

Aster L.: synonymies recorded in Zander with *Bellidiastrum*, *Calimeris* (*Kalimeris*), *Callistephus*, *Crinitaria*, *Felicia*, *Lynosyris*, *Microglossa*. According to the Dictionary of Gardening, "many attempts have been made to separate groups of this large genus as distinct genera and some have gained a recognized place, but the following seems scarcely distinct enough to warrant separation and are here regarded as forming part of the genus *Aster*: *Bellidiastrum*, *Calimeris*, *Doellingeria*, *Eucephalus*, *Galatella*, *Ionactis*, *Leucelene*, *Machae-ranthera*, *Oreostemma*, *Xylorrhiza*." Synonymies with the following genera have also been recorded in the Dictionary of Gardening: *Biota*, *Boltonia*, *Diplopappus*, *Erigeron*, *Inula*.

Astilbe Buch.-Ham. ex D. Don: synonymies with *Hoteia*, *Spiraea*.

Aulax spec.: synonymies with *Protea*.

Avena L.: synonymies with *Arrhenatherum*, *Avenula*, *Helictotrichon*, *Trisetum*.

Avena nuda L.: *A. strigosa* Schreb. is a synonym of *A. nuda* L. ssp. *nuda* (*A. strigosa* Schreb.) ssp. *strigosa* (Schreb.) Mansf.).

Babiana stricta (Ait.) Ker-Gawl.: the botanical variety *sulphurea* has also been named *Gladiolus sulphureus* and *G. plicatus*.

Belamcanda chinensis (L.) DC.: syn.: *Pardanthus chinensis* (L.) Ker-Gawl., *Gemmungia chinensis* (L.) O. Kuntze, *B. punctata* Moench, *Ixia chinensis* L.

Benincasa hispida (Thunb.) Cogn.: syn.: *B. cerifera* Savi, *Cucurbita hispida* Thunb., *C. pepo* Lour. and, according to Zander, *Lagenaria siceraria* (Mol.) Standl. var. *hispida* (Thunb.) Hara.

Berberis L.: The mahonias, with pinnate leaves, have been separated from *berberis*, with entire leaves, but can still be found under the name *berberis*.

Bergenia Moench: synonymies with *Megasea*, *Saxifraga*.

Beta vulgaris L. ssp. *vulgaris* var. *vulgaris*: syn.: *B. cyclo* L.

Betula L.: certain species now form the genus *Alnus*.

Bletilla Rchb. f.: see under *Orchidaceae*. Synonymies with *Arethusa*, *Bletia*. *B. striata* has also been named *Cymbidium hyacinthinum*.

Boltonia asteroides (L.) L'Hér.: syn. *B. glastifolia* (Hill) L'Hér. *B. lati-squama* A. Gray is a synonym of *B. asteroides* var. *latisquama* (A. Gray) Cronq.

Bougainvillea spectabilis Willd.: syn.: *Josepha augusta*. According to the Dictionary of Gardening, forms of this species have also been named *B. bracteata*, *B. brasiliensis*, *B. peruviana*, *B. splendens*. In Zander, *B. peruviana* Humb. et Bonpl. is considered a species. The variety 'Mrs Butt' has also been classified in a species *B. buttiana* (cf. *Encyclopédie des plantes d'appartement* - M. Schubert and R. Herwig - Denoël).

Brassavola R. Br.: see under *Orchidaceae*. Synonymies with *Epidendrum*, *Laelia*, *Rhyncholaelia*.

Brassica juncea (L.) Czern. et Coss. in Czern.: syn.: B. besseriana Andr., B. integrifolia (West.) Rupr., B. japonica Sieb., Sinapis integrifolia West., Sinapis juncea L.

Brassica napus L. var. napobrassica (L.) Rchb.: syn.: B. campestris L. var. napobrassica DC., B. napo-brassica Mill.

Brassica napus L. ssp. oleifera (Metzg.) Sinsk: further synonym: B. napus L. var. napus.

Brassica nigra (L.) W. Koch: syn.: B. juncea Sickenb., Sinapis nigra L.

Brassica pekinensis (Lour.) Rupr.: syn.: B. cernua (Thunb. ex Murray) Forb. et Hemsl., B. pétsei L.H. Bail., Sinapis pekinensis Lour. According to the Dictionary of Gardening, this is perhaps a cultivated form of B. integrifolia. The common name "Chinese cabbage" and its equivalents in the other languages are also used for B. chinensis L.

Brassica rapa L.: syn.: B. campestris L.

Bromus arvensis L.: B. arvensis Poll. non L. is a synonym of B. erectus Huds.

Buddleja L.: B. indica Lam. is a synonym of Nicodemia diversifolia Ten.

Buddleja madagascariensis Lam.: syn.: B. heterophylla Lindl.

Caladium bicolor (Ait.) Vent.: syn.: Arum bicolor Ait. The botanical varieties have also been made into species (C. argyrosilium, C. barquinii, C. brongniartii, C. chantinii, C. devosianum, C. leopoldii, C. macrophyllum, C. neumannii, C. regale, C. rubrivenium).

Calanthe R. Br.: see under Orchidaceae. Synonyms with Bletia, Limatodes.

Calathea G.F.W. Mey.: synonymies with Maranta, name under which many Calatheas are commercialized, Phrynum, Thalia. C. allouia is known in certain languages as Topinambour.

Calceolaria L.: the species of the genus Jovellana are frequently included in the genus Calceolaria.

Callicarpa purpurea Juss.: syn.: C. dichotoma (Lour.) K. Koch, C. japonica Thunb. var. angustifolia Sav., C. gracilis, C. koreana.

Callistemon R. Br.: synonymies with Metrosideros.

Callistephus chinensis (L.) Nees: syn.: Aster chinensis L.

Calluna vulgaris (L.) Hull: syn.: Erica vulgaris L.

Camelina sativa (L.) Crantz: syn.: Myagrum sativum L.

Camellia L.: Thea sinensis is frequently included in the genus Camellia under the names Camellia sinensis (L.) O. Kuntze (name stabilized by ISTA), C. thea Link, C. theifera Griff., C. bohea.

Camellia japonica L.: syn.: Thea japonica Baill.

Camellia sasanqua Thunb.: syn.: Thea sasanqua Nois.

Campanula L.: synonymies with Adenophora, Asyneuma, Azorina, Canarina, Edraianthus, Legousia, Phyteuma, Platycodon, Symphyandra, Wahlenbergia.

Campsip Lour.: synonymies with Bignonia, Tecoma.

Cannabis sativa L.: according to Zander the form 'Gigantea' (var. chinensis (Del.) A. DC.) has the synonym C. gigantea hort. According to the Dictionary of Gardening, C. gigantea and C. sativa are synonyms.

Carica papaya L.: syn.: Papaya carica.

Carpinus L.: two species have been separated by certain botanists from the genus Carpinus to form the genus Distegocarpus (C. cordata (D. cordata) and C. japonica (D. carpinus)).

Carya illinoiensis (Wangenh.) C. Koch: syn.: C. oliviformis (Michx.) Nutt., Hicoria pecan (Marsh.) Britt., C. pecan (Marsh.) Engl. et Graebn. non (Walt.) Nutt., Juglans illinoiensis Wangenh.

Caryopteris incana (Thunb. ex Houtt.) Miq.: syn.: C. mastacanthus Schau., C. sinensis (Lour.) Dipp., C. tangutica Maxim., Mastacanthus sinensis.

Cassiope D. Don: synonymies with Harrimanella. The species of this genus have also been classified in Andromeda and may still be commercialized under that name.

Castanea Mill.: synonymies with Castanopsis, Fagus, Fagus-castanea.

Castanea sativa Mill.: syn.: C. vera Gaertn., C. vulgaris Lam., Fagus castanea L.

Cataranthus roseus (L.) G. Don: syn.: Vinca rosea L., Lochnera rosea (L.) Rchb.

Cattleya Lindl.: see under Orchidaceae. Synonymies with Encyclia, Epidendrum, Laelia, Schomburgkia, Sobralia, Sophronitis.

Ceanothus L.: C. asiaticus L. is a synonym of Colubrina asiatica (L.) Brongn.

Cenchrus ciliaris L.: syn.: Pennisetum ciliare (L.) Link.

Centaurea L.: synonymies with Aetheopappus, Amberboa, Cnicus, Rhaponticum.

Ceratostigma plumbaginoides Bunge: syn.: Plumbago larpentae Lindl., Valoradia plumbaginoides.

Chaenomeles Lindl.: the species of this genus have also been classified in the genera Cydonia and Pyrus. Pseudocydonia sinensis Schneid. has the synonyms Chaenomeles sinensis and Cydonia sinensis (Dum.-Cours.) Schneid.

Chamaecyparis Spach: synonymies with Cupressus, Retinispora, Thuyopsis.

Chamaecyparis obtusa (Sieb. et Zucc.) Sieb. et Zucc. ex Endl.: syn.: Retinispora obtusa Sieb. et Zucc., Cupressus obtusa (Sieb. et Zucc.) K. Koch. The botanical variety ericoides also has the synonym Retinispora sanderi.

Cheiranthus cheiri L.: syn.: Erysimum cheiri (L.) Crantz. The botanical variety senonieri also has the synonym C. senonieri.

Chimonanthus Lindl.: synonymies with Calycanthus.

Chrysanthemum L.: synonymies with Anthemis, Balsamita, Chrysoboltonia, Leucanthemum, Matricaria, Parthenium, Plagius, Pyrethrum, Tanacetum. In the stabilization of certain species names, ISTA divided the genus into Chrysanthemum (in the restricted sense), Dentranthema, Leucanthemum, Tanacetum. Dendranthema comprises in particular D. indicum (L.) Desm. and D. morifolium (Ramat.) Tzvelev.

Chrysanthemum cinerariaefolium Bocq.: syn.: C. cinerariifolium (Trev.) Vis., Pyrethrum cinerariifolium Trev., Tanacetum cinerariifolium (Trev.) Schultz Bip. (name stabilized by ISTA).

Chrysanthemum coccineum Willd.: syn.: C. roseum Adam, Pyrethrum roseum (Adam) M.B., P. carneum M.B., Tanacetum coccineum (Willd.) Grierson (name stabilized by ISTA).

Chrysanthemum coronarium L.: syn.: C. segetum Hemsl.

Chrysanthemum maximum Ram.: syn.: Leucanthemum maximum (Ram.) DC. (name stabilized by ISTA). C. maximum hort. is a synonym of C. lacustre Brot. (C. superbum Bergm.).

Chrysanthemum morifolium Ramat.: syn.: C. sinense Sabine, C. vestitum Stapf, Denoranthema morifolium (Ramat.) Tzvelev (name stabilized by ISTA).

Cimicifuga Wernische: synonymies with Actaea, Ptyrosperma.

Cinnamomum camphora (L.) Sieb. var. glaucescens Kamikoti: Synonyms for the species: C. camphora Th. Nees et Eberm., Camphora officinarum, Laurus camphora L.

Cirsium Mill. emend. Scop.: synonymies with Carduus, Cnicus, Ptilostemon.

Cistus L.: synonymies with Fumana, Halimium.

Citrullus lanatus (Thunb.) Matsum. et Nakai: syn.: Cucurbita citrullus L., Momordica lanata Thunb., Citrullus vulgaris Schrad., Cucumis citrullus.

Citrus L.: synonymies with Aurantium, Fortunella, Limonia, Poncirus.

Citrus limon (L.) Burm. f.: syn.: C. limonum Risso, C. medica var. limon L., C. medica var. limonum (Risso) Wight et Arn.

Citrus X paradisi Macfad. = C. maxima X C. sinensis. Syn.: C. decumana var. racemosa (Risso et Poit.) Roem., C. racemosa (Risso et Poit.) Marcov. ex Tanaka.

Citrus reticulata Blanco: syn.: C. nobilis Anar. non Lour., C. deliciosa Ten.

Citrus sinensis (L.) Pers.: syn.: C. sinensis (L.) Osbeck, C. aurantium Lour., C. aurantium var. sinensis L., C. aurantium ssp. sinensis (L.) Engl.

Clematis L.: synonymies with Atragene, Clematopsis.

Clematis heracleifolia DC.: syn.: C. tubulosa Turcz. C. davidiana Decne. ex Verlot is a synonym of C. heracleifolia DC. var. davidiana (Decne. ex Verlot) Hemsl.

Cleome L.: synonymies with Gynandropsis, Peritoma.

Clethra alnifolia L.: the botanical varieties have also been made into species (C. paniculata, C. tomentosa).

Clethra barbinervis Sieb. et Zucc.: syn.: C. canescens.

Clethra tomentosa Lam.: syn.: C. alnifolia pubescens, C. alnifolia tomentosa.

Clivia Linal.: synonymies with Imantophyllum.

Codiaeum variegatum (L.) A. Juss.: syn.: Croton variegatus L. C. pictum (Lodd.) Hook. is a synonym of C. variegatum (L.) A. Juss. var. pictum (Lodd.) Muell. Arg.

Colchicum L.: synonymies with Bulbocodium, Merendera.

Coleus Lour.: synonymies with Germanea, Neomuellera, Plectranthus.

Colocasia Schott: synonymies with Alocasia, Arum, Caladium.

Convallaria L.: certain species of the genera Liriope, Maianthemum, Ophiopogon and Polygonatum have also been classified in the genus Convallaria. C. fruticosa Stickm. is a synonym of Cordyline fruticosa (Stickm.) Chev.

Cordyline Comm.: synonymies with Dracaena. C. fruticosa (Stickm.) Chev. has the synonym Convallaria Stickm.

Coreopsis L.: synonymies with Bidens, Calliopsis, Chrysostemma, Cosmos, Leptosyne.

Cornus L.: in view of variations recorded on the inflorescence, certain botanists have divided the genus Cornus into Afrocania, Chamaepericlymenum, Cornus (in the restricted sense), Cynoxylon, Dendrobenthamia, Macrocarpium. In addition, synonymies with Benthamia.

Cornus alba L.: syn.: C. tatarica Mill. C. sibirica is a synonym of C. alba L. var. sibirica. C. alba Wangenh. non L. is a synonym of C. stolonifera Michx.

Cornus controversa Hemsl.: syn.: C. brachipoda K. Koch non C.A. Mey.

Cornus florida L.: syn.: Cynoxylon floridum.

Cornus kousa (Buerger ex Miq.) Hance: syn.: Dendrobenthamia japonica.

Cornus mas L.: syn.: Macrocarpium mas.

Cornus nuttallii Audub.: syn.: Cynoxylon nuttallii.

Cortaderia Stapf: synonymies with Arundo, Gynerium.

Cosmos Cav.: synonymies with Bidens, Coreopsis, Dahlia.

Cotoneaster (B. Ehrh.) Mea.: synonymies with Mespilus (C. acuminata and M. acuminata), Pyracantha (C. pyracantha and P. coccinea).

Crataegus L.: synonymies with Malus and Pyrus (C. trilobata), Mespilus (C. orientalis and M. odoratissima), Sorbus.

Crocosmia Planch. : synonymies with Montbretia, Tritonia.

Cryptanthus Otto et A. Dietr.: synonymies with Billbergia, Catopsis, Tillandsia.

Cryptomeria japonica Hassk.: the botanical varieties of this species, the only one of its genus, have also been made into species in their own right.

Cryptotaenia japonica Hassk.: syn.: C. canadensis Sieb. et Zucc.

Cucumis L.: synonymies with Citrullus, Cucurbita, Luffa.

Cucurbita L.: synonymies with Benincasa, Citrullus, Cucumis (Cucurbita foetidissima and Cucumis perennis - ornamental species), Lagenaria, Sicana.

Cucurbita maxima Duch.: C. maxima Wight et Arn. is a synonym of C. moschata Duch.

Cucurbita pepo L.: syn.: C. melopepo L., C. ovifera L., C. verrucosa L. C. pepo Lour. is a synonym of Benincasa hispida (Thunb.) Cogn.

X Cupressocyparis Dallim. = Chamaecyparis X Cupressus. The main species is X Cupressocyparis leylandii (Jacks. et Dallim.) Dallim., which is a cross between Chamaecyparis nootkatensis and Cupressus macrocarpa and has the synonym Cupressus leylandii Jacks. et Dallim.

Cupressus arizonica E. Greene : The variety bonita has also been made into a species under the name C. glabra.

Cupressus sempervirens L. : the varieties horizontalis, indica and stricta (or fastigiata) have also been made into species under the names C. horizontalis Mill., C. roylei and C. fastigiata, respectively.

Curtonus H.B.K. : monotypic genus whose species, C. paniculatus (Klatt) N.E. Br., has the synonym Antholyza paniculata Klatt.

Cyclamen persicum Mill.: syn.: C. latifolium Sibth. et Sm., C. aleppicum Fisch., C. puniceum Pomei, C. aleppicum ssp. puniceum (Pomei) Glasau, C. tomentosum, C. albidum.

Cymbidium Sw.: see under Orchidaceae. Synonymies with Cymbidiella, Cyperorchis, Epiacinarum, Grammangis, Grammatophyllum, Iridorchis.

Cyrtanthus L. f.: C. clavatus has also been named Gastronema clavatum.

Cytisus L.: synonymies with Cajanus, Chamaecytisus, Corothamnus, Genista, Laburnum, Lembotropis, Petteria, Sarothamnus, Spartium, Spartocytisus, Teline.

Cytisus fragrans Lam.: syn.: C. supranubius, C. nubigenus, Genista fragrans, G. nubigenus, Spartocytisus supranubius.

Daboecia D. Don: synonymies with Boretta, Menziesia.

Dahlia Cav.: D. zimapanii is a synonym of Cosmos diversifolius.

Daphne L.: synonymies with Funifera, Mezereon, Thymelaea.

Daphne odora Thunb.: syn.: D. japonica Paxt., D. sinensis, D. indica hort.

Delphinium L.: synonymies with Consolida.

Dendrobium Sw.: see under Orchidaceae. Synonymies with Aporum, Callista, Dipodium, Epigeneium, Genyorchis, Latouria.

Dianthus L.: D. noeanus is frequently commercialized under the name Acanthophyllum spinosum.

Dicentra Borkh. emend. Bernh.: synonymies with Diclythra, Diclytra, Dielytra, Fumaria.

Dieffenbachia Schott: synonymies with Caladium.

Diervilla Mill.: modern American authors group under the name Diervilla solely the species of American origin and under the name Weigela the Asiatic species (A. Belot. Dictionnaire des arbres et arbustes de jardin - Bordas). Others group all species under the name Diervilla.

Digitalis L.: D. chinensis is a synonym of Adenosma grandiflorum.

Dioscorea L.: synonymies with Bordera, Helmia, Oncos, Tamus, Testudinaria.

X Doritaenopsis hort.: see under Orchidaceae. Hybrids Doritis X Phalaenopsis.
Syn.: X Doritopsis hort.

Doronicum L.: synonymies with Arnica, Aronicum.

Dracaena Vand. ex L.: syn.: Terminalis. Synonymies with Cordyline and subsidiarily Sansevieria.

Emilia Cass.: synonymies with Cacalia, Senecio.

Enkianthus Lour.: synonymies with Andromeda, Meisteria, Melidora, Rhodora.

Epidendrum L. 1763, non 1753: see under Orchidaceae. Synonymies with Barkeria, Broughtonia, Cattleya, Caularathron, Diacrium, Dinema, Encyclia, Isochilus, Nanodes, Schomburgkia, Seraphyta, Sobralia.

Epiphyllopsis Berger, Rhipsalidopsis Britt. et Rose, Schlumbergera Lem., Zygocactus K. Schum.: the majority of the species of these genera have been classified in the genus Epiphyllum and are still known under that name, which is the correct one for the plants formerly known as Phyllocactus. The genus Epiphyllopsis is not mentioned in the Dictionary of Gardening. Zander refers to Rhipsalidopsis gaertneri (Regel) Lindgr. (Epiphyllum russellianum Hook. var. gaertneri Regel, Schlumbergera gaertneri (Regel) Britt. et Rose, Epiphyllopsis gaertneri (Regel) Berger). The genus Rhipsalidopsis is monotypic according to the Dictionary of Gardening, the species being R. rosea (Lagerh.) Britt. et Rose and having the synonym Rhipsalis rosea Lagerh. According to Zander, this genus also comprises R. gaertneri (Regel) Lindgr. (see above) and R. X graeseri (Werderm.) Moran (R. gaertneri X R. rosea, Rhipsalis X graeseri Werderm., X Rhipsalidopsis graeseri Werderm.). The genus Schlumbergera comprises according to the Dictionary of Gardening S. gaertneri (see above) and S. russelliana (Gardn.) Britt. et Rose (Epiphyllum russellianum Hook.) and according to Zander the latter only. Finally, the genus Zygocactus is monotypic according to the Dictionary of Gardening, the species being Z. truncatus (Haw.) K. Schum. and having the synonyms Epiphyllum truncatum Haw. and--according to Zander--Schlumbergera truncata (Haw.) Moran. In addition Zander has on the one hand separated the cultivated varieties under the name Z.-Hybridi and on the other hand distinguished the following two botanical varieties within the species Z. truncatus:

- var. *altensteinii* (Pfeiff.) Lem. (*Z. altensteinii* (Pfeiff.) K. Schum., *Epiphyllum altensteinii* Pfeiff., *Schlumbergera truncata* var. *altensteinii* (Pfeiff.) Moran)

- var. *truncatus*.

In the twelfth edition of Zander, *Zygocactus* has been included in *Schlumbergera*, the latter having been enriched by two further species: *S. opuntioides* and *S. orssichiana*. The botanical varieties of *Z. truncatus* are no longer mentioned therein.

Eragrostis curvula (Schrad.) Nees: syn.: *Poa curvula* Schrad.

Erica carnea L.: syn.: *E. herbacea* L. The latter name is frequently used for *E. carnea* var. *alba*.

Erica ciliaris L.: the variety *maweana* is also known as *E. maweana*.

Erica X darleyensis Bean = *E. carnea* X *E. mediterranea*. Syn.: *E. hybrida*, *E. mediterranea* hybrida.

Erica lusitanica Rud.: syn.: *E. coconodes*.

Erica mackaiana Bab.: this is probably a hybrid *E. ciliaris* X *E. tetralix*.

Erica mediterranea hort.: syn.: *E. purpurascens* L. The Dictionary of Gardening gives also *E. carnea occidentalis* as a synonym of *E. mediterranea*.

Erica terminalis Salisb.: syn.: *E. stricta* Andr. non Donn ex Willd., *E. corsica*, *E. ramulosa*.

Erica X veitchii Bean = *E. arborea* X *E. lusitanica*.

Erica X watsonii Benth. = *E. ciliaris* X *E. tetralix*.

Erica X williamsii Druce = *E. tetralix* X *E. vagans*.

Erigeron L.: synonymies with *Aster*, *Stenactis*, *Vittadinia*.

Eriobotrya japonica (Thunb.) Lindl.: syn.: *Mespilus japonica*, *Photinia japonica*.

Eucryphia glutinosa (Poepp. et Endl.) Baill.: syn.: *E. pinnatifolia* Gay.

Eucryphia X intermedia Bausch: name proposed for hybrids between *E. glutinosa* and *E. lucida*.

Eucryphia X nymanensis Bausch: name proposed for hybrids between *E. cordifolia* and *E. glutinosa*.

Euphorbia L.: synonymies with *Monadenium*, *Pedilanthus*, *Poinsettia*, *Sarcostemma*.

Euphorbia fulgens Karw.: syn.: *E. jacquiniiiflora* Hook.

Euphorbia-Mili-Hybridi: *E. milii* Desmoulins has the synonym *E. splendens* Boj. ex Hook. Its botanical variety *milii* is also known as *E. bojeri* Hook. *E. hislopiae* N.E. Br. has the synonym *E. milii* var. *hislopiae* (N.E. Br.) Ursch et Leandri.

Euphorbia pulcherrima Willd. ex Klotzsch: syn.: *Poinsettia pulcherrima* (Willd. ex Klotzsch) Grah.

Eustoma russellianum (Hook.) G. Don: syn.: *Lisianthus russelianus* Hook.

Exochorda Lindl.: *E. racemosa* has also been named *Spiraea grandiflora*.

Fagopyrum esculentum Moench.: syn.: *Polygonum fagopyrum* L., *F. sagittatum* Gilib., *F. vulgare* Th. Nees.

Fagus L.: synonymies with *Castanea*, *Nothofagus*.

X Fatshedera Guillaum. = *Fatsia* X *Hedera*.

Festuca L.: F. fluitans L. is a synonym of Glyceria fluitans (L.) R. Br. (name stabilized by ISTA) and F. spicata Pursh. a synonym of Agropyrum spicatum (Pursh.) Scribn. et Smith (name stabilized by ISTA).

Festuca arundinacea Schreb.: syn.: F. elatior L. (according to ISTA), F. elatior L. p.p. (according to Zander).

Festuca ovina L. sensu lato: according to ISTA, this species includes F. tenuifolia Sibth.

Festuca pratensis Huds.: syn.: F. elatior L. (according to the Diccionario de Plantas Agricolas), F. elatior auct. non L. (according to ISTA) and F. elatior L. p.p. (according to Zander).

Festuca rubra L.: syn.: F. heterophylla Lam.

Foeniculum vulgare P. Mill.: syn.: F. foeniculum Karst., F. officinale All. The botanical variety dulce Batt. et Trab. has the synonym F. dulce Mill.

Fortunella Swingle: synonymies with Citrus, Sclerostylis.

Fuchsia magellanica Lam.: syn.: F. macrostemma Ruiz et Pav. The botanical variety 'Riccartonii' has the synonyms F. riccartonii Lebas, F. riccartoniana hort.

Gaillardia Foug.: G. acaulis Pursh is a synonym of Hymenoxys (Pursh) Parker (Actinea acaulis (Pursh) Spreng., Tetraneurus acaulis (Pursh) Greene, Actinea herbacea A. Gray).

Galega L.: G. singapou Buchoz. is a synonym of Tephrosia singapou (Buchoz.) A. Cheval.

Gardenia Ellis: synonymies with Mitriostigma, Randia.

Garrya X thuretii Carr. = G. elliptica X G. pernettya.

X Gaulnettya W.J. Marchant = Gaultheria X Pernettya.

Gaultheria Kalm ex L.: synonymies with Andromeda, Arbutus, Brossaea, Diplycosia, Pernettya, Pieris, Vaccinium.

Genista L.: synonymies with Chamaespartium, Cytisanthus, Cytisus, Echinospartum, Genistella, Pterospartium, Retama, Scorpius, Spartium.

Gentiana L.: synonymies with Crawfurdia, Gentianella, Golownina.

Geranium L.: synonymies with Erodium, Pelargonium.

Geum L.: synonymies with Parageum, Sieversia.

Gladiolus L.: synonymies with Homoglossum, Lapeirousia.

Glycine max (L.) Merrill: syn.: Dolichos soja L., Phaseolus max L., Soja hispida Moench, G. hispida (Moench) Maxim.

Godetia Spach: synonymies with Oenothera.

Gossypium hirsutum L.: the botanical variety punctatum has the synonyms G. religiosum L., G. punctatum Schumach.

Grifola frondosa (Fr.) S.F. Gray: syn.: Grifola frondosa, Polyporus frondosus.

Guzmania Ruiz et Pav.: synonymies with Caraguata, Massangea, Pitcairnia, Puya, Schlumbergia, Vriesea.

Gypsophila L.: synonymies with Banffya, Phrynia.

Halesia J. Ellis ex L.: H. corymbosa is a synonym of Pterostyrax corymbosa.

Hebe Comm. ex Juss.: syn.: Veronica L. sect. Hebe.

Hedera L.: synonymies with Acanthopanax, Kissodendron.

Helianthemum Mill.: synonymies with Fumana, Halimium.

Helianthus L.: synonymies with Harpalium, Rudbeckia.

Helianthus annuus L.: syn.: H. lenticularis Doug.

Helichrysum Mill. corr. Pers.: synonymies with Aphelexis, Gnaphalium, Leucogenes, Ozothamnus, Xeranthemum.

Helleborus niger L.: the sub-species macranthus (Freyn) Schiffn. (vernalis, angustifolius, maximus) has also been made into a species under the name H. macranthus Freyn.

Hemerocallis L.: synonymies with Hosta.

Heuchera L.: synonymies with Heucherella (= Heuchera X Tiarella), Tiarella.

Hibiscus L.: synonymies with Abelmoschus, Althaea, Thespisia.

Hibiscus cannabinus L.: syn.: H. aspera Hook. f.

Hibiscus syriacus L.: syn.: Althaea fruticosa.

Hippeastrum Herb.: synonymies with Amaryllis, Griffinia, Habranthus, Phycella, Sprekelia, Zephyranthes.

Holcus L.: H. odoratus L. is a synonym of Hierochloë odorata (L.) P. Beauv. The species of the genus Sorghum have also been classified in the genus Holcus.

Hordeum vulgare L. sensu lato: H. sativum Jess. is a synonym of H. vulgare L. The subdivisions of this species have also been made into species, as follows:

- Hordeum vulgare L. convar. distichon (L.) Alef.: syn.: H. distichon L., H. zeocriton L.

- Hordeum vulgare L. convar. vulgare: syn.: H. hexastichon L., H. polystichon Haller, H. polystichum Doell, H. tetrastichum Stokes.

Hosta Tratt.: syn.: Funckia Dumort. non Willd., Funkia Spreng. In addition, synonymies with Hemerocallis.

Hypericum L.: synonymies with Androssaemum, Helodes, Webbia.

Iberis L.: I. cappadocica is a synonym of Ptilotrichum cappadocicum.

Ilex L.: I. verticillata (L.) Gray has the synonym Prinos verticillatus L.

Ilex X altaclarensis (Loud.) Dallim. = I. aquifolium X I. perado.

Impatiens L.: synonymies with Balsamina.

Impatiens-Neu-Guinea-Hybriden = I. hawkeri X I. linearifolia.

Inaigofera gerardiana (Wall.) Bak.: syn.: I. dosua Lindl. non D. Don.

Indigofera incarnata (Willd.) Nakai: syn.: I. decora Lindl.

Ipomoea batatas (L.) Poir.: syn.: Batatas edulis, Convolvulus batatas L., I. mammosa Choisy.

Ipomoea tricolor Cav.: syn.: I. violacea L., I. rubro-coerulea Hook., Pharbitis rubro-coerulea (Hook.) Choisy, P. tricolor.

Iris L.: synonymies with Dietes, Gynandriris, Hermodactylus, Moraea, Pardan-
thus, Xiphion.

Ixia L. 1762, non 1753: synonymies with Belamcanda, Lapeirousia, Morphixia, Sparaxis, Tritonia, Wurmea.

Jasminum grandiflorum L.: syn.: J. officinale L. (according to the Diccionario de Plantas Agricolas), J. officinale f. grandiflorum (L.) Kobuski (according to Zander). J. grandiflorum hort. is a synonym of J. officinale L. f. affine Royle ex Lindl. (according to Zander).

Jasminum humile L.: the botanical variety revolutum has also been made into a species under the names J. revolutum Sims, J. reevesii, J. triumphans. J. wallichianum Lindl. has the synonyms J. humile L. f. wallichianum (Lindl.) P.S. Green, J. humile L. var. glabrum (DC.) Kobuski, J. pubigerum D. Don var. glabrum DC.

Jasminum officinale L.: the form affine has the synonyms J. affine Royle ex Lindl., J. grandiflorum hort. non L. J. grandiflorum L. has also been considered a form of J. officinale.

Jasminum X stephanense Lemoine = J. beesianum X J. officinale.

Juglans L.: synonymies with Carya.

Juglans regia L.: syn.: J. duclouxiana Dode.

Juniperus L.: J. drupacea Labill. has the synonym Arceuthos drupacea (Labill.) Ant. et Kotschy. J. ericoides has the synonym Callitris calcarata.

Kalanchoë Adans: synonymies with Bryophyllum, Cotyledon, Kitchingia.

Kalmia L.: K. hirsuta has the synonym Kalmiella hirsuta.

Kerria japonica (L.) DC.: syn.: K. lutea, Corchorus japonica.

Kniphofia Moench: synonymies with Tritonia.

Laburnum Fabr.: synonymies with Cytisus.

Lachenalia Jacq. ex Murr.: synonymies with Phormium, Scilla.

Lactuca sativa L.: The botanical varieties have also been made into species (L. angustana Host, L. capitata Gars., L. intybacea Jacq., L. romana Gars, and L. sativa DC.).

Laelia Lindl.: see under Orchidaceae. Synonymies with Bletia, Brassavola, Cattleya, Neocogniauxia, Schomburkia.

X Laeliocattleya Rolfe: see under Orchidaceae. Hybrids Cattleya X Laelia. Synonym: X Catlaelia hort.

Lagenaria siceraria (Mol.) Standl. var. hispida Hara.: for the opinion of Zander, see Benincasa hispida (Thunb.) Cogn. The species L. siceraria (Mol.) Standl. also has the synonyms Cucurbita lagenaria L., C. siceraria Mol., L. leucantha Rusby, L. vulgaris Ser.

Lantana Mill.: L. selloviana has the synonym Lippia montevidensis.

Larix kaempferi (Lamb.) Carr.: syn.: L. leptolepis (Sieb. et Zucc.) Sieb. ex Gord. - according to Zander and ISTA - and Pseudolarix amabilis - according to the Dictionary of Gardening. According to the latter, it is the L. kaempferi of Sargent which is synonymous with L. leptolepis and with L. japonica.

Lavandula L.: synonymies according to the Diccionario de Plantas Agricolas and Zander:

- L. angustifolia Mill., L. spica L. p.p. [non Cav.], L. officinalis Chaix, L. vera DC.

- L. latifolia (L. f.) Medik., L. spica L. var. latifolia L. f.

Lens culinaris Medik.: syn.: L. esculenta Moench, Ervum lens L.

Lepidium sativum L.: syn.: Nasturtium sativum Medik.

Leptospermum scoparium Forst.: syn.: L. bullatum. L. baccatum is a synonym of L. scoparium or of L. arachnoideum.

Leucospermum R. Br.: L. ellipticum has the synonym Protea formosa.

Leucothoë D. Don: synonymies with Anaromeda, Eubotrys, Lyonia, Oreocallis.

Ligularia Cass.: synonymies with Erythrochaete, Farfugium, Senecio, Tussilago.

Lilium L.: synonymies with Cardiocrinum, Fritillaria, Nomocharis, Notholirion.

Limonium Mill.: syn.: Statice L. p.p., the other part being Armeria.

Linaria Mill.: the genus Linaria is frequently divided into three genera, namely: Cymbalaria, Chaenorhinum, Linaria (in the restricted sense).

Linum usitatissimum L.: syn.: L. crepitans (Boenningh.) Dumort., L. humile Mill., L. humile Planch.

Litchi chinensis Sonn.: syn.: Nephelium litchi, Scytilia chinensis.

Lithospermum L.: synonymies with Buglossoides, Lithodora, Moltkia.

Lobelia L.: synonymies with Haynalda, Isotoma, Monopsis, Pratia, Siphocampylus, Tupa.

Lolium X boucheanum Kunth. = L. multiflorum X L. perenne.

Lolium multiflorum Lam.: syn.: L. italicum A. Braun, L. multiflorum DC.

Lotus spp.: synonymies with Carmichaelia, Tetragonolobus.

Lotus uliginosus Schkuhr: syn.: L. pedunculatus auct. non Cav.

Luffa cylindrica M.J. Roem.: according to Zander, this species is not identical to L. aegyptiaca Mill. (Momordica luffa L., M. cylindrica L.). The Diccionario de Plantas Agricolas and the Dictionary of Gardening consider them to be synonyms.

Lupinus albus L.: syn.: L. hirsutus Eichw. non L. nec Forsk., L. sativus Gaertn., L. varius Gaertn. non L. nec Savi and, according to Zander, L. termis Forsk. The Diccionario de Plantas Agricolas considers the latter as a distinct species.

Lupinus angustifolius L.: syn.: L. varius Savi non L.

Lycaste Lindl.: see under Orchidaceae. Synonymies with Bifrenaria, Colax, Maxillaria, Paphinia.

Lychnis L.: synonymies with Agrostemma, Coronaria, Melandrium, Petrocoptis, Silene, Viscaria.

Lychnis coronaria (L.) Desr.: syn.: L. tomentosa, Coronaria tomentosa A. Br., C. coriacea Schischkin ex Gorschk., Agrostemma coronaria L.

Lycopersicon lycopersicum (L.) Karst, ex Farwell: other synonym: L. esculentum Dunal.

Lycoris Herb.: synonymies with Amaryllis, Nerine, Ungernia.

Magnolia L.: synonymies with Michelia, Talauma.

Mahonia Nutt.: see under Berberis.

Mahonia aquifolium (Pursh) Nutt.: syn.: Berberis aquifolium Pursh. M. pinnata (Lag.) Fedde (M. fascicularis DC.) is considered to be a distinct species by the Dictionary of Gardening and Zander, and to be M. aquifolium 'Fascicularis' in the Dictionnaire des arbres et arbustes de jardin (A. Belot - Bordas).

Mahonia bealei (Fort.) Carr.: syn.: Berberis japonica var. bealei (Fort.) Skeels, B. bealei Fort. The Dictionary of Gardening and Zander make M. japonica (Thunb.) DC. (B. japonica (Thunb.) R. Br.) into a distinct species, the first adding that M. japonica is distributed under the incorrect name M. bealei and vice versa. The Dictionnaire des arbres et arbustes de jardin considers M. bealii to be M. japonica var. bealei.

Mahonia japonica (Thunb.) DC.: see under Mahonia bealei (Fort.) Carr.

Mahonia repens (Lindl.) G. Don: syn.: Berberis repens Lindl.

Malus Mill.: syn.: Pyrus L. partim. Synonymies with Crataegus, Eriolobus.

Malus domestica Borkh.: syn.: M. sylvestris Mill. var. domestica (Borkh.) Mansf., M. pumila var. domestica (Borkh.) Schneid. Most varieties cultivated in Europe belong to this species. M. sylvestris Mill. has the synonyms Pyrus malus L., P. sylvestris S.F. Gray non Moench, M. communis Poir.

Malva L.: synonymies with Callirhoë, Lavatera, Malvastrum, Sphaeralcea.

Maranta L.: synonymies with Alpinia, Calathea, Ctenanthe, Saranthe, Stromanthe.

Matthiola incana (L.) R. Br.: syn.: M. annua.

Medicago falcata L.: see under Medicago sativa L.

Medicago hispida Gaertn.: syn.: M. denticulata Boiss.

Medicago lupulina L.: syn.: M. lupulina Scop.

Medicago sativa L.: according to Zander, this species comprises the following subspecies:

- ssp. caerulea (Less. ex Ledeb.) Schmalh. (M. caerulea Less. ex Ledeb.)
- ssp. falcata (L.) Arcang. (M. falcata L.)
- ssp. falcata X ssp. sativa (M. X varia Martyn)
- ssp. sativa.

Medicago X varia Martyn: see under Medicago sativa L.

Mentha L.: M. requienii Benth. has the synonyms Menthella requienii (Benth.) Pérez., Menthella conica. Synonymies with Pogostemon (M. cablin Blanco and P. cablin (Blanco) Benth. and M. perilloides L. and P. perilloides (L.) Mansf.).

Miltonia Lindl.: see under Orchidaceae. Synonymies with Macrochilus, Odontoglossum, Oncidium.

Mimetes spec.: see under Orothamnus spec.

Momordica charantia L.: syn.: M. muricata Willd. (according to Zander) and M. balsamina Blanco, M. balsamina Descourt. (according to the Diccionario de Plantas Agrícolas). According to the Dictionary of Gardening, the botanical varieties have also been made into species (M. chinensis and M. muricata) and M. marteniensis may also belong to the species in question. M. charantia Descourt. is a synonym of M. balsamina L.

Monstera Adans.: synonymies with Macgravia, Philodendron, Raphiodophora. The species most commonly known as Philodendron is Monstera deliciosa Liebm. (Philodendron pertusum Kunth et Bouché).

Morus L.: M. papyrifera L. is a synonym of Broussonetia papyrifera (L.) Vent. (name stabilized by ISTA) and M. tinctoria L. of Chlorophora tinctoria (L.) Gaud.

Musa L.: synonymies with Ensete.

Musa cavendishii Lamb.: syn.: M. acuminata Colla (name stabilized by ISTA), M. malaccensis Ridl.--according to Zander--, M. sinensis--according to the Dictionary of Gardening--and M. X paradisiaca L. (name stabilized by ISTA), M. X sapientium L.--according to the Diccionario of Plantas Agricolas.

Narcissus L.: synonymies with Corbularia, Hermione.

Nelumbo nucifera Gaertn.: syn.: Nelumbium nelumbo (L.) Druce, N. speciosum Willd.

Neoregelia L.B. Sm.: synonymies with Aregelia and Nidularium, names under which the species of this genus are described in the Dictionary of Gardening, which also records synonymies with Bromelia and Karatas.

Nepeta L.: synonymies with Dracocephalum, Glechoma, Hyptis, Micromeria, Thymus.

Nephrolepis Schott: N. acutifolia has the synonyms Isoloma lanuginosum, Lindsaya lanuginosa.

Nerine Herb.: synonymies with Amaryllis, Lycoris.

Nopalxochia Britt. et Rose: synonymies with Epiphyllum, Phyllocactus.

Nothofagus Bl.: synonymies with Fagus.

Nymphaea L.: synonymies with Nuphar.

X Odontioda hort.: see under Orchidaceae. Hybrids Cochlioda X Odontoglossum.

Odontoglossum H.B.K.: see under Orchidaceae. This genus includes Mesospindium. Synonymies with Cochlioda, Miltonia, Oncidium, Zygopetalum.

Oenanthe javanica (Bl.) DC.: syn.: O. stolonifera Wall.

Oenothera L.: the subgenera have also been made into genera (Anogra, Calylophis, Chyliasmia, Hartmannia, Kneiffia, Lavauxia, Megapterium, Pachylophus, Raimannia, Sphaerostigma, Taraxia). Other synonymies with Godetia, Meriolix, Onagra, Xylopleurum.

Olea europaea L.: the fruiting subspecies europaea has also been made into a species under the name O. sativa Hoffmigg. et Link.

Olearia X haastii Hook. f. = O. avicenniifolia X O. moschata.

Oncidium Sw.: see under Orchidaceae. This genus includes Cyrtochilum and Palumbina. Synonymies with Cymbidium, Epidendrum, Leochilus, Lophiaris, Miltonia, Odontoglossum, Waluewa.

Onobrychis viciifolia Scop.: syn.: Hedysarum onobrychis L., O. sativa Lam.

Orchidaceae Juss.: This very large family is characterized by many synonymies and by easy interspecific and intergeneric hybridizations. This family is specified as protected in several States, whereas others protect certain of its genera. The genera mentioned in the main table are the following: Aërides, Angraecum, Ascocentrum, Bletilla, Brassavola, Calanthe, Cattleya, Cymbidium, Dendrobium, X Doritaenopsis, Epiaendrum, Laelia, X Laeliocattleya, Lycaste, Miltonia, X Odontioda, Odontoglossum, Oncidium, Paphiopedilum, Phalaenopsis, Renanthera, Rhynchostylis, Sophronitis, Vanda, X Vuylstekeara.

Origanum L.: synonymies with Amaracus, Majorana.

Ornithogalum spec.: O. vittatum has also been described as Albuca vittata.

Ornithopus sativus Brot. syn.: O. sativus Link. O. sativus Willk. is a synonym of O. isthmocarpus Coss.

Orothamnus spec.: monotypic genus, the species of which (*O. zeyheri*) has the synonym *Mimetes zeyheri*.

Osmanthus Lour.: synonymies with *Olea*, *Siphonosmanthus*.

Osmanthus heterophyllus (G. Don) P.S. Green: synonym other than those indicated in the main table: *Olea aquifolium* Sieb. et Zucc.

Oxalis L.: *O. sensitiva* is a synonym of *Biophytum sensitivum* (L.) DC. (name stabilized by ISTA).

Paeonia albitlora Pall.: syn.: *P. lactiflora* Pall., *P. chinensis* hort., *P. sinensis* (Sims) hort., *P. edulis sinensis*.

Paeonia officinalis L.: according to Zander, this species includes the subspecies *humilis* (Retz.) Cull. et Heyw., which has the synonyms *P. humilis* Retz., *P. peregrina* var. *humilis* (Retz.) Huth. In the Dictionary of Gardening, *P. banatica*, *P. clusii*, *P. coriacea*, *P. peregrina* are classified as species and it is stated that they are also considered subdivisions of *P. officinalis*.

Paeonia suffruticosa Andr.: syn.: *P. arborea* Donn, *P. moutan* Sims.

Panax ginseng C.A. Mey.: syn.: *P. schingseng* Nees.

Panicum L.: synonymies with *Beckmannia*, *Brachiara*, *Cynodon*, *Digitaria*, *Echinochloa*, *Oplismenus*, *Pennisetum*, *Setaria*, *Sorghum*, *Trichachne*, *Tricholaena*.

Paphiopedilum Pfitz.: see under *Orchidaceae*. Syn.: *Cypripedium* hort. non L.

Paranomus spec.: synonymies with *Nivenia*, *Protea*.

Parrotia C.A. Mey.: *P. jacquemontiana* Decne. has the synonym *Parrotiopsis jacquemontiana* (Decne.) Rehd.

Parthenocissus Planch.: synonymies with *Ampelopsis*, *Cissus*, *Vitis*.

Passiflora edulis Sims: syn.: *P. laurifolia* F. Vill.

Pastinaca sativa L.: syn.: *Peucedanum sativum*.

Pelargonium L'Hér. ex Ait.: synonymies with *Geranium*.

Pelargonium-Grandiflorum-Hybridai: syn.: *P. X domesticum* L.H. Bailey, *P. grandiflorum* hort. non Willd.

Pelargonium-Peltatum-Hybridai: syn.: *P. peltatum* hort. non (L.) L'Hér. ex Ait.

Pelargonium-Zonale-Hybridai: syn.: *P. X hortorum* L.H. Bailey, *P. zonale* hort. non (L.) L'Hér. ex Ait.

Pennisetum typhoides (Burm. f.) Stapf et C.E. Hubb.: syn.: *P. glaucum* (L.) R. Br. emend. Stuntz (name stabilized by ISTA), *Setaria glauca* (L.) P. Beauv., *P. typhoideum* L.C. Rich., *P. americanum* (L.) Leeke, *P. americanum* (L.) K. Schum. ssp. *typhoideum* (L.C. Rich.) Maire et Zeiller. The Diccionario de Plantas Agricolas cites *P. typhoides* (Burm. f.) L.C. Rich. with the synonyms *Alopecurus typhoides* Burm. f., *Panicum glaucum* L., *Penicillaria spicata* Beauv., *Pennisetum spicatum* Roem. et Schult., *Pennisetum typhoideum* L.

Penstemon Schmidel: synonymies with *Chelone*.

Perilla L.: *P. frutescens* (L.) Britt. has the synonyms *Ocymum frutescens* L., *P. ocymoides* L., *P. arguta* Benth. The subdivision 'Nankinensis' has the synonyms var. *crispa* (Thunb.) Decne. ex L.H. Bailey, *Ocymum crispum* Thunb., *P. nankinensis* (Lour.) Decne.

Pernettya Gaudich.: synonymies with *Arbutus*, *Gaultheria*.

Persea americana P. Mill.: syn.: *P. gratissima* Gaertn. f.

Petasites japonicus (Sieb. et Zucc.) Fr. Schmiat: syn.: Nardosmia japonica.

Petroselinum crispum (Mill.) Nym. ex A.W. Hill: syn.: Apium crispum Mill., A petroselinum L., P. hortense auct. non Hoffm., P. sativum Hoffm., Carum petroselinum.

Petroselinum crispum (Mill.) Nym. ex A.W. Hill ssp. tuberosum (Bernh. ex Rchb.) Soo.: syn.: P. crispum (Mill.) Nym. ex A.W. Hill convar. radicosum (Alef.) Danert, Apium latifolium Mill., P. sativum var. latifolium Alef.

Phalaenopsis Bl.: see under Orchidaceae. Synonymies with Doritis, Kingiella, Polychilus, Sarcochilus, Strauropsis, Trichoglottis.

Phalaris spp.: synonymies with Beckmannia, Vetiveria

Phalaris arundinacea L.: syn.: Typhoides arundinacea (L.) Moench, Baldingera arundinacea (L.) Dumort., Digraphis arundinacea.

Phalaris tuberosa L.: syn.: P. aquatica L. (name stabilized by ISTA).

Pharbitis nil Chois.: according to Zander, this species has the synonyms Ipomoea nil (L.) Roth, Convolvulus nil L. and includes Ipomoea imperialis hort. (japanische Kaiserwinde). According to the Dictionary of Gardening, Japanese Morning Glory is species P. X imperialis, probably a cross between P. hederacea and P. tricolor. P. hederacea has the synonyms Convolvulus nil, P. albomarginata, Ipomoea limbata. Concerning P. tricolor, see under Ipomoea tricolor.

Phaseolus angularis (Willd.) W.F. Wight: syn.: Vigna angularis (Willd.) Ohwi et Olashi, Dolichos angularis Willd.

Phaseolus coccineus L.: syn.: P. multiflorus Lam., P. multiflorus Willd.

Philodendron Schott corr. Schott: synonymies with Anthurium, Caladium, Monslera. In particular, Monstera deliciosa Liebm. (name stabilized by ISTA) has the synonym P. pertusum Kunth et Bouché and is known by the name Philodendron.

Phleum bertolonii DC.: further synonym: P. bulbosum auct non L.

Phormium J.R. et G. Forst.: synonymies with Lachenalia.

Photinia Lindl.: synonymies with Crataegus, Eriobotrya, Heteromeles. Eriobotrya japonica (Thunb.) Lindl. has notably the synonym P. japonica.

Physostegia virginiana (L.) Benth.: syn.: Dracocephalum variegatum, D. virginianum.

Picea A. Dietr.: the nomenclature is very complex as there have been confusions with Abies, Pinus and Tsuga. In addition, certain botanists have identified 40 species, others having reduced some of them to synonymys.

Picea glehnii (Fr. Schmidt) Mast.: syn.: Abies glehnii.

Picea jezoensis (Sieb. et Zucc.) Carr.: syn.: P. ajanensis Fisch. ex Carr.; the botanical variety hondoensis (Mayr.) Rehd. is also named P. hondoensis Mayr.

Pieris D. Don: synonymies with Andromeda, Arcterica, Lyonia, Portuna.

Pieris japonica (Thunb.) D. Don ex G. Don: syn.: Andromeda japonica Thunb.

Pinus L.: synonymies with Abies, Picea.

Pinus thunbergii Parl. non Lamb.: syn.: P. thunbergiana Franco.

Pistacia vera L.: syn.: P. terebinthus Mill. non L.

Pisum sativum L.: in its modern sense, P. sativum L. includes P. arvense. Synonymy with P. elatius Stev., P. humile Boiss.

Platycodon grandiflorus (Jacq.) A. DC.: syn.: Campanula grandiflora Jacq., Wahlenbergia grandiflora (Jacq.) Schrad. Botanical varieties thereof have also been given species names (in particular P. autumnale and P. chinensis).

Poa L.: synonymies with *Dactylis*, *Eragrostis*, *Festuca*, *Glyceria*, *Koeleria*, *Puccinellia*.

Polemonium L.: *P. brandegeei* has also been named *Gilia branaegeei*.

Polygonatum Mill.: syn.: *Axillaria*, *Evallaria*. Synonymies with *Convallaria*.

Polygonum L.: synonymies with *Bilderdykia*, *Coccoloba*, *Fagopyrum*, *Muehlenbeckia*, *Reynoutria*.

Poncirus Raf.: monotypic genus (*P. trifoliata* (L.) Raf.) which has the synonyms *Citrus trifoliata* L., *Aegle sepiaria*, *Limonia trifoliata*.

Potentilla L.: synonymies with *Argentina*, *Comarum*, *Dasyphora*, *Drymocallis*, *Sibbaldiopsis*.

Potentilla fruticosa L.: syn.: *Dasyphora fruticosa*. As the main table shows, certain types of cinquefoil are either considered to be subspecies of *P. fruticosa* L., or made into distinct species. Differences in the scope of application of protection result therefrom.

Protea spec.: synonymies with *Aulax*, *Leucospermum*, *Paranomus*, *Serruria*.

Prunus L.: this genus has been made into several genera by some botanists. The nomenclature most encountered in practice is the following:

- *Amygdalus* (almond)
- *Armeniaca* (apricot)
- *Cerasus* (cherry)
- *Persica* (peach)
- *Prunus* (plum).

As far as the species are concerned, the synonymies are given below. Certain States have defined the protected species by the indication of the genus *Prunus* L. followed by the common name of the species, in particular to avoid problems with nomenclature.

Prunus amygdalus Bartock: syn.: *Amygdalus communis* L., *P. communis* (L.) Arcang. non Huds.

Prunus armeniaca L.: syn.: *Armeniaca vulgaris* Lam.

Prunus avium (L.) L.: syn.: *Cerasus avium* (L.) Moench.

Prunus cerasifera Ehrh.: syn.: *P. myrobalana* Poit. et Turp., *P. myrobalanus* (L.) Loisel. The group of ornamental varieties of the *Atropurpurea* type is also known under the name *P. pissardii* Carr. In the States which rely mainly on common names, this species may or may not be protected depending on the interpretation of "plum."

Prunus cerasus L.: syn.: *Cerasus vulgaris* Mill. The subspecies and botanical varieties have also been made into species (*P. acida* K. Koch non Ehrh.; *P. austera* (L.) Ehrh., *Cerasus austera* (L.) Borkh.; *Cerasus marasca* Host, *P. marasca* (Host) Rchb.).

Prunus domestica L., Prunus insititia L.: classification of plums is extremely confused, as most botanists who have dealt with the genus *Prunus* have adopted their own system. On the species level, the most controversial question is whether *P. insititia* constitutes a species or should be considered a subspecies of *P. domestica*. The latter is at present the most commonly recognized, but the former can still be found. In addition, there is controversy over the allocation of the various types of plums to the taxonomic entities that have been defined. For instance, mirabelle belongs to the entity (subspecies or species) *insititia* according to certain authors and to the entity *syriaca* according to others. The various types are not always used in the same manner from one country to another. For example, Damson is used solely as a rootstock in France, whereas in the United Kingdom it is also used as a fruiting species for pies, stewing and bottling. Finally, partly as a consequence of the different uses, types identified by a common name in one country may not have a common name in others; thus for example, there is no equivalent of Bullace in French. All these factors may influence the scope of application of protection.

Prunus fruticosa Pall.: syn.: Cerasus fruticosa (Pall.) Woron, C. sylvestris. In the States which rely mainly on common names, this species may be protected or not depending on the interpretation of "cherry."

Prunus glandulosa Thunb.: syn.: P. sinensis.

Prunus insititia L.: see under P. domestica L.

Prunus laurocerasus L.: syn.: Laurocerasus officinalis M.J. Roem., Cerasus laurocerasus (L.) Loisel.

Prunus lusitanica L.: syn.: Cerasus lusitanica (L.) Loisel.

Prunus persica (L.) Batsch: syn.: Amygdalus persica L., A. pumila Lour. non L., Persica vulgaris.

Prunus prostrata Labill.: syn.: Cerasus prostrata.

Prunus salicina Lindl.: syn.: P. triflora. In the States which rely mainly on common names, this species may or may not be protected depending on the interpretation of "plum."

Prunus tenella Batsch: syn.: P. nana (L.) Stokes non Du Roi, Amygdalus nana L.

Prunus triloba Lindl.: syn.: Amygdalopsis lindleyi.

Pseuacodydonia sinensis Schneid.: syn.: Chaenomeles sinensis, Cydonia sinensis (Dum.-Cours.) Schneid.

Pseuotsuga Carr.: synonymies with Abies.

Psalidium guajava L.: syn.: P. pyrifera L., P. pomiferum L.

Pulmonaria L.: P. virginica L. is a synonym of Mertensia virginica (L.) Pers.

Pyracantha M.J. Roem.: synonymies with Cotoneaster, Crataegus.

Pyrus L.: synonymies with Amelanchier, Aronia, Chaenomeles, Cydonia, Malus, Mespilus, Sorbus.

Pyrus communis L.: syn.: P. domestica Med. non (L.) Ehrh. (according to Zander). The Diccionario de Plantas Agricolas considers the latter as a separate species, and P. communis Smith as a synonym of Sorbus domestica L.

Quamoclit Mill.: synonymies with Calboa, Ipomoea, Mina.

Quercus L.: synonymies with Lithocarpus.

Ranunculus L.: synonymies with Batrachium, Callianthemum, Ceratocephalus, Ficaria.

Ranunculus asiaticus L.: syn.: R. hortensis Pers., R. africanus hort.

Renanthera Lour.: see under Orchidaceae. Synonymies with Aërides, Arachnis, Vanda, Vandopsis.

Rhamnus L.: synonymies with Frangula, Oreohertzogia, Ziziphus.

Rheum rhabarbarum L.: syn.: R. undulatum L. R. undulatum Pall. is a synonym of R. rhabonticum L.

Rhipsaliaopsis Britt. et Rose: see under Epiphyllopsis...

Rhoadaenaron L.: in its modern sense, this genus includes Azalea and Rhodora.

Rhodohypoxis baurii (Bak.) Nel: syn.: Hypoxis platypetala.

Rhus L.: synonymies with *Cotinus*, *Toxidendron*.

Rhynchosylistis Bl.: see under *Orchidaceae*. Synonymies with *Aëriaes*, *Saccobium*.

Ribes niveum Lindl.: see under *R. sylvestre*. Syn.: *R. gracile*.

Ribes sylvestre (Lam.) Mert. et W. Koch: syn.: *R. rubrum* L. p.p. et auct. mult., *R. vulgare* Lam. p.p., *R. sativum* (Rchb.) Syme, *R. rubrum* ssp. *vulgare* (Lam.) Domin (according to Zander). Zander also maintains that most cultivated varieties derive from this species. According to the Dictionary of Gardening, the main ancestor of Red and White Currants is *R. sativum*, often wrongly called *R. rubrum*. Varieties of *R. rubrum* are cultivated in Scandinavia (Northern Red Currant). The Diccionario de Plantas Agricolas and Zander refer to this species under the name *R. spicatum* Robs. emend. Wilmoth (*R. rubrum* L. p.p., *R. vulgare* Lam. p.p., *R. rubrum* (L.) O. Schwarz, *R. sylvestre* Syme).

Ribes uva-crispa L.: according to Zander, the majority of cultivated varieties belong to the variety *sativum* DC., which has the synonym *R. grossularia* L. The Diccionario de Plantas Agricolas gives *R. uva-crispa* L. and *R. grossularia* L. as synonyms (and *R. grossularia* Wall. as a synonym of *R. alpestre* Wall.).

Robinia L.: synonymies with *Tephrosia*, *Sesbania*, *Glicinidia*.

Rohdea japonica (Thunb.) Roth: syn.: *Orontium japonicum*.

Rubus fruticosus L.: according to the Dictionary of Gardening, this term is a broad one and covers the blackberries. They have been divided by certain botanists into more than 100 species. The name does not appear in Zander.

Rubus idaeus L.: according to the Dictionary of Gardening, *R. idaeus* (wild raspberry) is the ancestor of cultivated raspberries. *R. strigosus* is the American counterpart of *R. idaeus* and has the synonym *R. idaeus* var. *strigosus*.

Rudbeckia L.: synonymies with *Centrocarpha*, *Dracopis*, *Echinacea*, *Helianthus*, *Lepachys*.

Ruta L.: synonymies with *Haplophyllum*.

Saccharum L.: synonymies with *Gynerium*, *Rhynchelytrum*.

Salvia L.: synonymies with *Audibertia*, *Sclarea*.

Salvia officinalis L.: the sub-species *lavandulifolia* (Vahl) Gams has also been made into a species (*S. lavandulifolia* Vahl).

Sansevieria Thunb.: *S. hyacinthoides* (L.) Druce has the synonym *Aloe hyacinthoides* L.

Saponaria L.: *S. pumila* has the synonym *Silene pumila*. *S. vaccaria* L. is a synonym of *Vaccaria hispanica* (Mill.) Rauschert (name stabilized by ISTA-- further synonyms: *V. pyramidata* Meik., *V. vulgaris* Host, *V. segetalis* Garcke, *V. grandiflora* (Fisch.) Jaub. et Spach).

Saxifraga L.: synonymies with *Aceriphyllum*, *Bergenia*, *Boykinia*, *Chondrosa*, *Ciliaria*, *Leptasea*, *Peltiphyllum*, *Zahlbruckneri*.

Scabiosa L.: synonymies with *Cephalaria*, *Knautia*, *Pterocephalus*, *Succisa*.

Schlumbergera Lem.: see under *Epiphyllum*...

Scilla L.: synonymies with *Barnardia*, *Dipcadi*, *Drimia*, *Endymion*, *Hyacinthoides*, *Hyacinthus*, *Lachenalia*, *Lebedouria*, *Urginea*.

Scindapsus Schott: synonymies with *Pothos*, *Raphidophora*.

Sedum L.: synonymies with *Byrnesia*, *Cotyledon*, *Crassula*, *Cremnophila*, *Echeveria*, *Gormania*, *Graptopetalum*, *Monanthes*, *Orostachys*, *Pistorinia*, *Rhodiola*, *Rosularia*, *Sinocrassula*, *Umbilicus*.

Selaginella P. Beauv.: *S. cuspidata* var. *elongata* has the synonym *Lycopodium cordifolium*.

Senecio cruentus (Masson ex L'Hér.) DC.: syn.: *Cineraria cruenta* DC.

Serruria spec.: synonymies with *Protea*.

Sesamum indicum L.: syn.: *S. orientale* L.

Setaria italica (L.) Beauv.: syn.: *Panicum italicum* L.

Sidalcea A. Gray: *S. malvaeflora* has the synonyms *Callirhoe spicata*, *Sida malvaeflora*.

Silene L.: synonymies with *Agrostemma*, *Cucubalus*, *Eudianthe*, *Heliosperma*, *Lychnis*, *Melanarium*, *Saponaria*, *Viscaria*.

Simmondsia chinensis (Link) Schneid.: syn.: *S. californica* (Link) Nutt.

Sinningia Nees: synonymies with *Gloxinia*, *Rosanowia*, *Stenogaster*, *Tapeionites*.

Sisyrinchium L.: synonymies with *Eleutherine*, *Marica*, *Olsynium*, *Solenomelus*.

Solanum L.: synonymies with *Cyphomandra*, *Lycopersicon*.

Solanum melongena L.: syn.: *S. aethiopicum* Thunb., *S. incanum* L.

Solanum tuberosum L.: syn.: *S. andigenum* Juz. et Buk.

Solidago L.: *S. graminifolia* has the synonym *Euthamia graminifolia*, its variety *nuttallii*, *E. nuttallii* and *S. rigida* has the synonym *Oligoneuron rigidum*.

Sophora L.: synonymies with *Edwardasia*.

Sophronitis Lindl.: see under *Orchidaceae*. *S. cernua* has the synonym *Sophronia cernua*. *S. violacea* Lindl. has the synonyms *Sophronitella violacea* (Lindl.) Schlechter, *Cattleya violacea* (Lindl.) Beer non Rolfe nec hort.

Sorbus L.: synonymies with *Aronia*, *Micromeles*, *Pyrus*.

Sorghum Moench: synonymies with *Andropogon*, *Holcus*, *Millium*, *Panicum*.

Sorghum dochna (Forssk.) Snowden: syn.: *S. vulgare* var. *saccharatum* (Moench) Boerl., *S. bicolor* (L.) Moench ssp. *bicolor*.

Sorghum vulgare Pers.: main synonym: *S. bicolor* (L.) Moench (name stabilized by ISTA). According to the *Diccionario de Plantas Agricolas*, this species contains all annual cultivated types, whereas Zander distinguishes several species.

Spartium L.: *S. junceum* L. (name stabilized by ISTA) has the synonyms *Genista juncea*, *G. odorata*. *S. scoparium* L. is a synonym of *Sarothamnus scoparius* (L.) Wimm.

Spathiphyllum spec.: synonymies with *Anthurium*, *Pothos*, *Rhodospatha*.

Spiraea L.: synonymies with *Aruncus*, *Astilbe*, *Lhamaebatiaria*, *Filipendula*, *Gillenia*, *Holodiscus*, *Luetkea*, *Petrophytum*, *Physocarpus*, *Sibiraea*, *Sorbaria*.

Stachys L.: synonymies with *Betonica*.

Stevia rebaudiana (Bertoni) Hemsl.: syn.: *Eupatorium rebaudianum*.

Stewartia L.: syn.: *Stuartia* L'Hér. *S. ovata* has also the synonym *Malacobdendron pentagynum*.

Stranvaesia Linnaeus: *S. davidianna* has also been described as *Photinia davidianna*.

Symporicarpus Duhamel: *S. rivularis* has also been described as *Symporia racemosa*.

Syringa L.: synonymies with *Ligustrina*.

Tamarix L.: *T. germanica* L. is a synonym of *Myricaria germanica* (L.) Desv.

Tecoma Juss.: synonymies with *Bignonia*, *Campsidium*, *Campsis*, *Pandorea*, *Podranea*, *Stenolobium*, *Tecomaria*, *Tecomella*.

Teucrium chamaedrys L.: *T. chamaedrys* hort. is perhaps a synonym of *T. massiliense* L.

Teucrium fruticans L.: syn.: *T. latifolium*.

Thalictrum L.: synonymies with *Anemonella*, *Isopyrum*.

Thea sinensis L.: syn.: *Camellia sinensis* (L.) O. Kuntze (name stabilized by ISTA), *T. viridis* L., *T. bohea* L., *C. thea* Link, *C. theifera* Griff.

Thuja L.: synonymies with *Biota*, *Platycladus*, *Tetraclinis*, *Thujopsis*.

Thuja orientalis L.: syn.: *Biota orientalis* (L.) Endl., *Platycladus orientalis* (L.) Franco, *P. stricta* Spach.

Tiarella L.: *T. menziesii* is a synonym of *Tolmiea menziesii*.

Tillandsia L.: synonymies with *Allardtia*, *Anoplophytum*, *Billbergia*, *Catopsis*, *Cryptanthus*, *Phytarrhiza*, *Platystachis*, *Pourretia*, *Streptocalyx*, *Vriesea*, *Wallisia*.

Tradescantia L.: synonymies with *Aneilema*, *Commelina*, *Dichorisandra*, *Gibasis*, *Hadrodemas*, *Phyodina*, *Pyrrheima*, *Rhoeo*, *Spironema*, *Zebrina*.

Trifolium repens L.: syn.: *T. nigrescens* Schur [non Viv.].

Trifolium resupinatum L.: *T. resupinatum* Less. is a synonym of *T. fragiferum* L.

Trisetum flavescens (L.) Beauv.: syn.: *Avena flavescens* L.

Triticum L.: synonymies with *Agropyron*.

Triticum aestivum L.: syn.: *T. hybernum* L., *T. sativum* Lam., *T. vulgare* Vill., *T. cereale* Schrank (according to Zander). In the Diccionario de Plantas Agricolas, classification is based on *T. aestivum* (L.) Thell. (syn.: *T. aestivum* L.), which groups units that are made into species in Zander (in particular *T. macha* Dekapr. et Menabde, *T. spelta* L., *T. sphaerococcum* Perciv.).

Triticum durum Desf.: syn.: *T. turgidum* (L.) Thell. ssp. *turgidum* convar. *durm* (Desf.) Mac Kay.

Triticum spelta L.: syn.: *T. aestivum* (L.) Thell. ssp. *spelta* (L.) Thell.

Tritonia Ker-Gawl.: synonymies with *Acidanthera*, *Crocosmia*, *Dichone*, *Gladiolus*, *Ixia*, *Montbretia*.

Trollius L.: *T. lilacinus* has the synonym *Hegemone lilacina*.

Vaccinium L.: synonymies with *Agapetes*, *Andromeda*, *Batodendron*, *Cyanococcus*, *Epigynium*, *Herpothamnus*, *Hugeria*, *Oxycoccoides*, *Oxycoccus*, *Polycopodium*, *Thibauvia*, *Vitis-idaea*.

Vaccinium vitis-idaea L.: syn.: *Vitis-idaea vitis-idaea*.

Valerianella locusta (L.) Laterrade: syn.: *V. olitoria* (L.) Poll.

Vanda Jones: see under Orchidaceae. Synonymies with *Acampe*, *Aérides*, *Anota*, *Arachnanthe*, *Esmeralda*, *Euanthe*, *Luisia*, *Phalaenopsis*, *Renanthera*, *Rhynchostylis*, *Saccolabium*, *Sarcanthus*, *Staurospis*, *Vandopsis*.

Veratrum L.: *V. viride* has also been described under the name *Helonias viride*.

Verbena L.: synonymies with *Junellia*, *Lippia*.

Veronica L.: the genera Hebe, Paederota, Veronicastrum are either included in Veronica, or separated.

Viburnum L.: V. rigidum has the synonym Tinus rugosus.

Vicia articulata Hornem.: syn.: V. monantha Desf., Ervum monanthum L.

Vicia faba L.: syn.: Faba bona Medik., F. vulgaris Moench.

Vicia sativa L.: the subspecies nigra (L.) Ehrh. (angustifolia (L.) Aschers. et Graebn.) also has the synonym V. angustifolia L.

Vicia villosa Roth: according to ISTA, this species includes V. dasycarpa Ten. The Diccionario de Plantas Agricolas considers them as synonyms.

Vigna unguiculata (L.) Walp.: synonym other than that indicated in the main table: Dolichos biflorus L. According to the Diccionario de Plantas Agricolas and Zander, the subspecies have the following synonyms:

- ssp. cylindrica (L.) Van Eseltine ex Verac.: V. catjang (Burm. f.) Walp., V. cylindrica (L.) Skeels, Phaseolus cylindricus Stickm.;

- ssp. sesquipedalis (L.) Verdc.: V. sesquipedalis (L.) Fruwirth, Dolichos sesquipedalis;

- ssp. unguiculata: Dolichos sinensis Stickm.

Vinca L.: V. rosea L. is frequently separated from Vinca under the name Catharanthus roseus (L.) G. Don (name stabilized by ISTA).

Viola L.: V. hederacea has also been described under the names Erpetion reniforme and E. hederaceum.

Vitis L.: the genera Ampelopsis, Cissus, Columella, Parthenocissus and Tetrastigma have been included in the genus Vitis by certain botanists, particularly by Bentham and Hooker in their Genera Plantarum. A great number of synonyms resulting from this conception are still in use. Other synonymies are due to the fact that certain species have been classified in two or three, or even four of the above-mentioned genera. Other synonymies with Muscadinia, Pterisanthes, Spinovitis.

Vriesea Lindl. corr. Beer: synonymies with Encholirion, Guzmania, Massangea, Tillandsia.

Vriesea splendens (Brongn.) Lem.: synonymies with V. speciosa, Tillandsia vittata, T. zebrina. V. splendens var. major hort. Duval. is a synonym of V. longebracteata (Bak.) Mez.

X Vuylstekeara hort.: see under Orchidaceae. Hybrids Cochlioda X Miltonia X Odontoglossum.

Weigela Thunb.: see under Diervilla Mill.

Wysteria Nutt.: synonymies with Glycine, Millettia, Wistaria.

Yucca L.: synonymies with Dasyliion, Furcraea, Hesperaloë, Hesperoyucca, Nolina.

Yucca aloifolia L.: Y. draconis is a synonym of Y. aloifolia var. draconis.

Yucca baccata Torr.: syn.: Y. circinata. Y. baccata var. australis is a synonym of Y. torreyi Shafer (Y. macrocarpa (Torr.) Coville non Engelm.).

Yucca whipplei Torr.: syn.: Hesperoyucca whipplei (Torr.) Bak.

0235

C/XVIII/6
page 73

Zantedeschia Spreng.: synonymies with Calla, Richardia.

Zelkova Spach: syn.: Abelicia. Synonymies with Hemiptelea, Ulmus.

Zygocactus K. Schum.: see under Epiphyllopsis...

0236

INDEX OF ENGLISH COMMON NAMES
INDEX DES NOMS COMMUNS ANGLAIS
VERZEICHNIS DER ENGLISCHEN LANDESÜBLICHEN NAMEN

Acacia	Acacia	Bean (Indian)	Catalpa
- (False)	Robinia	- (Kidney)	Phaseolus
African Cornlily	Ixia	- (Runner)	Phaseolus
- Lily	Agapanthus	- (Soya)	Glycine
- Violet	Saintpaulia	- (Tick)	Vicia
Alder	Alnus	Bearberry	Arctostaphylos
- (White)	Clethra	Beard Tongue	Penstemon
Alfalfa	Medicago	Beauty-berry	Callicarpa
Allspice (Japanese)	Chimonanthus,	Bee Balm	Monarda
	Meratia	Beech	Fagus
Almond	Amygdalus,	- (Southern)	Nothofagus
	Prunus	Beefsteak Plant	Perilla
Alum Root	Heuchera	Beet	Beta
Amaranth (Common Globe-) .	Gomphrena	Beetroot	Beta
- (Gangea)	Amaranthus	Bell Flower	Campanula
Amaryllis	Hippeastrum	Bellflower (Chinese)	Platycodon
- (Cluster-)	Lycoris	Bell (Golden)	Forsythia
American Laurel	Kalmia	- Heather	Erica
Andromeda (Japanese)	Pieris	- Tree (Silver-)	Halesia
Angelica	Angelica	Bentgrass	Agrostis
- Tree	Aralia	Bergamot	Monarda
Apple	Malus	Besom Heath	Erica
- (Crab)	Malus	Bilberry	Vaccinium
- (Golden)	Poncirus	Bill (Crane's)	Geranium
- (Sugar)	Annona	- (Stork's)	Pelargonium
Apricot	Prunus	Birch	Betula
Arborvitae (Chinese)	Thuja	Bird of Paradise Flower ..	Strelitzia
Arizona Cypress	Cupressus	Bird's Foot Trefoil	Lotus
Arrayan	Pernettya	Biscay Heath	Erica
Artichoke (Globe)	Cynara	Black Mustard	Brassica
- (Jerusalem)	Helianthus	- Radish	Raphanus
Arum (Ivy-)	Scindapsus	- Salsify	Scorzonera
- -lily	Zantedeschia	Blackberry	Rubus
Asatsuki	Allium	- Lily	Belamcanda
Ash	Fraxinus	Bladder Nut	Staphylea
- (Mountain)	Sorbus	Blanket-flower	Gaillardia
Asparagus Fern	Asparagus	Blazing Star	Liatris
Aster	Aster	Bleeding Heart	Dicentra
- (China)	Callistephus	Bloodflower	Asclepias
- (Stocke's)	Stokesia	Blue Beard	Caryopteris
Aubergine	Solanum	Blueberry	Vaccinium
Auricula	Primula	Blue Bottle	Centaurea
Autumn-crocus	Colchicum	- Buffalo Grass	Cenchrus
Avens	Geum	- Eyed Grass	Sisyrinchium
Avocado	Persea	Bluegrass	Poa
Azalea	Rhododendron	Blue Spirea	Caryopteris
Azaleodendron	Rhododendron	Bog Rosemary	Andromeda
Azuca-caa.....	Stevia	Bottle (Blue)	Centaurea
Azuki Red Bean	Phaseolus	Bottle-brush	Callistemon
		Bottle Gourd	Lagenaria
Baby's Breath	Gypsophila	Bourbon Tea Orchid	Angraecum
Bahia Grass	Paspalum	Bowstring Hemp	Sansevieria
Balloon Flower	Platycodon	Box	Buxus
Balsam	Impatiens	Bramble	Rubus
- Pear	Momordica	Bridal Wreath	Spiraea
Bamboo (Sacred)	Nandina	Broad Bean	Vicia
Banana	Musa	Broccoli	Brassica
Barberry	Berberis	Brome	Bromus
Barley	Hordeum	Broom	Cytisus
Bay (Rose)	Nerium	-	Genista
Beach-Plum	Prunus	- Corn	Sorghum
Beam (White)	Sorbus	- (Spanish)	Spartium
Bean (Azuki Red)	Phaseolus	Brown Mustard	Brassica
- (Broad)	Vicia	- Top	Agrostis
- (Castor-)	Ricinus	Brussels Sprouts	Brassica
- (Field)	Vicia	Buckthorn	Rhamnus
- (French)	Phaseolus	Buckwheat	Fagopyrum
- (Horse)	Vicia	Buffalo Grass (Blue)	Cenchrus
		Bugbane	Cimicifuga

Bugloss	Anchusa	Chinese Bellflower	Platycodon
Bugwort	Cimicifuga	- Lantern Plant	Physalis
Bullace	Prunus	- Quince	Pseudocydonia
Burdock (Edible)	Arctium	Chinkerinchee	Ornithogalum
Bush Vetch	Vicia	Chives	Allium
Busy Lizzie	Impatiens	Chokeberry	Aronia
Butter Bur (Japanese)	Petasites	Christmas Cactus	Schlumbergera,
Buttercup	Ranunculus	- Rose	Zygocactus
Butterfly-bush	Buddleja	Christ's Thorn	Helleborus
Butterfly Flower (Wingleaf) - Lily	Schizanthus Hedychium	Cineraria (Florists')	Euphorbia
Caa-ehe	Stevia	Cinquefoil	Senecio
Cabbage	Brassica	Clover	Potentilla
Cactus (Christmas)	Schlumbergera, Zygocactus	Club Moss	Trifolium
- (Crab)	Zygocactus	Cluster-amaryllis	Selaginella
- (Easter)	Epiphyllumopsis, Rhipsalidopsis	Cockscomb	Lycoris
Calabash Cucumber	Lagenaria	Cocksfoot	Celosia
Calabrese	Brassica	Coffee	Dactylis
Calico Bush	Kalmia	Collybia (Velvet-footed) ..	Coffea
California Poppy	Eschscholzia	Columbine	Flammulina
Calla	Zantedeschia	Common Four O'clock	Aquilegia
Campion	Lychnis	- Globe-amaranth	Mirabilis
Camphor Laurel	Cinnamomum	- Hyacinth	Gomphrena
- Tree	Cinnamomum	- Jerusalem Sage	Hyacinthus
Canary Grass	Phalaris	- Millet	Phlomis
- Seed	Phalaris	- Sage	Panicum
Candytuft	Iberis	- Snapdragon	Salvia
Cape Cowslip	Lachenalia	- Tobacco	Antirrhinum
- Figwort	Phygelius	- Vetch	Nicotiana
- Gooseberry	Physalis	Cone Flower	Vicia
- Primrose	Streptocarpus	Conifers	Rudbeckia
Caper Spurge	Euphorbia	Coral Flower	Coniferae
Caraway	Carum	Corn (Broom)	Heuchera
Cardinal Flower	Lobelia	Cornel	Sorghum
Cardoon	Cynara	Cornelian Cherry	Cornus
Carnation	Dianthus	Cornflower	Centaurea
Carrot	Daucus	Cornish Heath	Erica
Cast-iron Plant	Aspidistra	Cornlily (African)	Ixia
Castorbean	Ricinus	Cornsalad	Valerianella
Catchfly	Silene	Corn Spurry	Spergula
Cat Mint	Nepeta	Cotton	Gossypium
Cauliflower	Brassica	Courgette	Cucurbita
Cedar (Japanese)	Cryptomeria	Cowberry	Vaccinium
Celeriac	Apium	Cowpea	Vigna
Celery	Apium	Cowslip	Primula
Chamomile	Anthemis	- (Cape)	Lachenalia
- (False)	Boltonia	Crab Apple	Malus
Cherimoya	Annona	- Cactus	Zygocactus
Cherry	Prunus	Cranberry	Vaccinium
- (Cornelian)	Cornus	Crane's Bill	Geranium
- (Dwarf)	Prunus	Crape Myrtle	Lagerstroemia
- (Ground)	Prunus	Creeper (Virginia)	Parthenocissus
- laurel	Prunus	Cress	Lepidium
- plum	Prunus	- (Indian)	Tropaeolum
- (Rock)	Prunus	Crested Dog's-tail	Cynosurus
- (Sour)	Prunus	Crimson Flag	Schizostylis
- (Sweet)	Prunus	Crocus	Crocus
Chervil	Anthriscus	- (Autumn-)	Colchicum
Chestnut	Castanea	Cross-leaved Heath	Erica
- (Horse)	Aesculus	Croton	Codiaeum
Chickling Vetch (Dwarf) ..	Lathyrus	Currant	Euphorbia
Chick-pea	Cicer	Crown of Thorns	Cucumis
Chicory	Cichorium	Cucumber	Lagenaria
Chilean Fire Bush	Embothrium	- (Calabash)	Catananche
Chili	Capsicum	Cupid's Dart	Ribes
China Aster	Callistephus	Currant	Cupressus
Chinese Angelica Tree	Aralia	Cypress (Arizona)	Cupressus
- Arborvitae	Thuja	- (Duprez)	Chamaecyparis
		- (Hinoki)	X Cupressocyparis
		- (Leyland)	Cupressus
		- (Mediterranean)	Quamoclit

Daffodil	Narcissus	Fire Bush (Chilean)	Embothrium
Daisy	Chrysanthemum	Firethorn	Pyracantha
- Bush	Olearia	Flame Nettle	Coleus
- (English)	Bellis	Flax	Linum
- (Michaelmas)	Aster	- (Large-seeded False) ..	Camelina
- (Paris)	Chrysanthemum	- (New Zealand)	Phormium
- (Shasta)	Chrysanthemum	- (Toad-)	Linaria
- (Tree)	Olearia	Flea-bane	Erigeron
- (True)	Bellis	Florists' Cineraria	Senecio
Dallisgrass	Paspalum	Flossflower	Ageratum
Dalmatian Pyrethrum	Chrysanthemum	Flowering Quince	Chaenomeles,
Damson	Prunus	Foam Flower	Cydonia
Date	Phoenix	Fodder Radish	Tiarella
Date Palm	Phoenix	Forget-me-not	Raphanus
Day-lily	Hemerocallis	Four O'clock (Common)	Myosotis
Devil-in-a-bush	Nigella	Foxglove	Mirabilis
Devil's Tongue	Amorphophallus	Foxtail (Meadow)	Digitalis
- Walking Stick	Aralia	- Millet	Alopecurus
Diervilla	Diervilla,	Fox Tail Orchid	Setaria
Dill	Weigela	French Bean	Rhynchosystylis
Dishcloth Gourd	Anethum	- Mulberry	Phaseolus
Dog's-tail (Crested)	Luffa	Funkia	Callicarpa
Dogwood	Cynosurus	Gangea Amaranth	Hosta
Dorset Heath	Cornus	Garden Nasturtium	Amaranthus
Douglas Fir	Erica	- Pea	Tropaeolum
Dracena	Pseudotsuga	Garlic	Pisum
Dragon Tree	Dracaena	Gayfeather	Allium
Dropwort (Water)	Dracaena	Gentian	Liatris
Dumb Bane	Oenanthe	- (Prairie)	Gentiana
Duprez Cypress	Dieffenbachia	Geranium	Eustoma
Dutchman's Breeches	Cupressus	Germander	Pelargonium
Dwarf Cherry	Dicentra	Gherkin	Teucrium
- Chickling Vetch	Prunus	Ginger	Cucumis
	Lathyrus	- -lily	Zingiber
Easter Cactus	Epiphyllopsis,	Ginseng	Hedychium
	Rhipsalidopsis	Globe-amaranth (Common) ..	Panax
East Indian Lotus	Nelumbo	- Artichoke	Gomphrena
Edible Burdock	Arctium	- Flower	Cynara
Eggplant	Solanum	- Thistle	Trollius
Elder	Sambucus	Glory (Morning)	Echinops
Elm	Ulmus	- (Star-)	Pharbitis
Endive	Cichorium	Gloxinia	Quamoclit
English Daisy	Bellis	Goats' Rue	Sinningia
Enokitake	Flammulina	Golden Apple	Galega
Evening Primrose	Oenothera	- Bell	Poncirus
Evergreen	Euonymus	- Chain	Forsythia
Everlasting	Helichrysum	- Oatgrass	Laburnum
- (Winged)	Ammobium	- Ray	Trisetum
		- Rod	Ligularia
False Acacia	Robinia	Goldthread	Solidago
- Chamomile	Boltonia	Gombo	Coptis
- Flax (Large-seeded) ...	Camelina	Gooseberry	Abelmoschus
- Hellebore	Veratrum	- (Cape)	Ribes
- Oatgrass	Arrhenatherum	Gorse	Physalis
Fennel	Foeniculum	Gourd (Bottle)	Ulex
Fenugreek	Trigonella	- (Dishcloth)	Lagenaria
Fern (Asparagus)	Asparagus	- (Sponge)	Luffa
- (Ladder)	Nephrolepis	- (Wax)	Benincasa
- (Maidenhair)	Adiantum	Granadilla	Passiflora
- (Sword-)	Nephrolepis	Grape (Oregon)	Mahonia
Fescue	Festuca	Grapefruit	Citrus
Field Bean	Vicia	Grass Pea Vine	Lathyrus
- Brome	Bromus	Grey Heath	Erica
Fig	Ficus	Gromwell	Lithospermum
Figwort (Cape)	Phygelius	Ground Cherry	Prunus
Filbert	Corylus	Groundnut	Arachis
Fir	Abies	Guava	Psidium
- (Douglas)	Pseudotsuga	Gyp	Gypsophila
- (Sachalin)	Abies		

Hairy Vetch	Vicia	Jasmine	Jasminum
Hardings Grass	Phalaris	Jerusalem Artichoke	Helianthus
Hardy Plumbago	Ceratostigma	- Sage (Common)	Phlomis
Hawthorn	Crataegus	Jew's Ear	Auricularia
Hazelnut	Corylus	- Mallow	Kerria
Hazel (Winter)	Corylopsis	Jojoba	Simmondsia
- (Witch-)	Hamamelis	Jonquil	Narcissus
Heath	Erica	Judas Tree	Cercis
- (Besom)	Erica	Juniper	Juniperus
- (Biscay)	Erica		
- (Cornish)	Erica	Kaffir-lily	Clivia
- (Cross-leaved)	Erica	Kaki	Diospyros
- (Dorset)	Erica	Kale	Brassica
- (Grey)	Daboecia	Katsura Tree	Cercidiphyllum
- (Saint Dabeoc's)	Erica	Kenaf	Hibiscus
- (Scotch)	Erica	Kidney Bean	Phaseolus
- (Spanish)	Erica	King Cup	Caltha
- (Spring)	Erica	Kiwifruit	Actinidia
- (Tree)	Erica	Knotgrass	Polygonum
Heather	Calluna	Knotweed	Polygonum
- (Bell)	Erica	Kohlrabi	Brassica
Hedge Vetch	Vicia	Konnyaku	Amorphophallus
Hellebore	Helleborus	Kumquat	Fortunella
- (False)	Veratrum		
Hemp	Cannabis	Ladder Fern	Nephrolepis
Hemp (Bowstring)	Sansevieria	Lady Palm	Rhipis
Hen of the Woods	Grifola	Lady's Slipper	Paphiopedilum
Herb Lily	Alstroemeria	Lamb's Lettuce	Valerianella
Hercules Club	Aralia	Lantern Plant (Chinese) ..	Physalis
Hinoki Cypress	Chamaecyparis	Larch	Larix
Hiratake	Pleurotus	Large-seeded False Flax ..	Camelina
Holly	Ilex	Larkspur	Delphinium
- (Sea)	Eryngium	Laurel (American)	Kalmia
Hollyhock	Althaea	- (Camphor)	Cinnamomum
Honewort (Japanese)	Cryptotaenia	- (Cherry-)	Prunus
Honey Locust	Gleditsia	- (Mountain)	Kalmia
Honeysuckle	Lonicera	- (Portugal)	Prunus
Hop	Humulus	Lavender	Lavandula
Hornbeam	Carpinus	- (Sea)	Limonium
Horse Bean	Vicia	Laver (Purple)	Porphyra
- Chestnut	Aesculus	Lawn Grass	Zoysia
Horsemint	Monarda	Leek	Allium
Horse Radish	Armoracia	Lemon	Citrus
Hungarian Vetch	Vicia	Lenten Rose	Helleborus
Husk-tomato	Physalis	Lentil	Lens
Hyacinth (Common)	Hyacinthus	Leopard's Bane	Doronicum
- (Wild)	Scilla	Lettuce	Lactuca
		- (Lamb's)	Valerianella
Ice Plant	Sedum	Leyland Cypress	X Cupressocyparis
Ifafa Lily	Cyrtanthus	Lilac	Syringa
Impatiens (New Guinea) ...	Impatiens	Lily	Lilium
Indian Bean	Catalpa	- (African)	Agapanthus
- Cress	Tropaeolum	- (African Corn-)	Ixia
- Lotus (East)	Nelumbo	- (Arum-)	Zantedeschia
Indigo	Indigofera	- (Blackberry)	Belamcanda
Ipomoea (Star)	Quamoclit	- (Butterfly)	Hedychium
- (Tricolor)	Ipomoea	- (Day-)	Hemerocallis
Italian Millet	Setaria	- (Ginger-)	Hedychium
Ivy	Hedera	- (Herb)	Alstroemeria
- -arum	Scindapsus	- (Ifafa)	Cyrtanthus
		- (Kaffir-)	Clivia
Jacob's Ladder	Polemonium	- of the Valley	Convallaria
Japanese Allspice	Chimonanthus,	- (Plantain)	Hosta
	Meratia	- (Toad-)	Tricyrtis
- Andromeda	Pieris	- (Torch-)	Kniphofia
- Angelica Tree	Aralia	- (Water-)	Nymphaea
- Butter Bur	Petasites	Lime	Tilia
- Cedar	Cryptomeria	Ling	Calluna
- Honewort	Cryptotaenia	Linseed	Linum
- Persimmon	Diospyros	Lion's Heart	Physostegia

Locust (Honey)	Gleditsia	Mustard (Brown)	Brassica
Loosestrife	Lythrum	- (White)	Sinapis
Loquat	Eriobotrya	Myrobalan	Prunus
Lotus (East Indian)	Nelumbo	Myrtle (Crape)	Lagerstroemia
Lovegrass (Weeping)	Eragrostis		
Love-in-a-mist	Nigella		
Lucerne	Medicago	Nameko	Pholiota
Lungwort	Pulmonaria	Nasturtium (Garden)	Tropaeolum
Lupin	Lupinus	Nettle (Flame)	Coleus
		New Guinea Impatiens	Impatiens
Maidenhair Fern	Adiantum	New Zealand Flax	Phormium
Maize	Zea mays	North American Ox-eye	Heliopsis
Major Bird's Foot Trefoil	Lotus	Nut (Bladder)	Staphylea
Mallow	Malva	- (Pecan)	Carya
- (Jew's)	Kerria	- (Queensland)	Macadamia
- (Prairie)	Sidalcea	- (Wal-)	Juglans
- (Rose-)	Hibiscus		
- (Tree)	Hibiscus		
Mandarine	Citrus	Oak	Quercus
Mangel	Beta	Oatgrass (False)	Arrhenatherum
Mango	Mangifera	- (Golden)	Trisetum
Manuka	Leptospermum	- (Tall)	Arrhenatherum
Maple	Acer	Oats	Avena
Marguerite	Chrysanthemum	Obedient Plant	Physostegia
Marigold	Tagetes	Okra	Abelmoschus
- (Marsh)	Caltha	Oleander	Nerium
- (Pot)	Calendula	Olive	Olea
Marjoram (Sweet)	Origanum	One-flowered Vetch	Vicia
Marrow	Cucurbita	Onion	Allium
Marsh Marigold	Caltha	Opium Poppy	Papaver
Marvel of Peru	Mirabilis	Orange	Citrus
Meadow Foxtail	Alopecurus	- (Mexican)	Choisya
- -grass	Poa	- (Mock)	Philadelphus
- Rue	Thalictrum	- (Trifoliate)	Poncirus
Medick	Medicago	Orchard Grass	Dactylis
Mediterranean Cypress	Cupressus	Orchid (Bourbon Tea)	Angraecum
Megasea	Bergenia	- (Fox Tail)	Rhynchosystylis
Melon	Cucumis	- (Moth)	Phalaenopsis
- (Water-)	Citrullus	- (Pansy-)	Miltonia
Mespilus (Snowy)	Amelanchier	- (Tree)	Epidendrum
Mexican Orange	Choisya	Orchids	Orchidaceae
Michaelmas Daisy	Aster	Oregon Grape	Mahonia
Milfoil	Achillea	Oriental Poppy	Papaver
Milkweed	Asclepias	Ox-eye (North American) ..	Heliopsis
Millet (Common)	Panicum	Oxlip	Primula
- (Foxtail)	Setaria	Oyster Mushroom	Pleurotus
- (Italian)	Setaria		
- (Pearl)	Pennisetum		
Mint	Mentha	Paeony	Paeonia
- (Cat)	Nepeta	Pagoda Tree	Sophora
Mirabelle	Prunus	Palm (Date)	Phoenix
Mock Orange	Philadelphus	- (Lady)	Rhipis
- Privet	Phillyrea	Pampas Grass	Cortaderia
Monkshood	Aconitum	Pansy	Viola
Montbretia	Tritonia	- -orchid	Miltonia
Morello	Prunus	Paris Daisy	Chrysanthemum
Morning Glory	Pharbitis	Parsley	Petroselinum
Moss (Club)	Selaginella	Parsnip	Pastinaca
- (Rose-)	Portulaca	Pasque Flower	Pulsatilla
Moth Orchid	Phalaenopsis	Passion Flower	Passiflora
Mountain Ash	Sorbus	Pawpaw	Carica
- Laurel	Kalmia	Pea	Pisum
Mugwort	Artemisia	- (Chick-)	Cicer
Mulberry	Morus	- (Cow-)	Vigna
- (French)	Callicarpa	- (Garden)	Pisum
Mullein	Verbascum	- (Grass - Vine)	Lathyrus
- Pink	Lychnis	- (Shrub)	Caragana
Mushroom	Agaricus	- (Sweet)	Lathyrus
- (Oyster)	Pleurotus	- (Tanger)	Caragana
Mustard (Black)	Brassica	- (Tree)	Prunus
		Peach	

Peanut	Arachis	Reed Canary Grass	Phalaris
Pear	Pyrus	Rhodesgrass	Chloris
- (Balsam)	Momordica	Rhubarb	Rheum
Pearlbush	Exochorda	Rice	Oryza
Pearl Millet	Pennisetum	Rock Cherry	Prunus
Pecan Nut	Carya	- Rose	Cistus
Pepper Bush (Sweet)	Clethra	Rose	Rosa
Pepper (Sweet)	Capsicum	- Bay	Nerium
Periwinkle	Vinca	- Campion	Lychnis
Persimmon (Japanese)	Diospyros	- (Christmas)	Helleborus
Pine	Pinus	- (Lenten)	Helleborus
Pineapple	Ananas	- -mallow	Hibiscus
Pink	Dianthus	- -moss	Portulaca
- (Mullein)	Lychnis	- of Sharon	Hypericum
- (Sea)	Armeria	- (Rock)	Cistus
Pitcher Plant	Sarracenia	- (Sun)	Helianthemum
Plane	Platanus	Rosemary	Rosmarinus
Plantain Lily	Hosta	- (Bog)	Andromeda
Plum	Prunus	Rowan	Sorbus
- (Beach-)	Prunus	Rubber Plant	Ficus
- (Cherry-)	Prunus	Rue	Ruta
Plumbago (Hardy)	Ceratostigma	- (Goats')	Galega
Plumed Thistle	Cirsium	- (Meadow)	Thalictrum
Poinsettia	Euphorbia	Runner Bean	Phaseolus
Poker (Red Hot)	Kniphofia	Rush	Juncus
Pomegranate	Punica	Russian Sage	Perovskia
Poplar	Populus	Rye	Secale
Poppy	Papaver	Ryegrass	Lolium
- (California)	Eschscholzia	Sachalin Fir	Abies
- (Opium)	Papaver	Sacred Bamboo	Nandina
- (Oriental)	Papaver	Safflower	Carthamus
Portugal Laurel	Prunus	Sage	Salvia
Potato	Solanum	- (Common)	Salvia
- (Sweet)	Ipomoea	- (Common Jerusalem)	Phlomis
Pot Marigold	Calendula	- (Russian)	Perovskia
Prairie Gentian	Eustoma	Sainfoin	Onobrychis
- Mallow	Sidalcea	Saint Dabeoc's Heath	Daboecia
Primrose	Primula	Saint John's Wort	Hypericum
- (Cape)	Streptocarpus	Salsify (Black)	Scorzonera
- (Evening)	Oenothera	Satin Flower	Sisyrinchium
Privet	Ligustrum	Saxifrage	Saxifraga
- (Mock)	Phillyrea	Scabious	Scabiosa
Protea	Aulax	Scorpion Weed	Phacelia
	Leucadendron,	Scotch Heath	Erica
	Leucospermum,	Sea Holly	Eryngium
	Mimetes,	- Lavender	Limonium
Pumpkin	Orothamnus,	- Pink	Armeria
Purple Laver	Paranomus,	Serradella	Ornithopuss
Pyrethrum	Protea,	Serviceberry	Amelanchier
	Serruria	Sesame	Sesamum
	Cucurbita	Serviceberry	Amelanchier
Queensland Nut	Porphyra	Sesame	Sesamum
Quince	Chrysanthemum	Shallot	Allium
- (Chinese)	Macadamia	Sharon (Rose of)	Hypericum
- (Flowering)	Cydonia	Shasta Daisy	Chrysanthemum
- (Flowering)	Pseudocydonia	Shiitake	Lentinus
	Chaenomeles	Shrubby Cinquefoil	Potentilla
	Cydonia	- Speedwell	Hebe
Radish	Raphanus	Side-saddle Flower	Sarracenia
- (Black)	Raphanus	Silk-tree	Albizia
- (Fodder)	Raphanus	Silk-tassel Tree	Garrya
- (Horse)	Armoracia	Silkweed	Asclepias
Rakyo	Allium	Silver-bell Tree	Halesia
Rape	Brassica	Silver Vine	Scindapsus
Raspberry	Rubus	Skunkbusch	Menziesia
Red Bean (Azuki)	Phaseolus	Slipper Flower	Calceolaria
- Hot Poker	Kniphofia	Slipperwort	Calceolaria
- Top	Agrostis	Smoke Tree	Cotinus
		Snapdragon (Common)	Antirrhinum
		Sneezeweed	Helenium

Snowball Tree	Viburnum	Tangor	Citrus
Snowbell	Styrax	Taro	Colocasia
Snowberry	Symporicarpos	Tassel Flower	Emilia
Snowdrop Tree	Halesia	Taxads	Taxales
Snowy Mespilus	Amelanchier	Tea	Thea
Solomon's Seal	Polygonatum	- Orchid (Bourbon)	Angraecum
Sop (Sweet)	Annona	- Tree	Leptospermum
Sorrel (Wood-)	Oxalis	Thistle (Globe)	Echinops
Sour Cherry	Prunus	- (Plumed)	Cirsium
Southern Beech	Nothofagus	Thrift	Armeria
Soya Bean	Glycine	Throatwort	Trachelium
Soybean	Glycine	Thuya	Thuja
Spanish Broom	Spartium	Tick Bean	Vicia
- Heath	Erica	Tickseed	Coreopsis
- Jasmine	Jasminum	Timothy	Phleum
Speedwell	Veronica	Toadflax	Linaria
- (Shrubby)	Hebe	Toad-lily	Tricyrtis
Spelt	Triticum	Tobacco	Nicotiana
Spider Flower	Cleome	Tomatillo	Physalis
- Wort	Tradescantia	Tomato	Lycopersicon,
Spinach	Spinacia	- (Husk-)	Solanum
Spindle Tree	Euonymus	Torch-lily	Physalis
Spirea	Spiraea	Touch-me-not	Kniphofia
- (Blue)	Caryopteris	Tree Daisy	Impatiens
Sponge Gourd	Luffa	- Heath	Olearia
Spring Heath	Erica	- Mallow	Erica
Spruce	Picea	- Orchid	Hibiscus
Spurges	Euphorbia	Trefoil (Bird's Foot)	Epidendrum
Spurry (Corn)	Spergula	- (Yellow)	Lotus
Squash	Cucurbita	Tricolor Ipomoea	Medicago
Squill	Scilla	Trifoliate Orange	Ipomoea
Star (Blazing)	Liatris	True Daisy	Poncirus
- glory	Quamoclit	Trumpet Flower	Bellis
- Ipomoea	Quamoclit	Tuft Root	Campsis,
- of Bethlehem	Ornithogalum	Tulip	Tecoma
Statice	Limonium	- Tree	Dieffenbachia
Stock	Matthiola	Turnip	Tulipa
Stocke's Aster	Stokesia	- Rape	Liriodendron
Stonecrop	Sedum	- -rooted Parsley	Brassica
Storax	Styrax	Twinebark	Brassica
Stork's Bill	Pelargonium		Petroselinum
Strawberry	Fragaria		Gaya,
- Tree	Arbutus		Hoheria,
Sugar Apple	Annona		Plagianthus
- Cane	Saccharum		
Sumach	Rhus		
Sunflower	Helianthus	Velvet-footed Collybia ...	Flammulina
Sun Plant	Portulaca	Vervain	Verbena
- Rose	Helianthemum	Vetch	Vicia
Swede	Brassica	- (Bush)	Vicia
- Rape	Brassica	- (Common)	Vicia
Sweet Cherry	Prunus	- (Dwarf Chickling)	Lathyrus
- Gum	Liquidambar	- (Hairy)	Vicia
- Marjoram	Origanum	- (Hedge)	Vicia
- Pea	Lathyrus	- (Hungarian)	Vicia
- Pepper	Capsicum	- (One-flowered)	Vicia
- Pepper Bush	Clethra	Vinca	Catharanthus
- Potato	Ipomoea	Vine	Vitis
- Sop	Annona	- (Cypress)	Quamoclit
- William	Dianthus	- (Grass Pea)	Lathyrus
- (Winter)	Chimonanthus,	- (Silver)	Scindapsus
Swiss Chard	Meratia	Violet	Viola
Sword-fern	Beta	- (African)	Saintpaulia
	Nephrolepis	Virginia Creeper	Parthenocissus
Tail Flower	Anthurium	Wallflower	Cheiranthus
Tall Oatgrass	Arrhenatherum	Walnut	Juglans
Tamagitake	Pleurotus	Water Dropwort	Oenanthe
Tamarisk	Tamarix	Waterlily	Nymphaea
Tangelo	Citrus	Watermelon	Citrullus
Tangier Pea	Lathyrus	Wax Gourd	Benincasa

Weeping Lovegrass	Eragrostis	Witch-hazel	Hamamelis
Wheat	Triticum	Wood-sorrel	Oxalis
White Alder	Clethra	Woundwort	Stachys
- Mustard	Sinapis		
Whitebeam	Sorbus		
Whortleberry	Vaccinium	Yam	Dioscorea
Wild Hyacinth	Scilla	Yarrow	Achillea
Willow	Salix	Yellow Trefoil	Medicago
Winged Everlasting	Ammobium	Yew	Taxus
Wingleaf Butterfly Flower	Schizanthus.	Yorkshire Fog	Holcus
Wintergreen	Gaultheria	Youth and Age	Zinnia
Winter Hazel	Corylopsis	- -and-old-age	Zinnia
- Sweet	Chimonanthus, Meratia		

INDEX OF FRENCH COMMON NAMES
INDEX DES NOMS COMMUNS FRANCAIS
VERZEICHNIS DER FRANZÖSISCHEN LANDESÜBLICHEN NAMEN

Abricotier	Prunus	Bermudienne	Sisyrinchium
Acacia	Acacia	Bette commune	Beta
- de Constantinople	Albizia	Betterave	Beta
- (Robinier faux-)	Robinia	Bigarreaux	Prunus
Agrumes	Citrus	Bignonia	Campsisi,
Ail	Allium	Blé	Tecoma
Airelle	Vaccinium	- dur	Triticum
Ajond	Ulex	- noir	Triticum
Aliboufier	Styrax	- tendre	Fagopyrum
Alkékenge	Physalis	Bois trompette	Triticum
Aloès	Aloë	Bouleau	Catalpa
Alpiste	Phalaris	Brocoli	Betula
Amandier	Amygdalus,	Bruyère	Brassica
Amandier-pêcher	Prunus	Buglosse d'Italie	Erica
Amarante du Gange	Amaranthus	Buis	Anchusa
- tricolore	Amaranthus	Buisson ardent	Buxus
Amarantoïde violette	Gomphrena	Buplèvre	Pyracantha
Amarelles	Prunus		Bupleurum
Amaryllis	Hippeastrum		
Ambrette	Abelmoschus	Cacalie	Emilia
Amour en cage	Physalis	Cactus de Noël	Schlumbergera,
Ancolie	Aquilegia	- de Pâques	Zygocactus
Andromède	Pieris	Caféier	Epiphyllum
Anémone	Anemone	Caladion bicolore	Rhipsalidopsis
- du Japon	Anemone	Calebasse du pèlerin	Coffea
- pulsatille	Pulsatilla	Calla	Caladium
Angélique	Angelica	Campanule	Lagenaria
- en arbre	Aralia	- à grandes fleurs bleues	Zantedeschia
- épineuse	Aralia	Camphrier	Campanula
Angrec	Angraecum	Canne à sucre	Platycodon
Arachide	Arachis	Caoutchouc	Cinnamomum
Arbousier	Arbutus	Capillaire	Saccharum
Arbre à melon	Carica	Cardon	Ficus
- à perruque	Cotinus	Carotte	Adiantum
- aux cloches d'argent ..	Halesia	Carvi	Cynara
- de Judée	Cercis	Cassis	Daucus
- de soie	Albizia	Cèdre du Japon	Carum
Armoise	Artemisia	Céleri	Ribes
Artichaut	Cynara	Cerfeuil	Cryptomeria
Asperge	Asparagus	Cerisier	Apium
Aspic	Lavandula	Chalef	Anthriscus
Aster	Aster,	Champignon de couche	Prunus
- de Chine	Callistephus	Chanvre	Elaeagnus
Aubépine	Callistephus	- de Guinée	Agaricus
Aubergine	Crataegus	Chardon plumbeux	Cannabis
Aulne	Solanum	Charme	Hibiscus
Avocatier	Alnus	Châtaignier	Cirsium
Avoine	Persea	Chêne	Carpinus
- (d'Algérie)	Avena	Chérimolier	Castanea
- élevée	Arrhenatherum	Chevalier d'onze heures ..	Quercus
- jaunâtre	Trisetum	Cheveux de Vénus	Annona
- nue	Avena	Chèvrefeuille	Portulaca
Azalée	Rhododendron	Chicorée	Nigella
		Chimonanthe	Lonicera
Baie corail	Ardisia	Chou	Cichorium
Balisier	Canna	Ciboule	Meratia
Balsamine	Impatiens	Ciboulette	Brassica
Bananier	Musa	Cimicaire	Allium
Barbadine	Passiflora	Cimifuge	Allium
Barbe bleue	Caryopteris	Cinéraire hybride	Cimicifuga
Bardane (Grande - comest.)	Arctium	Citronnier	Cimicifuga
Bâton du diable	Aralia	Citrouille	Senecio
Belle de nuit	Mirabilis	Civette	Citrus
Benoîte	Geum	Coeur de Marie	Cucurbita
			Allium
			Dicentra

Cognassier	Cydonia	Fourrage de disette	Spergula
- de Chine	Pseudocydonia	Fraisier	Fragaria
- du Japon	Chaenomeles,	Framboisier	Rubus
Collybie à pied velouté ..	Cydonia	Frêne	Fraxinus
Colombe	Flammulina	Froment	Triticum
Colza	Aquilegia	Fromental	Arrhenatherum
Concombre	Brassica	Funkia	Hosta
Copalme	Cucumis	Fusain	Euonymus
Coquelourde des jardins ..	Liquidambar		
Coqueret	Lychnis		
Corète du Japon	Physalis	Gainier	Cercis
Cornichon	Kerria	Galane barbue	Penstemon
Cornouiller	Cucumis	Gaya	Gaya, Hoheria,
Cotonnier	Cornus	Genêt	Plagianthus
Coucou du Cap	Gossypium	- d'Espagne	Cytisus,
Coudrier	Lachenalia	Genévrier	Genista
Courge	Corylus	Géranium	Spartium
- à cire	Cucurbita	- lierre	Juniperus
- calebasse	Benincasa	Germandrée	Geranium,
- torchon	Lagenaria	Gesse	Pelargonium
Cresson alénois	Luffa	Gingembre	Teucrium
Crête de coq	Lepidium	Ginseng	Lathyrus
Crételle	Celosia	Giraumon	Zingiber
Croton	Cynosurus	Giroflée	Panax
Cumin des prés	Codiaeum	- d'hiver	Cucurbita
Cyprès de Duprez	Carum	- des murailles	Matthiola
- de l'Arizona	Cupressus	Glaïeul	Matthiola
- de Leyland	X Cupressocyparis	Gloxinia	Cheiranthus
- de Provence	Cupressus	Glycine	Gladiolus
- japonais	Chamaecyparis	Goyavier	Sinningia
Cytise	Laburnum	Grande bardane comestible	Wisteria
Dame d'onze heures	Ornithogalum	- capucine	Psidium
Dattier (Palmier -)	Phoenix	- marguerite	Arctium
Dentelaire	Ceratostigma	Grémil	Tropaeolum
Dielytra	Dicentra	Grenadier	Chrysanthemum
Doliique de Chine	Vigna	Griottes	Lithospermum
Dormeuse	Maranta	Groseille de Chine	Punica
Doucelette	Valerianella	Groseillier	Prunus
Dragonnier	Dracaena	Gueule de loup	Actinidia
Echalote	Allium	Guignes	Ribes
Endive	Cichorium	Gynéron	Antirrhinum
Epeautre	Triticum	Gynérium	Prunus
Epiaire	Stachys		Cortaderia
Epicea	Picea		
Epinard	Spinacia	Haricot	Phaseolus
Epine du Christ	Euphorbia	Hémérocalle du Japon	Hosta
Epine-vinette	Berberis	Herbe-aux-chats	Nepeta
Erable	Acer	Herbe de Bahia	Paspalum
Escourgeon	Hordeum	- de Dallis	Paspalum
Esparcette	Onobrychis	- de Harding	Phalaris
Espargoute	Spergula	- de la pampa	Cortaderia
Faux-aloès	Kniphofia	- de Rhodes	Chloris
Faux-millet	Oryzopsis	Hêtre	Fagus
Fenouil	Foeniculum	- antarctique	Nothofagus
Fenugrec	Trigonella	Hortensia	Hydrangea
Fétuque	Festuca	Hoteia	Astilbe
Fève	Vicia	Houblon	Humulus
Féverole	Vicia	Houlque	Holcus
Févier	Gleditsia	Houque	Holcus
Figuier	Ficus	Houx	Ilex
Fille de l'air	Tillandsia		
Fléole	Phleum	If	Taxus
Fleur araignée	Cleome	Igname	Dioscorea
- d'amour	Agapanthus	Immortelle	Helichrysum
- de la Passion	Passiflora	Impatielle	Impatiens
- de lotus	Nelumbo	Indigo	Indigofera
Foin de mouton	Holcus	Ipomée volubilis	Ipomoea

Jacinthe	Hyacinthus	Oeillet	Dianthus
Jarrosse	Lathyrus	- d'Inde	Tagetes
Jasmin de Virginie	Campsis,	Oeillette	Papaver
	Tecoma	Oignon	Allium
Jonc	Juncus	Oiseau du paradis	Strelitzia
Jonquille	Narcissus	Olivier	Olea
		Onagre	Oenothera
Kaki	Diospyros	Oranger	Citrus
Katsura	Cercidiphyllum	- du Mexique	Choisya
Kénafe	Hibiscus	- trifolié	Poncirus
Kumquat	Fortunella	Orchidée coque	Epidendrum
		- dame de la nuit	Brassavola
Laitue	Lactuca	- danseuse	Oncidium
Langue-de-boeuf	Anchusa	- muguet	Odontoglossum
Laurier-cerise	Prunus	- papillon	Phalaenopsis
Laurier du Japon	Cinnamomum	Orchidées	Orchidaceae
- du Portugal	Prunus	Oreille de Judas	Auricularia
- rose	Nerium	- d'orme	Pleurotus
Lentille	Lens	Orge	Hordeum
Lierre	Hedera	Orme	Ulmus
Lilas	Syringa	- du Caucase	Zelkova
Lin	Linum		
- de Nouvelle-Zélande ...	Phormium	Pacanier	Carya
Lis	Lilium	Palmier dattier	Phoenix
- des Incas	Alstroemeria	Panaïs	Pastinaca
Lotier	Lotus	Panicaut	Eryngium
Luzerne	Medicago	Papayer	Carica
		Pâquerette	Bellis
Mâche	Valerianella	Pastèque	Citrullus
Mais	Zea mays	Patate	Ipomoea
Mandarinier	Citrus	Pâtisson	Cucurbita
Manguier	Mangifera	Patte-de-velours	Flammulina
Margose	Momordica	Pâturnin	Poa
Marguerite	Chrysanthemum	Pavot	Papaver
- (Grande)	Chrysanthemum	- de Californie	Eschscholzia
- (Reine-)	Callistephus	Pé-tsai	Brassica
Marronnier	Aesculus	Pêcher	Prunus
Mauve	Malva	- (Amandier-)	Prunus
Melon	Cucumis	Pénicillaire	Pennisetum
Mélèze	Larix	Pensée	Viola
Mil à chandelle	Pennisetum	Persil	Petroselinum
Millepertuis	Hypericum	Pervenche	Vinca
Millet commun	Panicum	Petit millet	Oryzopsis
- des oiseaux	Setaria	Peuplier	Populus
- d'Italie	Setaria	Philaria	Phillyrea
- (Faux-)	Oryzopsis	Pied d'alouette	Delphinium
- (Panic -)	Panicum	Pigamon	Thalictrum
- (Panic faux -)	Oryzopsis	Piment	Capsicum
- (Petit -)	Medicago	Pin	Pinus
Minette	Prunus	- de Hondo	Picea
Mirabelle	Tradescantia	- de Sakhaline	Picea
Misère	Verbascum	- des temples	Pinus
Molène	Tritonia	- noir du Japon	Pinus
Monbretia	Sinapis	- rouge du Japon	Pinus
Moutarde blanche	Brassica	Pivoine	Paeonia
- brune	Brassica	Plante-beefsteak	Perilla
- noire	Antirrhinum	Plaqueminier	Diospyros
Muflier	Convallaria	Poil de chien	Festuca
Muguet	Morus	Poinsettia	Euphorbia
Mûrier	Prunus	Poireau	Allium
Myrobolan	Vaccinium	Poirée	Beta
Myrtille		Poirier	Pyrus
		Pois	Pisum
		- chiche	Cicer
		- de senteur	Lathyrus
Navet	Brassica	Poivron	Capsicum
Navette	Brassica	Pomélo	Citrus
Néflier du Japon	Eriobotrya	Pomme de terre	Solanum
Nénuphar	Nymphaea	Pommier	Malus
Nerprun	Rhamnus	- cannelle	Annona
Noisetier	Corylus	Populage	Caltha
Noyer	Juglans	Pothos	Scindapsus
		Potiron	Cucurbita

Poule de bois	Grifola	Soleil	Helianthus
Pourpier à grande fleur ..	Portulaca	Sorbier	Sorbus
Primevère	Primula	Sorgho	Sorghum
Protea.....	Aulax,	Souchet	Cyperus
	Leucadendron,	Souci des jardins	Calendula
	Leucospermum,	Spargoute	Spergula
	Mimetes,	Spathiphyllum	Spathiphyllum
	Orothamnus,	Spergule des champs	Spergula
	Paranomus,	Statice	Limonium
	Protea,	Sumac	Rhus
	Serruria	Sureau	Sambucus
Prunier	Prunus	Sycomore	Acer
Pulsatille (Anémone -) ...	Pulsatilla	Symphorine	Syphoricarpos
Pyrèthre	Chrysanthemum		
Radis	Raphanus	Tabac	Nicotiana
Raifort sauvage	Armoracia	Tangélo	Citrus
Raisin d'ours	Arctostaphylos	Tangor	Citrus
Ray-grass	Lolium	Taro	Colocasia
Reine-marguerite	Callistephus	Taxales	Taxales
Renoncule	Ranunculus	Théier	Thea
Renouée	Polygonum	Thlaspi	Iberis
Rhubarbe	Rheum	Thuya	Thuja
Riz	Oryza	Tilleul	Tilia
Romarin officinal	Rosmarinus	Tomate	Lycopersicon,
Romneya	Romneya	Topinambour	Solanum
Ronce	Rubus	Tournesol	Helianthus
Rose de Noël	Helleborus	Trèfle	Helianthus
- d'Inde	Tagetes	Tritoma	Trifolium
- trémière	Althaea	Troène	Kniphofia
Rosier	Rosa	Trolle	Ligustrum
Rue	Ruta	Tulipier	Trollius
Rutabaga	Brassica		Liriodendron
Sabot de Vénus	Paphiopedilum	Verge d'or	Solidago
Safran bâtarde	Carthamus	Vergerette	Erigeron
Sainfoin	Onobrychis	Véronique	Hebe,
Salsifis noir	Scorzonera		Veronica
Sapin	Abies	Verveine	Verbena
- de Douglas	Pseudotsuga	Vesce	Vicia
- de Sakhaline	Abies	Vigne	Vitis
Sarrasin	Fagopyrum	- vierge	Ampelopsis
Sauge	Salvia	- vierge	Parthenocissus
Saule	Salix	Violette	Viola
Scarole	Cichorium	Viorne	Viburnum
Sceau de Salomon	Polygonatum	Volubilis	Pharbitis
Seigle	Secale	- (Ipomée -)	Ipomoea
Seringa	Philadelphus	Vulpin des prés	Alopecurus
Serradelle	Ornithopodus		
Shiitake	Lentinus	Weigela	Diervilla,
Soja	Glycine		Weigela

INDEX OF GERMAN COMMON NAMES
INDEX DES NOMS COMMUNS ALLEMANDS
VERZEICHNIS DER DEUTSCHEN LANDESÜBLICHEN NAMEN

Ackerbohne	Vicia	Birne	Pyrus
-spark	Spergula	- (Balsam-)	Momordica
-spörgel	Spergula	- (Felsen-)	Amelanchier
Adzukibohne	Phaseolus	Bitterkraut (Japanisches)	Pieris
Ahorn	Acer	- orange	Poncirus
Akazie	Acacia	- schopf	Aloë
- (Schein-)	Robinia	Blasenkirsche	Physalis
- (Schirm-)	Albizia	Blaubart	Caryopteris
Akelei	Aquilegia	-stern	Scilla
Alexandriner Klee	Trifolium	Blaues Halskraut	Trachelium
Alpenveilchen	Cyclamen	Bleiwurz	Ceratostigma
Amarant (Kugel-)	Gomphrena	Blumenrohr	Canna
Amaryllis	Hippeastrum	Bockshorn Klee	Trigonella
Ambari	Hibiscus	Bodenfrüchtiger Klee	Trifolium
Amberbaum	Liquidambar	Bogenhanf	Sansevieria
Angebauter Leindotter	Camelina	Bohne (Acker-)	Vicia
Angelikabaum	Aralia	- (Adzuki-)	Phaseolus
Apfel	Malus	- (Augen-)	Vigna
-beere	Aronia	- (Busch-)	Phaseolus
- (Rahm-)	Annona	- (Catjang-)	Vigna
-sine	Citrus	- (Dicke)	Vicia
- (Zucker-)	Annona	- (Garten-)	Phaseolus
Aprikose	Prunus	- (Prunk-)	Phaseolus
Aralie (Bastard-)	X Fatshedera	- (Puff-)	Vicia
Arizonazypressse	Cupressus	- (Soja-)	Glycine
Artischocke	Cynara	- (Spargel-)	Vigna
Aster	Aster	- (Stangen-)	Phaseolus
- (Baum-)	Olearia	Borstengras (Feder-)	Pennisetum
- (Sommer-)	Callistephus	Brandkraut	Phlomis
Atlasblume	Godetia	Brasilianische Futterhirse	Paspalum
Aubergine	Solanum	Braut in Haaren	Nigella
Augenbohne	Vigna	Brombeere	Rubus
Aukube	Aucuba	Buche	Fagus
Austernseitling	Pleurotus	- (Schein-)	Nothofagus
Avocado	Persea	Buchsbaum	Buxus
Azalee	Rhododendron	Buchweizen	Fagopyrum
		Büffelgras	Cenchrus
Bahiagrass	Paspalum	Buntnessel	Coleus
Ballonblume	Platycodon	- wurz	Caladium
Balsam (Bienen-)	Monarda	Buschbohne	Phaseolus
Balsambirne	Momordica		
Balsamine	Impatiens	Catjangbohne	Vigna
Banane	Musa	Celosie (Federbusch-)	Celosia
Bärentraube	Arctostaphylos	Champignon	Agaricus
Bartblume	Caryopteris	Cherimoya	Annona
-faden	Penstemon	Christusdorn	Euphorbia,
-nelke	Dianthus	- rose	Gleditsia
Bastardaralie	X Fatshedera	Croton	Helleborus
Batate	Ipomoea		Codiaeum
Baumaster	Olearia		
-heide	Erica	Dallis grass	Paspalum
-wolle	Gossypium	Dalmatinische Insektenblume	Chrysanthemum
-wucherer	Dendrobium	Dattelpalme	Phoenix
-wurzler	Epidendrum	Dekkan-Hanf	Hibiscus
Becherkätzchen	Garrya	Dicke Bohne	Vicia
Beifuss	Artemisia	Dill	Anethum
Berglorbeer	Kalmia	Dirlitze	Cornus
Berufskraut	Erigeron	Distel (Edel-)	Eryngium
Besenheide	Calluna	- (Färber-)	Carthamus
-hirse	Sorghum	- (Kratz-)	Cirsium
Bienenbalsam	Monarda	- (Kugel-)	Echinops
Binse	Juncus	Doldenrebe	Ampelopsis
Binsenginst	Spartium	Dost	Origanum
-lilie	Sisyrinchium	Dotterblume	Caltha
Birke	Betula	Douglasie	Pseudotsuga

Drachenbaum	Dracaena	Gänseblümchen	Bellis
Drehfrucht	Streptocarpus	Gartenbohne	Phaseolus
Dreifarbig Fuchsschwanz	Amaranthus	-kresse	Lepidium
Dreimasterblume	Tradescantia	-kresse (Große)	Tropaeolum
Duprez Zypresse	Cupressus	-löwenmaul	Antirrhinum
Duftblüte	Osmanthus	-ringelblume	Calendula
Eberesche	Sorbus	Geissblatt	Lonicera
Echte Feige	Ficus	-klee	Cytisus
- Zypresse	Cupressus	-raute	Galega
Edeldistel	Eryngium	Gelbklee	Medicago
-gamander	Teucrium	Gelenkblume	Physostegia
-pelargonie	Pelargonium	Gemeine Küchenschelle	Pulsatilla
Efeu	Hedera	Gemswurz	Doronicum
Ehrenpreis	Veronica	Gemüseerbse	Pisum
Eibe	Taxus	Germer	Veratrum
Eibengewächse	Taxales	Gerste	Hordeum
Eibisch	Hibiscus	Ginseng	Panax
Eiche	Quercus	Ginster	Genista
Eierfrucht	Solanum	- (Binsen-)	Spartium
Eisenholz	Parrotia	- (Stech-)	Ulex
-hut	Aconitum	Gipskraut	Gypsophila
-kraut	Verbena	Glanzgras	Phalaris
Endivie	Cichorium	-mispel	Photinia
Engelwurz	Angelica	Glatthafer	Arrhenatherum
Enzian	Gentiana	Glockenblume	Campanula
Erbse	Pisum	Gloxinie	Sinningia
- (Gemüse-)	Pisum	Glyzine	Wisteria
- (Kicher-)	Cicer	Goldfaden	Coptis
- (Platt-)	Lathyrus	-flieder	Forsythia
Erbesenstrauch	Caragana	-glöckchen	Forsythia
Erdbeerbaum	Arbutus	-hafer	Trisetum
-beere	Fragaria	-kolben	Ligularia
-nuss	Arachis	-lack	Cheiranthus
Erika	Erica	-regen	Laburnum
Erle	Alnus	-rute	Solidago
Esche	Fraxinus	Granadilla (Purpur-)	Passiflora
- (Eber-)	Sorbus	Granatapfel	Punica
- (Gemeine)	Fraxinus	-baum	Punica
Esparsette	Onobrychis	Gränke	Andromeda
Essigbaum	Rhus	Grannenhirse	Oryzopsis
Eukalyptus	Eucalyptus	Grapefruit	Citrus
Fackellilie	Kniphofia	Grasnelke	Armeria
Falscher Jasmin	Philadelphus	-schwertel	Sisyrinchium
Färberdistel	Carthamus	Graue Heide	Erica
Farn (Frauenhaar-)	Adiantum	Griechisch-Heu	Trigonella
Federborstengras	Pennisetum	Grindkraut	Scabiosa
-busch-Celosie	Celosia	Grossblumiger Portulak ...	Portulaca
-spargel	Asparagus	Grosse essbare Klette	Arctium
Feige (Echte)	Ficus	- Gartenkresse	Tropaeolum
Feinstrahl	Erigeron	Grosser Speik	Lavandula
Feldsalat	Valerianella	Guavave	Psidium
Felsenbirne	Amelanchier	Gummibaum	Ficus
Fenchel	Foeniculum	Gurke	Cucumis
Fetthenne	Sedum	- (Schwamm-)	Luffa
Feuerdorn	Pyracantha		
Fichte	Picea		
Fingerhut	Digitalis		
-kraut	Potentilla		
Flachs (Neuseeländer)	Phormium		
Flamingoblume	Anthurium		
Flammenblume	Phlox		
Flammendes Herz	Dicentra		
Flaschenkürbis	Lagenaria		
Flieder	Syringa		
Flockenblume	Centaurea		
Frauenhaarfarm	Adiantum		
Fuchsschwanz (Dreifarbig)	Amaranthus		
- (Wiesen-)	Alopecurus		
Funkie	Hosta		
Futterhirse (Brasilianische)	Paspalum		

Heide (Baum-)	Erica	Kamille (Hunds-)	Anthemis
- (Besen-)	Calluna	Kammgras	Cynosurus
- (Graue)	Erica	Kampferbaum	Cinnamomum
- (Irische)	Daboecia	Kanadische Rispendifolde ...	Cryptotaenia
- (Lavendel-)	Pieris	Kanariengras	Phalaris
- (Mittelmeer-)	Erica	Kappenmohn	Eschscholzia
- (Moor-)	Erica	Kardone	Cynara
- (Rosmarin-)	Andromeda	Kartoffel	Solanum
- (Schnee-)	Erica	- (Süß-)	Ipomoea
- (Schuppen-)	Cassiope	Kastanie	Castanea
- (Trauben-)	Leucothoë	- (Ross-)	Aesculus
Heidelbeere	Vaccinium	Katsurabaum	Cercidiphyllum
Herbstrübe	Brassica	Katzenminze	Nepeta
Himbeere	Rubus	Kaukasische Insektenblume	Chrysanthemum
Hirse	Panicum	Kerbel	Anthriscus
- (Besen-)	Sorghum	Keulenbaum	Cordyline
- (Brasilianische Futter-)	Paspalum	-lilie	Cordyline
- (Grannen-)	Oryzopsis	Kichererbse	Cicer
- (Kolben-)	Setaria	Kiefer	Pinus
- (Mohren-)	Sorghum	Kirsche	Prunus
- (Rispen-)	Panicum	- (Blasen-)	Physalis
- (Zucker-)	Sorghum	- (Hecken-)	Lonicera
Holunder	Sambucus	- (Kornel-)	Cornus
Honiggras	Holcus	- (Sauer-)	Prunus
Hopfen	Humulus	- (Steppen-)	Prunus
-klee	Medicago	- (Süß-)	Prunus
Hornklee	Lotus	- (Zwerg-)	Prunus
Hortensie	Hydrangea	Kirschlarbeer	Prunus
Hühnerhirse	Echinochloa	-pfalme	Prunus
Hundskamille	Anthemis	Kiwifrukt	Actinidia
		Klebsame	Pittosporum
		-schwertel	Ixia
Immergrün	Vinca	Klee	Trifolium
Immortelle (Sand-)	Ammobium	- (Alexandriner)	Trifolium
Impatiens (Neu-Guinea-)	Impatiens	- (Bockshorn)	Trigonella
Indigostrauch	Indigofera	- (Bodenfrüchtiger)	Trifolium
Indische Lotosblume	Nelumbo	- (Geiss-)	Cytisus
Ingwer	Zingiber	- (Gelb-)	Medicago
Inkalilie	Alstroemeria	- (Hopfen-)	Medicago
Inkarnatklee	Trifolium	- (Horn-)	Lotus
Insektenblume	Chrysanthemum	- (Inkarnat-)	Trifolium
Irische Heide	Daboecia	- (Persischer)	Trifolium
		- (Rot-)	Trifolium
		- (Sauer-)	Oxalis
Jakobsleiter	Polemonium	- (Schnecken-)	Medicago
Japanische Kaiserwinde	Pharbitis	- (Schoten-)	Lotus
- Misipel	Eriobotrya	- (Schweden-)	Trifolium
- Pestwurz	Petasites	- (Weiss-)	Trifolium
- Pflaume	Prunus	Klette (Große essbare)	Arctium
Japanisches Bitterkraut	Pieris	Klivie	Clivia
Jasmin	Jasminum	Knaulgras	Dactylis
- (Falscher)	Philadelphus	Knoblauch	Allium
- (Malabar-)	Jasminum	Knöterich	Polygonum
- (Winter-)	Jasminum	Kohl	Brassica
Johannisbeere	Ribes	-rabi	Brassica
-kraut	Hypericum	-rübe	Brassica
Judasbaum	Cercis	Kokardenblume	Gaillardia
-ohr	Auricularia	Kolbenhirse	Setaria
Jungfer im Grünen	Nigella	Königskeuze	Verbascum
Jungfernrebe	Parthenocissus	Korkschwamm	Lentinus
		Korbmarante	Calathea
		Korallenranke	Euphorbia
Kaffee	Coffea	Kornelkirsche	Cornus
Kaiserwinde (Japanische)	Pharbitis	Kosmee	Cosmos
Kakipflaume	Diospyros	Kranzblume	Hedychium
Kaktus (Oster-)	Epiphyllopsis, Rhipsalidopsis	-spiere	Stephanandra
- (Weihnachts-)	Schlumbergera,	Kratzdistel	Cirsium
Kaladie	Zygocactus	Kresse (Garten-)	Lepidium
Kalebasse	Caladium	- (Große Garten-)	Tropaeolum
Kalla	Lagenaria	Kreuzdorn	Rhamnus
Kamelie	Zantedeschia	-kraut	Senecio
- (Schein-)	Camellia	Krokus	Crocus
	Stewartia	Krötenlilie	Tricyrtis
		Krugblatt	Sarracenia

Kugelamarant	Gomphrena	Mehlbeere	Sorbus
-distel	Echinops	Melone	Cucumis
Kumquat	Fortunella	- (Wasser-)	Citrullus
Küchenschelle (Gemeine) ..	Pulsatilla	Melonenbaum	Carica
Kümmel	Carum	Menziesia	Menziesia
Kürbis	Cucurbita	Milchstern	Ornithogalum
- (Flaschen-)	Lagenaria	Minze	Mentha
- (Wachs-)	Benincasa	- (Katzen-)	Nepeta
		- (Pferde-)	Monarda
Lampionblume	Physalis	Mirabelle	Prunus
Lärche	Larix	Mispel (Japanische)	Eriobotrya
Lauch	Allium	Mittelmeerhafer	Avena
Lavendel	Lavandula	-heide	Erica
Lavendel (Echter)	Lavandula	Mohn	Papaver
-heide	Pieris	- (Kappen-)	Eschscholzia
- (Meer-)	Limonium	Möhre	Daucus
Lebensbaum	Thuja	Mohrenhirse	Sorghum
Leberbalsam	Ageratum	Montbretie	Tritonia
Leimkraut	Silene	Moorheide	Erica
Lein	Linum	Moosbeere	Vaccinium
-dotter (Angebauter)	Camelina	-kraut	Selaginella
-kraut	Linaria	Myrobalane	Prunus
Leopardenblume	Belamcanda		
Levkaje	Matthiola	Nachtkerze	Oenothera
Leyland Zypresse	X Cupressocyparis	-schatten	Solanum
Lichtnelke	Lychnis	Nackthafer	Avena
Liebegras (Behaartes)	Eragrostis	Nadelhölzer	Coniferae
Lieschgras	Phleum	Nameko	Pholiota
Lilie (Binsen-)	Sisyrinchium	Narzisse	Narcissus
- (Fackel-)	Kniphofia	Nelke	Dianthus
- (Inka-)	Alstroemeria	- (Bart-)	Dianthus
- (Keulen-)	Cordyline	- (Gras-)	Armeria
- (Kröten-)	Tricyrtis	- (Licht-)	Lychnis
- (Palm-)	Yucca	- (Vexier-)	Lychnis
- (Schmuck-)	Agapanthus	Neilkenwurz	Geum
- (Schwert-)	Iris	Nessel (Bunt-)	Coleus
Limone	Citrus	- (Schwarz-)	Perilla
Linde	Tilia	Neu-Guinea-Impatiens	Impatiens
Linse	Lens	Neuseeländer Flachs	Phormium
- (Wick-)	Vicia	Nieswurz	Helleborus, Veratrum
Loquate	Eriobotrya		
Lorbeer (Berg-)	Kalmia	Ochsenzunge	Anchusa
- (Kirsch-)	Prunus	Okra	Abelmoschus
-rose	Kalmia	Ölbaum	Olea
Lotosblume (Indische)	Nelumbo	Oleander	Nerium
Löwenmaul (Garten-)	Antirrhinum	Olive	Olea
Lungenkraut	Pulmonaria	Ölrettich	Raphanus
Lupine	Lupinus	-weide	Elaeagnus
Luzerne	Medicago	Orange	Citrus
		- (Bitter-)	Poncirus
Mädchenauge	Coreopsis	Orangenblume	Choisya
Maiblume	Convallaria	Orchideen	Orchidaceae
-glöckchen	Convallaria	Osterkaktus	Epiphyllum, Rhipsalidopsis
-rübe	Brassica		
Mais	Zea	Palma Christi	Ricinus
Malabarjasmin	Jasminum	Palme (Dattel-)	Phoenix
Malve	Malva	- (Ruten)	Rhapis
- (Prärie-)	Sidalcea	- (Schuster-)	Aspidistra
- (Stock-)	Althaea	- (Stech-)	Ilex
Mandarine	Citrus	- (Stecken-)	Rhapis
Mandel	Amygdalus,	Palmlilie	Yucca
	Prunus	Pampasgras	Cortaderia
Mandelröschen	Prunus	Pannonische Wicke	Vicia
Mango	Mangifera	Pantoffelblume	Calceolaria
Mangold	Beta	Päonie	Paeonia
Mannstreu	Eryngium	Papaya	Carica
Maranta	Maranta	Papierknöpfchen	Ammobium
Marante (Korb-)	Calathea	Pappel	Populus
Marguerite	Chrysanthemum		
Maulbeerbaum	Morus		
Meerlavendel	Limonium		
-rettich	Armoracia		

Paprika	Capsicum	Reis	Oryza
Paradiesvogelblume	Strelitzia	Rettich	Raphanus
Passionsblume	Passiflora	- (Meer-)	Armoracia
-frucht	Passiflora	- (Öl-)	Raphanus
Pastinak	Pastinaca	Rhabarber	Rheum
Pekan	Carya	Rhodes-gras	Chloris
Peltaten (Halb-)	Pelargonium	Riemenblatt	Clivia
Perlbusch	Exochorda	Ringelblume (Garten-)	Calendula
Persischer Klee	Trifolium	Rispendifilde (Kanadische)	Cryptotaenia
Perückenstrauch	Cotinus	-gras	Poa
Pestwurz (Japanische)	Petasites	-hirse	Panicum
Petersilie	Petroselinum	Rittersporn	Delphinium
Pfaffenhütchen	Euonymus	-stern	Hippeastrum
Pfeffer (Pflaumen-)	Chloranthus	Roggen	Secale
Pfeifenstrauch	Philadelphus	Rose	Rosa
Pfeilwurz	Alocasia, Maranta	Rosmarinheide	Andromeda
Pferdeminze	Monarda	Rosskastanie	Aesculus
Pfingstrose	Paeonia	Rote Rübe	Beta
Pfirsich	Prunus	Rotklee	Trifolium
Pflaume	Prunus	Runkelrübe	Beta
Pflaumenpfeffer	Chloranthus	Rutengalme	Rhipis
Phazelia	Phacelia	Rübe (Herbst-)	Brassica
Phlox	Phlox	- (Mai-)	Brassica
Phygelius	Phygelius	- (Rote)	Beta
Pilz (Nameko-)	Pholiota	- (Runkel-)	Beta
Pimpernuss	Staphylea	- (Zucker-)	Beta
Platterbse	Lathyrus	Rübbling (Samtfuss-)	Flammulina
Poinsettie	Euphorbia	Rübsen	Brassica
Porree	Allium		
Portulak (Grossblumiger)	Portulaca	Saatwicke	Vicia
Prachtglocke	Enkianthus	Säckelblume	Ceanothus
-scharte	Liatris	Saflor	Carthamus
-spiere	Astilbe	Salat	Lactuca
-strauch	Embothrium	- (Feld-)	Valerianella
Präriemalve	Sidalcea	Salbei	Salvia
Preiselbeere	Vaccinium	Salomons Siegel	Polygonatum
Primel	Primula	Sammetblume	Tagetes
Protea	Aulax, Leucadendron, Mimetes, Orothamnus, Paranomus, Protea, Serruria	Samtfussrübling	Flammulina
Prunkbohne	Phaseolus	Sandimmortelle	Ammobium
-spiere	Exochorda	Sareptasenf	Brassica
-winde	Ipomoea	Sauerkirsche	Prunus
Puffbohne	Vicia	-klee	Oxalis
Purpurlöckchen	Heuchera	-zitrone	Citrus
-granadilla	Passiflora	Schafgarbe	Achillea
-tang	Porphyra	Schalotte	Allium
Quitte	Cydonia	Schaumblüte	Tiarella
- (Chinesische)	Pseudocydonia	Scheinakazie	Robinia
- (Japanische)	Chaenomeles, Cydonia	-beere	Gaultheria
Radieschen	Raphanus	-buche	Nothofagus
Rahmapfel	Annona	-hasel	Corylopsis
Ranunkel	Ranunculus	-kamelie	Stewartia
-strauch	Kerria	-zypresse	Chamaecyparis
Raps	Brassica	Schiefteller	Achimenes
Rasselblume	Catananche	Schirmakazie	Albizia
Raute	Ruta	Schlafmützchen	Eschscholzia
Rayras	Lolium	Schlauchpflanze	Sarracenia
Rebe	Vitis	Schleierkraut	Gypsophila
- (Dolden-)	Ampelopsis	Schleifenblume	Iberis
- (Jungfern-)	Parthenocissus	Schlitzblume	Schizanthus
- (Wald-)	Clematis	Schlüsselblume	Primula
Rebendolde	Oenanthe	Schmetterlingsstrauch	Buddleja
		Schmuckkörbchen	Cosmos
		-lilie	Agapanthus
		Schneckenklee	Medicago
		Schneeball	Viburnum
		-beere	Syphoricarpos
		-glöckchenbaum	Halesia
		-heide	Erica
		-rose	Helleborus
		Schnittlauch	Allium
		Schnurrbaum	Sophora
		Schönfrucht	Callicarpa

Schotenklee	Lotus	Tabak	Nicotiana
Schuppenheide	Cassiope	Taglilie	Hemerocallis
Schusterpalme	Aspidistra	Tang (Purpur-)	Porphyra
Schwammgurke	Luffa	Tangelo	Citrus
- (Kork-)	Lentinus	Tangor	Citrus
Schwarznessel	Perilla	Tanne	Abies
-wurzel	Scorzonera	- (Sichel-)	Cryptomeria
Schwarzer Senf	Brassica	- der Insel Sachalin	Abies
Schwedenklee	Trifolium	Taro	Colocasia
Schwertel (Gras-)	Sisyrinchium	Tausendschön	Bellis
- (Kleb-)	Ixia	Tee	Thea
Schwertlilie	Iris	Tomate	Lycopersicon,
Schwingel	Festuca		Solanum
Seerose	Nymphaea	Topinambur	Helianthus
Seidelbast	Daphne	Torfmyre	Pernettya
Seidenpflanze	Asclepias	Tränendes Herz	Dicentra
Seifenkraut	Saponaria	Traubenheide	Leucothoë
Seitling (Austern-)	Pleurotus	Trespe	Bromus
Sellerie	Apium	Tritome	Kniphofia
Senf (Sarepta-)	Brassica	Trollblume	Trollius
- (Schwarzer)	Brassica	Tropensporn	Angraecum
- (Weisser)	Sinapis	- wurz	Alocasia
Serradella	Ornithopus	Trompetenbaum	Catalpa
Sicheltanne	Cryptomeria	-blume	Campsis, Tecoma
Silberkerze	Cimicifuga	-winde	Campsis, Tecoma
Singrün	Vinca	Tulpe	Tulipa
Skabiose	Scabiosa	Tulpenbaum	Liriodendron
Sojabohne	Glycine		
Sommeraster	Callistephus	Ulme	Ulmus
Sonnenauge	Heliospis	Usambaraveilchen	Saintpaulia
-blume	Helianthus		
-hut	Rudbeckia	Veilchen	Viola
-kraut	Helenium	- (Alpen-)	Cyclamen
-röschen	Helianthemum	- (Usambara-)	Saintpaulia
Spaltblume	Schizanthus	Venusschuh	Paphiopedilum
-griffel	Schizostylis	Vergissmeinnicht	Myosotis
Spargel	Asparagus	Veronika (Strauch-)	Hebe
-bohne	Vigna	Vexiernelke	Lychnis
- (Feder-)	Asparagus	Vogelmilch	Ornithogalum
Speik (Grosser)	Lavandula		
Spelz	Triticum	Wacholder	Juniperus
Spierstrauch	Spiraea	Wachskürbis	Benincasa
Spinat	Spinacia	Waldrebe	Clematis
Spindelstrauch	Euonymus	Walnuss	Juglans
Spinnenpflanze	Cleome	Wandelröschen	Lantana
Spitzenblume	Ardisia	Wanzenkraut	Cimicifuga
Springkraut	Impatiens	Wassermelone	Citrullus
Stachelbeere	Ribes	Weichweizen	Triticum
Stangenbohne	Phaseolus	Weide	Salix
Stechginster	Ulex	Weidelgras	Lolium
-palme	Ilex	Weiderich	Lythrum
Steckenpalme	Rhapis	Weigelie	Diervilla,
Steinbrech	Saxifraga	Weihnachtskaktus	Weigela
-linde	Phillyrea	-stern	Schlumbergera,
-same	Lithospermum	Wein (Wilder)	Zygocactus
Steppenkirsche	Prunus	Weissdorn	Euphorbia
Stern von Bethlehem	Ornithogalum	-kle	Parthenocissus
-winde	Quamoclit	Weisser Senf	Crataegus
Stiefmütterchen	Viola	Weizen	Trifolium
Stockmalve	Althaea	- (Buch-)	Sinapis
-rose	Althaea	- (Hart-)	Triticum
Storaxbaum	Styrax	- (Weich-)	Fagopyrum
Storchschnabel	Geranium	Wicke (Pannonische)	Triticum
Strahlengriffel	Actinidia	- (Saat)	Lathyrus
Strauchmargerite	Chrysanthemum	- (Wohlriechende)	Vicia
-veronika	Hebe	- (Zaun-)	Vicia
Straussgras	Agrostis	- (Zottel-)	Vicia
Strohblume	Helichrysum	Wickelwurz	Bergenia
Sumach	Rhus		
Südseemyrte	Leptospermum		
Süsskartoffel	Ipomoea		
-kirsche	Prunus		
-sack	Annona		

Wicklinse	Vicia	Zaubernuss	Hamamelis
Widerstoss	Limonium	Zaunwicke	Vicia
Wiesenfuchsschwanz	Alopecurus	Zeitlose	Colchicum
-raute	Thalictrum	Zichorie	Cichorium
Wilder Wein	Parthenocissus	Ziest	Stachys
Winde (Japanische Kaiser-)	Pharbitis	Zistrose	Cistus
- (Prunk-)	Ipomoea	Zitrone	Citrus
- (Stern-)	Quamoclit	Zitrus	Citrus
- (Trompeten-)	Campsis, Tecoma	Zottelwicke	Vicia
Windröschen	Anemone	Zuckerapfel	Annona
Winterblüte	Chimonanthus,	-hirse	Sorghum
	Meratia	-rohr	Saccharum
Wistarie	Wisteria	-rübe	Beta
Wohlriechende Wicke	Lathyrus	Zwergkirsche	Prunus
Wolfsmilch	Euphorbia	-pfeffer	Peperomia
Wunderbaum	Ricinus	Zwiebel	Allium
-blume	Mirabilis	Zylinderputzer	Callistemon
-strauch	Codiaeum	Zypergras	Cyperus
Yamswurzel	Dioscorea	Zypresse (Arizona-)	Cupressus
		- (Duprez)	Cupressus
		- (Echte)	Cupressus
		- (Leyland)	X Cupressocyparis
		- (Schein-)	Chamaecyparis

[End of document/
Fin du document/
Ende des Dokuments]

0256