International Union for the Protection of New Varieties of Plants

Technical Committee TC/57/22

Fifty-Seventh Session Geneva, October 25 and 26, 2021 Original: English

Date: September 4, 2021

## PARTIAL REVISION OF THE TEST GUIDELINES FOR PEACH

Document prepared by the Office of the Union

Disclaimer: this document does not represent UPOV policies or guidance

- 1. The purpose of this document is to present a proposal for a partial revision of the Test Guidelines for Peach (document TG/53/7 Rev.).
- 2. The background to the proposed partial revision of the Test Guidelines for Peach is presented in document TC/57/2 "Test Guidelines".
- 3. The Technical Working Party for Fruit Crops (TWF), at its fifty-second session<sup>1</sup>, considered a proposal for a partial revision of the Technical Questionnaire (TQ) of the Test Guidelines for Peach (*Prunus persica* (L.) Batsch) on the basis of document TWP/5/13 "Revision of Test Guidelines", paragraph 17 and Annex XIII. The TWF agreed to propose the inclusion of the following characteristics in the TQ (characteristics for inclusion indicated in highlight and underline) (see document TWF/52/10 "Report", paragraph 88):

Char. No.	(*)	Characteristic Name

1	(*)	Tree: size
2		Tree: vigor
3	(*)	Tree: habit
9	(*)	Flower: type
12		Only varieties with flower type: campanulate: Petal: width
13	(*)	Only varieties with flower type: rosette: Petal: width
17	(*)	Anthers: pollen
20	(*)	Leaf blade: length
28	(*)	Leaf blade: red mid-vein on the lower side
30	(*)	Petiole: nectaries
31	(*)	Petiole: shape of nectaries
32	(*)	Fruit: size
33	(*)	Fruit: shape (in ventral view)
40	(*)	Fruit: ground color of skin
44	(*)	Fruit: pubescence of skin
49		Fruit: adherence of skin to flesh
50	(*)	Fruit: firmness of flesh
51	(*)	Fruit: carotenoid coloration of flesh
58		Fruit: flesh fiber
60	(*)	Fruit: acidity
61	(*)	Stone: size in relation to fruit
66	(*)	Stone: adherence to flesh
68		Time of beginning of leaf bud burst
69	(*)	Time of beginning of flowering
70	(*)	Time of maturity

<sup>&</sup>lt;sup>1</sup> hosted by China and organized by electronic means, from July 12 to 16, 2021

4. The proposed additions to TQ 5 are presented in highlight and underline.

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:

Characteristics of the variety to be indicated (the number in brackets refers to the corresponding characteristic in Test Guidelines; please mark the note which best corresponds). Characteristics **Example Varieties** Note Tree: size 5.1 (1) very small Bonanza, Bonfire, Pix Zee, Zaino 1[ ] very small to small 2[ ] small Richaven 3[] small to medium 4[ ] medium Robin 5[] medium to large 6[ ] 7[] large Redhaven large to very large 8[ ] very large Champion 9[] Tree: vigor very weak 1[ ] very weak to weak 2[ ] J. H. Hale 3[ ] weak weak to medium 4[ ] Robin 5[ ] medium medium to strong 6[ ] Springtime 7[ ] strong strong to very strong 8[ ] very strong 9[ ] <u>5.3</u> (3) Tree: habit fastigiate Nectarose, Pillar 1[ ] Fairhaven, Redwing 2[ ] upright upright to spreading Albertina, Elegant Lady, Mercil 3[ ] spreading Charles Roux 4[ ] drooping Biancopendulo 5[ ]

	Characteristics	Example Varieties	Note
5. <del>2</del> 4 (9)	Flower: type		
	campanulate	Dida, Springtime	1[]
	rosette	Robin, Vesuvio	2[]
<u>5.5</u> (12)	Only varieties with flower type: campanulate: Petal: width		
	very narrow		<u>1[ ]</u>
	very narrow to narrow		2[ ]
	narrow	<u>Meydicte</u>	3[ ]
	narrow to medium		4[ ]
	medium	<u>Bradgust</u>	5[ ]
	medium to broad		6[ ]
	broad	<u>Monnail</u>	7[ ]
	broad to very broad		8[ ]
	very broad		9[ ]
<u>5.6</u> (13)	Only varieties with flower type: rosette: Petal: width		
	very narrow	Triumph	<u>1[ ]</u>
	narrow	<u>Shasta</u>	2[_]
	medium	Robin	3[ ]
	broad	Michelini	4[ ]
	very broad	Veteran	<u>5[ ]</u>
<u>5.7</u> (17)	Anthers: pollen		
	absent	J. H. Hale	1[_]
	present	Redhaven	9[_]

	Characteristics	Example Varieties	Note
<u>5.8</u> (20)	Leaf blade: length		
	very short		1[ ]
	very short to short		2[ ]
	short	<u>Jeronimo</u>	3[_]
	short to medium		4[ ]
	medium	Fairhaven	5[_]
	medium to long		6[ ]
	long	Southland	7[_]
	long to very long		8[ ]
	very long		9[ ]
5. <del>3</del> <u>9</u> (28)	Leaf blade: red mid-vein on the lower side		
	absent	Redhaven	1[]
	present	Sanguine Chanas	9[]
5.4 <u>10</u> (30)	Petiole: nectaries		
	absent	Crimson Glo, Tejon	1[]
	present	Redhaven	9[]
5.5 <u>11</u> (31)	Petiole: shape of nectaries		
	round	Springtime	1[]
	reniform	Redhaven	2[]
<u>5.12</u> (32)	Fruit: size		
	very small	Nectarine-Cerise	1[_]
	very small to small		2[ ]
	small	Minastar, Springtime	3[ ]
	small to medium		4[_]
	medium	Momée, Springlady, Sunhaven	5[_]
	medium to large		6[ ]
	large	Loring, Zaifer, Zaitabo	7[_]
	large to very large		8[ ]
	very large	Comanche, Maillarbig	9[ ]

	Characteristics	Example Varieties	Note
5.6 <u>13</u> (33)	Fruit: shape (in ventral view)		
	broad oblate	Alex, Bailou, UFO3	1[]
	medium oblate	Herastrau, Robin	2[]
	circular	Redwing	3[]
	broad elliptic	Cavalier	4[]
	medium elliptic	Elberta	5[]
<u>5.14</u> (40)	Fruit: ground color of skin		
	not visible	Fiesta Red	1[_]
	green	Ruberrina	2[_]
	cream green	Carman	3[_]
	greenish white	Morton	4[_]
	cream white	Antonia, Michelini	<u>5[ ]</u>
	cream	Amsden	6[ ]
	pink white	Précoce de Hale	7[_]
	greenish yellow	Veteran	8[ ]
	cream yellow	Fuzalode	9[ ]
	yellow	Sudanell	10[ ]
	orange yellow	Redtop, Victoria	11[ ]
5.7 <u>15</u> (44)	Fruit: pubescence of skin		
	absent	Daisy, Fantasia, Monco, Zaitabo	1[]
	present	Merspri, Moncav, Rich May	9[]

	Characteristics	Example Varieties	Note
<u>5.16</u> (49)	Fruit: adherence of skin to flesh		
	very weak	Mme Girerd	1[ ]
	very weak to weak		2[ ]
	<u>weak</u>	Redhaven	3[ ]
	weak to medium		4[ ]
	medium	Early Sungrand	<u>5[ ]</u>
	medium to strong		6[ ]
	strong	Babygold 5	7[ ]
	strong to very strong		8[ ]
	very strong	<u>Vivian</u>	9[ ]
<u>5.17</u> (50)	Fruit: firmness of flesh		
	very soft	Amsden, Morettini n°1, Springtime	1[_]
	very soft to soft		2[ ]
	<u>soft</u>	<u>Fairhaven</u>	3[ ]
	soft to medium		4[ ]
	medium	Flavorcrest, Redtop	5[ ]
	medium to firm		6[ ]
	<u>firm</u>	Honey Blaze, Zaitabo	7[ ]
	firm to very firm		8[ ]
	very firm	Babygold 6, Ghiaccio 2	9[ ]
5.8 <u>18</u> (51)	Fruit: carotenoid coloration of flesh		
	greenish white	Charles Roux	1[]
	white	Caldesi 2000, Springtime	2[]
	cream white	Michelini	3[]
	light yellow	Armking, Spring Gold	4[]
	yellow	Early Sungrand	5[]
	orange yellow	Lovell, Merrill Franciscan	6[]
	orange	Sungold	7[]

	Characteristics	Example Varieties	Note
5.19 (58)	Fruit: flesh fiber		
	absent or weak	Redhaven	1[_]
	medium		2[]
	strong	Sunhigh	3[]
5.9 <u>20</u> (60)	Fruit: acidity		
	very low	Monam, Moncav, Monna, Redwing, Zaibomi, Zaidaso	1[]
	low	Maillarboom, Monnude, Zaifave, Zaifuro, Zairesu, Zaitabo	2[]
	medium	Mercil, Monprime, Ryans Sun	3[]
	high	Craucail, Kraprim, Nectaross, Orion, Rich May, Zailice, Zainara	4[]
	very high	Armking, Bracid, Maycrest, Red Robin, Savana Red, Star Bright, Zaibri, Zaitop	5[]
<u>5.21</u> (61)	Stone: size in relation to fruit		
	very small		1[ ]
	very small to small		2[ ]
	<u>small</u>	Alex, Robin	3[ ]
	small to medium		4[ ]
	medium	Redhaven	<u>5[ ]</u>
	medium to large		6[ ]
	large	Somervee	7[ ]
	large to very large		8[ ]
	very large		9[ ]
<u>5.22</u> (66)	Stone: adherence to flesh		
	absent	Fairhaven, Fuzalode	1[_]
	present	Sweet Gold, Vivian	9[ ]

	Characteristics	Example Varieties	Note
<u>5.23</u> (68)	Time of beginning of leaf bud burst		
	very early	Sunred	1[_]
	very early to early		2[ ]
	<u>early</u>	<u>Springtime</u>	3[ ]
	early to medium		4[ ]
	medium	Redhaven	5[ ]
	medium to late		6[ ]
	late	Genadix 7	7[ ]
	late to very late		8[ ]
	very late	Reine des Vergers	9[ ]
5. <del>10</del> <u>24</u> (69)	Time of beginning of flowering		
	very early	Zaibop, Zaitolio	1[]
	very early to early		2[ ]
	early	Rich Lady, Springtime	3[]
	early to medium		4[ ]
	medium	Monnude, Zaitabo	5[]
	medium to late		6[ ]
	late	Maillarflat, Maillarlau	7[]
	late to very late		8[ ]
	very late	Summerqueen	9[]

## TC/57/22 page 9

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:

	Characteristics	Example Varieties	Note
5. <del>11</del> <u>25</u> (70)	Time of maturity		
	very early	Rich May, Springtime, Zaibaro	1[]
	very early to early	Zainoar, Zaitani	2[]
	early	Antonia, Redwing, Rich Lady, Robin	3[]
	early to medium	Craucail, Diamond Princess	4[]
	medium	Fairhaven, Fantasia, Summer Bright, Zee Lady	5[]
	medium to late	Maillarbig, Savana red, Zaimor	6[]
	late	Fairlane, Flacara, Veteran, Western Red, Zailati, Zairova	7[]
	late to very late	Andgold, Tardibelle	8[]
	very late	Rubidoux	9[]
	extremely late	Calante, Jesca	10[]

[End of document]