

Technical Committee TC/58/29.

Fifty-Eighth Session Geneva, October 24 and 25, 2022 Original: English

Date: October 5, 2022

PARTIAL REVISION OF THE TEST GUIDELINES FOR WHEAT

Document prepared by an expert from the United Kingdom

Disclaimer: this document does not represent UPOV policies or guidance

- 1. The purpose of this document is to present a proposal for a partial revision of the Test Guidelines for Wheat (document TG/3/12).
- 2. The background to the proposed partial revision of the Test Guidelines for Wheat is presented in document TC/58/2 "Test Guidelines".
- 3. The Technical Working Party for Agricultural Crops (TWA), at its fifty-first session¹, considered a proposal for a partial revision of the Technical Questionnaire (TQ) of the Test Guidelines for Wheat (*Triticum aestivum* L. emend. Fiori et Paol.) on the basis of document TWP/6/10 "Revision of Test Guidelines", paragraph 25 and Annex X. The TWA agreed to propose the inclusion of the following characteristics in the TQ (characteristics for inclusion indicated in highlight and underline) (see document TWA/51/11 "Report", paragraph 91):

Char. No.	(*)	Characteristic Name
1		Seed: color
7	(*)	Time of ear emergence
10	(*)	Ear: glaucosity
12	(*)	Lower glume: hairiness on external surface
13	(*)	Plant: length
14	(*)	Straw: pith in cross section
17	(*)	Ear: scurs or awns
19	(*)	Ear: color
20		Ear: shape in profile
27	(*)	Seasonal type

4. The proposed additions to TQ 5 are presented in highlight and underline.

¹ held in Cambridge, United Kingdom, from May 23 to 27, 2022

_

TECHNICAL QUESTIONNAIRE Page {x} of {y} Reference Number:

 Characteristics of the variety to be indicated (the number in brackets refers to the corresponding characteristic in Test Guidelines; please mark the note which best corresponds).

Characteristics Example Varieties 5.1 (1) white white reddish purple bluish (w) Sy Ideo, (s) Blini (w) Solehio, (s) Granary (w) Indigo (w) Indigo (w) Skorpion 5.1 2 Time of ear emergence (very early (w) Accor, (s) Badiel	Note 1 [] 3 [] 1 []
white	2[] 3[] 4[]
reddish purple bluish 5.4 2 (7) Time of ear emergence very early (w) Solehio, (s) Granary (w) Indigo (w) Skorpion (w) Skorpion (w) Accor, (s) Badiel	2[] 3[] 4[]
purple bluish (w) Indigo (w) Skorpion 5.1 2 (7) Time of ear emergence (very early (w) Accor, (s) Badiel	3[] 4[] 1[]
bluish (w) Skorpion 5.1 2 (7) Time of ear emergence very early (w) Accor, (s) Badiel	<u>4[]</u> 1[]
5.4 2 Time of ear emergence (7) very early (w) Accor, (s) Badiel	1[]
very early (w) Accor, (s) Badiel	
	0.1.1
very early to early	2[]
early (w) Solehio, (s) Sensas	3[]
early to medium	4[]
medium (w) Sotchy CS, (s) Granary	5[]
medium to late	6[]
late (w) Rosario, (s) Triso	7[]
late to very late	8[]
very late (w) Adequat	9[]
5.3 Ear: glaucosity (10)	
absent or very weak (w) Soissons	1[]
very weak to weak	2[]
weak (w) Callobre, (s) Panifor	3[]
weak to medium	4[]
medium (w) Solehio, (s) Granary	5[]
medium to strong	6[]
strong (w) Edgar, (s) Specifik	7[]
strong to very strong	8 []
very strong (w) Waximum	1 1 0
5.2 4 Lower glume: hairiness on external surface (12)	
absent (w) Soissons, (s) Triso	1[]
present (w) Franz, (s) Galera	9[]

TECHNICAL QUESTIONNAIRE Page {x} of {y} Reference Number:

	Characteristics	Example Varieties	Note
5. 3 <u>5</u> (13)	Plant: length		
	very short	(w) Fronton	1[]
	very short to short		2[]
	short	(w) Apache, (s) Lennox	3[]
	short to medium		4[]
	medium	(w) Solehio, (s) FD 1 24	5[]
	medium to long		6[]
	long	(w) Antonius	7[]
	long to very long		8[]
	very long	(w) Capo	9[]
5.4 <u>6</u> (14)	Straw: pith in cross section		
	thin	(w) SY Moisson, (s) FD 1 24	1[]
	medium	(w) Apache, (s) Granary	2[]
	thick or filled	(w) Synchro, (s) Olivart	3[]
5. 5	Ear: scurs or awns		
	both absent	(s) Gorda	1[]
	scurs present		2[]
	awns present		3[]
5.€ <u>8</u> (19)	Ear: color		
	white		1[]
	colored		2[]
<u>5.9</u> (20)	Ear: shape in profile		
	tapering	(w) Solveig, (s) Tybalt	1[]
	parallel sided	(w) Solehio, (s) Granary	2[]
	slightly clavate	(w) Homeros	3[]
	strongly clavate	(w) Vulcanus	4 []
	fusiform	(w) Apache, (s) FD 1 24	5[]
5.7 <u>10</u> (27)	Seasonal type		
	winter type	(w) Solehio	1[]
	alternative type	(w) SY Moisson	2[]
	spring type	(s) Lennox	3[]