

ANNEX/ANNEXE/ANLAGE/ANEXO

## ***CITRUS L.***

**OVERALL TABLE OF CHARACTERISTICS / TABLE GÉNÉRALE DESCARACTÈRES /  
GLOBALE MERKMALSTABELLE / TABLAGLOBAL DE CARACTERES**

**Group1** : MANDARIN and its hybrids / **Groupe1** : MANDARINIER and its hybrids /

**Gruppe 1** : MANDARINE und Hybriden / **Grupo 1** : MANDARINO and its hybrids

- *Citrus clementina* Hort. ex Tan. (Clementine/Clémentinier/Clementine/Clementina) - **CLE**
- *Citrus deliciosa* Ten. (Mediterranean Mandarin/Mandarinier/Mandarine/Mandarinacomún) - **MMN**
- *Citrus reticulata* Blanco (Tangerine/Tangerinier/Tangerine/Tangerino) - **PMN**
- *Citrus unshiu* Marc. (Satsuma/Satsuma/Satsuma/Mandarina Ponkan) - **SAT**
- Mandarin x (Grapefruit or Pummelo/Grapefruitier ou pamplemoussier/Grapefruit oder Pampelmuse/Pomelo oder Pummelo) (Tangelo) - **TNL**
- Mandarin x Orange/Oranger/Orange/Naranja (Tangor) - **TNR**
- Other Mandarin Hybrids/Autres hybrides de mandarinier/Sonstige Hybriden von Mandarine/Otros híbridos de Mandarino - **HMA**

**Group2** : ORANGES and their hybrids / **Groupe2** : ORANGER and its hybrids /

**Gruppe2** : ORANGE und Hybriden / **Grupo2** : NARANJO and its hybrids

- *Citrus aurantium* L. (Sour Orange/Orangeramer/Sauerorange/Naranja agrio, Naranja amargo) - **SOR**
- *Citrus sinensis* (L.) Osbeck (Sweet Orange/Orangerdoux/Apfelsine/Naranja dulce) - **SWO**
- Oranges Hybrids/Hybrides d'orange/Hybriden von Orange/Híbridos de Naranja - **HOR**

**Group3** :LEMONSandLIMESandtheirhybrids/ **Groupe3** :CITRONNI ERetLIMETTIERetleurshybrides/  
**Gruppe3** :ZITRONEundLIMONEundHybriden/ **Grupo3** :LIMÓNyLIMAysushíbridos

- *Citrusaurantiifolia* (Christm.)Swingle(MexicanLimes///Limamexicana,Limónmexicano) - **SAL**
- *Citruslatifolia* Tan.(AcidLimes// /Limaacida) - **LAL**
- *Citruslimettioides* Tan.(SweetLimes///Limadulce) - **SWL**
- *Citruslimon* (L.)Burm.f.(Lemons/Citronnier/Limone/Limón) - **LEM**
- *Citrusjambhiri* Lush.(RoughLemons/Citronnier/Sauerzitrone/Limónrugoso) - **RLM**
- LemonxLimeHybrids/Hybridesdecitronnierxlimettier/HybridenvonZitronexLimone/HíbridosdeLimónxLima - **HLL**

**Group4**: GRAPEFRUITandPUMMELOandtheirhybrids /**Groupe4** :GRAPEFRUITIERetPAMPLEMOUSSIERetleurshybrides/  
**Gruppe4**: GRAPEFRUITundPAMPELMUSEundHybriden/**Grupo4** :POMELOYPUMMELOysushíbridos

- *Citrusgrandis* (L.)Osbeck(Pummelo,Shaddock/Pamplemoussier/Pampelmuse,Riesenorange/Pummelo) - **PUM**
- *Citrusparadisi* Macfad.(Grapefruit/Grapefruitier,Pomelo/Grapefruit,Paradiesapfel/Pomelo,Toronja) - **GRA**
- GrapefruitxPummeloHybrids/Hybridesdegrapefruitierxpamplemoussier/HybridenvonGrapefruitxPampelmuse/HíbridosdePomeloxPummelo - **HGP**

**Group5**: TRIFOLIATEORANGEanditshybrids /**Groupe5**: ORANGERTRIFOLIÉetseshybrides /  
**Gruppe5** :DREIBLÄTTRIGEORANGEundHybriden /**Grupo5** :NARANJOTRIFOLIADOysushíbridos

- *Poncirus* Raf.(TrifoliataOrange/Oranger trifolié/DreiblättrigeOrange/Naranjotrifoliado) - **PON**
- *Poncirus* xGrapefruit/Grapefruitier/Grapefruit/Pomelo(Citrumelo) - **CML**
- *Poncirus* xLemon/Citronnier/Zitrone/Limón(Citremon) - **CTL**
- *Poncirus* xMandarin/Mandarinier/Mandarine/Mandarina(Citrandarin) - **CTI**
- *Poncirus* xSweetOrange/Orangerdoux/Apfelsine/Naranjodulce(Citrance) - **CTG**
- Other *Poncirus* Hybrids/Autreshybrides de *Poncirus*/SonstigeHybridenvon *Poncirus*/OtrosHíbridosde *Poncirus* - **HPO**

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
<b>1.</b> <b>QL</b>	1	1	1	1		<b>Ploidy</b> diploid triploid tetraploid	<b>Ploïdie</b> diploïde triploïde tetraploïde	<b>Ploidie</b> diploid triploid tetraploid	<b>Ploidía</b> diploide triploide tetraploide	2 3 4					
<b>2.</b> <b>PQ</b>	2 (* )	2 (* )	2 (* )	2 (* )	1 (* )	<b>Tree:growthhabit</b> upright spreading drooping	<b>Arbre:port</b> droit étalé retombant	<b>Baum:Wuchstyp</b> aufrecht breitbuschig hängend	<b>Árbol:porte</b> erguido abierto colgante	1 2 3					
<b>3.</b> <b>QN</b>	3	3	3	3	2	<b>Tree:densityofspines</b> absentor sparse intermediate dense	<b>Arbre:densitédesépines</b> absentesouéparses intermédiaires denses	<b>Baum:Dichteder Stacheln</b> fehlendoderlocker mittel dicht	<b>Árbol:densidaddelas espinas</b> ausenteolaxa media densa	1 2 3					
<b>4.</b> <b>QN</b>	4	4	4	4	3	<b>Tree:lengthofspines</b> short medium long	<b>Arbre:longueurdes épines</b> courtes moyennes longues	<b>Baum:Längeder Stacheln</b> kurz mittel lang	<b>Árbol:longituddelas espinas</b> cortas medias largas	3 5 7					

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
5.  QN					4	<b>Branch: expression of lenticels</b>  weak medium strong	<b>Branche: expression des lenticelles</b>  faible moyenne forte	<b>Zweig: Ausprägung der Lentizellen</b>  gering mittel stark	<b>Rama: expresión de las lenticelas</b>  débil media fuerte	 3 5 7					
6.  QL			5  (* )	5  (* )	5  (* )	<b>Young leaf: presence of anthocyanin coloration</b>  absent present	<b>Jeune feuille: présence de pigmentation anthocyannique</b>  absente présente	<b>Jungblatt: Vorhandensein der Anthocyanfärbung</b>  fehlend vorhanden	<b>Hoja joven: presencia de pigmentación antocianica</b>  ausente presente	 1 9					
7.  QN			6	6	6	<b>Young leaf: intensity of anthocyanin coloration</b>  weak medium strong	<b>Jeune feuille: intensité de la pigmentation anthocyannique</b>  faible moyenne forte	<b>Jungblatt: Intensität der Anthocyanfärbung</b>  gering mittel stark	<b>Hoja joven: intensidad de la pigmentación antocianica</b>  débil media fuerte	 3 5 7					
8.  PQ					7  (* )	<b>Leaf: caducity</b>  perennial partially caducous caducous	<b>Feuilles: persistance</b>  persistantes partiellement caduques caduques	<b>Blatt: Frühzeitiges Abfallen</b>  mehrjährig teilweise frühzeitig abfallend frühzeitig abfallend	<b>Hoja: caducidad</b>  perenne parcialmente caduca caduca	 1 2 3					

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
9.  PQ					8 (* )	<b>Leaf:numberofleaflets</b>  oneonly  variable  threeonly	<b>Feuille:nombrededefolioles</b>  uneseule  variable  troisusement	<b>Blatt:AnzahlTeilblätter</b>  nureines  variabel  nurdrei	<b>Hoja:númerodefoliolos</b>  sólouno  variable  sólotres	1  2  3					
	10.	5	5	7	7	9	<b>Leafblade:length (apicalleafletincaseof compoundleaf)</b>  short  medium  long	<b>Limbe:longueur(foliolo apicaleencasdefeuille composée)</b>  court  moyen  long	<b>Blattspreite:Länge (apikalesTeilblattb ei zusammengesetztem Blatt)</b>  kurz  mittel  lang	<b>Limbo:longitud(foliolo atípicoencasodehoja compuesta)</b>  corto  medio  largo	3  5  7				
	11.	6	6	8	8	10	<b>Leafblade:width (as for 10)</b>  narrow  medium  broad	<b>Limbe:largeur(comme pour10)</b>  étroit  moyen  large	<b>Blattspreite:Breite(wie für10)</b>  schmal  mittel  breit	<b>Limbo:anchura(como para10)</b>  estrecho  medio  ancho	3  5  7				
12.	7	7	9	9	11	<b>Leafblade:ratio length/width(asfor 10)</b>  small  medium  large	<b>Limbe:rapport longueur/largeur (commepour10)</b>  faible  moyen  élevé	<b>Blattspreite:Verhältnis Länge/Breite(wiefür 10)</b>  klein  mittel  groß	<b>Limbo:relación longitud/anchura(como para 10)</b>  pequeño  medio  grande	3  5  7					

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
13.					12	<b>Leafblade:length (lateralleafletincaseof compoundleaf)</b>	<b>Limbe:longueur(foliole latéraleencasdefeuille composée)</b>	<b>Blattspreite:Länge (seitlichesTeilblattbei zusammengesetztem Blatt)</b>	<b>Limbo:longitud(foliolo lateralencasodehoja compuesta)</b>						
QN						short	court	kurz	corto	3					
						medium	moyen	mittel	medio	5					
						long	long	lang	largo	7					
14.					13	<b>Leafblade:width(as for 13)</b>	<b>Limbe:largeur(comme pour13)</b>	<b>Blattspreite:Breite(wie für13)</b>	<b>Limbo:anchura(como para13)</b>						
QN						narrow	étroit	schmal	estrecho	3					
						medium	moyen	mittel	medio	5					
						broad	large	breit	ancho	7					
15.					14	<b>Leafblade: ratio length/width(asfor 13)</b>	<b>Limbe:rapport longueur/largeur (commepour13)</b>	<b>Blattspreite:Verhältnis Länge/Breite(wiefür 13)</b>	<b>Limbo:relación longitud/anchura(como para13)</b>						
QN						small	faible	klein	pequeño	3					
						medium	moyen	mittel	medio	5					
						large	élevé	groß	grande	7					

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
16.					15	<b>Leafblade: ratiolength of blade of apical leaflet/length of blade of lateral leaflet</b>	<b>Limbe: rapport longueur du limbe de la foliole apicale/longueur du limbe de la foliole latérale</b>	<b>Blattspreite: Verhältnis Längender Spreitedes apikalen Teilblattes/ Längender Spreitedes seitlichen Teilblattes</b>	<b>Limbo: relación entre la longitud del limbo de la foliola apical y la longitud del limbo de la foliola lateral</b>						
QN						small	faible	klein	pequeño	3					
						medium	moyen	mittel	medio	5					
						large	élevé	groß	grande	7					
17.	8	8	10	10	16	<b>Leafblade: shape in cross section (as for 10)</b>	<b>Limbe: forme en section transversale (comme pour 10)</b>	<b>Blattspreite: Form im Querschnitt (wie für 10)</b>	<b>Limbo: forma en sección transversal (como para 10)</b>						
QN						straight or weakly concave	droit ou légèrement concave	gerade oder leicht konkav	recto o ligeramente cóncavo	1					
						intermediate	intermédiaire	mittel	intermedio	2					
						strongly concave	fortement concave	stark konkav	fuertemente cóncavo	3					
18.	9	9	11	11	17	<b>Leafblade: twisting</b>	<b>Limbe: torsion</b>	<b>Blattspreite: Drehung</b>	<b>Limbo: torsión</b>						
QN						absent or weak	absente ou faible	fehler oder gering	ausente o débil	1					
						intermediate	intermédiaire	mittel	media	2					
						strong	forte	stark	fuerte	3					

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
19.	10	10		12	18	<b>Leafblade:blistering</b>	<b>Limbe:cloquête</b>	<b>Blattspreite:Blasigkeit</b>	<b>Limbo:abullonadoo ampollado</b>						
QN						absentor weak	absenteoufaible	fehlendodergering	ausenteodébil	1					
						intermediate	intermédiaire	mittel	medio	2					
						strong	forte	stark	fuerte	3					
20.	11	11	12	13	19	<b>Leafblade: i ntensityof greencolor</b>	<b>Limbe:intensitédela couleurverte</b>	<b>Blattspreite:Intensität derGrünfärbung</b>	<b>Limbo:intensidaddel colorverde</b>						
QN						light	claire	hell	claro	3					
						medium	moyenne	mittel	medio	5					
						dark	foncée	dunkel	oscuro	7					
21.				14	20	<b>Leafblade:pubescence onlowside</b>	<b>Limbe:pilositésur la faceinférieure</b>	<b>Blattspreite:Behaarung anderUnterseite</b>	<b>Limbo:pubescenciaen elenvés</b>						
QN						absentor weak	absenteoufaible	fehlendodergering	ausenteodébil	1					
						intermediate	intermédiaire	mittel	media	2					
						strong	forte	stark	fuerte	3					
22.	12	12	13	15	21	<b>Leafblade:undulation ofmargin</b>	<b>Limbe:ondulationdu bord</b>	<b>Blattspreite: Randwellung</b>	<b>Limbo:ondul acióndel borde</b>						
QN						absentor weak	absenteoufaible	fehlendodergering	ausenteodébil	1					
						intermediate	intermédiaire	mittel	media	2					
						strong	forte	stark	fuerte	3					



Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
23.  PQ	13	13	14	16	22 (* )	<b>Leafblade:incisionsof margin</b>	<b>Limbe:incisionsdubord</b>	<b>Blattspreite: Randeinschnitte</b>	<b>Limbo:incisionesdel borde</b>						
						absent	absentes	fehlend	ausentes	1					
						crenate	crénelées	gekerbt	crenadas	2					
						dentate	dentelées	gezähnt	dentadas	3					
24.  (+)  PQ	14	14	15	17	23 (* )	<b>Leafblade:shapeof apex</b>	<b>Limbe:formede l'extrémité</b>	<b>Blattspreite:Formder Spitze</b>	<b>Limbo:formadelápice</b>						
						acuminate	acuminée	zugespitzt	acuminado	1					
						acute	pointue	spitz	agudo	2					
						obtuse	obtuse	stumpf	obtuso	3					
						rounded	arrondie	abgerundet	redondeado	4					
25.  (+)  QL	15	15	16	18	24	<b>Leafblade: emarginationattip</b>	<b>Limbe:échancrureà l'extrémité</b>	<b>Blattspreite:Rand - einschnitteand erSpitze</b>	<b>Limbo:emarginadoen lapartesuperior</b>						
						absent	absente	fehlend	ausente	1					
						present	présente	vorhanden	presente	9					
26.  QN	16	16	17	19	25	<b>Petiole:length</b>	<b>Pétiole:longueur</b>	<b>Blattstiel:Länge</b>	<b>Pecíolo:long itud</b>						
						short	court	kurz	corto	3					
						medium	moyen	mittel	medio	5					
						long	long	lang	largo	7					

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
27.	17	17	18	20	26 (* )	<b>Petiole:presenceof wings</b>  absent  present	<b>Pétiole:présenced'ailes</b>  absentes  présentes	<b>Blattstiel:Vorhanden - seinvonFlügeln</b>  fehlend  vorhanden	<b>Pecíolo:presenciade alas</b>  ausentes  presentes	1  9					
28.	18	18	19	21	27	<b><u>Varietieswithpetiole wingspresentonly</u> : Petiole:widthofwings</b>  narrow  medium  broad	<b><u>Seulementlesvariétés présentantdesailesau pétiole</u>:Pétiole:largeur desailes</b>  étroites  moyennes  larges	<b><u>NurSortenmitvor - handenenFlügelam Blattstiel</u>: Blattstiel: BreitederFlügel</b>  schmal  mittel  breit	<b><u>Sólovariedadesconalas presentesenelpecíolo</u>: Pecíolo:anchuradelas alas</b>  estrechas  medias  anchas	3  5  7					
29.			20	22	28	<b>Flowerbud:presenceof anthocyanincoloration</b>  absent  present	<b>Boutonfloral:présence depigmentation anthocyanique</b>  absente  présente	<b>Blütenknospe: Vorhandenseinder Anthocyanfärbung</b>  fehlend  vorhanden	<b>Yemafloral:presencia depigmentación antociánica</b>  ausente  presente	1  9					
30.			21	23	29	<b>Flowerbud:intensityof anthocyanincoloration</b>  weak  medium  strong	<b>Boutonfloral:in tensité delapigmentation anthocyanique</b>  faible  moyenne  forte	<b>Blütenknospe:Intensität derAnthocyanfärbung</b>  schwach  mittel  stark	<b>Yemafloral:intensidad delapigmentación antociánica</b>  débil  media  fuerte	3  5  7					

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
31.	19	19	22	24	30	<b>Flower:diameterof calyx</b>  small  medium  large	<b>Fleur:diamètredualice</b>  petit  moyen  grand	<b>Blüte:Durchmesserdes Kelchs</b>  klein  mittel  groß	<b>Flor:diámetrodelcáliz</b>  pequeño  medio  grande	3  5  7					
32.	20	20	23	25	31	<b>Flower:lengthofpetal</b>  short  medium  long	<b>Fleur:longueurdu pétale</b>  court  moyen  long	<b>Blüte:Längedes Blütenblattes</b>  kurz  mittel  lang	<b>Flor:longitudelpétalo</b>  corto  medio  largo	3  5  7					
33.	21	21	24	26	32	<b>Flower:widthofpetal</b>  narrow  medium  broad	<b>Fleur:largeurdupétale</b>  étroit  moyen  large	<b>Blüte:Breitedes Blütenblattes</b>  schmal  mittel  breit	<b>Flor:anchuradelpétalo</b>  estrecho  medio  ancho	3  5  7					
34.	22	22	25	27	33	<b>Flower:ratio length/widthofpetal</b>  small  medium  large	<b>Fleur:rapportlongueur/ largeurdupétale</b>  faible  moyen  élevé	<b>Blüte:VerhältnisLänge/ BreitedesBlütenblattes</b>  klein  mittel  groß	<b>Flor:relaciónlongitud/ anchuradelpétalo</b>  pequeño  medio  grande	3  5  7					

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
35.	23	23	26	28	34	<b>Flower:lengthof stamens</b>  short  medium  long	<b>Fleur:longueurdes étamines</b>  courtes  moyennes  longues	<b>Blüte:Längeder Staubfäden</b>  kurz  mittel  lang	<b>Flor:longituddelos estambres</b>  cortos  medios  largos	3  5  7					
36.		24	27			<b>Flower:basalunionof stamens</b>  absent  present	<b>Fleur:unionbasaledes étamines</b>  absente  présente	<b>Blüte:Vereinigungder StaubfädenanderBasis</b>  fehlend  vorhanden	<b>Flor:uniónbasaldelos estambres</b>  ausente  presente	1  9					
37.					35	<b>Stamen: colorof filament</b>  white  pink	<b>Étamine:couleurdu filament</b>  blanc  rose	<b>Staubfaden:Farbedes Fadens</b>  weiß  rosa	<b>Estambre:co lordel filamento</b>  blanco  rosa	1  2					
38.	24	25	28	29	36	<b>Anther:color</b>  white  lightyellow  mediumyellow	<b>Anthère:couleur</b>  blanc  jauneclair  jaunemoyen	<b>Anthere:Farbe</b>  weiß  hellgelb  mittelgelb	<b>Antera:color</b>  blanco  amarilloclaro  amarillomedio	1  2  3					
39.	25	26	29	30	37	<b>Anther:viablepollen</b>  absent  present	<b>Anthère:pollenviable</b>  absent  présent	<b>Anthere:keimfähiger Pollen</b>  fehlend  vorhanden	<b>Antera:polenviable</b>  ausente  presente	1  9					

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
40. QN	26	27	30	31	38	<b>Style:length</b> short medium long	<b>Style:longueur</b> court moyen long	<b>Griffel:Länge</b> kurz mittel lang	<b>Estilo:longitud</b> corto medio largo	3 5 7					
41. PQ		28				<b>Style:shape</b> straight arched kinked	<b>Style:forme</b> droit arqué coudé	<b>Griffel:Form</b> gerade nachuntengebogen geknickt	<b>Estilo:forma</b> recto arqueado sinuoso	1 2 3					
42. QL					39	<b>Ovary:pubescence</b> absent present	<b>Ovaire:pilosité</b> absente présente	<b>Fruchtknoten: Behaarung</b> fehlend vorhanden	<b>Ovario:pubescencia</b> ausente presente	1 9					
43. QL	27		31	32		<b>Infructescence: clusteringoffruits</b> absent present	<b>Fructification:formation degrappes</b> absente présente	<b>Fruchtstand:Früchtein Büscheln</b> fehlend vorhanden	<b>Infructescencia: enracimadodelosfrutos</b> ausente presente	1 9					
44. QN	28 (* )	29 (* )	32 (* )	33 (* )	40 (* )	<b>Fruit:length</b> short medium long	<b>Fruit:longueur</b> court moyen long	<b>Frucht:Länge</b> kurz mittel lang	<b>Fruto:longitud</b> corto medio largo	3 5 7					

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
<b>45.</b>	29	30	33	34	41	<b>Fruit:diameter</b>	<b>Fruit: diamètre</b>	<b>Frucht: Durchmesser</b>	<b>Fruto: diámetro</b>						
<b>QN</b>	(*)	(*)	(*)	(*)		small	petit	klein	pequeño	3					
						medium	moyen	mittel	medio	5					
						large	grand	groß	grande	7					
<b>46.</b>	30	31	34	35	42	<b>Fruit:ratio length/diameter</b>	<b>Fruit:rapport longueur/diamètre</b>	<b>Frucht:Verhältnis Länge/Durchmesser</b>	<b>Fruto:relación longitud/diámetro</b>						
<b>QN</b>	(*)	(*)	(*)	(*)		small	faible	klein	pequeño	3					
						medium	moyen	mittel	medio	5					
						large	élevé	groß	grande	7					
<b>47.</b>	31	32	35	36	43	<b>Fruit:positionof broadestpart</b>	<b>Fruit:positiondela partielapluslarge</b>	<b>Frucht:Positiondes breitestenTeils</b>	<b>Fruto:posicióndela partemásampia</b>						
<b>QN</b>	(*)	(*)	(*)	(*)		towardsstalkend	versl'extrémité pédonculaire	zumStielendehin	haciael extremo peduncular	1					
						atmiddle	aumilieu	inderMitte	enelmedio	2					
						towardsdistalend	verslupartiedistale	zumdistalenEndehin	haciael extremodistal	3					
<b>48.</b>	32				44	<b>Fruit:circumferencein transversesection</b>	<b>Fruit:circonférenceen sectiontransverse</b>	<b>Frucht:Umfangim Querschnitt</b>	<b>Fruto:circunferenciaen seccióntransversal</b>						
<b>(+)</b>						circular	circulaire	zirkular	circular	1					
<b>PQ</b>						somewhatangular	légèrementanguleuse	etwaskantig	ligeramenteangular	2					
						scalloped	dentelée	muschelförmig	festoneado	3					

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5					
49.	33	33	36	37	45	<b>Fruit:generalshapeof proximalpart(excluding neck, collarand depressionatstalkend)</b>	<b>Fruit:forme généralede lapartieproximale(à l'exclusionducol, de la colleretteetdela dépressionà l'extrémité pédonculaire)</b>	<b>Frucht:allgemeineForm desproximalenTeils (ohneHals,Kragenund Einsenkungam Stielende)</b>	<b>Fruto:formageneralde laparteproximal (excluidoelcuello,el collaryladepresiódnel extremopeduncular)</b>											
						(+)	(*)		(*)	flattened	aplatie	abgeflacht	aplanada	1						
						PQ				slightlyrounded	légèrémentarrondie	leichtabgerundet	ligeramenteredondeada	2						
										stronglyrounded	fortementarrondie	starkabgerundet	fuertementeredondeada	3						
				tapered	effilée	verjüngt	afilada	4												
50.	34	34	37	38	46	<b><u>Varietieswithfruitneck absentonly</u> :Fruit: presenceofdepression at stalkend</b>	<b><u>Seulemmentlesvariétés dontlefruitneprésente pasdecoul</u> :Fruit: présence d'une dépressionà l'extrémité pédonculaire</b>	<b><u>NurSortendiekeinHals amFruchtzeigen</u> : Frucht:Vorhandensein einerEinsenkungam Stielende</b>	<b><u>Sólovariedadescon frutosincuello</u> :Fruto: presenciadeuna depresiónelextremo peduncular</b>											
						(+)	(*)	(*)	(*)	absent	absente	fehlend	ausente	1						
QL						present	présente	vorhanden	presente	9										
51.	35	35	38	39	47	<b><u>Varietieswithfruitneck absentonly</u> :Fruit:depth ofdepressionatstalk end</b>	<b><u>Seulemmentlesvariétés dontlefruitneprésente pasdecoul</u> :Fruit:profondeurdeladépressionà l'extrémitépédonculaire</b>	<b><u>NurSortendiekeinHals amFruchtzeigen</u> : Frucht:Tiefeder Einsenkungam Stielende</b>	<b><u>Sólovariedadescon frutosincuello</u> :Fruto: profundidaddela depresiónelextremo peduncular</b>											
						QN				shallow	peuprofonde	flach	pocoprofunda	3						
										medium	moyenne	mittel	media	5						
				deep	profonde	tief	profunda	7												

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
52.	36		39		48	<b>Fruit:presenceofneck</b>	<b>Fruit:présenced'uncol</b>	<b>Frucht:Vorhandensein desHalses</b>	<b>Fruto:presencia deun cuello</b>						
(+)	(*)		(*)			absent	absent	fehlend	ausente	1					
QL						present	présent	vorhanden	presente	9					
53.	37		40		49	<b>Fruit:lengthofneck</b>	<b>Fruit:longueurducol</b>	<b>Frucht:Längedes Halses</b>	<b>Fruto:longituddel cuello</b>						
QN						short	court	kurz	corto	3					
						medium	moyen	mittel	medio	5					
						long	long	lang	largo	7					
54.	38				50	<b>Fruit:thicknessofneck</b>	<b>Fruit:épaisseurducol</b>	<b>Frucht:DickedesHalses</b>	<b>Fruto:grosordelcuello</b>						
QN						thin	mince	dünn	delgado	3					
						medium	moyen	mittel	medio	5					
						thick	épais	dick	grueso	7					
55.	39				51	<b>Fruit:presenceof constrictionatstalkend</b>	<b>Fruit:présenced'un étranglementà l'extrémitépédonculaire</b>	<b>Frucht:Vorhandensein derE inschnürungam Stielende</b>	<b>Fruto:presenciadeun estrechamientoenel extremopeduncular</b>						
(+)						absent	absent	fehlend	ausente	1					
QL						present	présent	vorhanden	presente	9					



Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
56.	40				52	<b>Fruit:expressionof constrictionatstal kend</b>	<b>Fruit:expressionde l'étranglementà l'extrémitépédonculaire</b>	<b>Frucht:Ausprägungder Einschnürungam Stielende</b>	<b>Fruto:expresióndel estrechamientoenel extremopeduncular</b>						
QN						weak	faible	gering	débil	3					
						medium	moyenne	mittel	medio	5					
						strong	forte	stark	fuerte	7					
57.	41	36		40	53	<b>Fruit:numberofradial groovesatstalkend</b>	<b>Fruit:nombrede canneluresradialesà l'extrémitépédonculaire</b>	<b>Frucht:Anzahlradiale FurchenamStielende</b>	<b>Fruto:númerode acanaladurasradialesen el extremopeduncular</b>						
QN						absentor few	absentesoupeu nombreuses	fehlandodersehrgering	ausenteobajo	1					
						intermediate	moyennementnombreuses	mittel	medio	2					
						many	nombreuses	groß	alto	3					
58.	42	37		41	54	<b>Fruit:lengthofradial groovesatstalkend</b>	<b>Fruit:longueurdes canneluresradialesà l'extrémitépédonculaire</b>	<b>Frucht:Längeder radialenFurchenam Stielende</b>	<b>Fruto:longituddelas acanaladurasradialesen el extremopeduncular</b>						
QN						short	courtes	kurz	cortas	3					
						medium	moyennes	mittel	medias	5					
						long	longues	lang	largas	7					

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
59.	43				55	<b>Neckedvarietiesonly :</b> <b>Fruit:localdepressionat stalkattachment</b>	<b>Variétésàcolseulement :</b> <b>Fruit:d épressionlocale àl'attachépédonculaire</b>	<b>NurhalsigeSorten :</b> <b>Frucht:örtliche Einsenkungam Stielansatz</b>	<b>Sólovariedadescon cuello:Fruto:depresión localenlainserción peduncular</b>						
(+)						absentor shallow	absenteoupeuprofonde	fehlendoderflach	ausenteopocoprofunda	1					
QN						intermediate	intermédiaire	dazwischenliegend	intermedia	2					
						deep	profonde	tief	profunda	3					
60.	44	38			56	<b>Fruit:presenceofcollar</b>	<b>Fruit:présenced'une corolle</b>	<b>Frucht:Vo rhandensein desKragens</b>	<b>Fruto:presenciadeun collar</b>						
(+)						absent	absente	fehlend	ausente	1					
QL						present	présente	vorhanden	presente	9					
61.	45					<b>Fruit:heightofcollar</b>	<b>Fruit:hauteurde la corolle</b>	<b>Frucht:Höhedes Kragens</b>	<b>Fruto:alturadelcollar</b>						
QN						low	basse	niedrig	bajo	3					
						medium	moyenne	mittel	medio	5					
						high	haute	hoch	alto	7					
62.	46					<b>Fruit:diameterofcollar</b>	<b>Fruit:diamètredela corolle</b>	<b>Frucht:Durchmesser desKrage ns</b>	<b>Fruto:diámetrodel collar</b>						
QN						small	petit	klein	pequeño	3					
						medium	moyen	mittel	medio	5					
						large	grand	groß	grande	7					

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
63.	47				57	<b>Fruit:abscissionlayer betweenfloraldiscand fruit</b>	<b>Fruit:abscissionentre le disquefloraletlefruit</b>	<b>Frucht:Trennschicht zwischenBlütenscheibe undFrucht</b>	<b>Fruto:capadeabscisión entreeldiscofloralyel fruto</b>						
QN						absentor weakly developed	absenteoufaiblement développée	fehlendoderschwach entwickelt	ausenteodébilmente desarrollada	1					
						intermediate	intermédiaire	mittel	intermedia	2					
						stronglydeveloped	fortementdéveloppée	starkentwickelt	fuertementdesarrollada	3					
64.	48	39	41	42	58	<b>Fruit:generals hapeof distalpart(excluding nipple,bulgingofnavel anddepressionatdistal end)</b>	<b>Fruit:formegénéralede lapartiedistale(à l'exclusion dumamelon, delacourburedufruit secondaireetdela dépressionàl'extrémité distale)</b>	<b>Frucht:allgemeineFor m desdistalenTeils(ohne Warze,Wölbungder sekundärenFruchtund Einsenkungamdistalen Ende)</b>	<b>Fruto:formageneralde lapartedistal(excluido elmamelónopezón,el abultamientodel ombligoyladepresión enelextremodistal)</b>						
(+)	(*)					flattened	aplatie	abgeflacht	aplanada	1					
QN						slightlyrounded	légèremetarrondie	leichtabgerundet	ligeramenteredondeada	2					
						stronglyrounded	fortementarrondie	starkabgerundet	fuertementeredondeada	3					
65.	49	40		43	59	<b>Fruit:presenceof depressionatdistalend</b>	<b>Fruit:présenced'une dépressionàl'extrémité distale</b>	<b>Frucht:Vorhandensein derEinsenkungam distalenEnde</b>	<b>Fruto:presenciadeuna depresiónenelextremo distal</b>						
(+)	(*)	(*)				absent	absente	fehlend	ausente	1					
QL						present	présente	vorhanden	presente	9					



Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
70.	52	41		46	63	<b>Fruit:presenceofareola</b>	<b>Fruit:présenced'une aréole</b>	<b>Frucht:Vorhandensein derAreola</b>	<b>Fruto:presenciadeun areola</b>						
QL	(*)	(*)				absent	absente	fehlend	ausente	1					
						incomplete	incomplète	unvollständig	incompleta	2					
						complete	complète	vollständig	completa	3					
71.	53	42		47	64	<b>Fruit:typeofareola</b>	<b>Fruit:typed'aréole</b>	<b>Frucht:TypderAreola</b>	<b>Fruto:tipodeareola</b>						
(+)						smooth	régulière	glatt	lisa	1					
QL						grooved	cannelée	gerieft	acanalada	2					
						ridged	annelée	geringelt	acrestada	3					
72.	54	43		48	65	<b>Fruit:diameterofareola</b>	<b>Fruit:diamètredel'aréole</b>	<b>Frucht:Durchmesser derAreola</b>	<b>Fruto:diámetrode la areola</b>						
QN						small	petit	klein	pequeña	3					
						medium	moyen	mittel	media	5					
						large	grand	groß	grande	7					
73.	55	44	44	49	66	<b>Fruit:diameter ofstylarscar</b>	<b>Fruit:diamètredela cicatricestylaire</b>	<b>Frucht:Durchmesser derGriffelnarbe</b>	<b>Fruto:diámetrode la cicatrizestilar</b>						
QN						small	petit	klein	pequeña	3					
						medium	moyen	mittel	media	5					
						large	grand	groß	grande	7					

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
74.					67	<b>Fruit:protrudingstylar point</b>  small medium large	<b>Fruit:pointstylaire protubérant</b>  petit moyen grand	<b>Frucht:herausragende Griffelspitze</b>  klein mittel groß	<b>Fruto:protuberanciadel puntoestilar</b>  pequeño medio grande	3 5 7					
75.	56	45	45		68	<b>Fruit:persistence of style</b>  none partial total	<b>Fruit:persistence du style</b>  aucune partielle totale	<b>Frucht:Persistenzdes Griffels</b>  fehlend teilweise gegeben vollständig gegeben	<b>Fruto:persistenciadel estilo</b>  ninguna parcial total	1 2 3					
76.	57	46				<b>Fruit:presenceofnavel opening</b>  absent occasionally present always present	<b>Fruit:présenced'une ouverturedufruit secondaire</b>  absente présente occasionnellement toujours présente	<b>Frucht:Vorhandensein derÖffnungder sekundärenFrucht</b>  fehlend zuweilenvorhanden immervorhanden	<b>Fruto:presenciadeun aperturadelombligo</b>  ausente ocasionalmentepresente siempre presente	1 2 3					
77.	58	47				<b>Fruit:diameterofnavel opening</b>  small medium large	<b>Fruit:diamètrede l'ouverturedufruit secondaire</b>  petit moyen grand	<b>Frucht:Durchmesser derÖffnungder sekundärenFrucht</b>  klein mittel groß	<b>Fruto:diámetrode la aperturadelombligo</b>  pequeña media grande	3 5 7					

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5	
78.		48			69	<b>Fruit:bulgingofnavel</b>  absentor weak  intermediate  strong	<b>Fruit:courburedufruit secondaire</b>  absenteoufaible  intermédiaire  forte	<b>Frucht:Wölbungder sekundärenFrucht</b>  fehlend  mittel  stark	<b>Fruto:abultamientodel ombbligo</b>  ausenteodébil  medio  fuerte	1 2 3						
79.	59	49	46		70	<b>Fruit:presenceofradial groovesatdistalend</b>  absent  present	<b>Fruit:présencede canneluresradialesà l'extrémitédistale</b>  absentes  présentes	<b>Frucht:Vorhandensein radialerFurchenam distalenEnde</b>  fehlend  vorhanden	<b>Fruto:presenciade acanaladurasradialesen elxtremodistal</b>  ausentes  presentes	1 9						
80.	60		47			<b>Fruit:expression of radialgroovesatdistal end</b>  weak  medium  strong	<b>Fruit:expressiondes canneluresradialesà l'extrémitédistale</b>  faible  moyenne  forte	<b>Frucht:Ausprägungder radialenFurchenam distalenEnde</b>  gering  mittel  stark	<b>Fruto:expresiónde las acanaladurasradialesen elxtremodistal</b>  débil  media  fuerte	3 5 7						
81.		50	48			<b>Fruit:colorvariegation</b>  absent  present	<b>Fruit:panachuredela couleur</b>  absente  présente	<b>Frucht:Panachierung derFarbe</b>  fehlend  vorhanden	<b>Fruto:variegación del color</b>  ausente  presente	1 9						

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
<b>82.</b>	61	51	49	50	71	<b>Fruitsurface: predominantcolor</b>	<b>Fruit:couleurprédo - minanteàlasurface</b>	<b>Fruchtoberfläche: Hauptfarbe</b>	<b>Superficialdelfruta: colorpredominante</b>						
<b>PQ</b>	(*)	(*)		(*)		green	vert	grün	verde		1		1		1
						darkgreenishyellow	jauneverdâtrefoncé	dunkelgrünlichgelb	amarilloverdosooscuro					1	
						yellowgreen	vert-jaune	gelbgrün	verdeamarillento		2		2	2	2
						greenandyellow	vertetjau ne	grünundgelb	verdeyamarillo						3
						lightyellow	jauneclair	hellgelb	amarilloclaro		3		3	3	4
						mediumpyellow	jaunemoyen	mittelgelb	amarillomedio		4		4	4	5
						yelloworange	orange-jaune	gelborange	naranjaamarillento		5	1	5		6
						mediumorange	orangemoyen	mittelorange	naranjamedio		6	2			7
						darkorange	orangefoncé	dunkelorange	naranjaoscuro		7	3			8
						greenandorange	vertetorange	grünundorange	verdeynaranja						9
						yellowandorange	jauneetorange	gelbundorange	amarilloynaranja						10
						orangered	rougeorangé	orangerot	rojoanaranjado		8	4			11
						red	rouge	rot	rojo		9	5			
						yellowandred	jauneetrouge	gelbundrot	amarilloyrojo						12
						orangeandred	orangeetrouge	orangeundrot	naranjayrojo						13
						lightpink	rosepâle	hellrosa	rosaclaro					5	
						mediumpink	rosemoyen	mittelrosa	rosamedio					6	
						darkpink	rosefoncé	dunkelrosa	rosaoscuro					7	



Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
83.					72	<b>Fruitsurface:presence ofpubescence</b>	<b>Surfacedufruit: présencedepilosité</b>	<b>Fruchtoberfläche: Vorhandenseinder Behaarung</b>	<b>Superficedelfruto: presenciadepubescencia</b>						
QL					(*)	absent	absente	fehlend	ausente	1					
						present	présente	vorhanden	presente	9					
84.					73	<b>Fruitsurface:intensity ofpubescence</b>	<b>Surfacedufruit: intensitédelapilosité</b>	<b>Fruchtoberfläche: IntensitätderBehaarung</b>	<b>Superficedelfruto: intensidaddela pubescencia</b>						
QN					(*)	weak	faible	gering	débil	3					
						medium	moyenne	mittel	media	5					
						strong	forte	stark	fuerte	7					
85.	62		50	51		<b>Fruitsurface:glossiness</b>	<b>Surfacedufruit: brillance</b>	<b>Fruchtoberfläche:Glanz</b>	<b>Superficedelfruto: brillo</b>						
QN	(*)		(*)			absentorveryweak	absenteoutrès faible	fehlendodersehrgering	ausenteomuydébil	1					
						weak	faible	gering	débil	3					
						medium	moyenne	mittel	medio	5					
						strong	forte	stark	fuerte	7					
						verystrong	trèsforte	sehrstark	muyfuerte	9					

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
86.	63	52	51	52	74	<b>Fruitsurface:roughness</b>	<b>Surfacedufruit: rugosité</b>	<b>Fruchtoberfläche: Rauheit</b>	<b>Superficedelfruto: rugosidad</b>						
QN						smooth	lisse	glatt	lisa	3					
						medium	intermédiaire	mittel	media	5					
						rough	rugueuse	rauh	rugosa	7					
87.	64	53	52	53	75	<b>Fruitsurface: sizeofoil glands</b>	<b>Surfacedufruit:taille desglandesàhuile</b>	<b>Fruchtoberfläche:Größe derÖldrüsen</b>	<b>Superficedelfruto: tamañodelasglándulas deaceite</b>						
PQ						allmoreorlessthesame size	toutesplusoumoinsdela mêmetaille	alle mehr oder weniger gleichgroß	todasmásomenosdel mismotamaño	1					
						largeronesinterspersedby smallerones	grandesetpetites intercalées	größerevermischtmit kleineren	glándulasgrandes intercaladasconotrasmás pequeñas	2					
88.	65	54	53	54	76	<b>Fruitsurface:sizeof largeroilglands</b>	<b>Surfacedufruit:taille desglandesàhuileles plusgrosses</b>	<b>Fruchtoberfläche:Größe dergrößerenÖldrüsen</b>	<b>Superficedelfruto: tamañodelasglándulas deaceitemásgrandes</b>						
QN						small	petites	klein	pequeñas	3					
						medium	moyennes	mittel	medianas	5					
						large	grosses	groß	grandes	7					

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
89.  QN	66	55	54	55	77	<b>Fruitsurface: conspicuousnessof largeroilglands</b>	<b>Surfaced ufruit:netteté desglandesàhuileles plusgrosses</b>	<b>Fruchtoberfläche: Sichtbarkeitder größerenÖldrüsen</b>	<b>Superficedelfruto: visibilidaddelas glándulasdeaceitemás grandes</b>						
						weak	faible	gering	débil	3					
						medium	moyenne	mittel	media	5					
						strong	forte	stark	fuerte	7					
90.  PQ	67	56	55	56	78	<b>Fruitsurface:presence ofpittingandpebbling onoilglands</b>	<b>Surfacedufruit: présencedegrenureet decrépissuresurles glandesàhuile</b>	<b>Fruchtoberfläche: Vorhandenseinv on GrübchenundKörnern</b>	<b>Superficedelfruto: presenciadepicadoy granuladoenlas glándulasdeaceite</b>						
						pittingandpebbling absent	grenureetcrépissure absentes	GrübchenundKörner fehlend	picadoygranulado ausentes	1					
						pittingabsent,pebbling present	grenureabsente, crépissureprésente	Grübchenfehlend,Körner vorhanden	picadoausente,granulado presente	2					
						pittingpresent,pebbling absent	grenureprésente, crépissureabsente	Grübchenvorhanden, Körnerfehlend	picadopresente,granulado ausente	3					
pittingandpebbling present	grenureetcrépissure présentes	GrübchenundKörner vorhanden	picadoygranulado presentes	4											
91.  QN	68	57	56	57	79	<b>Fruitsurface:densityof pittingonoilglands</b>	<b>Surfacedufruit:densité delagrenuresurles glandesàhuile</b>	<b>Fruchtoberfläche: DichtederGrübchenan denÖldrüsen</b>	<b>Superficedelfruto: densidaddelpicadoen lasglándulasdeaceite</b>						
						sparse	éparse	locker	dispersa	3					
						medium	moyenne	mittel	media	5					
						dense	dense	dicht	densa	7					

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
92.				58	80	<b>Fruitsurface:depthof pittingonoilglands</b>  shallow medium deep	<b>Surfacedufruit:profondeurdelagrenuresur lesglandesàhuile</b>  peuprofonde moyenne profonde	<b>Fruchtoberfläche:Tiefe derGrübchenanden Öldrüsen</b>  flach mittel tief	<b>Superficedelfruto:profundidaddelpicadoen lasglándulasdeaceite</b>  pocoprofundo medio profundo	3 5 7					
93.	69	58		59	81	<b>Fruitsurface:densityof pebblingonoilglands</b>  sparse medium dense	<b>Surfacedufruit:densité delacrépissuresurles glandesàhuile</b>  éparse moyenne dense	<b>Fruchtoberfläche: DichtederKörnerandenÖldrüsen</b>  locker mittel dicht	<b>Superficedelfruto: densidaddelgranulado enlasglándulasdeaceite</b>  dispersa media densa	3 5 7					
94.	70	59		60	82	<b>Fruitsurface:degreeof pebblingonoilglands</b>  weak medium strong	<b>Surfacedufruit:degré decrépissuresurles glandesàhuile</b>  faible moyen fort	<b>Fruchtoberfläche:Grad derKörnerbildungandenÖldrüsen</b>  gering mittel stark	<b>Superficedelfruto: niveldegranuladoenlas glándulasdeaceite</b>  débil medio fuerte	3 5 7					
95.	71	60	57	61	83	<b>Fruitrind:thickness</b>  thin medium thick	<b>Écorcedufruit: épaisseur</b>  fine moyenne épaisse	<b>Fruchtschale:Dicke</b>  dünn mittel dick	<b>Cortezadelfruto: espesor</b>  delgada media gruesa	3 5 7					

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
96. QN	72 (* )			62 (* )	84	<b>Fruitrind:adherenceto flesh</b>  weak  medium  strong	<b>Écorcedufruit: adhérenceàlachair</b>  faible  moyenne  forte	<b>Fruchtschale:Anhaften amFleisch</b>  gering  mittel  stark	<b>Cortezadelfruto: adherenciaalapulpa</b>  débil  media  fuerte	3  5  7					
97. QN	73	61			85	<b>Fruitrind:strength</b>  weak  medium  strong	<b>Écorcedufruit:rigidité</b>  faible  moyenne  forte	<b>Fruchtschale:Stärke</b>  gering  mittel  groß	<b>Cortezadelfruto:vigor</b>  débil  medio  fuerte	3  5  7					
98. QN	74		58			<b>Fruitrind:oiliness</b>  dry  medium  oily	<b>Écorcedufruit: onctuosité</b>  sèche  moyenne  grasse	<b>Fruchtschale:Öligkeit</b>  trocken  mittel  ölig	<b>Cortezadelfruto: oleosidad</b>  seca  mediana  oleosa	3  5  7					
99. QN	75				86	<b>Fruitrind: conspicuousnessofoil glandsoninnersurface</b>  absentor weakly conspicuous  intermediate  stronglyconspicuous	<b>Écorcedufruit:netteté desglandesàhuilesurla faceinterne</b>  absentesoupeunettes  moyennes  trèsnettes	<b>Fruchtschale:Sichtbar - keitderÖldrüsenander innerenOberfläche</b>  fehlendoderschwach sichtbar  mittel  gutsichtbar	<b>Cortezadelfruto: glándulasdeaceiteenla superficieinterna</b>  ausentesopocovisibles  intermedias  muyvisibles	1  2  3					

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
<b>100.</b>	76	62		63	87	<b>Fruit:colorofalbedo</b>	<b>Fruit:couleurde l'albédo</b>	<b>Frucht:Farbeder Albedo</b>	<b>Fruto:colordelalbedo</b>						
<b>PQ</b>						greenish	verdâtre	grünlich	verdoso		1	1		1	1
						white	blanc	weiß	blanco		2	2			2
						lightyellow	jauneclair	hellgelb	amarilloclaro		3	3			3
						lightorange	orangeclair	hellorange	naranjaclaro		4	4			4
						lightpink	rosepâle	hellrosa	rosaclaro					2	
						pink	rose	rosa	rosa		5	5		3	5
						reddish	rougeâtre	rötlich	rojizo		6	6			6
<b>101.</b>	77				88	<b>Fruit:densityofalbedo</b>	<b>Fruit:densitédel'albédo</b>	<b>Frucht:Dichteder Albedo</b>	<b>Fruto:densidadel albedo</b>						
<b>QN</b>						loose	faible	locker	laxo	3					
						medium	moyenne	mittel	medio	5					
						dense	dense	dicht	denso	7					

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
102.	78				89	<b>Fruit:amountofalbedo adheringto flesh (strandsexcluded)</b>	<b>Fruit:quantité d'albedo adhérent à la chair (à l'exclusion des brins)</b>	<b>Frucht:Umfang der am Fleisch anhaftenden Albedo (ohne Fasern)</b>	<b>Fruto:cantidad de albedo que se adhiere a la pulpa (excluidos los filamentos)</b>						
QN	(*)					absent or very small	absente ou très faible	fehlend	ausente o muy pequeña	1					
						small	faible	gering	pequeña	3					
						medium	moyenne	mittel	media	5					
						large	forte	groß	grande	7					
						very large	très forte	sehr groß	muy grande	9					
103.	79				90	<b>Fruit:presence of albedo strands</b>	<b>Fruit:présence de brins d'albedo</b>	<b>Frucht:Vorhandensein von Albedo Fasern</b>	<b>Fruto:presencia de filamentos de albedo</b>						
QL						absent	absents	fehlend	ausentes	1					
						present	présents	vorhanden	presentes	9					
104.	80				91	<b>Fruit:amount of albedo strands</b>	<b>Fruit:quantité de brins d'albedo</b>	<b>Frucht:Anzahl Albedo Fasern</b>	<b>Fruto:cantidad de filamentos de albedo</b>						
QN						small	faible	klein	baja	3					
						medium	moyenne	mittel	media	5					
						large	forte	groß	alta	7					
105.		63		64		<b>Fruit:differently colored specks in flesh</b>	<b>Fruit:taches de couleurs différentes dans la chair</b>	<b>Frucht:unterschiedlich gefärbte Flecken am Fleisch</b>	<b>Fruto:manchas de distintos colores en la pulpa</b>						
QL						absent	absentes	fehlend	ausentes	1					
						present	présentes	vorhanden	presentes	9					

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
<b>106.</b>		64		65		<b>Fruit:bico lored segments</b>	<b>Fruit:segmentsbicolores</b>	<b>Frucht:zweifarbige Segmente</b>	<b>Fruto:gajosbicolores</b>						
<b>QL</b>						absent	absents	fehlend	ausentes	1					
						present	présents	vorhanden	presentes	9					
<b>107.</b>	81	65	59	66	92	<b>Fruit:maincolorofflesh</b>	<b>Fruit:couleurprincipale delachair</b>	<b>Frucht:Hauptfarbedes Fleisches</b>	<b>Fruto:colorprincipalde lapulpa</b>						
<b>PQ</b>	(*)	(*)	(*)	(*)		whitish	blanchâtre	weißlich	blanquecino		1			1	1
						lightgreen	vertclair	hellgrün	verdeclaro		2		1	2	2
						lightyellow	jauneclair	hellgelb	amarilloclaro		3		2		3
						mediumyellow	jaunemoyen	mittelgelb	amarillomedio		4				4
						lightorange	orangeclair	hellorange	naranjaclaro		5	1			5
						mediumorange	orangemoyen	mittelorange	naranjamedio		6	2			6
						darkorange	orangefoncé	dunkelorange	naranjaoscuro		7	3			7
						orangered	rougeorangé	orangerot	rojoanaranjado			4			
						red	rouge	rot	rojo		8	5			8
						purple	violet	purpur	púrpura		9				9
						lightpink	rosepâle	hellrosa	rosaclaro					3	
						mediumpink	rosemoyen	mittelrosa	rosamedio				3	4	
						darkpink	rosefoncé	dunkelrosa	rosaoscuro					5	
						whitishandpink	blanchâtreetrose	weißlichundrosa	blanquecinoyrosa					6	
						yellowandred	jauneetrouge	gelb undrot	amarilloyrojo						10



Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
108.		66		67	93	<b>Fruit:bitternessofflesh</b>	<b>Fruit:amertumedela chair</b>	<b>Frucht:Bitterkeitdes Fleisches</b>	<b>Fruto:amargordela pulpa</b>						
QL						absent	absente	fehlend	ausente	1					
						present	présente	vorhanden	presente	9					
109.	82	67	60	68	94	<b>Fruit:fillingofcore</b>	<b>Fruit:structureducœur</b>	<b>Frucht:Ausfüllungdes innerenFruchtfleisches</b>	<b>Fruto:rellenodelhueco central</b>						
QN						absentorverysparse	absenteoutrèslâche	fehlend	ausenteomu ylaxo	1					
						sparse	lâche	locker	laxo	3					
						medium	intermédiaire	mittel	medio	5					
						dense	dense	dicht	denso	7					
						verydense	trèsdense	sehrdicht	muydenso	9					
110.	83	68	61	69		<b>Fruit:diameterofcore</b>	<b>Fruit:di amètreducœur</b>	<b>Frucht:Durchmesser desinneren Fruchtfleisches</b>	<b>Fruto:diámetrodel huecocentral</b>						
QN						small	petit	klein	pequeño	3					
						medium	moyen	mittel	medio	5					
						large	grand	groß	grande	7					

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
111.	84	69	62	70	95	<b>Fruit:presenceof rudimentarysegments</b>  absentorweak intermediate strong	<b>Fruit:présencede segmentsrudimentaires</b>  nulleoufaible intermédiaire forte	<b>Frucht:Vorhandensein unvollständigen Segmente</b>  fehlendoderschwach dazwischenliegend stark	<b>Fruto:presenciade gajosrudimentarios</b>  nulaadébil intermedia fuerte	1 2 3					
112.	85	70	63	71	96	<b>Fruit:numberofwell developedsegments</b>  few medium many	<b>Fruit:nombredese g - mentsbiendéveloppés</b>  peu moyen beaucoup	<b>Frucht:Anzahlgut entwickelterSegme nte</b>  gering mittel groß	<b>Fruto:númerodegajos biendesarrollados</b>  bajo medio alto	3 5 7					
113.	86	71				<b>Fruit:coherenceof adjacentsegmentwalls</b>  weak medium strong	<b>Fruit:adhérencedes paroisdessegments adjacents</b>  faible moyenne forte	<b>Frucht:Zusammenhalt dernebeneinander - liegendenSegmentwände</b>  gering mittel stark	<b>Fruto:adherenciaentre losgajosadyacentes</b>  débil media fuerte	3 5 7					
114.	87	72	64	72	97	<b>Fruit:strengthof segmentwalls</b>  weak medium strong	<b>Fruit:rigiditédesparois dessegments</b>  faible moyenne forte	<b>Frucht:Stärkeder Segmentwände</b>  schwach mittel stark	<b>Fruto:firmezadelas paredesdelosgajos</b>  débil media fuerte	3 5 7					

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
115.	88	73	65	73		<b>Fruit:lengthofjuice vesicles</b>  short  medium  long	<b>Fruit:longueurdes vésiculesdejus</b>  courtes  moyennes  longues	<b>Frucht:Längeder Saftbläschen</b>  kurz  mittel  lang	<b>Fruto:longitudde las vesículasdejugo</b>  corta  media  larga	3  5  7					
116.	89	74	66	74		<b>Fruit:thicknessofjuice vesicles</b>  thin  medium  thick	<b>Fruit:épaisseurdes vésiculesdejus</b>  fines  moyennes  épaisses	<b>Frucht:Dickeder Saftbläschen</b>  dünn  mittel  dick	<b>Fruto:grosordelas vesículasdejugo</b>  delgadas  medianas  gruesas	3  5  7					
117.	90	75	67	75		<b>Fruit:conspicuousness ofjuicevesiclewalls</b>  low  medium  high	<b>Fruit:nettetédesparois desvésiculesdejus</b>  faible  moyenne  forte	<b>Frucht:Sichtbarkeitder Saftbläschenwände</b>  gering  mittel  groß	<b>Fruto:visibilidadde las paredesde las vesículas dejugo</b>  baja  media  alta	3  5  7					
118.	91	76	68	76		<b>Fruit:coherenceofjuice vesicles</b>  weak  medium  strong	<b>Fruit:adhérencedes vésiculesdejus</b>  faible  moyenne  forte	<b>Frucht:Zusammenhalt derSaftbläschen</b>  gering  mittel  stark	<b>Fruto:coherenciade las vesículasdejugo</b>  débil  media  fuerte	3  5  7					

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
119.	92	77			98	<b>Fruit:presenceofnavel (viewedinternally)</b>	<b>Fruit:présencedefruit secondaire(vueinterne)</b>	<b>Frucht:Vorhandensein vonselkündären Früchten(voninnen gesehen)</b>	<b>Fruto:presenciade ombligo(visto internamente)</b>						
PQ	(*)	(*)				absentorveryrare	absentoutrèsrare	fehlendodersehrselten	ausenteomuyrara	1					
						occasionallypresent	présentoccasionnellement	zuweilenvorhanden	ocasionalmentepresente	2					
						alwayspresent	toujoursprésent	immervorhanden	siemprepresente	3					
120.	93	78				<b>Fruit:sizeofnavel (viewedinternally)</b>	<b>Fruit:tailledufruit secondaire(vueinterne)</b>	<b>Frucht:Größeder sekundärenFrucht(von innengesehen)</b>	<b>Fruto:tamañodel ombligovisto internamente</b>						
QN						small	petit	klein	pequeño	3					
						medium	moyen	mittel	medio	5					
						large	grand	groß	grande	7					
121.	94	79	69	77	99	<b>Fruit:juiciness</b>	<b>Fruit:succulence</b>	<b>Frucht:Saftigkeit</b>	<b>Fruto:suculencia</b>						
QN						low	faible	gering	baja	3					
						medium	moyenne	mittel	media	5					
						high	élevée	groß	alta	7					
122.	95	80	70	78		<b>Fruitjuice:totalsoluble solids</b>	<b>Jusdufruit:totalde solidessolubles</b>	<b>Fruchtsaft:Gesamt - gehaltdergelöstenStof fe desSaftes</b>	<b>Jugodelfruto:sólidos solublestotales</b>						
QN	(*)					low	faible	niedrig	bajo	3					
						medium	moyen	mittel	mediano	5					
						high	fort	hoch	alto	7					

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
123. QN	96	81	71	79		<b>Fruitjuice:acidity</b>  low medium high	<b>Jusdufruit:acidité</b>  faible moyenne forte	<b>Fruchtsaft:Säure</b>  gering mittel stark	<b>Jugodelfruto:acidez</b>  baja media alta	3 5 7					
124. QN	97	82	72	80		<b>Fruit:strengthoffibre</b>  weak medium strong	<b>Fruit:rigiditédesfibres</b>  faible moyenne forte	<b>Frucht:Stärkeder Fasern</b>  schwach mittel stark	<b>Fruto:vigordelafibra</b>  débil medio fuerte	3 5 7					
125. QN	98	83	73	81	100	<b>Fruit:numberofseeds (controlledself - pollination)</b>  absentorveryfew few medium many verymany	<b>Fruit:nomb redepépins (autopollinisation contrôlée)</b>  absentsoutrèspenombreux peunombreux moyennementnombreux nombreux trèsnombreux	<b>Frucht:AnzahlSamen (kontrollierte Selbstbefruchtung)</b>  fehlendodersehrgering gering mittel groß sehrgroß	<b>Fruto:númerode semillas(auto - polinizacióncontrolada)</b>  ausenteomuybajo bajo medio alto muyalto	1 3 5 7 9					



Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
131.	104	89		87		<b>Seed:prominenceof wrinkles</b> weak medium strong	<b>Pépin:proéminencedes rides</b> faible moyenne forte	<b>Samen:Ausprägungder Runzeln</b> schwach mittel stark	<b>Semilla:prominenciade lasarrugas</b> débil media fuerte	3 5 7					
132.	105	90		88	106	<b>Seed:externalcolor</b> greenish whitish yellowish pinkish brownish	<b>Pépin:couleurexterne</b> verdâtre blanchâtre jaunâtre rosâtre brunâtre	<b>Samen:Außenfarbe</b> grünlich weißlich gelblich blaßrosa bräunlich	<b>Semilla:colorexterno</b> verdoso blanquecino amarillento rosado amarronado	1 2 3 4 5					
133.	106	91		89	107	<b>Seed:colorofinnerseed coat</b> white lightyellow lightbrown medium brown darkbrown red purple	<b>Pépin:couleurdu tégumentinterne</b> blanc jauneclair marronclair marronmoyen marronfoncé rouge violet	<b>Samen:Farbeder innerenSamenschale</b> weiß hellgelb hellbraun mittelbraun dunkelbraun rot purpur	<b>Semilla:colordela cubiertainterna</b> blanco amarilloclaro marrónclaro marrónmedio marrónoscuro rojo púrpura	1 2 3 4 5 6 7					

Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5			
134.  PQ	107	92		90	108	<b><u>Polyembryonicvarieties only:Seed:colorof cotyledons</u></b>	<b><u>Variétéspolyembryon - nairesseulement :Pépin: couleurdescotylédons</u></b>	<b><u>Nurpolyembryonische Sorten:Samen:Farbe derKotyledonen</u></b>	<b><u>Sólovariedadespoli - embriónicas:Semilla: colordeloscotiledones</u></b>									
						white	blanc	weiß	blanco	1								
						cream	crème	cremefarben	crema	2								
						lightgreen	vertclair	hellgrün	verdeclaro	3								
						darkgreen	vertfoncé	dunkelgrün	verdeoscuro	4								
135.  QL			76	91	109	<b>Floweringhabit</b>	<b>Floraison</b>	<b>Blühverhalten</b>	<b>Tipodeflor ación</b>									
			(*)	(*)	(*)	floweringonce	uneseule	einmalblühend	unafloración	1								
						floweringmorethanonce	plusieurs	mehraleinmalblühend	másdeunafloración	2								
136.  QN	108	93	77	92	110	<b>Timeofmaturityoffruit forconsumption</b>	<b>Époquedematuritédu fruitpourla consommation</b>	<b>Zeitpunktder Fruchtreifefürden Genuß</b>	<b>Épocademadurezdel frutoparasuconsumo</b>									
						(*)	(*)	(*)	(*)	early	précoce	früh	temprana	3				
										medium	moyenne	mittel	media	5				
						late	tardive	spät	tardía	7								
137.  QL	109	94	78	93		<b>Fruit:parthenocarp</b>	<b>Fruit:parthénocarpie</b>	<b>Frucht:Parthenokarpie</b>	<b>Fruto:partenocarpia</b>									
						(*)	(*)	(*)	(*)	absent	absente	fehlend	ausente	1				
						present	présente	vorhanden	presente	9								



Overall	Group1	Group2	Group3	Group4	Group5	English	français	deutsch	español	Note/ Nota	Group1	Group2	Group3	Group4	Group5
138.	110	95	79	94	111	<b>Plant:self - incompatibility</b>	<b>Plante:auto - incompatibilité</b>	<b>Pflanze: Selbstunverträglichkeit</b>	<b>Planta: autoincompatibilidad</b>						
(+)						absent	absente	fehlend	ausente	1					
QL						present	présente	vorhanden	presente	9					

[Endofdocument/  
Findudocument/  
EndedesDokuments/  
Findeldocumento]