



TG/207/2(proj.3)
 ORIGINAL: English
 DATE: 2015-10-14

INTERNATIONAL UNION FOR THE PROTECTION OF NEW VARIETIES OF PLANTS

Geneva

DRAFT

CALIBRACHOA

UPOV Code: CALIB

Calibrachoa Lave & Lex.

GUIDELINES

FOR THE CONDUCT OF TESTS

FOR DISTINCTNESS, UNIFORMITY AND STABILITY

prepared by (an) expert(s) from Germany

to be considered by the

*Enlarged Editorial Committee at its meeting
 to be held in Geneva, on January 6 and 7, 2016*

Disclaimer: this document does not represent UPOV policies or guidance

Alternative Names:^{*}

<i>Botanical name</i>	<i>English</i>	<i>French</i>	<i>German</i>	<i>Spanish</i>
<i>Calibrachoa</i> Lave & Lex.	Calibrachoa	Calibrachoa	Calibrachoa	Calibrachoa

The purpose of these guidelines (“Test Guidelines”) is to elaborate the principles contained in the General Introduction (document TG/1/3), and its associated TGP documents, into detailed practical guidance for the harmonized examination of distinctness, uniformity and stability (DUS) and, in particular, to identify appropriate characteristics for the examination of DUS and production of harmonized variety descriptions.

ASSOCIATED DOCUMENTS

These Test Guidelines should be read in conjunction with the General Introduction and its associated TGP documents.

Other associated UPOV documents: TG/212 - Petunia

^{*} These names were correct at the time of the introduction of these Test Guidelines but may be revised or updated. [Readers are advised to consult the UPOV Code, which can be found on the UPOV Website (www.upov.int), for the latest information.]

<u>TABLE OF CONTENTS</u>	<u>PAGE</u>
1. SUBJECT OF THESE TEST GUIDELINES.....	3
2. MATERIAL REQUIRED.....	3
3. METHOD OF EXAMINATION.....	3
3.1 NUMBER OF GROWING CYCLES	3
3.2 TESTING PLACE	3
3.3 CONDITIONS FOR CONDUCTING THE EXAMINATION.....	3
3.4 TEST DESIGN.....	3
3.5 ADDITIONAL TESTS.....	4
4. ASSESSMENT OF DISTINCTNESS, UNIFORMITY AND STABILITY	4
4.1 DISTINCTNESS	4
4.2 UNIFORMITY	5
4.3 STABILITY.....	5
5. GROUPING OF VARIETIES AND ORGANIZATION OF THE GROWING TRIAL.....	5
6. INTRODUCTION TO THE TABLE OF CHARACTERISTICS	6
6.1 CATEGORIES OF CHARACTERISTICS	6
6.2 STATES OF EXPRESSION AND CORRESPONDING NOTES	6
6.3 TYPES OF EXPRESSION.....	6
6.4 EXAMPLE VARIETIES.....	7
6.5 LEGEND	7
7. TABLE OF CHARACTERISTICS/TABLEAU DES CARACTÈRES/MERKMALSTABELLE/TABLA DE CARACTERES	8
8. EXPLANATIONS ON THE TABLE OF CHARACTERISTICS.....	13
8.1 EXPLANATIONS COVERING SEVERAL CHARACTERISTICS	13
8.2 EXPLANATIONS FOR INDIVIDUAL CHARACTERISTICS	13
9. LITERATURE	20
10. TECHNICAL QUESTIONNAIRE.....	21

1. Subject of these Test Guidelines

These Test Guidelines apply to all varieties of *Calibrachoa* Lave & Lex..

These Test Guidelines do not apply to varieties of *xPetchoa* J.M.H. Shaw (*Petunia* × *Calibrachoa*) which are covered by the Test Guidelines for *Petunia* TG/212.

2. Material Required

2.1 The competent authorities decide on the quantity and quality of the plant material required for testing the variety and when and where it is to be delivered. Applicants submitting material from a State other than that in which the testing takes place must ensure that all customs formalities and phytosanitary requirements are complied with.

2.2 The material is to be supplied in the form of rooted cuttings.

2.3 The minimum quantity of plant material, to be supplied by the applicant, should be:

15 rooted cuttings.

2.4 The plant material supplied should be visibly healthy, not lacking in vigor, nor affected by any important pest or disease.

2.5 The plant material should not have undergone any treatment which would affect the expression of the characteristics of the variety, unless the competent authorities allow or request such treatment. If it has been treated, full details of the treatment must be given.

3. Method of Examination

3.1 *Number of Growing Cycles*

The minimum duration of tests should normally be a single growing cycle.

3.2 *Testing Place*

Tests are normally conducted at one place. In the case of tests conducted at more than one place, guidance is provided in TGP/9 "Examining Distinctness".

3.3 *Conditions for Conducting the Examination*

3.3.1 The tests should be carried out under conditions ensuring satisfactory growth for the expression of the relevant characteristics of the variety and for the conduct of the examination.

3.3.2 Because daylight varies, color determinations made against a color chart should be made either in a suitable cabinet providing artificial daylight or in the middle of the day in a room without direct sunlight. The spectral distribution of the illuminant for artificial daylight should conform with the CIE Standard of Preferred Daylight D 6500 and should fall within the tolerances set out in the British Standard 950, Part I. These determinations should be made with the plant part placed against a white background. The color chart and version used should be specified in the variety description.

3.4 *Test Design*

3.4.1 Each test should be designed to result in a total of at least 15 plants.

3.4.2 The design of the tests should be such that plants or parts of plants may be removed for measurement or counting without prejudice to the observations which must be made up to the end of the growing cycle.

3.5 *Additional Tests*

Additional tests, for examining relevant characteristics, may be established.

4. Assessment of Distinctness, Uniformity and Stability

4.1 *Distinctness*

4.1.1 General Recommendations

It is of particular importance for users of these Test Guidelines to consult the General Introduction prior to making decisions regarding distinctness. However, the following points are provided for elaboration or emphasis in these Test Guidelines.

4.1.2 Consistent Differences

The differences observed between varieties may be so clear that more than one growing cycle is not necessary. In addition, in some circumstances, the influence of the environment is not such that more than a single growing cycle is required to provide assurance that the differences observed between varieties are sufficiently consistent. One means of ensuring that a difference in a characteristic, observed in a growing trial, is sufficiently consistent is to examine the characteristic in at least two independent growing cycles.

4.1.3 Clear Differences

Determining whether a difference between two varieties is clear depends on many factors, and should consider, in particular, the type of expression of the characteristic being examined, i.e. whether it is expressed in a qualitative, quantitative, or pseudo-qualitative manner. Therefore, it is important that users of these Test Guidelines are familiar with the recommendations contained in the General Introduction prior to making decisions regarding distinctness.

4.1.4 Number of Plants / Parts of Plants to be Examined

Unless otherwise indicated, for the purposes of distinctness, all observations on single plants should be made on 10 plants or parts taken from each of 10 plants and any other observations made on all plants in the test, disregarding any off-type plants.

4.1.5 Method of Observation

The recommended method of observing the characteristic for the purposes of distinctness is indicated by the following key in the second column of the Table of Characteristics (see document TGP/9 "Examining Distinctness", Section 4 "Observation of characteristics"):

MG: single measurement of a group of plants or parts of plants

MS: measurement of a number of individual plants or parts of plants

VG: visual assessment by a single observation of a group of plants or parts of plants

VS: visual assessment by observation of individual plants or parts of plants

Type of observation: visual (V) or measurement (M)

"Visual" observation (V) is an observation made on the basis of the expert's judgment. For the purposes of this document, "visual" observation refers to the sensory observations of the experts and, therefore, also includes smell, taste and touch. Visual observation includes observations where the expert uses reference points (e.g. diagrams, example varieties, side-by-side comparison) or non-linear charts (e.g. color charts). Measurement (M) is an objective observation against a calibrated, linear scale e.g. using a ruler, weighing scales, colorimeter, dates, counts, etc.

Type of record: for a group of plants (G) or for single, individual plants (S)

For the purposes of distinctness, observations may be recorded as a single record for a group of plants or parts of plants (G), or may be recorded as records for a number of single, individual

plants or parts of plants (S). In most cases, "G" provides a single record per variety and it is not possible or necessary to apply statistical methods in a plant-by-plant analysis for the assessment of distinctness.

In cases where more than one method of observing the characteristic is indicated in the Table of Characteristics (e.g. VG/MG), guidance on selecting an appropriate method is provided in document TGP/9, Section 4.2.

4.2 *Uniformity*

4.2.1 It is of particular importance for users of these Test Guidelines to consult the General Introduction prior to making decisions regarding uniformity. However, the following points are provided for elaboration or emphasis in these Test Guidelines:

4.2.2 For the assessment of uniformity, a population standard of 1% and an acceptance probability of at least 95% should be applied. In the case of a sample size of 15 plants, 1 off-type is allowed.

4.3 *Stability*

4.3.1 In practice, it is not usual to perform tests of stability that produce results as certain as those of the testing of distinctness and uniformity. However, experience has demonstrated that, for many types of variety, when a variety has been shown to be uniform, it can also be considered to be stable.

4.3.2 Where appropriate, or in cases of doubt, stability may be further examined by testing a new plant stock to ensure that it exhibits the same characteristics as those shown by the initial material supplied.

5. Grouping of Varieties and Organization of the Growing Trial

5.1 The selection of varieties of common knowledge to be grown in the trial with the candidate varieties and the way in which these varieties are divided into groups to facilitate the assessment of distinctness are aided by the use of grouping characteristics.

5.2 Grouping characteristics are those in which the documented states of expression, even where produced at different locations, can be used, either individually or in combination with other such characteristics: (a) to select varieties of common knowledge that can be excluded from the growing trial used for examination of distinctness; and (b) to organize the growing trial so that similar varieties are grouped together.

5.3 The following have been agreed as useful grouping characteristics:

- (a) Plant: height (characteristic 2)
- (b) Leaf: variegation (characteristic 7)
- (c) Flower: type (characteristic 12)
- (d) Flower: width (characteristic 13)
- (e) Flower: conspicuousness of veins (characteristic 15)
- (f) Only varieties with Flower: type: single: Flower: main color at transition to corolla tube (characteristic 16) with the following groups:
 - Gr. 1: white
 - Gr. 2: yellow
 - Gr. 3: orange red
 - Gr. 4: red
 - Gr. 5: purple
 - Gr. 6: violet
 - Gr. 7: brown
 - Gr. 8: black
- (g) Flower: main color (characteristic 21) with the following groups:
 - Gr. 1: white
 - Gr. 2: yellow
 - Gr. 3: orange
 - Gr. 4: red
 - Gr. 5: blue pink

Gr. 6: purple
Gr. 7: violet

5.4 Guidance for the use of grouping characteristics, in the process of examining distinctness, is provided through the General Introduction and document TGP/9 “Examining Distinctness”.

6. Introduction to the Table of Characteristics

6.1 *Categories of Characteristics*

6.1.1 Standard Test Guidelines Characteristics

Standard Test Guidelines characteristics are those which are approved by UPOV for examination of DUS and from which members of the Union can select those suitable for their particular circumstances.

6.1.2 Asterisked Characteristics

Asterisked characteristics (denoted by *) are those included in the Test Guidelines which are important for the international harmonization of variety descriptions and should always be examined for DUS and included in the variety description by all members of the Union, except when the state of expression of a preceding characteristic or regional environmental conditions render this inappropriate.

6.2 *States of Expression and Corresponding Notes*

6.2.1 States of expression are given for each characteristic to define the characteristic and to harmonize descriptions. Each state of expression is allocated a corresponding numerical note for ease of recording of data and for the production and exchange of the description.

6.2.2 In the case of qualitative and pseudo-qualitative characteristics (see Chapter 6.3), all relevant states of expression are presented in the characteristic. However, in the case of quantitative characteristics with 5 or more states, an abbreviated scale may be used to minimize the size of the Table of Characteristics. For example, in the case of a quantitative characteristic with 9 states, the presentation of states of expression in the Test Guidelines may be abbreviated as follows:

State	Note
small	3
medium	5
large	7

However, it should be noted that all of the following 9 states of expression exist to describe varieties and should be used as appropriate:

State	Note
very small	1
very small to small	2
small	3
small to medium	4
medium	5
medium to large	6
large	7
large to very large	8
very large	9

6.2.3 Further explanation of the presentation of states of expression and notes is provided in document TGP/7 “Development of Test Guidelines”.

6.3 *Types of Expression*

An explanation of the types of expression of characteristics (qualitative, quantitative and pseudo-qualitative) is provided in the General Introduction.

6.4 *Example Varieties*

Where appropriate, example varieties are provided to clarify the states of expression of each characteristic.

6.5 *Legend*

- | | | |
|----------------|-----------------------------------|---------------------|
| (*) | Asterisked characteristic | – see Chapter 6.1.2 |
| QL | Qualitative characteristic | – see Chapter 6.3 |
| QN | Quantitative characteristic | – see Chapter 6.3 |
| PQ | Pseudo-qualitative characteristic | – see Chapter 6.3 |
| MG, MS, VG, VS | | – see Chapter 4.1.5 |
- (a)-(c) See Explanations on the Table of Characteristics in Chapter 8.1
- (+) See Explanations on the Table of Characteristics in Chapter 8.2

7. Table of Characteristics/Tableau des caractères/Merkmalstabelle/Tabla de caracteres

	English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
1.	VG	Plant: growth habit	Plante: port	Pflanze: Wuchsform	Planta: porte	
(+)						
QN	upright	dressé	aufrecht	erecto		1
	semi-upright	demi-dressé	halbaufrecht	semierecto		2
	spreading	étalé	breitwüchsig	extendido		3
2.	MS/ VG	Plant: height	Plante: hauteur	Pflanze: Höhe	Planta: altura	
(*)						
(+)						
QN	short	basse	niedrig	baja	KLECA 08170	3
	medium	moyenne	mittel	media	KLECA 11227	5
	tall	haute	hoch	alta	USCAL 5302 M	7
3.	MS/ VG	Shoot: length	Tige: longueur	Trieb: Länge	Rama: longitud	
(*)						
(+)						
QN	short	courte	kurz	corta	Balcabpiken	3
	medium	moyenne	mittel	media	Duealkocher	5
	long	longue	lang	larga	KLECA 10218	7
4.	MS/ VG	Leaf: length	Feuille: longueur	Blatt: Länge	Hoja: longitud	
(*)						
QN	(a) short	courte	kurz	corta	Balcabdebu	3
	medium	moyenne	mittel	media	Duealkohopi	5
	long	longue	lang	larga	USCAL 5302 M	7
5.	MS/ VG	Leaf: width	Feuille: largeur	Blatt: Breite	Hoja: anchura	
(*)						
QN	(a) narrow	étroite	schmal	estrecha	CBRZ 0002	3
	medium	moyenne	mittel	media	KLECA 11227	5
	broad	large	breit	ancha	USCAL 5302 M	7
6.	VG	Leaf: shape of apex	Feuille : forme de l'apex	Blatt: Form der Spitze	Hoja: forma del ápice	
(+)						
PQ	(a) narrow acute	aigu étroit	schmalspitz	agudo estrecho		1
	broad acute	aigu large	breitspitz	agudo ancho		2
	rounded	arrondi	abgerundet	redondeado		3
7.	VG	Leaf: variegation	Feuille: panachure	Blatt: Panaschierung	Hoja: variegación	
(*)						
(+)						
QL	(a) absent	absente	fehlend	ausente		1
	present	présente	vorhanden	presente		9

	English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
8. (+)	VG	Leaf: main color	Feuille: couleur principale	Blatt: Hauptfarbe	Hoja: color principal	
PQ	(a)	light yellow	jaune clair	hellgelb	amarillo claro	1
		light green	vert pâle	hellgrün	verde claro	2
		medium green	vert moyen	mittelgrün	verde medio	KLECA 10216
		dark green	vert foncé	dunkelgrün	verde oscuro	SUNBEL 0778
9. (*)	MS/ VG	Pedice: length	Pédicelle: longueur	Blütenstiel: Länge	Pedículo: longitud	
QN		very short	très court	sehr kurz	muy corto	Duealkodlav
		short	court	kurz	corto	CBRZ 0002
		medium	moyen	mittel	mediano	KLECA 11227
		long	long	lang	largo	USCAL 5302 M
		very long	très long	sehr lang	muy largo	Duealtiman
10. (*)	VG	Calyx lobe: length	Lobe du calice: longueur	Kelchlappen: Länge	Lóbulo del cáliz: longitud	
QN		very short	très court	sehr kurz	muy corto	
		short	court	kurz	corto	Balcabdebu
		medium	moyen	mittel	mediano	Sunbelriki
		long	long	lang	largo	KLECA 07112
		very long	très long	sehr lang	muy largo	Cal Yell 08
11. (+)	VG	Calyx lobe: width	Lobe du calice: largeur	Kelchlappen: Breite	Lóbulo del cáliz: anchura	
QN		very narrow	très étroit	sehr schmal	muy estrecho	
		narrow	étroit	schmal	estrecho	Sunbelriki
		medium	moyen	mittel	mediano	KLECA 10216
		broad	large	breit	ancho	KLECA 07112
		very broad	très large	sehr breit	muy ancho	Duealkopi
12. (*)	VG	Flower: type	Fleur: type	Blüte: Typ	Flor: tipo	
QL		single	simple	einfach	simple	
		double	double	gefüllt	doble	
13. (*)	MS/ VG	Flower: width	Fleur: largeur	Blüte: Breite	Flor: anchura	
QN	(b)	narrow	étroite	schmal	estrecha	Sunbelriki
		medium	moyenne	mittel	media	Ficallinpur
		broad	large	breit	ancha	Duealfir

	English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
14. (*) (+)	VG	Flower: lobing	Fleur: découpure	Blüte: Lappung	Flor: lobulado	
QN	(b)	absent or very weak	nulle ou très faible	fehlend oder sehr schwach	ausente o muy débil	1
		weak	faible	schwach	débil	2
		medium	moyenne	mittel	medio	3
		strong	forte	stark	fuerte	4
		very strong	très forte	sehr stark	muy fuerte	5
15. (*) (+)	VG	Flower: conspicuousness of veins	Fleur: netteté des nervures	Blüte: Ausprägung der Adern	Flor: evidencia de los nervios	
QN	(b)	absent or very weak	nulle ou très faible	fehlend oder sehr schwach	ausente o muy débil	1
	(c)	weak	faible	schwach	débil	2
		medium	moyenne	mittel	media	3
		strong	forte	stark	fuerte	4
		very strong	très forte	sehr stark	muy fuerte	5
16. (*) (+)	VG	<u>Only varieties with Flower: type: single:</u> Flower: main color at transition to corolla tube	<u>Seulement les variétés avec fleur: type: simple:</u> Fleur: couleur principale autour du tube de la corolle	<u>Nur Sorten mit Blüte: Typ: einfach:</u> Blüte: Hauptfarbe am Übergang zur Kronröhre	<u>Solo variedades con tipo de flor: simple:</u> Flor: color principal en la transición al tubo de la corola	
PQ	(b) (c)	RHS Colour Chart (indicate reference number)	Code RHS des couleurs (indiquer le numéro de référence)	RHS-Farbkarte (Nummer angeben)	Carta de colores RHS (indíquese el número de referencia)	
17. (*) (+)	VG	Flower: area of main color at transition to corolla tube	Fleur: surface de la couleur principale autour du tube de la corolle	Blüte: Fläche der Hauptfarbe am Übergang zur Kronröhre	Flor: superficie que ocupa el color principal en la transición al tubo de la corola	
QN	(b)	absent or very small	nulle ou très petite	fehlend oder sehr klein	ausente o muy pequeña	1
	(c)	small	petite	klein	pequeña	3
		medium	moyenne	mittel	media	5
		large	grande	groß	grande	7
		very large	très grande	sehr groß	muy grande	9
18. (+)	VG	Flower: pattern of main color at transition to corolla tube	Fleur: répartition de la couleur principale autour du tube de la corolle	Blüte: Muster der Hauptfarbe am Übergang zur Kronröhre	Flor: pauta de distribución del color principal en la transición al tubo de la corola	
PQ	(b)	incomplete rounded	incomplète arrondie	unvollständig abgerundet	redondeada incompleta	1
		rounded	arrondie	abgerundet	redondeada	2
		incomplete star-shaped	incomplète en étoile	unvollständig sternförmig	estrellada incompleta	3
		star-shaped	en étoile	sternförmig	estrellada	4

	English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
19.	VG	Only varieties with Flower: type: single: Flower: size of marking at transition to corolla tube	Seulement les variétés avec fleur: type: simple: Fleur: taille des tâches autour du tube de la corolle	Nur Sorten mit Blüte: Typ: einfach: Blüte: Größe der Zeichnung am Übergang zur Kronröhre	Solo variedades con tipo de flor: simple: Flor: tamaño de la ornamentación central en la transición al tubo de la corola	
(+)						
QN	(b)	absent or very small	nulle ou très petite	fehlend oder sehr klein	ausente o muy pequeña	1
		small	petite	klein	pequeña	2
		medium	moyenne	mittel	media	3
		large	grande	groß	grande	4
		very large	très grande	sehr groß	muy grande	5
20.	VG	Flower: color of marking at transition to corolla tube	Fleur: couleur des taches autour du tube de la corolle	Blüte: Farbe der Zeichnung am Übergang zur Kronröhre	Flor: color de la ornamentación central en la transición al tubo de la corola	
PQ	(b)	white	blanc	weiß	blanco	1
		yellow	jaune	gelb	amarillo	2
		yellow orange	jaune orangé	gelborange	amarillo anaranjado	3
21.	VG	Flower: main color	Fleur: couleur principale	Blüte: Hauptfarbe	Flor: color principal	
(*)						
(+)						
PQ	(b)	RHS Colour Chart (indicate reference number)	Code RHS des couleurs (indiquer le numéro de référence)	RHS-Farbkarte (Nummer angeben)	Carta de colores RHS (indíquese el número de referencia)	
22.	VG	Flower: secondary color	Fleur: couleur secondaire	Blüte: Sekundärfarbe	Flor: color secundario	
(*)						
(+)						
PQ	(b)	RHS Colour Chart (indicate reference number)	Code RHS des couleurs (indiquer le numéro de référence)	RHS-Farbkarte (Nummer angeben)	Carta de colores RHS (indíquese el número de referencia)	
23.	VG	Flower: distribution of secondary color	Fleur: répartition de la couleur secondaire	Blüte: Verteilung der Sekundärfarbe	Flor: distribución del color secundario	
(+)						
PQ	(b)	narrow along the fused parts of the corolla lobes	étroite le long des parties soudées des lobes de la corolle	schmal entlang der Stellen, an denen die Kronlappen miteinander verschmolzen sind	estrecha, a lo largo de las partes soldadas de los lóbulos de la corola	1
		medium along the fused parts of the corolla lobes	moyenne le long des parties soudées des lobes de la corolle	mittel entlang der Stellen, an denen die Kronlappen miteinander verschmolzen sind	media, a lo largo de las partes soldadas de los lóbulos de la corola	2
		broad along the fused parts of the corolla lobes	large le long des parties soudées des lobes de la corolle	breit entlang der Stellen, an denen die Kronlappen miteinander verschmolzen sind	ancha, a lo largo de las partes soldadas de los lóbulos de la corola	3
		at distal part of corolla lobes	à l'extrémité distale des lobes de la corolle	am distalen Teil der Kronlappen	en la parte distal de los lóbulos de la corola	4
		at margin of corolla lobes	au bord des lobes de la corolle	am Rand der Kronlappen	en el margen de los lóbulos de la corola	5
		irregular	irrégulière	unregelmäßig	irregular	6

	English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
24.	VG	Plant: flower color change through the growing season	Plante: changement de couleur de la fleur au cours du cycle de végétation	Pflanze: Änderung der Blütenfarbe im Verlauf der Wachstumsperiode	Planta: cambio de color de la flor durante el periodo de cultivo	
(+)						
QN	absent or weak	nul ou faible	fehlend oder schwach	ausente o débil		1
	medium	moyen	mittel	medio		2
	strong	fort	stark	intenso		3
25.	VG	Young flower: main color	Jeune fleur: couleur principale	Junge Blüte: Hauptfarbe	Flor joven: color principal	
(+)						
PQ	RHS Colour Chart (indicate reference number)	Code RHS des couleurs (indiquer le numéro de référence)	RHS-Farbkarte (Nummer angeben)	Carta de colores RHS (indíquese el número de referencia)		
26.	VG	Aged flower: main color	Fleur âgée: couleur principale	Ältere Blüte: Hauptfarbe	Flor más antigua: color principal	
(+)						
PQ	RHS Colour Chart (indicate reference number)	Code RHS des couleurs (indiquer le numéro de référence)	RHS-Farbkarte (Nummer angeben)	Carta de colores RHS (indíquese el número de referencia)		
27.	VG	Corolla lobe: shape of apex	Lobe de la corolle: forme de l'apex	Kronlappen: Form der Spitze	Lóbulo de la corola: forma del ápice	
(+)						
PQ	(b) cuspidate	cuspidé	mit längerer aufgesetzter Spitze	cuspidado		1
	rounded	arrondi	abgerundet	redondeado		2
	truncate	tronqué	gerade	truncado		3
	emarginate	émarginé	eingekerbt	emarginado		4
28.	VG	<u>Only varieties with Flower: type: single:</u> Corolla tube: main color of inner side	<u>Seulement les variétés avec fleur: type: simple:</u> Tube de la corolle: couleur principale de la face interne	<u>Nur Sorten mit Blüte: Typ: einfach:</u> Kronröhre: Hauptfarbe der Innenseite	<u>Solo variedades con tipo de flor: simple:</u> Tubo de la corola: color principal de la parte interna	
(*)						
(+)						
PQ	RHS Colour Chart (indicate reference number)	Code RHS des couleurs (indiquer le numéro de référence)	RHS-Farbkarte (Nummer angeben)	Carta de colores RHS (indíquese el número de referencia)		
29.	VG	<u>Only varieties with Flower: type: single</u> Corolla tube: conspicuousness of veins on inner side	<u>Seulement les variétés avec fleur: type: simple:</u> Tube de la corolle: netteté des nervures sur la face interne	<u>Nur Sorten mit Blüte: Typ: einzelne</u> Kronröhre: Ausprägung der Aderung an der Innenseite	<u>Solo variedades con tipo de flor: simple</u> Tubo de la corola: evidencia de los nervios de la parte interna	
(+)						
QN	absent or very weak	nulle ou très faible	fehlend oder sehr schwach	ausente o muy débil		1
	weak	faible	schwach	débil		2
	medium	moyenne	mittel	media		3
	strong	forte	stark	fuerte		4
	very strong	très forte	sehr stark	muy fuerte		5


8. Explanations on the Table of Characteristics

8.1 *Explanations covering several characteristics*

Unless otherwise indicated observations should be made at the time of full flowering.

Characteristics containing the following key in the second column of the Table of Characteristics should be examined as indicated below:

- (a) Observations on the leaf should be made on the upper side of fully developed leaves from the middle part of a shoot.
- (b) Observations on the flower should be made on the inner side of the corolla lobes of a middle aged flower. Observations on varieties with changing flower color should be made on the predominant flower color through the season. Observations on varieties with double flowers should be made on the outer corolla lobes.
- (c) Diagram of color characteristics of the flower:



8.2 *Explanations for individual characteristics*

Ad. 1: Plant: growth habit



1
upright

2
semi-upright

3
spreading


Ad. 2: Plant: height

The plant height should be observed from the soil level to the highest point of the plant. The observation should be done at the end of the trial.

Ad. 3: Shoot: length

The shoot length should be observed on the longest shoot from the soil level to the end of the shoot. The observation should be done at the end of the trial.

Ad. 6: Leaf: shape of apex



1 narrow acute 2 broad acute 3 rounded

Ad. 7: Leaf: variegation



1 absent 9 present

Ad. 8: Leaf: main color

The main color is the color with the largest surface area. In cases where the areas of the main and the secondary color are too similar to reliably decide which color has the largest area, the darker color is considered to be the main color.


Ad. 10: Calyx lobe: length

Ad. 11: Calyx lobe: width

Observations on the calyx lobe should be made on the broadest calyx lobe.



calyx lobe



Ad. 12: Flower: type

A double flower has more than one whorl of corolla lobes.




1
single




2
double

Ad. 13: Flower: width



width

Ad. 14: Flower: lobing



Ad. 15: Flower: conspicuousness of veins


The conspicuousness is determined by the color contrast and the number of contrasting veins.




Ad. 16: Only varieties with Flower: type: single: Flower: main color at transition to corolla tube

The main color at transition to corolla tube is the color with the largest surface area. In cases where the areas of the main and the secondary color are too similar to reliably decide which color has the largest area, the darker color is considered to be the main color.


To be observed only when the area of the main color at transition to corolla tube (Char. 18) is at least small (3).




Ad. 17: Flower: area of main color at transition to corolla tube



Ad. 18: Flower: pattern of main color at transition to corolla tube



Ad. 19: Only varieties with Flower: type: single: Flower: size of marking at transition to corolla tube




Ad. 21: Flower: main color

The main color is the color with the largest surface area excluding veins and excluding the color at transition to the corolla tube. In cases where the areas of the main and the secondary color are too similar to reliably decide which color has the largest area, the darker color is considered to be the main color.

Ad. 22: Flower: secondary color

The secondary color is the color with the second largest surface area excluding veins and excluding the color at transition to the corolla tube. In cases where the areas of the main and the secondary color are too similar to reliably decide which color has the largest area, the lighter color is considered to be the secondary color.

Ad. 23: Flower: distribution of secondary color



Ad. 24: Plant: flower color change through the growing season

Some Calibrachoa varieties can have flowers with a strong reaction to light and temperature conditions. As a result, flowers of the same age could show a different main and/or secondary color on the same plant through the growing season.



1
absent or weak



3
strong


Ad. 25: Young flower: main color

Observations on the young flower should be made on the inner side of corolla lobes of flowers which have just fully opened. Observations on varieties with double flowers should be made on the outer corolla lobes. For definition of main color see Ad. 21.

Ad. 26: Aged flower: main color

Observations on the aged flower should be made on the inner side of corolla lobes of flowers which have just started to fade. Observations on varieties with double flowers should be made on the outer corolla lobes. For definition of main color see Ad. 21.

Ad. 27: Corolla lobe: shape of apex



Ad. 28: Only varieties with Flower: type: single: Corolla tube: main color of inner side

The main color is the color with the largest surface area. In cases where the areas of the main and secondary color are too similar to reliably decide which color has the largest area, the darkest color is considered to be the main color.

Ad. 29: Only varieties with Flower: type: single Corolla tube: conspicuousness of veins on inner side

The conspicuousness is determined by the color contrast and the number of contrasting veins.



1
absent or very
weak



2
weak



3
medium



4
strong

9. Literature

Wijsman, H.J.W., 1990: On the Interrelationships of Certain Species of Petunia VI. New Names for the Species of Calibrachoa Formerly Included Into Petunia (Solanaceae). Acta Bot. Neerl. 39 (19), NL, pp. 101 and 102.

10. Technical Questionnaire

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
-------------------------	-----------------	-------------------

	Application date: (not to be filled in by the applicant)
--	---

TECHNICAL QUESTIONNAIRE
to be completed in connection with an application for plant breeders' rights

1. Subject of the Technical Questionnaire

1.1 Botanical name

1.2 Common name

2. Applicant

Name

Address

Telephone No.

Fax No.

E-mail address

Breeder (if different from applicant)

3. Proposed denomination and breeder's reference

Proposed denomination
(if available)

Breeder's reference

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
-------------------------	-----------------	-------------------

#4. Information on the breeding scheme and propagation of the variety

4.1 Breeding scheme

Variety resulting from:

4.1.1 Crossing

(a) controlled cross []
(please state parent varieties)

(.....) x (.....)
female parent male parent

(b) partially known cross []
(please state known parent variety(ies))

(.....) x (.....)
female parent male parent

(c) unknown cross []

4.1.2 Mutation []
(please state parent variety)

.....

4.1.3 Discovery and development []
(please state where and when discovered and how developed)

.....

4.1.4 Other []
(please provide details)

.....

Authorities may allow certain of this information to be provided in a confidential section of the Technical Questionnaire.

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
-------------------------	-----------------	-------------------

4.2 Method of propagating the variety

4.2.1 Vegetatively propagated varieties

- (a) cuttings
- (b) *in vitro* propagation
- (c) Other (state method)

4.2.2 Other
(please provide details)

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
-------------------------	-----------------	-------------------

5. Characteristics of the variety to be indicated (the number in brackets refers to the corresponding characteristic in Test Guidelines; please mark the note which best corresponds).

Characteristics	Example Varieties	Note
5.1 Plant: height (2)		
very short		1[]
very short to short		2[]
short	KLECA 08170	3[]
short to medium		4[]
medium	KLECA 11227	5[]
medium to tall		6[]
tall	USCAL 5302 M	7[]
tall to very tall		8[]
very tall		9[]
5.2 Leaf: variegation (7)		
absent		1[]
present		9[]
5.3 Flower: type (12)		
single		1[]
double		2[]
5.4 Flower: width (13)		
very narrow		1[]
very narrow to narrow		2[]
narrow	Sunbelriki	3[]
narrow to medium		4[]
medium	Ficallinpur	5[]
medium to broad		6[]
broad	Duealfir	7[]
broad to very broad		8[]
very broad		9[]

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
-------------------------	-----------------	-------------------

Characteristics	Example Varieties	Note
5.5 Flower: conspicuousness of veins (15)		
absent or very weak		1[]
weak		2[]
medium		3[]
strong		4[]
very strong		5[]
5.6 (i) <u>Only varieties with Flower: type: single:</u> Flower: main color at transition to corolla tube (16)		
RHS Colour Chart (indicate reference number)		
5.6 (ii) <u>Only varieties with Flower: type: single:</u> Flower: main color at transition to corolla tube (16)		
white		1[]
yellow		2[]
orange red		3[]
red		4[]
purple		5[]
violet		6[]
brown		7[]
black		8[]
other color (indicate)		9[]
5.7 (i) Flower: main color (21)		
RHS Colour Chart (indicate reference number)		
5.7 (ii) Flower: main color (21)		
white		1[]
yellow		2[]
orange		3[]
red		4[]
blue pink		5[]
purple		6[]
violet		7[]
other color (indicate)		8[]

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
-------------------------	-----------------	-------------------

6. Similar varieties and differences from these varieties

Please use the following table and box for comments to provide information on how your candidate variety differs from the variety (or varieties) which, to the best of your knowledge, is (or are) most similar. This information may help the examination authority to conduct its examination of distinctness in a more efficient way.

Denomination(s) of variety(ies) similar to your candidate variety	Characteristic(s) in which your candidate variety differs from the similar variety(ies)	Describe the expression of the characteristic(s) for the similar variety(ies)	Describe the expression of the characteristic(s) for your candidate variety
<i>Example</i>	<i>Flower: width</i>	<i>narrow</i>	<i>medium</i>
Comments:			

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
-------------------------	-----------------	-------------------

#7. Additional information which may help in the examination of the variety

7.1 In addition to the information provided in sections 5 and 6, are there any additional characteristics which may help to distinguish the variety?

Yes [] No []

(If yes, please provide details)

7.2 Are there any special conditions for growing the variety or conducting the examination?

Yes [] No []

(If yes, please provide details)

7.3 Other information

7.4 A representative color photograph of the variety displaying its main distinguishing feature(s), should accompany the Technical Questionnaire. The photograph will provide a visual illustration of the candidate variety which supplements the information provided in the Technical Questionnaire.

The key points to consider when taking a photograph of the candidate variety are:

- Indication of the date and geographic location
- Correct labeling (breeder's reference)
- Good quality printed photograph (minimum 10 cm x 15 cm) and/or sufficient resolution electronic format version (minimum 960 x 1280 pixels)

Further guidance on providing photographs with the Technical Questionnaire is available in document TGP/7 "Development of Test Guidelines", Guidance Note 35 (<http://www.upov.int/tgp/en/>).

[The link provided may be deleted by members of the Union when developing authorities' own test guidelines.]

8. Authorization for release

(a) Does the variety require prior authorization for release under legislation concerning the protection of the environment, human and animal health?

Yes [] No []

(b) Has such authorization been obtained?

Yes [] No []

If the answer to (b) is yes, please attach a copy of the authorization.

Authorities may allow certain of this information to be provided in a confidential section of the Technical Questionnaire.

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
-------------------------	-----------------	-------------------

9. Information on plant material to be examined or submitted for examination

9.1 The expression of a characteristic or several characteristics of a variety may be affected by factors, such as pests and disease, chemical treatment (e.g. growth retardants or pesticides), effects of tissue culture, different rootstocks, scions taken from different growth phases of a tree, etc.

9.2 The plant material should not have undergone any treatment which would affect the expression of the characteristics of the variety, unless the competent authorities allow or request such treatment. If the plant material has undergone such treatment, full details of the treatment must be given. In this respect, please indicate below, to the best of your knowledge, if the plant material to be examined has been subjected to:

- | | | |
|---|---------|--------|
| (a) Microorganisms (e.g. virus, bacteria, phytoplasma) | Yes [] | No [] |
| (b) Chemical treatment (e.g. growth retardant, pesticide) | Yes [] | No [] |
| (c) Tissue culture | Yes [] | No [] |
| (d) Other factors | Yes [] | No [] |

Please provide details for where you have indicated "yes".

.....

10. I hereby declare that, to the best of my knowledge, the information provided in this form is correct:

Applicant's name	<input type="text"/>		
Signature	<input type="text"/>	Date	<input type="text"/>

[End of document]