

E



TG/169/3 Corr.
ORIGINAL: English
DATE: 2000-03-29

INTERNATIONAL UNION
FOR THE PROTECTION
OF NEW VARIETIES OF
PLANTS

UNION INTERNATIONALE
POUR LA PROTECTION
DES OBTENTIONS
VÉGÉTALES

INTERNATIONALER
VERBAND ZUM SCHUTZ
VON PFLANZEN-
ZÜCHTUNGEN

UNIÓN INTERNACIONAL
PARA LA PROTECCIÓN
DE LAS OBTENCIÓNES
VEGETALES

**CORRIGENDUM
TO
GUIDELINES
FOR THE CONDUCT OF TESTS
FOR DISTINCTNESS, UNIFORMITY AND STABILITY**

PYRUS ROOTSTOCKS

(Pyrus L.)

CORRIGENDUM PREPARED BY THE OFFICE OF THE UNION

Correction


Page 13 of document TG/169/3 contains a regrettable error in characteristic 36: the example variety “Pyrodwarf” should represent state 9 (present) and not state 1 (absent). The corrected text should read:

	English	français	deutsch	español	Example Varieties	Note/ Nota
					Exemples Beispielssorten Variedades ejemplo	
36.	Leaf: presence of stipules	Feuille: présence de stipules	Blatt: Vorhanden- sein von Nebenblät- tern	Hoja: presencia de estípulas		
	absent	absentes	fehlend	ausentes		1
	present	présentes	vorhanden	presentes	Pyrodwarf	9

For easy replacement of the corresponding pages, pages 13 and 14 are attached to this document.

[End of document, replacement sheets follow]

	English	français	deutsch	español	Example Varieties	
					Exemples Beispielsorten Variedades ejemplo	Note/ Nota
35.	Petiole: angle with shoot	Pétiole: angle avec le rameau	Blattstiel: Winkel mit dem Trieb	Peciolo: ángulo con la rama		
	small	petit	klein	pequeño	Daygon	3
	medium	moyen	mittel	medio	Brokmal	5
	large	large	groß	grande	Pyrodwarf	7
36.	Leaf: presence of stipules	Feuille: présence de stipules	Blatt: Vorhandensein von Nebenblättern	Hoja: presencia de estípulas		
	absent	absentes	fehlend	ausentes		1
	present	présentes	vorhanden	presentes	Pyrodwarf	9
37.	Stipule: length	Stipule: longueur	Nebenblatt: Länge	Estípula: longitud		
	short	courte	kurz	corto	Pyrodwarf	3
	medium	moyenne	mittel	medio	Daynir	5
	long	longue	lang	largo	Daygon	7
38.	Petiole: distance between stipule and basal attachment of petiole	Pétiole: distance entre la stipule et la base de l'attache du pétiole	Blattstiel: Abstand zwischen Nebenblatt und der Basis des Blattstiels	Peciolo: distancia entre la estípula y la inserción basal del peciolo		
	short	courte	kurz	corto	Daygon	3
	medium	moyenne	mittel	medio	Pyrodwarf	5
	lang	longue	lang	largo		7
39. (*)	Time of beginning of bud burst	Époque de début du débourrement	Zeitpunkt des Beginns des Knospenaufbruchs	Epoca de inicio de apertura de yemas		
	early	précoce	früh	temprano		3
	medium	moyenne	mittel	medio		5
	late	tardive	spät	tarde		7

VIII. Explanation on the Table of CharacteristicsAd. 4: Plant: growth of shootAd. 11: Shoot: length of internode of midlength

The length of internodes should be observed on 5 successive internodes on the middle of the shoot.

Ad. 19: Shoot: size of bud support