

TWA/34/5 ORIGINAL: English DATE: October 12, 2005

INTERNATIONAL UNION FOR THE PROTECTION OF NEW VARIETIES OF PLANTS GENEVA

TECHNICAL WORKING PARTY FOR AGRICULTURAL CROPS

Thirty-Fourth Session Christchurch, New Zealand, October 31 to November 4, 2005

VARIETY DENOMINATION CLASSES

Document prepared by the Office of the Union

1. Document UPOV/INF/12 Rev. sets out the "UPOV Recommendations on Variety Denominations". However, as explained at the thirty-third session of the Technical Working Party for Agricultural Crops (TWA) (see document TWA/33/5), the Administrative and Legal Committee (CAJ) has established the Working Group on Variety Denominations (WG-VD) to review those recommendations. The purpose of this document is to explain developments since the thirty-third session, with regard to Recommendation 9 of document UPOV/INF/12 Rev., which establishes classes for taxonomic units which are considered to be closely related, and the corresponding list of classes. The document also specifies aspects where the advice of the Technical Working Parties (TWPs) is requested.

Recommendation 9 (closely related taxonomic units)

2. Recommendation 9 of document UPOV/INF/12 Rev. states that:

"For the purposes of the fourth sentence of Article 13(2) of the Convention, all taxonomic units are considered closely related that belong to the same botanical genus or are contained in the same class in the list in Annex I to these Recommendations."

(Annex I to document UPOV/INF/12 Rev. is reproduced as Annex I to this document.)

3. The WG-VD has noted that the current wording of Recommendation 9 relates to the 1978 Act of the UPOV Convention and needs to be revised to relate also to the 1991 Act of the Convention. As a part of the initiative to develop "explanatory notes" on certain Articles of the 1991 Act of the UPOV Convention, the WG-VD is considering the following explanatory note (see document WG-VD/5/3) concerning Article $20(2)^1$ of the 1991 Act of the Convention to replace Recommendation 9 of document UPOV/INF/12 Rev.:

"1. For the purposes of Article 20(2) of the 1991 Act of the UPOV Convention, and subject to points (2) and (3), the general recommendation is that all plant species that belong to a different genus are considered not to be closely related and are not liable to mislead or to cause confusion concerning the identity of the variety.

"2. In addition to 1, plant species, which are in different classes in Part I of the List of Classes, notwithstanding the fact that they may belong to the same genus, are considered not to be closely related and are not liable to mislead or to cause confusion concerning the identity of the variety.

"3. As an exception to 1, above, plant species that belong to any of the genera in the same class in Part II of the List of Classes, are considered to be closely related and/or are liable to mislead or cause confusion concerning the identity of the variety."

Variety Denomination Classes: WG-VD Proposals (October 2004)

4. At its sixth meeting, held in Geneva on April 1, 2004, the WG-VD reached a consensus that, unless there were clear reasons to the contrary, classes should be deleted in order to apply the general recommendation (see point 1. in paragraph 3). The WG-VD also considered that certain proposals which it had developed for revision of the List of Classes would require further consultation or coordination with relevant parties, including the relevant TWPs. The proposals developed by the WG-VD were circulated to the relevant TWPs at their sessions in 2004 and the comments made by those TWPs were discussed by the WG-VD at their seventh meeting, held in Geneva on October 18, 2004. Annex II to this document summarizes the changes to the list of classes (Annex I to document UPOV/INF/12 Rev.), proposed by the WG-VD at its seventh meeting, and specifies where further comments from the TC and the TWPs will be presented to the CAJ at its fifty-second session, to be held in Geneva on October 24 and 25, 2005.

5. The WG-VD requested, in particular, that the TC and the TWPs note the WG-VD consensus that, unless there were clear reasons to the contrary, classes should be deleted in order to apply the general recommendation and requested that the TC and the TWPs consider the following aspects in relation to the specific proposals in Annex II:

¹ Article 20(2) states that "The denomination must enable the variety to be identified. It may not consist solely of figures except where this is an established practice for designating varieties. It must not be liable to mislead or to cause confusion concerning the characteristics, value or identity of the variety or the identity of the breeder. In particular, it must be different from every denomination which designates, in the territory of any Contracting Party, an existing variety of the same plant species or of a closely related species."

Part I classes

(a) Classes within Hibiscus (Proposal I-A); Potentilla (I-B); Mangifera (I-C): to note the existence of a "special denomination class" established in the International Code of Nomenclature for Cultivated Plants (ICNCP) (the special denomination classes are attached as Annex III to this document) and to consider if there is a clear <u>need</u> to establish such a class within the UPOV recommendations;

(b) Classes within Prunus (Proposal I-D): consideration should be given to the possibilities of inter-specific hybrids within Prunus, and the consequences for variety denomination purposes, if recommending the development of separate classes within Prunus.

Part II classes

(a) Classes 203, 204: the WG-VD clarified that these classes have been established on the basis that the genera included within a class are those which can be included in the same mixture;

(b) Classes within Orchidaceae (Proposal II-A): the WG-VD agreed that there should not be a single class for Orchidaceae and that the special denomination classes established in the ICNCP (see Annex III) should be considered when developing classes outside the general recommendation (see point 1. in paragraph 3);

(c) Proposals II-B to II-G: to consider if there is a clear <u>need</u> to establish such classes. In that respect, the absence of UPOV codes indicates that no protected varieties within the genera / species concerned were found in the UPOV-ROM Plant Variety Database, when searched in 2003.

Deleted classes

(a) Helianthus (Old classes: 23, 24 and 35): the classes were deleted because of the existence of protected varieties which were hybrids between Helianthus annuus and Helianthus tuberosus.

TWF Chairman's proposals

6. As a first step in response to the request of the WG-VD, Mr. Erik Schulte (Germany), Chairman of the Technical Working Party for Fruit Crops (TWF), considered the possible development of classes within Prunus (see Annex II, Proposal I-D). In addition, Mr. Schulte proposed that the creation of individual classes within Ribes (see Annex II, Proposal I-E) and within Rubus (see Annex II, Proposal I-F) might also be appropriate. The Chairman of the TWF clarified that the information provided in proposals I-D, I-E and I-F was not intended as proposals for classes, but as a structuring of those genera to assist the TWF in developing proposals for possible classes within the genera concerned.

Classes used in Japan

7. At the seventh meeting of the WG-VD, the Delegation of Japan expressed the view that the list of classes needed some flexibility to permit differences according to tradition and culture in the usage of crops. For example, Japan had traditional pickles made with several

leafy vegetables and for that reason had created a denomination class for that group of vegetables. The WG-VD noted that some flexibility was appropriate, whilst recalling the importance of a single denomination in all members of the Union for the effective operation of the UPOV system. For that reason, the WG-VD wished to harmonize variety denomination classes for all members of the Union as far as possible. Therefore, it proposed that the Delegation of Japan be invited to provide its list of denomination classes for consideration by the TC and the relevant TWPs to see how far those denomination classes relating to groups of crops and species used in Japan are presented in Annex IV to this document.

Variety Denomination Classes: Conclusions of the Technical Committee (April 2005)

8. The Technical Committee (TC), at its forty-first session, held in Geneva from April 4 to 6, 2005, agreed that the following matters should be considered by the TWPs as indicated below and their comments reported to the CAJ for consideration at its fifty-second session:

TWP	to consider
TWF	Annex II (this document): Part I: Proposals I-C; I-D; I-E; I-F
TWO	Annex II (this document): Part I: Proposals I-A; I-B;
	Annex II (this document): Part II: Proposals II-A; II-B; II-C; II-D; II-E; II-F; II-G

9. The TC agreed that the TWA should consider the classes in Annex II to this document. The TC requested that the TWF and the Technical Working Party for Vegetables (TWV) review the classes in Annex IV (Group classes used in Japan) to this document and consider if the proposals in Annex II to this document should be modified in light of those classes. It agreed that the comments of the TWPs should be reported to the CAJ for consideration at its fifty-second session.

10. In response to concerns expressed by the Delegation of South Africa, the TC invited the Technical Working Party for Ornamental Plants and Forest Trees (TWO) to review the proposed deletion of the class for Proteaceae.

Variety Denomination Classes: Recommendations of the TWPs (2005)

11. This section reports on the recommendations of the TWV, TWF and TWO concerning the proposals considered by those TWPs, as requested by the TC. Further information on the considerations in the TWPs can be found in the reports of the sessions: documents TWV/39/9; TWF/36/8; and TWO/38/12.

Technical Working Party for Vegetables

12. At its thirty-ninth session held in Nitra, Slovakia, from June 6 to 10, 2005, the TWV heard that the Japanese Ministry of Agriculture, Forestry and Fisheries had discussed the proposed list of classes, as presented in Annex II to this document, with the parties concerned such as the Seed Growers Association etc., and had been able to reach a consensus. That

consensus was that it was able to accept the proposed list of classes except for some small changes in Brassica, mushrooms and Prunus. The matter concerning Prunus would be taken up at the thirty-sixth session of the Technical Working Party for Fruit Crops. With regard to Brassica, it was proposed to combine classes 1.2 and 1.3 into a single class because there were many leafy vegetable varieties in those two classes, and those varieties were in a similar situation in their production and distribution. That situation was liable to mislead or to cause confusion concerning the identity of varieties even if the varieties belonged to different groups. Concerning mushrooms, it was proposed to create a class such as "edible mushrooms", or a class including the species in Annex V to this document. It was explained that the plant materials for production of mushrooms were distributed in the form of spawn or sawdust after inoculation of mycelium. It was impossible to identify the varieties, species or genera by appearance of the spawn or sawdust and the mushrooms were identified just by denomination. If the same denomination was accepted for varieties of different genera of mushrooms, it could lead to confusion of the varieties.

13. The TWV warmly welcomed the intervention of Japan and expressed its support for the proposals.

Technical Working Party for Fruit Crops

14. At its thirty-sixth session held in Kôfu, Japan, from September 5 to 9, 2005, the TWF concluded, with regard to the proposals on which the TWF were invited to consider in Annex II, Part I, as follows:

Proposal I-C: Mangifera to continue to follow the general rule (one genus / one class) Proposal I-D: Prunus to continue to follow the general rule (one genus / one class) Proposal I-E: Ribes to continue to follow the general rule (one genus / one class) Proposal I-F: Rubus to continue to follow the general rule (one genus / one class)

Technical Working Party for Ornamental Plants and Forest Trees

15. The TWO proposed as follows:

Annex II, Part I (this document):

Proposal I-A: reject: Hibiscus to follow the general rule of one genus / one class;

Proposal I-B: reject: Potentilla to follow the general rule of one genus / one class;

Annex II, Part II (this document):

Proposal II-A: reject: Orchidaceae to follow the general rule of one genus / one class

- Proposal II-B: reject: Amaryllis and Hippeastrum to follow the general rule of one genus / one class. It was noted that there was some confusion over the use of the common name "Amaryllis" for the genus "Hippeastrum", but it was agreed that that was not a suitable basis for creating a denomination class;
- Proposal II-C: reject: Calathea and Maranta to follow the general rule of one genus / one class

Proposal II-D: reject: Hylocereeae to follow the general rule of one genus / one class
Proposal II-E: reject: Jovibarba, Rosularia and Sepervivum to follow the general rule of one genus / one class
Proposal II-F: reject: Chamaecyparis and Cupressus to follow the general rule of one genus / one class;
Proposal II-G: reject: Gladiolus and Iris to follow the general rule of one genus / one class; *Document TWO/38/5, paragraph 13:*Proteaceae: to follow the general rule of one genus / one class;

Jamesbrittania and Sutera: to create a new class containing Jamesbrittania, Sutera and hybrids between them, on the basis that the genera are closely related and hybrids are common, as reflected in the development of UPOV Test Guidelines to cover both genera

Document TWO/38/5 Add.:

- Proposal (a): Calluna, Erica and Daboecia to follow the general rule of one genus / one class, in agreement with the WG-VD proposal to delete Class 20 from the current UPOV list of classes (see document TWO/38/12, Annex II "Deleted Classes");
- Proposal (b): Plectranthus, Solenostemon and Coleus to follow the general rule of one genus / one class

16. In making its recommendations, the TWO noted that the possibility of hybrids between certain genera existed and, where that occurred, a new genus and a new denomination class would, in the first instance, be created. It was noted that the GENIE database would, for information purposes, contain links between the codes for the new genus and its "parent" genera. It was observed that the general rule of one genus, one class, followed the general rule of the International Code of Nomenclature for Cultivated Plants (ICNCP), whilst some of the recommendations above would diverge from the ICNCP exceptional classes. However, it was recalled that UPOV had striven for harmonization wherever appropriate and, in that regard, ICNCP had been invited to participate in all meetings of the *Ad hoc* Working Group on Variety Denominations (WG-VD).

Variety Denomination Classes: Consideration by the CAJ (October 2005)

17. At its fifty-second session, to be held in Geneva on October 24 and 25, 2005, the CAJ will be considering the proposals made by the WG-VD in conjunction with the recommendations made by the TWPs at their sessions in 2005 (see above). The consolidated recommendations to be considered by the CAJ can be found in document CAJ/52/3. Document CAJ/52/3, paragraph 4(c), explains that the recommendations on variety

denomination classes are subject to consultation with the TWA with regard to the relevant denomination classes (see below).

Variety Denomination Classes: Proposals to be considered by the TWA

18. As explained in paragraph 9, the TC agreed that the TWA should consider the classes in Annex II to this document. The following information is provided in relation to classes of particular relevance for the TWA:

Helianthus (Deleted classes)

19. The classes for Helianthus (Old classes: 23, 24 and 35) were deleted because of the existence of protected varieties which were hybrids between Helianthus annuus and Helianthus tuberosus.

Brassica (Annex II, Part I: Classes 1.1, 1.2, 1.3)

20. As explained in paragraph 12, the TWV agreed to propose to combine classes 1.2 and 1.3 of Annex II, Part I into a single class, resulting in the following proposal for Brassica:

	Old class	Botanical names	UPOV codes
Class 1.1	5*	Brassica oleracea	BRASS_OLE
Class 1.2	5*, 6*, 28*	Brassica other than Brassica oleracea	other than BRASS_OLE

Grasses and Clover (Annex II, Part II: Classes 203 and 204)

21. As explained in paragraph 5, the WG-VD clarified that classes 203 and 204 were proposed on the basis that the genera included within a class were those which could be included in the same mixture.

22. The International Seed Federation (ISF) informed the Office of the Union on May 20, 2005, that a survey it had conducted had indicated that an overwhelming majority of its members was in favor "of adding clovers in the class of grasses".

23. It is recalled that the possibility of moving Trifolium to Class 203 was discussed at the forty-first session of the TC, but there was no agreement to that proposal.

24. For information purposes in consideration of the proposal to move Trifolium into Class 203, the following information was found in a search of the UPOV-ROM:

	Genus	Number of entries in UPOV-ROM
Class 203	Agrostis	514
	Dactylis	854
	Festuca	4,700
	Festulolium	4
	Lolium	11,853
	Phalaris	97
	Phleum	888
	Poa	1,740
(Class 204)	Trifolium	2,499

A random check of 20 variety denominations for Trifolium in the UPOV-ROM indicated that four of those (20%) had the same denomination as a variety of one of the genera in Class 203.

25. The TWA is invited to consider this document and, taking into account in particular paragraphs 18 to 24, to comment on the variety denomination classes proposed in Annex II to this document.

[Annexes follow]

ANNEX I

LIST OF CLASSES FOR VARIETY DENOMINATION PURPOSES

As amended by the Council at its twenty-fifth ordinary session, on October 25, 1991

[Recommendation 9

For the purposes of the fourth sentence of Article 13(2) of the Convention, all taxonomic units are considered closely related that belong to the same botanical genus or are contained in the same class in the list in Annex I to these Recommendations.]

<u>Note</u>: Classes which contain subdivisions of a genus may lead to the existence of a complementary class containing the other subdivisions of the genus concerned (example: Class 9 (Vicia faba) leads to the existence of another class containing the other species of the genus Vicia).^{*}

Class 1: Avena, Hordeum, Secale, Triticale, Triticum

Class 2: Panicum, Setaria

Class 3: Sorghum, Zea

<u>Class 4</u>: Agrostis, Alopecurus, Arrhenatherum, Bromus, Cynosurus, Dactylis, Festuca, Lolium, Phalaris, Phleum, Poa, Trisetum

Class 5: Brassica oleracea, Brassica chinensis, Brassica pekinensis

<u>Class 6</u>: Brassica napus, B. campestris, B. rapa, B. juncea, B. nigra, Sinapis

- Class 7: Lotus, Medicago, Ornithopus, Onobrychis, Trifolium
- Class 8: Lupinus albus L., L. angustifolius L., L. luteus L.

<u>Class 9</u>: Vicia faba L.

<u>Class 10</u>: Beta vulgaris L. var. alba DC., Beta vulgaris L. var. altissima

<u>Class 11</u>: Beta vulgaris ssp. vulgaris var. conditiva Alef. (syn.: Beta vulgaris L. var. rubra L.), Beta vulgaris L. var. cicla L., Beta vulgaris L. ssp. vulgaris var. vulgaris

Class 12: Lactuca, Valerianella, Cichorium

<u>Class 13</u>: Cucumis sativus

Class 14: Citrullus, Cucumis melo, Cucurbita

^{*} The complementary classes have been added by the Office of the Union for the convenience of the reader and are given the numbers 28 to 35.

- Class 15: Anthriscus, Petroselinum
- Class 16: Daucus, Pastinaca
- Class 17: Anethum, Carum, Foeniculum
- Class 18: Bromeliaceae
- Class 19: Picea, Abies, Pseudotsuga, Pinus, Larix
- Class 20: Calluna, Erica
- Class 21: Solanum tuberosum L.
- Class 22: Nicotiana rustica L., N. tabacum L.
- Class 23: Helianthus tuberosus
- Class 24: Helianthus annuus
- Class 25: Orchidaceae
- Class 26: Epiphyllum, Rhipsalidopsis, Schlumbergera, Zygocactus
- Class 27: Proteaceae

COMPLEMENTARY CLASSES

<u>Class 28</u>: Species of <u>Brassica</u> other than (in Class 5 + 6) Brassica oleracea, Brassica chinensis, Brassica pekinensis + Brassica napus, B. campestris, B. rapa, B. juncea, B. nigra, Sinapis

<u>Class 29</u>: Species of <u>Lupinus</u> other than (in Class 8) Lupinus albus L., L. angustifolius L., L. luteus L.

<u>Class 30</u>: Species of <u>Vicia</u> other than (in Class 9) Vicia faba L.

<u>Class 31</u>: Species of <u>Beta</u> + subdivisions of the species <u>Beta vulgaris</u> other than (in Class 10 +11) Beta vulgaris L. var. alba DC., Beta vulgaris L. var. altissima + Beta vulgaris ssp. vulgaris var. conditiva Alef. (syn.: Beta vulgaris L. var. rubra L.), Beta vulgaris L. var. cicla L., Beta vulgaris L. ssp. vulgaris var. vulgaris

<u>Class 32</u>: Species of <u>Cucumis</u> other than (in Class 13 + 14) Cucumis sativus + Citrullus, Cucumis melo, Cucurbita

<u>Class 33:</u> Species of <u>Solanum</u> other than (in Class 21) Solanum tuberosum L.

<u>Class 34</u>: Species of <u>Nicotiana</u> other than (in Class 22) Nicotiana rustica L., N. tabacum L.

<u>Class 35</u>: Species of <u>Helianthus</u> other than (in Class 23 + 24) Helianthus tuberosus + Helianthus annuus

[Annex II follows]

ANNEX II

CONSOLIDATED WG-VD PROPOSAL CONCERNING THE REVISION OF THE LIST OF CLASSES

* indicates old class has been modified

"Proposal" indicates that the introduction of a class has not been agreed at present.

<u>Part I</u>

Plant species, which are in different classes in Part I of the List of Classes, notwithstanding the fact that they may belong to the same genus, are considered not to be closely related and are not liable to mislead or to cause confusion concerning the identity of the variety.

Old class	Botanical names	UPOV codes

Class 1.1	5*	Brassica oleracea	BRASS_OLE
Class 1.2	5*	Brassica rapa (B. campestris): Chinensis group and the Pekinensis group	BRASS_RAP_CHI; BRASS_RAP_PEK
Class 1.3	6*, 28*	Brassica other than classes 1.1 and 1.2	other than classes 1.1 and 1.2

Class 2.1	10	Beta vulgaris L. var. alba DC., Beta vulgaris L. var. altissima	BETAA_VUL_GVA; BETAA_VUL_GVS
Class 2.2	11	Beta vulgaris ssp. vulgaris var. conditiva Alef. (syn.: B. vulgaris L. var. rubra L.), B. vulgaris L. var. cicla L., B. vulgaris L. ssp. vulgaris var. vulgaris	
Class 2.3	31	Beta other than classes 2.1 and 2.2.	other than classes 2.1 and 2.2

Class 3.1	13	Cucumis sativus	CUCUM_SAT
Class 3.2	14*	Cucumis melo	CUCUM_MEL
Class 3.3	32*	Cucumis other than classes 3.1 and 3.2	other than classes 3.1 and 3.2

Class 4.1	21	Solanum tuberosum L.	SOLAN_TUB
Class 4.2	33	Solanum other than class 4.1	other than class 4.1

Proposal I-A (WG-VD)	1	2 classes: for Hibiscus rosa-sinensis L. / other Hibiscus (see ICNCP classes in Annex III) - to be considered further by TC / TWO	HIBIS_ROS / other HIBIS
Proposal I-B (WG-VD)	possible new	2 classes: for Potentilla fruitcosa L. / other Potentilla (see ICNCP classes in Annex III) - to be considered further by TC / TWO	POTEN_FRU / other POTEN
Proposal I-C (WG-VD)	possible new	2 classes: for Mangifera indica L. / other Mangifera (see ICNCP classes in Annex III) - to be considered further by TC / TWF	MANGI_IND / other MANGI

	Old class	Botanical names	UPOV codes
Proposal I-D (WG-VD /	possible new	classes within Prunus - to be considered further by TC /	TWF
TWF Chairman)		Group D.1: Almond, Apricot, Peach, Nectarine (plus hybrids within the Group)	PRUNU_DUL; PRUNU_ARM; PRUNU_PER; (PRUNU_AMY); (PRUNU_DUP)
		Group D.2: Sweet Cherry, Sour Cherry (plus hybrids within the Group)	PRUNU_AVI; PRUNU_CSS; (PRUNU_GON)
		Group D.3: Japanese Apricot	PRUNU_MUM
		Group D.4: Japanese Plum	PRUNU_SAL
		Group D.5: Ornamental Group	PRUNU_CIS; PRUNU_CON; PRUNU_DAW; PRUNU_FRU; PRUNU_GLA; PRUNU_LAU; PRUNU_LUS; PRUNU_MAR; PRUNU_PAD; PRUNU_PRO; PRUNU_SAR; PRUNU_SER; PRUNU_SPI; PRUNU_SRU; PRUNU_SUB; PRUNU_TEN; PRUNU_TRI; PRUNU_YED
		Group D.6: Plum	PRUNU_DOM
		Group D.7: Rootstocks (plus hybrids within the Group)	PRUNU_CAN; PRUNU_CSF; PRUNU_MAH; PRUNU_MRN; PRUNU_PAV; PRUNU_PUM; PRUNU_TOM; (PRUNU_CTO); (PRUNU_PCF); (PRUNU_TCS);
		Group D.8: Other	to include: PRUNU_AME; PRUNU_BLI; PRUNU_CSD; PRUNU_DAV; PRUNU_INC; PRUNU_MIR; PRUNU_MUN; PRUNU_PSE;
		Hybrids not attributed	PRUNU_ACD; PRUNU_ADA; PRUNU_ADO; PRUNU_AFR; PRUNU_APS; PRUNU_ASA; PRUNU_CCA; PRUNU_CIN; PRUNU_CMU; PRUNU_CPE; PRUNU_DAR; PRUNU_DBL; PRUNU_DOP; PRUNU_DPE; PRUNU_DPM; PRUNU_FCS; PRUNU_MAV; PRUNU_PDA; PRUNU_PDO; PRUNU_PDP; PRUNU_SAM; PRUNU_SAS; PRUNU_SPE; PRUNU_SSP;

	Old class	Botanical names	UPOV codes
Proposal I-E (TWF	possible new	classes within Ribes - to be considered further by TC / TWF	
Chairman)		Group E.1: Black currant	RIBES_NIG
		Group E.2: Gooseberry	RIBES_UVA
		Group E.3: Jostaberry	RIBES_CUL; RIBES_NID;
		Group E.4: Red Currant, White Currant	RIBES_RUB; RIBES_NIV
		Group E.5: Other	to include: RIBES_AUR; RIBES_PAU; RIBES_SAN
Proposal I-F	possible new	classes within Rubus - to be considered further by TC	C / TWF
(TWF Chairman)		Group F.1: Blackberry	RUBUS_EUB; RUBUS_LAC
		Group F.2: Raspberry	RUBUS_IDA; RUBUS_ILL; RUBUS_OCC
		Group F.3: Other	to include: RUBUS_ALL; RUBUS_ARC; RUBUS_CAE; RUBUS_CHA; RUBUS_HAY; RUBUS_LOG; RUBUS_NEG; RUBUS_STR; RUBUS_TRI
		Hybrids not attributed	RUBUS_INE

<u>Part II</u>

Plant species that belong to any of the genera in the same class in Part II of the List of Classes, are considered to be closely related and/or are liable to mislead or cause confusion concerning the identity of the variety.

	Old class	Botanical names	UPOV codes
Class 201	1*	Secale, Triticale, Triticum	SECAL; TRITL; TRITI
Class 202	2	Panicum, Setaria	PANIC; SETAR
Class 203	4*	Agrostis, Dactylis, Festuca, Festulolium, Lolium, Phalaris, Phleum and Poa	AGROS; DCTLS; FESTU; FESTL; LOLIU; PHALR; PHLEU; POAAA
Class 204	7	Lotus, Medicago, Ornithopus, Onobrychis, Trifolium	LOTUS; MEDIC; ORNTP; ONOBR; TRFOL
Class 205	12*	Cichorium, Lactuca	CICHO; LACTU
Class 206	new	Petunia and Calibrachoa	PETUN; CALIB
Class 207	new	Chrysanthemum and Ajania	CHRYS; AJANI
Class 208	new	(Statice) Goniolimon, Limonium, Psylliostachys	GONIO; LIMON; PSYLL_
Class 209	new	(Waxflower) Chamelaucium, Verticordia	CHMLC; VERTI; VECHM
Proposal II-A (WG-VD)	(see old class 25)	Classes within Orchidaceae: - to be considered further by TC / TWO	
Proposal II-B (WG-VD)	possible new	Amaryllis and Hippeastrum – to be considered further by TC / TWO	AMARY; HIPPE
Proposal II-C (WG-VD)	possible new	Calathea and Maranta – to be considered further by TC / TWO	CALAT: MARAN
Proposal II-D (WG-VD)	possible new	Hylocereeae (Britton & Rose) Buxb. (tribe within Cactaceae): Disocactus Lindl. + Epiphyllum Haw. + Hylocereus (A. Berger) Britton & Rose + Pseudorhipsalis Britton & Rose + Selenicereus (A. Berger) Britton & Rose, + Weberocereus Britton & Rose + their hybrids (see ICNCP classes in Annex III) - to be considered further by TC / TWO	[no code]; [no code]; HYLOC; [no code]; SELEN; [no code]
Proposal II-E (WG-VD)	possible new	Jovibarba Opiz + Rosularia (DC.) Stapf + Sempervivum L. (Crassulaceae) (see ICNCP classes in Annex III) - to be considered further by TC / TWO	[no codes]
Proposal II-F (WG-VD)	possible new	Chamaecyparis Spach + Cupressus L. + their hybrids (Cupressaceae) (see ICNCP classes in Annex III) – to be considered further by TC / TWO	CHMCP; CUPRE
Proposal II-G (WG-VD)	possible new	Gladiolus L. and Iris L. (Iridaceae) (see ICNCP classes in Annex III) – to be considered further by TC / TWO	GLADI; IRISS

Deleted Classes

The following classes are proposed to be deleted and to follow the general recommendation i.e. "all plant species that belong to a different genus are considered not to be closely related and are not liable to mislead or to cause confusion concerning the identity of the variety".

Old class	Botanical names
3	Sorghum, Zea
15	Anthriscus, Petroselinum
16	Daucus, Pastinaca
17	Anethum, Carum, Foeniculum
18	Bromeliaceae
19	Picea, Abies, Pseudotsuga, Pinus, Larix
20	Calluna, Erica
25	Orchidaceae
26	Epiphyllum, Rhipsalidopsis, Schlumbergera, Zygocactus
27	Proteaceae
8 & 29	Lupinus albus L., L. angustifolius L., L. luteus L. / other Lupinus
9 & 30	Vicia faba L. / other Vicia
22 & 34	Nicotiana rustica L., N. tabacum L. / other Nicotiana
23, 24 & 35	Helianthus tuberosus / Helianthus annuus / other Helianthus

[Annex III follows]

ANNEX III

INTERNATIONAL CODE OF NOMENCLATURE FOR CULTIVATED PLANTS (ICNCP) (SEVENTH EDITION): DENOMINATION CLASSES

The seventh edition of the ICNCP states that:

"ARTICLE 5: THE DENOMINATION CLASS

5.1. A denomination class is the unit within which the use of a cultivar or Group epithet may not be duplicated except when re-use of a cultivar epithet is permitted in accordance with Art. 27 (but see also Art. 19.9).

5.2. A denomination class under the provisions of this *Code* is a single genus or hybrid genus unless a special denomination class has been determined by the I.S.H.S. Commission for Nomenclature and Cultivar Registration. (See Appendix III for the list of current denomination classes that are not a single genus or hybrid genus.)

Ex. 1. Hibiscus rosa-sinensis has been designated as a denomination class. Although a cultivar epithet may not be repeated in that species, it may be used once in the remainder of the genus which forms a second denomination class.

Ex. 2. Because plants of the various genera in the tribe *Hylocereeae* within the family *Cactaceae* are known to hybridize freely and because the taxonomic status of those genera is uncertain, the I.S.H.S. Commission for Nomenclature and Cultivar Registration has designated *Hylocereeae* as the denomination class for this group of cacti.

Note 1. Notwithstanding Art. 5.2, statutory plant registration authorities sometimes define their own denomination classes for the purposes of particular national or international legislation. Such classes are usually used by those statutory authorities for the same purposes as denomination classes as defined in this *Code*.

5.3. When a denomination class is divided or when two or more denomination classes are united or the limits of a denomination class are changed in any way, the new denomination class is to be announced and published by the appropriate International Cultivar Registration Authority.

5.4. When a denomination class is a taxonomic unit whose nomenclature is governed by the I.C.B.N. is divided or when two or more such denomination classes are united, the Rules of botanical nomenclature apply (I.C.B.N., Art. 11.3) unless a different denomination class is established under the provisions of Art. 5.2.

Ex. 3. It has been proposed that the genera *Gaultheria* (validly published in 1753) and *Pernettya* (validly published in 1825) be united. If this proposal is accepted, the combined denomination class must be *Gaultheria* which has priority in publication.

Ex. 4. If the segregation *of Lycianthes* and *Lycopersicon* from the genus *Solanum* is accepted, two new denomination classes are automatically created unless it is decided that all three genera be considered part *of* the same special denomination class under the provisions of Art. 5.2.

5.5. Notwithstanding Art. 5.1, in orchids only, if a cultivar name has been established for more than one cultivar within a denomination class but within different taxonomic units, the cultivar epithet must be linked to the name of the species or grex to which it applies.

Ex. 5. The epithet 'Saint Thomas' has been applied to a cultivar of both *Lycaste aromatica* and *L*. Wyld Spirit: the names must be written *Lycaste aromatica* 'Saint Thomas' and *Lycaste* Wyld Spirit 'Saint Thomas' respectively and not simply as *Lycaste* 'Saint Thomas'."

Appendix III of the ICNCP states that:

"SPECIAL DENOMINATION CLASSES

The denomination class for the purposes of cultivar and Group registration is the genus (or hybrid genus) to which a cultivar or Group is assigned unless a special denomination class has been determined by the I.S.H.S. Commission for Nomenclature and Cultivar Registration (see Article 5: 5.2 of this *Code*). This list is periodically revised: for the most recent listing, see the ICRA webpages under

http://www.ishs.org/icra/index.htm

ANACARDIACEAE

- Class: Mangifera indica L.
- Class: Mangifera L., other than M. indica L.

CACTACEAE

Class: Tribe *Hylocereeae* (Britton & Rose) Buxb., i.e., *Disocactus* Lindl. + *Epiphyllum Haw.* + *Hylocereus* (A. Berger) Britton & Rose + *Pseudorhipsalis* Britton & Rose + *Selenicereus* (A. Berger) Britton & Rose, + *Weberocereus* Britton & Rose + their hybrids + their synonyms

CRASSULACEAE

Class: Jovibarba Opiz + Rosularia (DC.) Stapf + Sempervivum L. + their synonyms

CUPRESSACEAE

Class: Chamaecyparis Spach + Cupressus L. + their hybrid + their synonyms

IRIDACEAE

- Class: *Gladiolus* L., large-flowering types
- Class: Gladiolus L., species and early-flowering types
- Class: Iris L., bulbous types
- Class: Iris L., non-bulbous types

MALVACEAE

- Class: Hibiscus rosa-sinensis L.
- Class: Hibiscus L., other than H. rosa-sinensis L.

ORCHIDACEAE

- Class: Anguloa Ruiz & Pav. + Ida A. Ryan & Oakeley + Lycaste Lindl. + their hybrids + their synonyms
- Class: Ascocentrum Schltr. ex J.J. Sm. + Vanda Jones ex R. Br. + their hybrid + their synonyms
- Class: Brassavola R. Br. + Cattleya Lindl. + Laelia Lindl. + Schomburgkia Lindl. + Sophronitis Lindl. + their hybrids + their synonyms
- Class: Bulbophyllum Thouars + Cirrhopetalum Lindl. + Mastigion Garay et al. + Rhytionanthos Garay et al. + their hybrids + their synonyms
- Class: Catasetum Rich. ex Kunth + Clowesia Lindl. + their hybrid + their synonyms

- Class: Cochlioda Lindl. + Cyrtochilum Kunth + Miltonia Lindl. + Odontoglossum Kunth. + Oncidium Sw. + their hybrids + their synonyms
- Class: Doritis Lindl. + Kingiella Rolfe + Phalaenopsis Blume + their hybrids + their synonyms
- Class: Dracula Luer + Masdevallia Ruiz & Pav. + their hybrid + their synonyms

ROSACEAE

- Class: Potentilla fruticosa L. sensu lato + its synonyms
- Class: Potentilla L., other than P. fruticosa L. sensu lato + its synonyms"

[Annex IV follows]

ANNEX IV

GROUPS USED IN JAPAN

1. Fruit Vegetables

Botanical Name	UPOV Code
Cucumis sativus L. (Class 3.1 in Annex II of this document)	CUCUM_SAT
Cucumis melo L. (Class 3.2 in Annex II of this document)	CUCUM_MEL
Cucurbita L.	CUCUR
Abelmoschus esculentus Moench	ABELM_ESC
Benincasa hispida Cogn.; Lagenaria siceraria Standl.	BENIN_HIS
Capsicum annuum L.	CAPSI_ANN
Citrullus lanatus Matsum. et Nakai	CTRLS_LAN
Fragaria L.	FRAGA
Luffa cylindrica Roem.	LUFFA_CYL
Lycopersicon esculentum P. Mill.	LYCOP_ESC
Momordica charantia L.	MOMOR_CHA
Solanum L.except S.tuberosum L. (see Class 4.1 in Annex II of this document)	SOLAN (except_TUB)

2. <u>Leaf Vegetables</u>

Botanical Name	UPOV Code
Asparagus L.	ASPAR
Apium graveolens L.	APIUM_GRA
Allium bakeri Regal; Allium cepa L.; Allium fistulosum L.; Allium sativum L.; Allium schoenoprasum L.; Allium tuberosum Rottler ex Spreng.	ALLIU_CHI; ALLIU_CEP; ALLIU_FIS; ALLIU_SAT; ALLIU_SCH; ALLIU_TUB
Beta vulgaris L. var. vulgaris (see Class 2 in Annex II of this document)	BETAA_VUL
Brassica juncea Czern.et Coss in Czern; Brassica oleracea L. convar. botrytis (L.) Alef. var. botrytis L.; Brassica oleracea L. convar. botrytis (L.) Alef. var. italica Plenck; Brassica oleracea L. convar. capitata (L.) Alef. var. capitata (L.) Alef.; Brassica oleracea L. convar. oleracea var. gemmifera DC. ; Brassica pekinensis (Lour.) Rupr. (see Class 1 in Annex II of this document)	BRASS_JUN; BRASS_OLE_GBB; BRASS_OLE_GBC; BRASS_OLE_GC; BRASS_OLE_GGM; BRASS_RAP_PEK
Chrysanthemum coronarium L.	CHRYS_COR
Cryptotaenia japonica Hassk.	CRPTT_JAP
Lactuca sativa L.	LACTU_SAT
Perilla L.	PERIL
Petroselinum crispum (Mill) Nym.ex A.W.Hill	PETRO_CRI
Spinacia oleracea L.	SPINA_OLE

3. <u>Root Vegetables</u>

Botanical Name	UPOV Code
Arctium lappa L.	ARCTI_LAP
Brassica rapa L. (see Class 1 in Annex II of this document)	BRASS_RAP
Colocasia Schott	COLOC
Daucus carota L.	DAUCU_CAR
Dioscorea L.	DIOSC
Raphanus sativus L.	RAPHA_SAT

4. <u>Mushrooms</u>

All mushrooms	

[Annex V follows]

ANNEX V

PROPOSAL FROM JAPAN: SPECIES TO BE INCLUDED IN A CLASS FOR EDIBLE MUSHROOMS

Edible Mushroom

Botanical Name	Common Name (Japanese)
Agaricus bisporus	tukuritake
Agaricus blazei	himematsutake
Agrocybe cylindracea	yanagimatsutake
Auricularia auricura	kikurage
Auricularia polytricha (Mont.) Sscc.	aragekikurage
Dictyophora indusiata (Ventenat:Persoon) Fischer	kinugasatake
Flammulina velutipes	enokitake
Ganoderma lucidum (Leyss:Fries) Karsten	mannentake
Grifola frondosa	maitake
Hericium erinaceum	yamabushitake
Hypsizigus marmoreus	bunashimeji
Hypsizigus ulmarius	shirotamogitake
Lentinula edodes	shiitake
Lepista nuda (Bulliard:Fries) Cooke	murasakishimeji
Lepista sordida (Schumacher:Fries) Singer	komurasakishimeji
Lyophyllum decastes	hatakeshimeji
Lyophyllum shimeji (Kawamura) Hongo	honshimeji
Meripilus giganteus (Persoon:Fries) Karten	tonbimaitake
Mycoleptodonoides aitchsonii (Berkeley) Maas Geesteranus	bunaharitake
Naematoloma sublateritium	kuritake
Panellus serotinus	mukitake
Pholiota adiposa	numerisugitake
Pholiota nameko	nameko
Pleurotus cornucopiae var.citrinooileatus	tamogitake
Pleurotus cystidiosus	ohiratake
Pleurotus cystidiosus subso. Abalonus	kuroawabitake
Pleurotus eryngii	eringi
Pleurotus ostreatus	hiratake
Pleurotus pulmonarius	usuhiratake
Polyporus tuberaster (Jacquin ex Persoon) Fries	tamatyoreitake
Sparassis crispa (Wulfen) Fries	hanabiratake
Tricholoma giganteum Massee	nioushimeji

[End of Annex V and of document]