

TG/PHACE(proj.1)
ORIGINAL: English
DATE: 2011-04-20

# INTERNATIONAL UNION FOR THE PROTECTION OF NEW VARIETIES OF PLANTS GENEVA

DRAFT

### **SCORPION WEED**

(UPOV Code: PHACE\_TAN )

Phacelia tanacelifolia Benth.

# **GUIDELINES**

#### FOR THE CONDUCT OF TESTS

# FOR DISTINCTNESS, UNIFORMITY AND STABILITY

prepared by an expert from Poland

to be considered by the

Technical Working Party for Agricultural Crops at its fortieth session, to be held in Brasilia, Brazil, from May 16 to 20, 2011

# Alternative Names:\*

Botanical name	English	French	German	Spanish
Phacelia	Scorpion Weed	Phacélie à feuilles de	Phazelie	Phazelia
tanacelifolia Benth.		tanaisie		

The purpose of these guidelines ("Test Guidelines") is to elaborate the principles contained in the General Introduction (document TG/1/3), and its associated TGP documents, into detailed practical guidance for the harmonized examination of distinctness, uniformity and stability (DUS) and, in particular, to identify appropriate characteristics for the examination of DUS and production of harmonized variety descriptions.

### ASSOCIATED DOCUMENTS

These Test Guidelines should be read in conjunction with the General Introduction and its associated TGP documents.

These names were correct at the time of the introduction of these Test Guidelines but may be revised or updated. [Readers are advised to consult the UPOV Code, which can be found on the UPOV Website (www.upov.int), for the latest information.]

# TG/PHACE(proj.1) Scorpion Weed, 2011-04-20 - 2 -

<u>TA</u>	ABLE OF CONTENTS	<u>PAGE</u>
1.	SUBJECT OF THESE TEST GUIDELINES	3
2.	MATERIAL REQUIRED	
3.	METHOD OF EXAMINATION	
٥.	3.1 Number of Growing Cycles	
	3.2 Testing Place	
	3.3 Conditions for Conducting the Examination	
	3.4 Test Design	
	3.5 Additional Tests	
4.	ASSESSMENT OF DISTINCTNESS, UNIFORMITY AND STABILITY	
••	4.1 Distinctness	
	4.2 Uniformity	
	4.3 Stability	
5.	GROUPING OF VARIETIES AND ORGANIZATION OF THE GROWING TRIAL	
6.	INTRODUCTION TO THE TABLE OF CHARACTERISTICS	
٠.	6.1 Categories of Characteristics	
	6.2 States of Expression and Corresponding Notes	
	6.3 Types of Expression	
	6.4 Example Varieties	
	6.5 Legend	
7.	TABLE OF CHARACTERISTICS/TABLEAU DES	,
,,	CARACTÈRES/MERKMALSTABELLE/TABLA DE CARACTERES	8
8.	EXPLANATIONS ON THE TABLE OF CHARACTERISTICS	12
	8.1 Explanations covering several characteristics	12
	8.2 Explanations for individual characteristics	
9.	LITERATURE	
10.	TECHNICAL QUESTIONNAIRE	14

# 1. Subject of these Test Guidelines

These Test Guidelines apply to all varieties of *Phacelia tanacetifolia* Benth.

# 2. Material Required

- 2.1 The competent authorities decide on the quantity and quality of the plant material required for testing the variety and when and where it is to be delivered. Applicants submitting material from a State other than that in which the testing takes place must ensure that all customs formalities and phytosanitary requirements are complied with.
- 2.2 The material is to be supplied in the form of seed.
- 2.3 The minimum quantity of plant material, to be supplied by the applicant, should be:

500 g

The seed should meet the minimum requirements for germination, species and analytical purity, health and moisture content, specified by the competent authority. In cases where the seed is to be stored, the germination capacity should be as high as possible and should be stated by the applicant.

- 2.4 The plant material supplied should be visibly healthy, not lacking in vigor, nor affected by any important pest or disease.
- 2.5 The plant material should not have undergone any treatment which would affect the expression of the characteristics of the variety, unless the competent authorities allow or request such treatment. If it has been treated, full details of the treatment must be given.

# 3. <u>Method of Examination</u>

# 3.1 Number of Growing Cycles

The minimum duration of tests should normally be two independent growing cycles.

# 3.2 Testing Place

Tests are normally conducted at one place. In the case of tests conducted at more than one place, guidance is provided in TGP/9 "Examining Distinctness".

# 3.3 Conditions for Conducting the Examination

- 3.3.1 The tests should be carried out under conditions ensuring satisfactory growth for the expression of the relevant characteristics of the variety and for the conduct of the examination.
- 3.3.2 The optimum stage of development for the assessment of each characteristic is indicated by a number in the second column of the Table of Characteristics. The stages of development denoted by each number are described in Chapter 8.

# 3.4 Test Design

- 3.4.1 Each test should be designed to result in a total of at least 200 plants, which should be divided between at least 2 replicates.
- 3.4.2 The design of the tests should be such that plants or parts of plants may be removed for measurement or counting without prejudice to the observations which must be made up to the end of the growing cycle.

#### 3.5 Additional Tests

Additional tests, for examining relevant characteristics, may be established.

### 4. Assessment of Distinctness, Uniformity and Stability

#### 4.1 Distinctness

#### 4.1.1 General Recommendations

It is of particular importance for users of these Test Guidelines to consult the General Introduction prior to making decisions regarding distinctness. However, the following points are provided for elaboration or emphasis in these Test Guidelines.

#### 4.1.2 Consistent Differences

The differences observed between varieties may be so clear that more than one growing cycle is not necessary. In addition, in some circumstances, the influence of the environment is not such that more than a single growing cycle is required to provide assurance that the differences observed between varieties are sufficiently consistent. One means of ensuring that a difference in a characteristic, observed in a growing trial, is sufficiently consistent is to examine the characteristic in at least two independent growing cycles.

### 4.1.3 Clear Differences

Determining whether a difference between two varieties is clear depends on many factors, and should consider, in particular, the type of expression of the characteristic being examined, i.e. whether it is expressed in a qualitative, quantitative, or pseudo-qualitative manner. Therefore, it is important that users of these Test Guidelines are familiar with the recommendations contained in the General Introduction prior to making decisions regarding distinctness.

### 4.1.4 Number of Plants / Parts of Plants to be Examined

Unless otherwise indicated, for the purposes of distinctness, all observations on single plants should be made on 40 plants or parts taken from each of 40 plants and any other observations made on all plants in the test, disregarding any off-type plants.

#### 4.1.5 Method of Observation

The recommended method of observing the characteristic for the purposes of distinctness is indicated by the following key in the second column of the Table of

- 5 -

Characteristics (see document TGP/9 "Examining Distinctness", Section 4 "Observation of characteristics"):

MG: single measurement of a group of plants or parts of plants

MS: measurement of a number of individual plants or parts of plants

VG: visual assessment by a single observation of a group of plants or parts of plants

VS: visual assessment by observation of individual plants or parts of plants

Type of observation: visual (V) or measurement (M)

"Visual" observation (V) is an observation made on the basis of the expert's judgment. For the purposes of this document, "visual" observation refers to the sensory observations of the experts and, therefore, also includes smell, taste and touch. Visual observation includes observations where the expert uses reference points (e.g. diagrams, example varieties, side-by-side comparison) or non-linear charts (e.g. color charts). Measurement (M) is an objective observation against a calibrated, linear scale e.g. using a ruler, weighing scales, colorimeter, dates, counts, etc.

Type of record: for a group of plants (G) or for single, individual plants (S)

For the purposes of distinctness, observations may be recorded as a single record for a group of plants or parts of plants (G), or may be recorded as records for a number of single, individual plants or parts of plants (S). In most cases, "G" provides a single record per variety and it is not possible or necessary to apply statistical methods in a plant-by-plant analysis for the assessment of distinctness."

In cases where more than one method of observing the characteristic is indicated in the Table of Characteristics (e.g. VG/MG), guidance on selecting an appropriate method is provided in document TGP/9, Section 4.2.

# 4.2 Uniformity

- 4.2.1 It is of particular importance for users of these Test Guidelines to consult the General Introduction prior to making decisions regarding uniformity. However, the following points are provided for elaboration or emphasis in these Test Guidelines:
- 4.2.2 The assessment of uniformity should be according to the recommendations for cross-pollinated varieties in the General Introduction.

# 4.3 Stability

- 4.3.1 In practice, it is not usual to perform tests of stability that produce results as certain as those of the testing of distinctness and uniformity. However, experience has demonstrated that, for many types of variety, when a variety has been shown to be uniform, it can also be considered to be stable.
- 4.3.2 Where appropriate, or in cases of doubt, stability may be further examined by testing a new seed stock to ensure that it exhibits the same characteristics as those shown by the initial material supplied.

#### - 6 -

# 5. Grouping of Varieties and Organization of the Growing Trial

- 5.1 The selection of varieties of common knowledge to be grown in the trial with the candidate varieties and the way in which these varieties are divided into groups to facilitate the assessment of distinctness are aided by the use of grouping characteristics.
- 5.2 Grouping characteristics are those in which the documented states of expression, even where produced at different locations, can be used, either individually or in combination with other such characteristics: (a) to select varieties of common knowledge that can be excluded from the growing trial used for examination of distinctness; and (b) to organize the growing trial so that similar varieties are grouped together.
- 5.3 The following have been agreed as useful grouping characteristics:
  - (a) Time of beginning of flowering (characteristic 3)
  - (b) Plant: height (characteristic 4)
  - (c) Inflorescence: color of flower (characteristic 14)

Guidance for the use of grouping characteristics, in the process of examining distinctness, is provided through the General Introduction and document TGP/9 "Examining Distinctness".

# 6. Introduction to the Table of Characteristics

# 6.1 Categories of Characteristics

#### 6.1.1 Standard Test Guidelines Characteristics

Standard Test Guidelines characteristics are those which are approved by UPOV for examination of DUS and from which members of the Union can select those suitable for their particular circumstances.

#### 6.1.2 Asterisked Characteristics

Asterisked characteristics (denoted by \*) are those included in the Test Guidelines which are important for the international harmonization of variety descriptions and should always be examined for DUS and included in the variety description by all members of the Union, except when the state of expression of a preceding characteristic or regional environmental conditions render this inappropriate.

# 6.2 States of Expression and Corresponding Notes

- 6.2.1 States of expression are given for each characteristic to define the characteristic and to harmonize descriptions. Each state of expression is allocated a corresponding numerical note for ease of recording of data and for the production and exchange of the description.
- 6.2.2 In the case of qualitative and pseudo-qualitative characteristics (see Chapter 6.3), all relevant states of expression are presented in the characteristic. However, in the case of quantitative characteristics with 5 or more states, an abbreviated scale may be used to minimize the size of the Table of Characteristics. For example, in the case of a quantitative characteristic with 9 states, the presentation of states of expression in the Test Guidelines may be abbreviated as follows:

State	Note
small	3
medium	5
large	7

However, it should be noted that all of the following 9 states of expression exist to describe varieties and should be used as appropriate:

State	Note
very small	1
very small to small	2
small	3
small to medium	4
medium	5
medium to large	6
large	7
large to very large	8
very large	9

6.2.3 Further explanation of the presentation of states of expression and notes is provided in document TGP/7 "Development of Test Guidelines".

# 6.3 Types of Expression

An explanation of the types of expression of characteristics (qualitative, quantitative and pseudo-qualitative) is provided in the General Introduction.

# 6.4 Example Varieties

Where appropriate, example varieties are provided to clarify the states of expression of each characteristic.

# 6.5 Legend

(\*) Asterisked characteristic – see Chapter 6.1.2

QL Qualitative characteristic — see Chapter 6.3 QN Quantitative characteristic — see Chapter 6.3 PQ Pseudo-qualitative characteristic — see Chapter 6.3

MG, MS, VG, VS – see Chapter 4.1.5

- (a)-{e} See Explanations on the Table of Characteristics in Chapter 8.1
- (+) See Explanations on the Table of Characteristics in Chapter 8.2.

# TG/PHACE(proj.1) Scorpion Weed, 2011-04-20 - 8 -

#### 7. Table of Characteristics/Tableau des caractères/Merkmalstabelle/Tabla de caracteres

		English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
1.	VG	Plant: growth habi	it				
QN	(a)	upright					1
		semi-upright				Amerigo, Anabela, Balo	2
		prostrate					3
2. (*)	VG	Leaf: color					
PQ	(b)	light green					1
		medium green					2
		grey green					3
		dark green					4
<b>3.</b> (*)	MG	Time of beginning of flowering					
QN	(b)	early					3
G		medium				Amerigo, Anabela	5
		late					7
<b>4.</b> (*) (+)	VG/ MS	Plant: height					
QN	(c)	short				Asta	3
G		medium					5
		tall				Balo, Mira, Stala	7
5. (*)	VG	Stem: number of main branches					
QN	(c)	few				Lisette	3
		medium					5
		many				Anabella	7

# TG/PHACE(proj.1) Scorpion Weed, 2011-04-20 - 9 -

		English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
<b>6.</b> (*)	VG	Stem: color					
PQ	(c)	green				Balo, Lisette, Vetrovska	1
		violet green					2
		brown green				Amerigo, Anabela	3
7. (*)	VG	Stem: hairiness					
QL	(c)	absent					1
		present					9
8.	MS	Stem: thickness					
(+)							
QN	(c)	thin					3
		medium					5
		thick					7
9.	VG/ MS	Leaf: length					
QN	(c)	short				Astra, Balo, Mira	3
		medium					5
		long				Amerigo, Lisette	7
10.	VG/ MS	Leaf: width					
QN	(c)	narrow					3
		medium					5
		broad					7
<b>11.</b> (*)	VG	Leaf: anthocyanin coloration					
QN	(c)	absent or weak					1
		medium					2
		high				Factotum	3

# TG/PHACE(proj.1) Scorpion Weed, 2011-04-20 - 10 -

		English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
12.	VG	Leaf: hairiness					
QL	(c)	absent					1
		present					9
13. (*) (+)	VG	Inflorescence: number of tendrils of inflorescence of main stem					
QN	(d)	few				Amerigo	3
		medium					5
		many					7
14. (*)	VG	Inflorescence: color of flower					
PQ	( <b>d</b> )	light blue					1
G		blue				Angelia	2
		blue violet					3
		violet					4
15.	VG/ MS	Infructescence: lenght					
QN	(e)	short				Factotum	3
		medium				Vetrovska	5
		long				Titan	7
16.	MG	Seed: weight per 1000 seeds					
QN	(e)	low				Lilla	3
		medium				Vetrovska	5
		high				Anabela	7

# TG/PHACE(proj.1) Scorpion Weed, 2011-04-20 - 11 -

		English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
17. (*)	VG	Seed: color					
PQ	(e)	light brown				Amerigo, Anabela	1
		grey brown				Lilla	2
		medium brown					3

# 8. Explanations on the Table of Characteristics

# 8.1 Explanations covering several characteristics

Characteristics containing the following key in the second column of the Table of Characteristics should be examined as indicated below:

- (a) Plant, leaf: observation should be made before flowering
- (b) Time of beginning of flowering: observation should be made when 10% of plants have at least three open flowers
- (c) Stem, leaf: observation should be made at full flowering when 50% of plants have at least three open flowers
- (d) Inflorescence: observation should be made about 10 days after full flowering
- (e) Infructescence: observation should be made when tendrils are upright
- (f) Seeds: observation should be made on the harvested seeds

# 8.2 Explanations for individual characteristics

# Ad. 4: Plant: height

To be measured from the base to the top of inflorescence on the main stem.

# Ad. 8: Stem: thickness

To be measured in the middle part of the 4<sup>th</sup> internode on the main stem.

# 9. <u>Literature</u>

To be provided

# 10. <u>Technical Questionnaire</u>

TECHNICAL QUESTIONNAIRE			Page {x} of {y}	Reference Number:		
				Application date: (not to be filled in by the applicant)		
TECHNICAL QUESTIONNAIRE to be completed in connection with an application for plant breeders' rights						
1.	Subject of the Technical Qu	uesti	onnaire			
	1.1 Botanical name	Pho	acelia tanacetifolia Be	enth.		
	1.2 Common name	Sco	orpion Weed			
2.	Applicant					
	Name					
	Address					
	Telephone No.					
	Fax No.					
	E-mail address					
	Breeder (if different from a	.ppli	cant)			
3.	Proposed denomination and	d bre	eeder's reference			
	Proposed denomination (if available)					
	Breeder's reference					

TECHNICAL QUESTIONNAIRE	Page $\{x\}$ of $\{y\}$	Reference Number:	

<sup>#</sup> 4.	Inf	ormation	on the breeding scheme and propagation of the variety	
	4.1	Breedi	ng scheme	
		Variety	y resulting from:	
		4.1.1	Crossing	
			(a) controlled cross (please state parent varieties)	[ ]
		( female p	arent male parent	)
			(b) partially known cross (please state known parent variety(ies))	[ ]
		( female p	arent x ( male parent	)
			(c) unknown cross	[ ]
	ı	4.1.2	Mutation (please state parent variety)	[ ]
		4.1.3	Discovery and development (please state where and when discovered and how development)	[ ] loped)
		4.1.4	Other (please provide details)	[ ]

<sup>&</sup>lt;sup>#</sup> Authorities may allow certain of this information to be provided in a confidential section of the Technical Questionnaire.

# TG/PHACE(proj.1) Scorpion Weed, 2011-04-20 - 16 -

TECHNICAL QUESTIONNAIRE	Page $\{x\}$ of $\{y\}$	Reference Number:

4.2	Method	l of propa	agating the variety		
	4.2.1 Seed-propagated varieties				
		(a) (b) (c) (d)	Self-pollination Cross-pollination (i) population (ii) synthetic variety Hybrid Other	[ ] [ ] [ ] [ ]	
	4.2.2	Other	(please provide details)	[ ]	
	***************************************	(piease	provide details)		

TECHNICAL QUESTIONNAIRE Page {x} of {y} Reference Number:

5. Characteristics of the variety to be indicated (the number in brackets refers to the corresponding characteristic in Test Guidelines; please mark the note which best corresponds).

	Characteristics	Example Varieties	Note
5.1 (3)	Time of beginning of flowering		
	very early		1[ ]
	very early to early		2[ ]
	early		3[ ]
	early to medium		4[ ]
	medium	Amerigo, Anabela	5[ ]
	medium to late		6[ ]
	late		7[ ]
	late to very late		8[ ]
	very late		9[ ]
<b>5.2</b> (4)	Plant: height		
	very short		1[ ]
	very short to short		2[ ]
	short	Asta	3[ ]
	short to medium		4[ ]
	medium		5[ ]
	medium to tall		6[ ]
	tall	Balo, Mira, Stala	7[ ]
	tall to very tall		8[ ]
	very tall		9[ ]

# TG/PHACE(proj.1) Scorpion Weed, 2011-04-20 - 18 -

TECHNICAL QUESTIONNAIRE Page {x} of {y} Reference Number:

	Characteristics	Example Varieties	Note
5.3 (4)	Inflorescence: color of flower		
	light blue		1[ ]
	blue	Angelia	2[ ]
	blue violet		3[ ]
	violet		4[ ]

# TG/PHACE(proj.1) Scorpion Weed, 2011-04-20 - 19 -

TECHNICAL QUESTI	ONNAIRE	Page {x} of {y} Re		Reference Number:			
6. Similar varieties and differences from these varieties  Please use the following table and box for comments to provide information on how your candidate variety differs from the variety (or varieties) which, to the best of your knowledge, is (or are) most similar. This information may help the examination authority to conduct its examination of distinctness in a more efficient way.							
Denomination(s) of variety(ies) similar to your candidate variety	Characteri which your variety differ similar var	candidate rs from the	of the cha	the expression aracteristic(s) he <b>similar</b> lety(ies)	Describe the expression of the characteristic(s) for <b>your</b> candidate variety		
Example							
Comments:							

# TG/PHACE(proj.1) Scorpion Weed, 2011-04-20 - 20 -

IEC.	HNICAL QUESTIONNAIRE   Page {x} of {y}   Reference number:					
<sup>#</sup> 7.	Additional information which may help in the examination of the variety					
7.1	In addition to the information provided in sections 5 and 6, are there any additional characteristics which may help to distinguish the variety?					
	Yes [ ] No [ ]					
	(If yes, please provide details)					
7.2	Are there any special conditions for growing the variety or conducting the examination?					
	Yes [ ] No [ ]					
	(If yes, please provide details)					
8.	Authorization for release					
	(a) Does the variety require prior authorization for release under legislation concerning the protection of the environment, human and animal health?					
	Yes [ ] No [ ]					
(b) Has such authorization been obtained?						
	Yes [ ] No [ ]					
	If the answer to (b) is yes, please attach a copy of the authorization.					

<sup>&</sup>lt;sup>#</sup> Authorities may allow certain of this information to be provided in a confidential section of the Technical Questionnaire.

# TG/PHACE(proj.1) Scorpion Weed, 2011-04-20 - 21 -

TECHN	IICAL QUESTIONNAIRE	Reference Number:					
9. In	Information on plant material to be examined or submitted for examination.						
9.1 The expression of a characteristic or several characteristics of a variety may be affected by factors, such as pests and disease, chemical treatment (e.g. growth retardants or pesticides), effects of tissue culture, different rootstocks, scions taken from different growth phases of a tree, etc.							
9.2 The plant material should not have undergone any treatment which would affect the expression of the characteristics of the variety, unless the competent authorities allow or request such treatment. If the plant material has undergone such treatment, full details of the treatment must be given. In this respect, please indicate below, to the best of your knowledge, if the plant material to be examined has been subjected to:							
(a	Microorganisms (e.g. vir	us, bacteria, phytoplas	ma) Yes [	] No [ ]			
(b	c) Chemical treatment (e.g.	growth retardant, pest	icide) Yes [	] No [ ]			
(c	e) Tissue culture	Yes [	] No [ ]				
(d	l) Other factors	Yes [	] No [ ]				
Pl	Please provide details for where you have indicated "yes".						
10. I hereby declare that, to the best of my knowledge, the information provided in this form is correct:							
$A_{l}$	pplicant's name						
Si	gnature		Date				

[End of document]