# UPOV

TWA/30/9 ORIGINAL: English DATE: July 27, 2001 F

INTERNATIONAL UNION FOR THE PROTECTION OF NEW VARIETIES OF PLANTS GENEVA

## TECHNICAL WORKING PARTY FOR AGRICULTURAL CROPS

# Thirtieth Session Texcoco, Mexico, September 3 to 7, 2001

PROCESS FOR ESTABLISHING DISTINCTNESS

Document prepared by experts from France and the Netherlands

## PROCESS FOR ESTABLISHING

## **DISTINCTNESS**

During the TWA session in Ottawa (in 1999), the group had a detailed discussion about the process for establishing Distinctness of a candidate variety. It has been agreed that a paper describing the main steps of this process would be prepared by France, The Netherlands and Australia.

<u>The description of the process is essentially based on a chronological enumeration of the main steps on which the Distinctness assessment is based upon.</u>

Different situations have to be considered depending on the species (way of reproduction, genetic structure of the varieties, crop cycle, etc.), the way reference collections are managed and on the DUS testing organization (centralized testing or on the basis of breeder's description).

In the preliminary paper a rather simple process was described based on the case of an annual species, with homogeneous varieties and a large reference collection which did not need systematic observation each year. The preliminary paper was discussed at the TWA in Uppsala (in 2000) where it was decided to extend the paper with a description of the more complicated case of a perennial species, with heterogeneous varieties.

<u>Considering this new case it was found more appropriate to describe all cases possible in order to cover the process completely.</u>

<u>The process is described in a table with description of the main steps and the conditions</u> which can improve/hinder the efficiency.

 $\perp \perp \perp$ 

# Process for establishing Distinctness

with different categories of varieties/lines and a large reference collection

MAIN STEPS	DESCRIPTION	CONDITIONS
In the office	- Study of the Technical Questionnaire (TQ)	- Full information on the origin and the structure of the variety
		- Correct description of all requested characteristics
PRE-DISTINCTNESS		- Reference to well-known varieties
TRE-DISTINCTIVESS		- Any additional information on a specific trait of the variety
	- Use of grouping characteristics	- Possible use of a morphological distance combining the TQ characteristics
	- Selection of a set of comparable varieties	
		Depending on the species, possibility to consider firstly the reference varieties which are largely used or known as having good performance in the area where the application is made
		<u>Possible structuration of reference collection using additional tools like</u> <u>molecular markers</u>
	1	1]

MAIN STEPS	DESCRIPTION	<u>CONDITIONS</u>		
First growing cycle	- First official full description of the variety based on UPOV guidelines plus national characteristics if relevant	- Good trials with 2 locations when possible		
<b>DESCRIPTION</b>	- Check of the breeder's description	<ul> <li>Observation of any particularity of the variety along the cycle</li> </ul>		
In the office	- Study of the first official description	- Possible use of a morphological distance		
<b>DISTINCTNESS</b>	- Comparison with the reference varieties: <u>. grown in the same cycle</u> . not grown in the same cycle	- Rejection (or new first cycle) for any variety with a wrong TQ description		
	- Elimination of the clearly distinct varieties	<ul> <li><u>Contact with the applicant to get any information on the</u> <u>distinctness from the closest varieties</u></li> </ul>		
	- Selection of the closest varieties			
	- Organisation of the next cycle lay-out			

MAIN STEPS	DESCRIPTION	<u>CONDITIONS</u>
Second growing cycle		
DESCRIPTION DISTINCTNESS	<ul> <li>Second official description as for the first cycle plus any additional characteristic mentioned by the applicant</li> <li>Direct comparison of the candidate and the closest varieties</li> </ul>	(side by side, row plots,)
In the office		
DISTINCTNESS DECISION	<ul> <li>The variety is clearly Distinct (plus U and S)         <ul> <li>positive report</li> <li>final description</li> </ul> </li> <li>The variety is not clearly distinct from one or several reference varieties         <ul> <li>With no difference observed and no claim from the applicant</li> <li>II rejection</li> </ul> </li> <li>With no difference observed and claim from the applicant             <ul> <li>II rejection</li> </ul> </li> <li>With no difference observed and claim from the applicant mithed difference observed and claim from the applicant mithed difference observed and claim from the applicant with additional reliable information             <ul> <li>II third growing cycle</li> </ul> </li> <li>With a set of small differences but not consistent over the two first cycles and experts convinced that the candidate variety is original             <ul> <li>If supporting evidence II acceptation</li> <li>If no supporting evidence II third growing cycle</li> </ul> </li> </ul>	

MAIN STEPS	DESCRIPTION	CONDITIONS
Third growing cycle	- Direct comparison of the candidate and the similar reference varieties	As for the second growing cycle :
DESCRIPTION (complement)		<ul> <li>Direct comparison in different locations</li> <li>Possible use of mixtures and coded samples in the applicant's premises</li> <li>Possible use of morphological distance</li> </ul>
In the office		- Possible use of "supporting evidence" characteristics
DECISION	<ul> <li>If clearly distinct based on         <ul> <li>consistent differences among the 3 cycles</li> <li>or a set of small differences + positive judgement of                 experts + "supporting evidence" characteristics</li></ul></li></ul>	- Contact with other DUS services

-

[End of document]