TECHNICAL WORKING PARTY FOR AGRICULTURAL CROPS

Forty-Third Session

PREPARATORY WORKSHOP

Mar del Plata, Argentina November 16, 2014

PROGRAM

- 1. Introduction to UPOV and the role of UPOV Technical Working Parties (TWPs)
- 2. Overview of the General Introduction (document TG/1/3 and TGP documents)
 - Characteristics as the Basis for DUS Examination and Selection of Characteristics
- 3. Guidance on drafting Test Guidelines (document TGP/7)
 - a) Subject of the Test Guidelines, Material Required and Method of Examination;
 - b) Method of Observation (MS, MG, VS, VG);
 - c) Types of Expression (QL, PQ, QN), notes and distinctness;
 - d) Shape and Color Characteristics;
 - e) Example Varieties;
 - f) The process for developing UPOV Test Guidelines, including: TG Template; Additional Standard Wording; and Guidance Notes;
- 4. Agenda for the TWP Session
- 5. Feedback from participants

1. INTRODUCTION TO UPOV AND THE ROLE OF UPOV TECHNICAL WORKING PARTIES (TWPS)


UPOV: INDEPENDENT INTERGOVERNMENTAL ORGANIZATION


The International Convention for the Protection of New Varieties of Plants established in 1961


The International Union for the Protection of New Varieties of Plants


Union internationale pour la protection des obtentions végétales











Role of the BMT

The BMT is a group open to DUS experts, biochemical and molecular specialists and plant breeders, whose role is to:

- (i) Review general developments in biochemical and molecular techniques;
- (ii) Maintain an awareness of relevant applications of biochemical and molecular techniques in plant breeding;
- (iii) Consider the possible application of biochemical and molecular techniques in DUS testing and report its considerations to the TC:
- (iv) If appropriate, establish guidelines for biochemical and molecular methodologies and their harmonization [...];
- (v) Consider initiatives from TWPs, for the establishment of crop specific subgroups [...];
- (vi) Develop guidelines regarding the management and harmonization of databases of biochemical and molecular information, in conjunction with the TWC;
- (vii) Receive reports from Crop Subgroups and the BMT Review Group;
- (viii) Provide a forum for discussion on the use of biochemical and molecular techniques in the consideration of essential derivation and variety identification.

BMT Meeting in 2014

The Council of UPOV endorsed the initiative for a joint meeting with relevant international organizations and including breeders, as a means of supporting the role of the BMT [...]

Joint meeting of UPOV BMT in 2014 with ISTA, OECD and including breeders

→ Held from October 9 to 13, 2014, in the Republic of Korea

2. OVERVIEW OF THE GENERAL INTRODUCTION (document TG/1/3 and TGP documents)

- a) Characteristics as the Basis for DUS

 Examination
 - b) Selection of Characteristics

2. OVERVIEW OF THE GENERAL INTRODUCTION (document TG/1/3 and TGP documents)

- a) Characteristics as the Basis for DUS Examination
 - b) Selection of Characteristics

THE CONDITIONS FOR GRANTING A BREEDER'S RIGHT

Criteria to be satisfied

- NOVELTY
- **DISTINCTNESS**
- **U**NIFORMITY
- **S**TABILITY



THE CONDITIONS FOR GRANTING A BREEDER'S RIGHT

Other conditions

- VARIETY DENOMINATION
- FORMALITIES
- PAYMENT OF FEES

NO OTHER CONDITIONS!

Guidance for DUS Examination

facilitates:


BEST PRACTICE (based on experience)

- => good decisions
- => good definition of the object of protection
 (strong protection)
- => efficiency in method of examination (learn from the best)

HARMONIZATION

- => efficiency
 - mutual acceptance of DUS reports (minimize cost of examination for individual authorities)
 - mutual recognition of variety descriptions (all parties speak the same "language")
 - simple and cheap system for applicants (minimize cost for breeders)

UPOV provides guidance by: The "General Introduction" (TG/1/3) General technical principles Organization of DUS Testing Associated "TGP" Documents (e.g. statistical methods) = version 3



2. OVERVIEW OF THE GENERAL **INTRODUCTION** (document TG/1/3 and TGP documents)

- a) Characteristics as the Basis for DUS **Examination**
 - b) Selection of Characteristics

"CHARACTERISTICS"

- may have direct commercial relevance
 - Flower color (ornamental)Fruit color
- but commercial relevance NOT required
 - Leaf shape

Selection of Characteristics

The basic requirements that a characteristic should fulfill before it is used for DUS testing or producing a variety description are that its expression (TG/1/3: Section 4.2.1):

- (a) **results from a given genotype** or combination of genotypes;
- (b) is sufficiently **consistent and repeatable** in a **particular environment**;
- (c) exhibits sufficient **variation between varieties** to be able to establish distinctness;
- (d) is capable of **precise definition and recognition**;
- (e) allows uniformity requirements to be fulfilled;
- (f) allows **stability requirements** to be fulfilled, meaning that it produces consistent and repeatable results after repeated propagation or, where appropriate, at the end of each cycle of propagation.

Selection of Characteristics


- Yield ???
- Straw strength ???

Etc.

Criteria (a) results from a given genotype or	Fruit: color	Leaf:	
(a) results from a given genotype or	COIOI	shape	Yield
combination of genotypes	Yes	Yes	
(b) sufficiently consistent and repeatable in a particular environment	Yes	Yes	
(c) exhibits sufficient variation between varieties to be able to establish distinctness	Yes	Yes	
(d) is capable of precise definition and recognition	Yes	Yes	
(e) allows uniformity requirements to be fulfilled	Yes	Yes	
(f) allows stability requirements to be fulfilled	Yes	Yes	
Commercial value	Yes	No	

	eristic		
Criteria	Fruit: color	Leaf: shape	Yie
(a) results from a given genotype or combination of genotypes	Yes	Yes	Ye
(b) sufficiently consistent and repeatable in a particular environment	Yes	Yes	(No
(c) exhibits sufficient variation between varieties to be able to establish distinctness	Yes	Yes	??1
(d) is capable of precise definition and recognition	Yes	Yes	(No
(e) allows uniformity requirements to be fulfilled	Yes	Yes	??1
(f) allows stability requirements to be fulfilled	Yes	Yes	???
Commercial value	Yes	No	Yes
ACCEPTABILITY	Yes	Yes	No

Criteria	Disease Resistance
(a) results from a given genotype or combination of genotypes	*Knowledge of nature of genetic control of resistance is important
(b) sufficiently consistent and repeatable in a particular environment	*Standardize conditions (greenhouse / laboratory) & methodology *Standardize inoculum *Ring-test
(c) exhibits sufficient variation between varieties to be able to establish distinctness	*Susceptible / Resistant OR varying degrees resistance?
(d) is capable of precise definition and recognition	*Define and recognize races and strains
(e) allows uniformity requirements to be fulfilled	see above
(f) allows stability requirements to be fulfilled	see above
	Difficult and expensive



Does UPOV allow molecular techniques (DNA profiles) in the examination of Distinctness, Uniformity and Stability ("DUS")?

It is important to note that, in some cases, varieties may have a different DNA profile but be phenotypically identical, whilst, in other cases, varieties which have a large phenotypic difference may have the same DNA profile for a particular set of molecular markers (e.g. some mutations).

In relation to the use of molecular markers that are not related to phenotypic differences, the concern is that it might be possible to use a limitless number of markers to find differences between varieties at the genetic level that are not reflected in phenotypic characteristics.

STATUS OF UPOV DOCUMENTS CONCERNING MOLECULAR TECHNIQUES

1. PREVIOUSLY ADOPTED

Document reference	Title
UPOV/INF/17/1	Guidelines for DNA Profiling: Molecular Marker Selection and Database Construction ("BMT Guidelines")
UPOV/INF/18/1	Possible Use of Molecular Markers in the Examination of Distinctness, Uniformity and Stability

2. ADOPTED IN OCTOBER 2013

Document reference	Title
TGP/15	Guidance on the Use of Biochemical and Molecular Markers in the Examination of Distinctness, Uniformity and Stability (DUS)

TGP/15/1 (Technical Guidelines Protocol)

"Guidance on the Use of Biochemical and Molecular Markers in the Examination of Distinctness, Uniformity and Stability (DUS)"

The purpose of this document is to provide guidance on the use of biochemical and molecular markers in the examination of Distinctness,

Uniformity and Stability (DUS) on the basis of the models in document UPOV/INF/18 that have received a positive assessment and for which accepted examples have been provided.

→ Adopted by the Council of UPOV in October, 2013.



Model: Characteristic-specific molecular markers


Example: gene specific marker for herbicide tolerance introduced by genetic modification

On the basis that:

[...]

- there is <u>verification of the reliability</u> of the link between the marker and the characteristic;
 - <u>different markers for the same characteristic</u> are different methods for examining the same characteristic;

[...]



TGP/7: "Development of Test Guidelines"

Additional Information and guidance on Asterisked, grouping and TQ characteristics

Standard Test Guidelines Characteristic

Function	Criteria
1.Characteristics that are accepted by UPOV for examination of DUS and from which members of the Union can select those suitable for their particular	1. Must satisfy the criteria for use of any characteristic for DUS as set out in Chapter 4, section 4.2 .
circumstances.	2.Must have been used to develop a variety description by at least one member of the Union .
	3. Where there is a long list of such characteristics and, where considered appropriate, there may be an indication of the extent of use of each characteristic.


Asterisked Characteristic Table of Characteristics/Tableau des caractères/Merkmalstabelle/Tabla de caracteres Example Varieties Deutsch Exemples Beispielssorten Variedades ejemplo Char. English français español Note/ Nota Plant: growth habit Plante : port Pflanze: Wuchsform Planta: porte upright aufrecht Inuppink halbaufrecht D0158-1 semi-upright semi dressé semierecto spreading étalé breitwüchsig Sumnem 03 abierto halbhängend semi-trailing semi-étalé semirrastrero Inupsaf trailing hängend rastrero Organza coureux


Asterisked Characteristic

Function	Criteria
1.Characteristics that are important for the international harmonization of variety	1. Must be a characteristic included in the Test Guidelines.
descriptions.	2.Should always be examined for DUS and included in the variety description by all members of the Union
	EXCEPT when the state of expression of a preceding characteristic or regional environmental conditions render this inappropriate.
	3. Must be useful for function 1.
	4. Particular care should be taken before selection of disease resistance characteristics.

Grouping Characteristic

- Grouping of Varieties and Organization of the Growing Trial
- The selection of varieties of common knowledge to be grown in the trial with the candidate varieties and the way in which these varieties are divided into groups to facilitate the assessment of distinctness are aided by the use of grouping characteristics.
- 5.2 Grouping characteristics are those in which the documented states of expression, even where produced at different locations, can be used, either individually or in combination with other such characteristics: (a) to select varieties of common knowledge that can be excluded from the growing trial used for examination of distinctness; and (b) to organize the growing trial so that similar varieties are grouped together.
- The following have been agreed as useful grouping characteristics:
 - Plant: growth habit (characteristic 1)
 - Leaf blade: variegation (characteristic 11)
 - Upper lobes of corolla: main color (characteristic 24), with the following groups:
 - Gr. 1: white
 - Gr. 2: yellow
 - Gr. 3: orange
 - Gr. 4: pink
 - Gr. 5: red Gr. 6: red purple Gr. 7: violet Gr. 8: blue





10. Technical Questionnaire	
TECHNICAL QUESTIONNAIRE Page {x} of {y} Reference Number:	
Application date: (not to be filled in by the applicant)	
TECHNICAL QUESTIONNAIRE to be completed in connection with an application for plant breeders' rights	
Subject of the Technical Questionnaire	
1.1 Botanical name Malus domestica Borkh. 1.2 Common name Apple	
2. Applicant	
Name Address	
Telephone No.	

TE	CHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:	
5. cor	Characteristics of the variety to be indicated (the number in corresponding characteristic in Test Guidelines; please mark the note was a content of the content of th			
	Characteristics		Example Varieties	Note
5.5 (37)		ı removed		
	orange red		Cox's Orange Pippin, Egremont Russet	1[]
	pink red		Cripps Pink, Delorgue	2[]
	red		Akane, Galaxy, Red Elstar, Regal Prince	3[]
	purple red		Red Jonaprince, Spartan	4[]
	brown red		Fiesta, Joburn, Lord Burghley	5[]
5.6 (39)	Fruit: pattern of over color			
	only solid flush		Red Jonaprince, Richared Delicious	1[]
	solid flush with weakly defined stripes		Galaxy	2[]
	solid flush with strongly defined stripes	s	Jonagored	3[]
	weakly defined flush with strongly defi	ined stripes	Gravensteiner	4[]
	only stripes (no flush)		Helios	5[]
	flushed and mottled		Elstar	6[]
	flushed, striped and mottled		Jonagold	7[]
				- 2 3

Grouping Characteristic

	Function	Criteria
cha	racteristics in which the documented states of expression, even where recorded at different locations, can be used either individually or in combination with other such	1.(a) Qualitative characteristics or (b) Quantitative or pseudo-qualitative characteristics which provide useful discrimination between the varieties of common knowledge from documented states of expression recorded at different locations.
1.	characteristics: to select varieties of common knowledge that can be excluded from the growing trial used for examination of	2.Must be useful for functions 1 and 2. 3.Should be an asterisked characteristic and/or included in the Technical
2.	distinctness, and/or to organize the growing trial so that similar varieties are grouped together	Questionnaire or application form.

Relationship between functions

- (a) **GROUPING CHARACTERISTICS** selected from the Table of Characteristics should, in general, **receive an asterisk** in the Table of Characteristics and be **included in the Technical Questionnaire**.
- (b) TQ CHARACTERISTICS selected from the Table of Characteristics should, in general, receive an asterisk in the Table of Characteristics and be used as grouping characteristics. TQ characteristics are not restricted to those characteristics used as grouping characteristics;
- (c) **ASTERISKED CHARACTERISTICS** are **not restricted to** those characteristics selected as **grouping or TQ characteristics**.

3. GUIDANCE ON DRAFTING TEST GUIDELINES (Document TGP/7)

UPOV provides guidance by:

- The "General Introduction" (TG/1/3)
 - General technical principles
 - Organization of DUS Testing
 - Associated "TGP" Documents (e.g. statistical methods)

AND

- "Test Guidelines"
 - Species/Crop-specific recommendations developed by crop experts
 - TGP/7 "Development of Test Guidelines" adopted

3. GUIDANCE ON DRAFTING TEST GUIDELINES

a) Subject of the Test Guidelines, Material Required and Method of Examination

Example

- 1. Subject of these Test Guidelines
- These Test Guidelines apply to all varieties of *Theobroma cacao* L.
- 2. Material Required
- 2.2 The material is to be supplied in the form of seed or plants.
- 2.3 The minimum quantity of plant material, to be supplied by the applicant, should be:
- seed-propagated varieties: 20 fresh seeds
- vegetatively propagated varieties: 5 plants

46

Example

Method of Examination

3.1 Number of Growing Cycles

- 3.1.1 The minimum duration of tests should normally be two independent growing cycles.
- In particular, it is essential that the trees produce a satisfactory crop of fruit in each of the two growing cycles.
- 3.1.2 The growing cycle is considered to be the duration of a single growing season, beginning with vegetative growth, followed by flowering and fruit harvest.

3.4 Test Design

• 3.4.1 Each test should be designed to result in a total of at least 10 plants in the case of seed-propagated plants or, in the case of vegetatively propagated varieties, in a total of at least 5 plants.

Example

Method of Examination

Assessment of Distinctness

4.1.4 Number of Plants / Parts of Plants to be Examined Seed-propagated varieties: [...] all observations on single plants should be made on 10 plants or parts taken from each of 10 plants and any other observations made on all plants in the test, disregarding any off-type plants.

Vegetatively propagated varieties: [...] all observations should be made on 5 plants or parts taken from each of 5 plants, disregarding any off-type plants.

48

Example

Method of Examination

4.2 Uniformity

- 4.2.2 Vegatatively propagated varieties
- For the assessment of uniformity of vegetatively propagated varieties, a population standard of 1% and an acceptance probability of 95% should be applied. In the case of a sample size of 5 plants, no off-types are allowed.
- 4.2.3 Seed propagated varieties
- The assessment of uniformity for seed-propagated varieties should be according to the recommendations for cross-pollinated varieties in the General Introduction.

10 Chapters of UPOV Test Guidelines

- 1. Subject of the Test Guidelines
- 2. Material Required
- 3. Methods of Examination
- 4. Assessment of Distinctness, Uniformity and Stability
- 5. Grouping of Varieties and Organization of the Growing Trial
- 6. Introduction to the Table of Characteristics

7. Table of Characteristics

- 8. Explanation on the Table of Characteristics
- 9. Literature
- 10. Technical Questionnaire

TGP/7: "Development of Test Guidelines"

Section 3. Guidance for Drafting Test Guidelines

- The TG Template
- •Additional Standard Wording for the TG Template
- •Guidance Notes for the TG Template



3. GUIDANCE ON DRAFTING TEST GUIDELINES

b) Method of observation (MS, MG, VS, VG)

	7.	Table of Charact	J	TG/250/1 /Yamswurzel/Ñame, 20 - 7 - s caractères/Merkm	009-04-01 alstabelle/Tabla de c	aracteres	
		English	français	deutsch	español	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	Note Note
1.	VG	Plant: density of foliage	Plante : densité du feuillage	Pflanze: Dichte des Laubes	Planta: densidad del follaje		
QN	(a)	sparse	faible	locker	escasa	Ise-imo	3
		medium	moyenne	mittel	media	Morimoto-imo	5
		dense	dense	dicht	densa	Gankumijika-taisho	7
2.	VG	Plant: number of branches	Plante : nombre de ramifications	Pflanze: Anzahl Triebe	Planta: número de ramas		
QN	(a)	few	petit	gering	bajo	Ise-imo	3
		medium	moyen	mittel	medio	Fusaougi	5
		many	grand	groß	alto	Segoshi-2	7

Method of Observation

M: Measurement:

an objective observation against a calibrated, linear scale e.g. using a ruler, weighing scales, colorimeter, dates, counts, etc.);

V: Visual observation:

includes observations where the expert uses reference points (e.g. diagrams, example varieties, side-by-side comparison) or non-linear charts (e.g. color charts).

"Visual" observation refers to the sensory observations of the expert and, therefore, also includes smell, taste and touch.

	Type of expression of characteristic					
Method of propagation of the variety	QL PQ QN (QUAL itatative) (PSEUDO qualitative) (QUANT itat					
Vegetatively propagated, self-pollinated	Notes (VG)	Notes (VG) Side-by-side (VG)	Notes (VG/MG/MS) Side-by-side (VG) Statistics (MG/MS)			
Cross-pollinated	Notes (VG) Statistics (VS*)	Notes (VG) Side-by-side (VG) Statistics (VS*)	Statistics ([MG]/MS/VS) Side-by-side (VG) Notes (VG/MG/MS)			
Hybrids	Notes (VG) Statistics (VS*)	Notes (VG) Side-by-side (VG) Statistics (VS*)	**			

TGF	P/9/1 "Exar	mining Dist	inctness"
	V= Visual (ristic	
	Туре о		
Method of propagation of the variety	QL (QUAL itatative)	PQ (PSEUDO qualitative)	QN (QUANT itative)
Vegetatively propagated, Self-pollinated	Notes (VG)	Notes (VG) Side-by-side (VG)	Notes (VG/MG/MS) Side-by-side (VG) Statistics (MG/MS)
Cross-pollinated	Notes (VG) Statistics (VS*)	Notes (VG) Side-by-side (VG) Statistics (VS*)	Statistics ([MG]/MS/VS) Side-by-side (VG) Notes (VG/MG/MS)
Hybrids	Notes (VG) Statistics (VS*)	Notes (VG) Side-by-side (VG) Statistics (VS*)	**


	ial observatio		
	Туре	of expression of chai	acteristic
Method of propagation of the variety	Q <mark>L</mark> (QUAL itatative)	PQ (PSEUDO qualitative	Q <mark>N</mark> (QUANT itative)
Vegetatively propagated, self-pollinated	Notes (VG)	Notes (VG) Side-by-side (VG)	Notes (VG/MG/MS) Side-by-side (VG) Statistics (MG/MS)
Cross-pollinated	Notes (VG) Statistics (VS*)	Notes (VG) Side-by-side (VG) Statistics (VS*)	Statistics ([MG]/MS/VS) Side-by-side (VG) Notes (VG/MG/MS)
Hybrids	Notes (VG) Statistics (VS*)	Notes (VG) Side-by-side (VG) Statistics (VS*)	**


Type of Record (for the purposes of distinctness)

G: single record for a variety, or a GROUP of plants or parts of plants;

In most cases, "G" provides a single record per variety and it is not possible or necessary to apply statistical methods in a plant-by-plant analysis for the assessment of distinctness.

<u>S</u>: records for a number of **SINGLE**, individual **plants** or parts of plants ...





EXERCISE

3. GUIDANCE ON DRAFTING TEST GUIDELINES

c) Types of Expression (QL, PQ, QN), notes and distinctness;

TYPE OF EXPRESSION OF CHARACTERISTICS (QL, QN, PQ)

Types of Expression

QL: QUALITATIVE

QN: QUANTITATIVE

PQ: PSEUDO-QUALITATIVE


7.	Table of Characteristics/Tableau des caractères/Merkmalstabelle/Tabla de caracteres						
Char. No.	English	français	Deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	N N	
1.	Plant: growth habit	Plante : port	Pflanze: Wuchsform	Planta: porte			
QN QN	upright	dressé	aufrecht	erecto	Inuppink		
	semi-upright	semi dressé	halbaufrecht	semierecto	D0158-1		
	spreading	étalé	breitwüchsig	abierto	Sumnem 03		
	semi-trailing	semi-étalé	halbhängend	semirrastrero	Inupsaf		
	trailing	coureux	hängend	rastrero	Organza		
2.	Plant: height	Plante : hauteur	Pflanze: Höhe	Planta: altura			
(+)							
QN	short	basse	niedrig	baja	Yateye		
	medium	moyenne	mittel	media	D0158-1		
	tall	haute	hoch	alta	Inuppink		





QUALITATIVE Characteristics

"Qualitative characteristics" are those that are **expressed in discontinuous states** (e.g. sex of plant: dioecious female (1), dioecious male (2), monoecious unisexual (3), monoecious hermaphrodite (4)).

These states are self-explanatory and independently meaningful. All states are necessary to describe the full range of the characteristic, and every form of expression can be described by a single state. The order of states is not important. As a rule, the **characteristics are not influenced by environment**.









QUANTITATIVE Characteristics

"Quantitative characteristics" are those where the expression covers the full range of variation from one extreme to the other. The **expression can be recorded on a one-dimensional, continuous or discrete, linear scale**. The range of expression is divided into a number of states for the purpose of description (e.g. length of stem: very short (1), short (3), medium (5), long (7), very long (9)). The division seeks to provide, as far as is practical, an even distribution across the scale. The Test Guidelines do not specify the difference needed for distinctness. The states of expression should, however, be meaningful for DUS assessment.









PSEUDO-QUALITATIVE Characteristics


In the case of "pseudo-qualitative characteristics," the **range of expression is at least partly continuous, but varies in more than one dimension** (e.g. shape: ovate (1), elliptic (2), circular (3), obovate (4)) and cannot be adequately described by just defining two ends of a linear range. In a similar way to qualitative (discontinuous) characteristics — hence the term "pseudo-qualitative" — each individual state of expression needs to be identified to adequately describe the range of the characteristic.

Example












NOTES and DISTINCTNESS according to TYPE OF EXPRESSION (QL, PQ, QN)


Types of Expression

QL: QUALITATIVE

ON: OUANTITATIVE

PO: PSEUDO-OUALITATIVE





In qualitative characteristics, the difference between two varieties may be considered clear if one or more characteristics have expressions that fall into **two different states in the Test Guidelines**. Varieties should not be considered distinct for a qualitative characteristic if they have the same state of expression.

(e.g. sex of plant: dioecious female (1), dioecious male (2), monoecious unisexual (3), monoecious hermaphrodite (4)).

Types of Expression


QL: QUALITATIVE


ON: OUANTITATIVE

PQ: PSEUDO-QUALITATIVE

PSEUDO-QUALITATIVE Characteristics

In the case of "pseudo-qualitative characteristics," the **range of expression is at least partly continuous, but varies in more than one dimension** (e.g. shape: ovate (1), elliptic (2), circular (3), obovate (4)) and cannot be adequately described by just defining two ends of a linear range. In a similar way to qualitative (discontinuous) characteristics — hence the term "pseudo-qualitative" — each individual state of expression needs to be identified to adequately describe the range of the characteristic.






24. Flower: color of the centre Fleur: couleur du centre Farbe der Mitte centro Flor: color del centro PQ green vert grün verde 1 yellow jaune gelb amarillo 2 orange orange orange naranja 3 pink rose rosa rosa 4 red rouge rot rojo 5 purple pourpre purpum púrpura 6			(ty	pical ex	amples)	
yellow jaune gelb amarillo 2 orange orange naranja 3 pink rose rosa rosa 4 red rouge rot rojo 5				Farbe der Mitte		
orange orange orange naranja 3 pink rose rosa rosa 4 red rouge rot rojo 5	PQ	green	vert	grün	verde	1
pink rose rosa rosa 4 red rouge rot rojo 5		yellow	jaune	gelb	amarillo	2
red rouge rot rojo 5		orange	orange	orange	naranja	3
		pink	rose	rosa	rosa	4
purple pourpre purpurn púrpura 6		red	rouge	rot	гојо	5
		purple	pourpre	purpurn	ри́грига	6

Pseudo-Qualitative Characteristics: distinctness

A different state in the Test Guidelines may not be sufficient to establish distinctness (see also section 5.5.2.3). However, in certain circumstances, varieties described by the same state of expression may be clearly distinguishable.



Types of Expression

QL: QUALITATIVE


QN: QUANTITATIVE


PQ: PSEUDO-QUALITATIVE

OUANTITATIVE Characteristics

"Quantitative characteristics" are those where the expression covers the full range of variation from one extreme to the other. The **expression can be recorded on a one-dimensional, continuous or discrete, linear scale**. The range of expression is divided into a number of states for the purpose of description (e.g. length of stem: very short (1), short (3), medium (5), long (7), very long (9)). The division seeks to provide, as far as is practical, an even distribution across the scale. The Test Guidelines do not specify the difference needed for distinctness. The states of expression should, however, be meaningful for DUS assessment.

Quantitative characteristics are considered for distinctness according to the method of observation and the features of propagation of the variety concerned...





Quantitative Characteristics (1-9)

weak/strong short/long small/large

Note	State
1	very weak
	(or: absent or very weak)
2	very weak to weak
3	weak
4	weak to medium
5	medium
6	medium to strong
7	strong
8	strong to very strong
9	very strong

Note	State
1	very small
	(or: absent or very small)
2	very small to small
3	small
4	small to medium
5	medium
6	medium to large
7	large
8	large to very large
9	very large

Quantitative Characteristics (1-9)

Standard Range Version 1	Standard Range Version 2	Standard Range Version 3	Standard Rang Version 4
1 very weak	1 very weak	-	-
(or: absent or very weak)	(or: absent or very weak)		
3 weak	3 weak	3 weak	3 weak
5 medium	5 medium	5 medium	5 medium
7 strong	7 strong	7 strong	7 strong
9 very strong	-	9 very strong	-

Quantitative Characteristics (1-9)

State	Example 1	Example 2	Example 3	Example 4
	Size relative to:	Angle:	Position:	Length in relation to:
1	much smaller	very acute	at base	equal
3	moderately smaller	moderately acute	one quarter from base	slightly shorter
5	same size	right angle	in middle	moderately shorter
7	moderately larger	moderately obtuse	one quarter from apex end	much shorter
9	much larger	very obtuse	at apex	very much shorter

Quantitative Characteristics (at least 3 notes)

Ex	ample 2
1	e.g. absent or weak (absent or weakly expressed)
2	moderate (or medium) (moderately expressed)
3	strong (strongly expressed)

State	Example 1
	Stem: attitude
1	erect
3	semi-erect
5	prostrate

NOTES

versus

SIDE-BY-SIDE COMPARISON

(Quantitative characteristics)

TGP/9/1 "Examining Distinctness"

5.2 Approaches for assessing distinctness

5.2.1 Introduction

- 5.2.1.1 Approaches for assessment of distinctness based on the growing trial can be summarized as follows:
 - (a) **Side-by-side visual comparison** in the growing trial (see Section 5.2.2);
 - (b) **Assessment by Notes / single variety records ("Notes"):** the assessment of distinctness is based on the recorded state of expression of the characteristics of the variety

(see Section 5.2.3);

(c) Statistical analysis of growing trial data:

Quantitative Characteristics: distinctness


The General Introduction explains that, in the case of visually observed quantitative characteristics:

"5.5.2.2.2 A direct comparison between two similar varieties is always recommended, since direct pairwise comparisons are the most reliable. In each comparison, a difference between two varieties is acceptable as soon as it can be assessed visually and could be measured, although such measurement might be impractical or require unreasonable effort."

TGP/9/1 "Examining Distinctness"

5.2.3.1.2 Where the requirements for distinctness assessment by Notes / single variety records are met it would usually also be possible to make a side-by-side visual comparison. However, in the case of assessment by Notes / single variety records, such proximity is not required, which is a particular advantage where the growing trial contains a large number of varieties and where there are limited possibilities for ensuring that all similar varieties are grouped together in the growing trial. ...

On the other hand, because the varieties are not the subject of a side-by-side visual comparison, the difference required between varieties as a basis for distinctness is, with the exception of qualitative characteristics (see below), somewhat greater.





Quantitative characteristics are considered for distinctness according to the method of observation and the features of propagation of the variety concerned.

<u>Test Guidelines</u> (TGP/7 proposed revised text)

Difference of two Notes to represent a clear difference if the comparison between two varieties is performed at the level of Notes:

WHY?





Quantitative characteristics are considered for distinctness according to the method of observation and the features of propagation of the variety concerned

<u>Test Guidelines</u> (TGP/7 proposed revised text)

Difference of two Notes to represent a clear difference if the comparison between two varieties is performed at the level of Notes:


TG/233/1 Diascia/Diascie, 2007-03-28 Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo Note/ English Deutsch español français Nota (a) Leaf blade: length Limbe: longueur Blattspreite: Länge Limbo: longitud $\mathbf{Q}\mathbf{N}$ corto Coditer, 3 Strawberry Sundae medium mitte1 medio moyenne lang Balwhislapi, Balwhiswhit long longue largo

1 to 9 scale: Notes 1 and 3, Notes 2 and 4, Notes 3 and 5 etc. represent a clear difference

Quantitative Characteristics: distinctness

TG/233/1 Diascia/Diascie, 2007-03-28 Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo English français español Nota Stem: anthocyanin coloration below Tige: pigmentation anthocyanique sous Trieb: Tallo: pigmentación Anthocyanfärbung antociánica por inflorescence inflorescence unter dem debajo de la Blütenstand inflorescencia QN absent or weak absente ou faible fehlend oder gering ausente o débil Heccharm medium mittel media Hecrace moyenne forte stark fuerte strong

1 to 3 scale: only Notes 1 and 3 represent a clear difference




3. GUIDANCE ON DRAFTING TEST GUIDELINES


d) Shape and Color Characteristics


TGP/14: Shape


Characteristics related to shape, could use the following components:

- Shape: e.g. ovate (1), elliptic (2), circular (3), obovate (4)...
- Ratio length/ width (from low to high)
- Postion of broadest part
- Shape of base
- Shape of apex
- Lateral outline









	state of expression	example
<u>%</u>	single color	yellow, orange, red
level of precision	color range	(a) yellow, yellow orange, orange, orange red, red(b) white, yellowish white, yellow, yellowish orange
level of p	intensity	light yellow, medium yellow, dark yellow
high	RHS Colour Chart No.	RHS 41 B
		Species?
	l e	evel of variation?

TGP/14: Color Single color

- A single color has the lowest precision to describe the state of expression.
- Example: Flower: color: white (1); yellow (2); orange (3); red (4)

TGP/14: Color Color range

- (a) In color combinations the second color indicates the predominant color with blending of both colors, resulting in what can look like a single color. For example in "green red" the predominant color is red and in "red green" the predominant color is green.
- Example: Flower: color: white (1); yellow white (2); yellow (3); yellow orange (4); orange (5)
- (b) The use of "ish" in color combinations indicates that there is a predominant color (e.g. yellow) together with another minor color. For example,
- Example: Flower: color: whitish (1); yellowish (2); greenish (3)

TGP/14: Color Intensity

- Depending on the organ described, the intensity can be presented either in relation to a single color or in combination with different colors (example 2).
- Example 1: Leaf: green color of upper side: light (3); medium (5); dark (9)
- Example 2: Flower: color: white (1); light yellow (2); medium yellow (3); dark yellow (4); orange (5)

TGP/14: Color Color Chart

- The "RHS Colour Chart" because of its worldwide availability.
 UPOV names for colors in document TGP/14: ANNEX.
- "Because daylight varies, color determinations made against a color chart should be made either in a suitable cabinet providing artificial daylight or in the middle of the day in a room without direct sunlight. The spectral distribution of the illuminant for artificial daylight should conform with the CIE Standard of Preferred Daylight D 6500 and should fall within the tolerances set out in the British Standard 950, Part I. These determinations should be made with the plant part placed against a white background".
- Observations should not be made in direct sunlight. The observations should be made on a cloudy day with sufficient light intensity, or in a shaded area.

Allocation of UPOV Color Groups for each RHS Color in RHS Reference order RHS COLORS (RHS COLOUR CHART, EDITIONS 1986, 1995, 2001 AND 2007) BY UPOV COLOR GROUPS

UPOV roup No.	No. RHS	English	français	deutsch	español
11	001A	yellow	jaune	gelb	amarillo
5	001A	yellow green	vert-jaune	gelbgrün	verde amarillento
5	001C	vellow green	vert-jaune	gelbgrün	verde amarillento
5	001D	vellow green	vert-jaune	gelbgrün	verde amarillento
11	002A	vellow	jaune	gelb	amarillo
11	002B	vellow	jaune	gelb	amarillo
5	002C	yellow green	vert-jaune	gelbgrün	verde amarillento
5	002D	yellow green	vert-jaune	gelbgrün	verde amarillento
11	003A	yellow	jaune	gelb	amarillo
11	003B	vellow	jaune	gelb	amarillo
11	003C	vellow	jaune	gelb	amarillo
5	003D	yellow green	vert-jaune	gelbgrün	verde amarillento
11	004A	vellow	jaune	gelb	amarillo
11	004B	vellow	jaune	gelb	amarillo
5	004C	yellow green	vert-jaune	gelbgrün	verde amarillento
10	004D	light yellow	jaune clair	hellgelb	amarillo claro
11	005A	yellow	jaune	gelb	amarillo
11	005B	yellow	jaune	gelb	amarillo
11	005C	yellow	jaune	gelb	amarillo
10	005D	light yellow	jaune clair	hellgelb	amarillo claro
11	006A	yellow	jaune	gelb	amarillo
11	006B	yellow	jaune	gelb	amarillo
11	006C	yellow	jaune	gelb	amarillo
10	006D	lightyellow	jaune clair	hellgelb	amarillo claro
11	007A	yellow	jaune	gelb	amarillo
11	007B	yellow	jaune	gelb	amarillo
11	007C	yellow	jaune	gelb	amarillo
11	007D	yellow	jaune	gelb	amarillo

TGP/14: Color

APPROACHES TO DESCRIBE COLORS AND COLOR PATTERNS

- depends on the number of colors...
- the types of color distribution...
- and the number of color patterns possible for the species concerned.

TGP/14: Color

Approach according to the size of the surface area


- (a) only a few colors, a few types of color distribution and a few patterns to be described,
- the colors are described according to the size of the surface area they cover

"The main color is the color with the largest surface area. In cases where the areas of the main and secondary color are too similar to reliably decide which color has the largest area, [the darkest color] / [the color...[location]Q] is considered to be the main color."

TGP/14: Color Approach according to tissue layers

- one layer is covering the other:
- (a) Ground color (not always the largest surface area):
 - (i) the first color to appear chronologically.
 - (ii) has a continuous dispersion across the surface.
- (b) Over color (not always occupying the smallest surface area):
 - a second color, such as a flush, spots or blotches developed over time.


		APP	LE –	TG/1	4/9		
35. (*)		Fruit: ground color		37. (*)		Fruit: hue of over color – with bloom removed	
PQ	(f)	not visible	1	PQ	(f)	orange red	1
		whitish yellow	2			pink red	2
		yellow	3			red	3
		whitish green	4			purple red	4
		yellow green	5			brown red	5
		green	6				



TGP/14: Color

Approach according to defined parts of an organ

- (a) If the different parts of a plant organ can have different colors, the color of these different parts can be described separately.
- Example:
 - Petal: color of margin
 - Petal: color of middle zone
 - Petal: color of base
- (b) When an organ has one color with different intensities, the parts of the organ which are lighter or darker could be described as follows:
- Example:
 - Ray floret: color distribution on upper side:
 - lighter towards base (1); even (2); lighter towards apex (3)




Approach according to the RHS Colour Chart number ("Lisbon" approach)

- All colors of the plant part concerned are assessed using the RHS Colour Charts first.
- The color should first be described, followed by:
 - distribution,
 - pattern
 - area,
 - conspicuousness of the color (if necessary).
- The same sequence should be followed for color two, color three and so on. I

Heuchera and Heucherella (TG/280/1)

- 36. Leaf blade: color one RHS Colour Chart Yellow-Green 144C
- 37. Leaf blade: color one: distribution marginal zone (7)
- 38. Leaf blade: color one: pattern solid or nearly solid (5)
- 39. Leaf blade: color one: total area very small to small (2)
- 40. Leaf blade: color two RHS Colour Chart Greyed-Orange 176B
- 41: Leaf blade: color two: distribution along veins (2)
- 42: Leaf blade: color two: pattern solid or nearly solid (5)
- 43: Leaf blade: color two: total area small (3)
- 44: Leaf blade: color three RHS Colour Chart Greyed-Orange 177D but more grey
- 45: Leaf blade: color three: distribution between veins in intermediate zone (6)
- 46: Leaf blade: color three: pattern solid or nearly solid (5)
- 47: Leaf blade: color three: total area large (7)
- 48: Leaf blade: color four RHS Colour Chart not applicable
- 49: Leaf blade: color four: distribution none (1)
- 50: Leaf blade: color four: pattern not applicable
- 51: Leaf blade: color four: total area not applicable



TGP/14: Color Order of states of expression

- normally presented in the following order: white, green, yellow, orange, pink, red, purple, violet, blue, brown, black
- chronological appearance of the color (e.g. as the fruit ripens)


3. GUIDANCE ON DRAFTING TEST GUIDELINES


e) Example Varieties


1. (*)	Seed: color	Semence: couleur	Samen: Farbe	Semilla: color		
	white	blanche	weiß	blanco	Verpia	1
	yellow	jaune	gelb	amarillo	Durango	2
	black	noire	schwarz	negro	Kagraner Sommer	3
2. (*) (+)	Seedling: anthocyanin coloration	Plantule: pigmentation anthocyanique	Keimpflanze: Anthocyanfärbung	Plántula: pigmentación antociánica		
	absent	absente	fehlend	ausente	Verpia	1
	present	présente	vorhanden	presente	Pirat	9
3.	Seedling: size of cotyledon (fully developed)	Plantule: taille du cotylédon (à complet développement)	Keimpflanze: Größe des Keimblatts (voll entwickelt)			
	small	petit	klein	pequeño	Romance	3
	medium	moyen	mittel	medio	Expresse	5
	large	grand	groß	grande	Verpia	7


		English	français	deutsch	español	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	Note Nota
14.	VG	Leaf blade: intensity of purplish color of <u>lower</u> side		Blattspreite: Intensität der Purpurfarbe der Unterseite	Limbo: intensidad del color purpúreo del envés		
QN	(a)	very light	très claire	sehr hell	muy claro		1
		light	claire	hell	claro	Perlime	3
		medium	moyenne	mittel	medio		5
		dark	foncée	dunkel	oscuro	Perro	7
		very dark	très foncée	sehr dunkel	muy oscuro	Bora, Purple	9
15.	VG	Leaf blade: profile	Limbe: profil	Blattspreite: Profil	Limbo: perfil		
QN	(a)	concave	concave	konkav	cóncavo	Perro	3
		plane	plan	flach	plano	Pergro, Saeyeupsil	5
		convex	convexe	konvex	convexo		7


				TG/223/1			
			Brachyscome/Bl	aues Gänseblümchen, 2 - 7 -	2005-04-06		
7.	Table	of Characteristics/	Tableau des caracté	ères/Merkmalstabel	le/Tabla de caracte	res	
		English	français	deutsch	español	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	Note/ Nota
1. (*) (+)		Plant: growth type	Plante: type de croissance	Pflanze: Wuchstyp	Planta: tipo de crecimiento		
QL	(a)	basal clusters	en amas à la base	basale Büschel	en racimos basales		1
		bushy	buissonnant	buschig	arbustivo		2
2. (+)		Only varieties with bushy growth type: Plant: predominant attitude of stems	Variétés à type de croissance buissonnant uniquement: Plante: port le plus fréquent des tiges	Nur Sorten mit buschigem Wuchstyn: Pflanze: vorwiegende Haltung der Triebe	Sólo variedades con tipo de crecimiento arbustivo: Planta: porte predominante de los tallos		
QN	(a)	upright	dressées	aufrecht	erecto		1
		semi upright	demi-dressées	halbaufrecht	semierecto		3
		horizontal	horizontales	waagerecht	horizontal		5
3.		Only varieties with bushy growth type: Plant: number of stems	Variétés à type de croissance buissonnant uniquement: Plante: nombre de tiges	Nur Sorten mit buschigem Wuchstyn: Pflanze: Anzahl Triebe	Sólo variedades con tipo de crecimiento arbustivo: Planta: número de tallos		
QN	(a)	few	peu nombreuses	klein	bajo		3
		medium	moyennement nombreuses	mittel	medio		5
		many	nombreuses	groß	alto		7
4. (*) (+)		Plant: height including flowers	Plante: hauteur, fleurs comprises	Pflanze: Höhe einschließlich Blüten	Planta: altura, incluidas las flores		
QN	(a)	short	basse	niedrig	corta	Mardi Gras	3
		medium	moyenne	mittel	media	Breakoday	5
		tall	élevée	hoch	larga	Happy Face Pink	7











3. GUIDANCE ON DRAFTING TEST GUIDELINES

f) The process for developing UPOV Test
Guidelines, including: TG Template;
Additional Standard Wording; and
Guidance Notes;

Genera and Species

- >3,400 genera and species with varieties examined for PBR
- >3,300 genera and species for which UPOV members have practical DUS experience
- 301Test Guidelines adopted

Note: 301Test Guidelines estimated to cover 91% of PBR-related varieties in UPOV Plant Variety Database

PRIORITY for UPOV Test Guidelines

PRIORITY for species or crops with high:

- number of authorities receiving PBR applications;
- number of PBR applications;
- number of foreign applications received by UPOV members;
- economic importance;
- level of breeding activity

EXAMPLE (New Test Guidelines)

Test Guidelines: Plantus magnifica L.

(Common name: Alpha)

Technical Working Party: **TWX**

TWX (2013):
TWX (2014):
Alpha (proj.1)
Alpha (proj.2)
Alpha (proj.3)
Alpha (proj.3)
Alpha (proj.3)
Alpha (proj.4)
Alpha (proj.4)
Alpha (proj.5)
Final adopted document (2016):
TG/500/1

TGP/7: "Development of Test Guidelines"

Procedure for the Introduction and Revision of UPOV Test Guidelines

Proposals (New TG, Revisions, Corrections)

Criteria to be observed

Approval

Preparation of draft TG for the TWP

Leading Expert

Subgroup


Submission to the TC


Requirements for "final" draft


Consideration by the TC-EDC

Adoption of the TG by the TC

Web-Based TG Template







Comment Function for Interested Experts												
										. —x.r		
lame	Subject Materia	I Examination	Assessments	haract	eristics	Literature	Technical Questions	Status	Rev	iew		
fable o	f Characteristic	s										
ist of Ch	aracteristics									View explan	View	Grouping Sumn
Seq.No.	Name	States of Expression/Notes	Example Varieties	*	Grouping	Type of Expression	Methods of Observation/Type of Plot	Growth Stages	Add to TQ5	Explanation covering individual characteristic	Explanation covering several characteristic	Add IE Comments
1	Plant: growth habit	upright/1 semi upright/2 spreading/3	Nagami Meiwa Fukushu	V		QN	VG				View Explanation	Add Comments
2	Plant: density of branches	sparse/3 medium/5 dense/7	Tetraploid-Meiwa Meiwa Marumi			QN	VG			View Explanation	View Explanation	Add Comments
3	One-year-old shoot: length	short/3 medium/5 long/7	Nagami Meiwa Tetraploid-Meiwa	✓		QN	MS VG				View Explanation	Add Comments
4	One-year-old shoot: thickness	thin/1 medium/3 thick/5	Marumi Nagami Meiwa			QN	MS VG				View Explanation	Add Comments
5	One-year-old shoot: length of internode	short/3 medium/5 long/7	Nagami Meiwa Tetraploid-Meiwa	✓		QN	MS VG				View Explanation	Add Comments
											1	55

4. AGENDA for the TWP Session

Sunday	Sunday Monday		Tuesday		Wednesday		Thursday		Friday				
[TECHNICAL workshop] (optional) Reports on developments in PVP		TGP document development		TGP document development		Experiences with new types and species Variety denominations		Databases, Electronic application systems Exchangeable software					
COFFEE	COFFEE COFFEE		COFFEE		COFFEE		COFFEE		COFFEE				
	Reports (Co	ntinuation)	TGP document		Room 1	Room 2	Uniformity method		Recommendations on				
[TECHNICAL WORKSHOP] (optional)	Molecular techniques LUNCH		development			Test Guidelines subgroup	development		Test Guidelines				
					LUNCH		LUNCH		LUNCH				
PREPARATORY WORKSHOP	Room 1 Test Guidelines subgroup	Room 2 Test Guidelines subgroup	Room 1 Test Guidelines subgroup	Room 2 Test Guidelines subgroup			Room 1 Test Guidelines subgroup Guidelines subgroup		Future program Adoption of report				
COFFEE	COFFEE		COFFEE		TECHNICAL VISIT		COFFEE						
PREPARATORY WORKSHOP	Room 1 Test Guidelines subgroup	Room 2 Test Guidelines subgroup	Room 1 Test Guidelines subgroup	Room 2 Test Guidelines subgroup							Room 1 Test Guidelines subgroup	Room 2 Test Guidelines subgroup	END OF SESSION
	Continuation		RECEPTION				Continuation						

EXCHANGING INFORMATION

	Monday, November 17 Start 9.00	Tuesday, November 18 Start 8.30	Wednesday, November 19 Start 8.00	Thursday, N Start	ovember 20 8.30	Friday, November 21 Start 8.30	
08.30	1. Opening 2. Adoption of the agenda (IWA 4371 Nev.) 3. Short reports on developments in PVP (a) Reports from members and observers (TWA4325 Prov.) (b) Reports on developments within UPOV (TWA/4324)	TGP documents (conf.d) TGPIs: Trial Design and Techniques Used in DU S Examination Variation due to D filerent Observers (TWAV431/5) Method of Calculation of CUYU (TWAV431/6) Examining DUSin Bulk Samples (TWAV431/7) Producing Variety Descriptions (TWAV431/8) Blind Randomized Trials (TWAV431/9)	8.00-9.00 Wheat (FR) Technical Visit Departure: 9.00	4. Improving the ETC, TWPs and FY Workshops (TWA 5. Molecular Tech (TWA/43/2)	/43/11)	Information and databases (a) UPOV information databases (TWW4/43/5) (b) Variety description databases (TWW4/43/6) (c) Exchangeable software (TWW4/43/7) (d) Electronic application systems (TWW4/43/7) Recommendations on Test Guidelines	
10.45	COFFEE	COFFEE	Return: 19.00	COF	FEE	COFFEE	
11.00	6. TGP documents (IWA-43/3 and IWA-43/3 And.) TGP/14: Glossary of Terms Used in UPOV Documents Apex / Tip Characteristics (IWA-43/2 and IWA-43/2 And	TGP documents (confd) TGPB: Trial Design and Techniques Used in DU SExamination Image Analysis (TWA43/22) Visually observed characteristics (TWA43/22) TGPPS: Examining Distinctness (TWA43/22) Schematic overview Photographs Single Measurement (MG) New proposals for Lest Guidelnes		7. Variety denominations (TWA/43/4) 9. Uniformity assessment (TWA/43/9) 10. Development of a regional set of example varieties for wheat in South America 11. Experience with new Types and Species (cort'd) 14. Guidance for drafters of TGs (TWA/43/10)		15. Date and place of next sessi 16. Future program 17. Adoption of report 18. Closing of the session	
12.30	LUNCH	LUNCH				LUNCH	
14.00	*Urochloa Elytrigia (BR) (AR)	*Adzuki Quinoa (JP) (DK)		*Cassava (BR/KE)	Adlay (JP)		
15.30	COFFEE	COFFEE		COF	FEE	15.00 END OF SESSION	
16.00	*Sorghum (ES)	Wheat (FR)		Castor Bean (ZA)	<u> Keserve</u>		
17.30		11. Experience with new Types and Species Presentation by electronic means: Fungal Endophytes (NZ)		Reserve	Reserve		
19.00 21.00	RECEPTION 19.00			·	·		

AN OPPORTUNITY for TRAINING

TWP Venues								
	TWA	TWC	TWF	TWO	TWV	ВМТ		
1994	Spain	Israel	New Zealand	Australia	United Kingdom	France		
1995	Germany	Poland	United Kingdom	Netherlands	Netherlands	Netherlands		
1996	Greece	Germany	Israel	Israel	Czech Rep.			
1997	Uruguay	Hungary	Netherlands	Denmark	Spain	United Kingdom		
1998	France	Belgium	Australia	New Zealand	Poland	USA		
1999	Canada	Finland	Slovakia	Czech Rep.	Germany			
2000	Sweden	Ukraine	Hungary	Hungary	France	France		
2001	Mexico	Czech Rep.	Spain	Japan	Italy	Germany		
2002	Brazil	Mexico	Argentina	Ecuador	Japan			
2003	Japan	Denmark	Canada	Canada	Netherlands	Japan		
2004	Poland	Japan China (workshop)	Germany	Germany	Rep. of Korea			
2005	New Zealand	Canada	Japan	Rep. of Korea	Slovakia	USA		
2006	China	Kenya	Brazil	Brazil	Mexico	Rep. of Korea		
2007	Hungary	Romania	Rep. of Korea	China	Kenya			
2008	South Africa	Rep. of Korea	Portugal	Netherlands	Poland	Spain		
2009	Rep. of Korea	USA	France	European Union	China			
2010	Croatia	European Union	Mexico	Mexico	Bulgaria	Canada		
2011	Brazil	Geneva - UPOV	Japan	Japan	USA	Brazil		
2012	France	Rep. Moldova	China	Rep. of Korea	Netherlands			

5. FEEDBACK FROM PARTICIPANTS

Survey to seek views on improving the effectiveness of the Preparatory Workshops