

## TECHNICAL WORKING PARTY FOR AGRICULTURAL CROPS

Forty-Third Session

## PREPARATORY WORKSHOP

Mar del Plata, Argentina  
November 16, 2014

### PROGRAM

1. Introduction to UPOV and the role of UPOV Technical Working Parties (TWPs)
2. Overview of the General Introduction (document TG/1/3 and TGP documents)
  - Characteristics as the Basis for DUS Examination and Selection of Characteristics
3. Guidance on drafting Test Guidelines (document TGP/7)
  - a) Subject of the Test Guidelines, Material Required and Method of Examination;
  - b) Method of Observation (MS, MG, VS, VG);
  - c) Types of Expression (QL, PQ, QN), notes and distinctness;
  - d) Shape and Color Characteristics;
  - e) Example Varieties;
  - f) The process for developing UPOV Test Guidelines, including: TG Template; Additional Standard Wording; and Guidance Notes;
4. Agenda for the TWP Session
5. Feedback from participants

## 1. INTRODUCTION TO UPOV AND THE ROLE OF UPOV TECHNICAL WORKING PARTIES (TWPS)


## UPOV: INDEPENDENT INTERGOVERNMENTAL ORGANIZATION

### The International Convention for the Protection of New Varieties of Plants


established in 1961




### The International Union for the Protection of New Varieties of Plants

Union internationale pour la  
protection des obtentions végétales



## UPOV Structure





### Role of the BMT

The BMT is a group open to DUS experts, biochemical and molecular specialists and plant breeders, whose role is to:

- (i) Review general developments in biochemical and molecular techniques;
- (ii) Maintain an awareness of relevant applications of biochemical and molecular techniques in plant breeding;
- (iii) Consider the possible application of biochemical and molecular techniques in DUS testing and report its considerations to the TC;
- (iv) If appropriate, establish guidelines for biochemical and molecular methodologies and their harmonization [...];
- (v) Consider initiatives from TWPs, for the establishment of crop specific subgroups [...];
- (vi) Develop guidelines regarding the management and harmonization of databases of biochemical and molecular information, in conjunction with the TWC;
- (vii) Receive reports from Crop Subgroups and the BMT Review Group;
- (viii) Provide a forum for discussion on the use of biochemical and molecular techniques in the consideration of essential derivation and variety identification.

### BMT Meeting in 2014

❖ The Council of UPOV endorsed the initiative for a joint meeting with relevant international organizations and including breeders, as a means of supporting the role of the BMT [...]

**Joint meeting** of UPOV BMT in 2014 with ISTA, OECD and including breeders

→ Held from October 9 to 13, 2014, in the Republic of Korea

## 2. OVERVIEW OF THE GENERAL INTRODUCTION

### (document TG/1/3 and TGP documents)

**a) Characteristics as the Basis for DUS Examination**

**b) Selection of Characteristics**

## 2. OVERVIEW OF THE GENERAL INTRODUCTION (document TG/1/3 and TGP documents)

### a) Characteristics as the Basis for DUS Examination

#### b) Selection of Characteristics

## THE CONDITIONS FOR GRANTING A BREEDER'S RIGHT

### Criteria to be satisfied

- NOVELTY

- **DISTINCTNESS**

- **UNIFORMITY**

- **STABILITY**

"DUS"

## THE CONDITIONS FOR GRANTING A BREEDER'S RIGHT

### Other conditions

- VARIETY DENOMINATION
- FORMALITIES
- PAYMENT OF FEES

**NO OTHER CONDITIONS!**

## Guidance for DUS Examination

### facilitates:

#### BEST PRACTICE (based on experience)

- => good decisions
- => good definition of the object of protection (strong protection)
- => efficiency in method of examination (learn from the best)

#### HARMONIZATION

- => efficiency
  - mutual acceptance of DUS reports (minimize cost of examination for individual authorities)
  - mutual recognition of variety descriptions (all parties speak the same "language")
  - simple and cheap system for applicants (minimize cost for breeders)

## UPOV provides guidance by:

- The "General Introduction" (TG/1/3)
  - General technical principles
  - Organization of DUS Testing
  - Associated "TGP" Documents (e.g. statistical methods)

= version 3

### TG/1/3 General Introduction

#### "Associated" TGP Documents

Ref.	Title
TG/00	List of TGP Documents and Latest Issue Dates
TGP/1	General Introduction With Explanations
TGP/2	List of Test Guidelines Adopted by UPOV
TGP/3	Varieties of Common Knowledge
TGP/4	Constitution and Maintenance of Variety Collections
TGP/5	Experience and Cooperation in DUS testing
TGP/6	Arrangements for DUS testing
TGP/7	Development of Test Guidelines
TGP/8	Trial Design and Techniques Used in the Examination of DUS
TGP/9	Examining Distinctness
TGP/10	Examining Uniformity
TGP/11	Examining Stability
TGP/12	Special Characteristics
TGP/13	Guidance for New Types and Species
TGP/14	Glossary of Technical, Botanical and Statistical Terms Used in UPOV Documents
TGP/15	Guidance on the Use of Biochemical and Molecular Markers in the Examination of Distinctness, Uniformity and Stability (DUS)

## 2. OVERVIEW OF THE GENERAL INTRODUCTION (document TG/1/3 and TGP documents)

### a) Characteristics as the Basis for DUS Examination

### b) Selection of Characteristics

## "CHARACTERISTICS"

- may have direct commercial relevance
  - Flower color (ornamental)
  - Fruit color
- but **commercial relevance NOT required**
  - Leaf shape

## Selection of Characteristics

The basic requirements that a characteristic should fulfill before it is used for DUS testing or producing a variety description are that its expression (TG/1/3: Section 4.2.1) :

- results from a given genotype** or combination of genotypes;
- is sufficiently **consistent and repeatable** in a **particular environment**;
- exhibits sufficient **variation between varieties** to be able to establish distinctness;
- is capable of **precise definition and recognition**;
- allows **uniformity requirements** to be fulfilled;
- allows **stability requirements** to be fulfilled, meaning that it produces consistent and repeatable results after repeated propagation or, where appropriate, at the end of each cycle of propagation.

## Selection of Characteristics

- Yield ???
- Straw strength ???

Etc.

## Selection of Characteristics

Criteria	Fruit: color	Leaf: shape	Yield
(a) results from a given genotype or combination of genotypes	Yes	Yes	
(b) sufficiently consistent and repeatable in a particular environment	Yes	Yes	
(c) exhibits sufficient variation between varieties to be able to establish distinctness	Yes	Yes	
(d) is capable of precise definition and recognition	Yes	Yes	
(e) allows uniformity requirements to be fulfilled	Yes	Yes	
(f) allows stability requirements to be fulfilled	Yes	Yes	
Commercial value	Yes	No	
ACCEPTABILITY	Yes	Yes	

## Selection of Characteristics


Criteria	Fruit: color	Leaf: shape	Yield
(a) results from a given genotype or combination of genotypes	Yes	Yes	Yes
(b) sufficiently consistent and repeatable in a particular environment	Yes	Yes	(No)
(c) exhibits sufficient variation between varieties to be able to establish distinctness	Yes	Yes	???
(d) is capable of precise definition and recognition	Yes	Yes	(No)
(e) allows uniformity requirements to be fulfilled	Yes	Yes	???
(f) allows stability requirements to be fulfilled	Yes	Yes	???
Commercial value	Yes	No	Yes
ACCEPTABILITY	Yes	Yes	No

## Special Characteristics: Disease Resistance

Criteria	Disease Resistance
(a) results from a given genotype or combination of genotypes	*Knowledge of nature of genetic control of resistance is important
(b) sufficiently consistent and repeatable in a particular environment	*Standardize conditions (greenhouse / laboratory) & methodology *Standardize inoculum *Ring-test
(c) exhibits sufficient variation between varieties to be able to establish distinctness	*Susceptible / Resistant OR varying degrees of resistance?
(d) is capable of precise definition and recognition	*Define and recognize races and strains
(e) allows uniformity requirements to be fulfilled	see above
(f) allows stability requirements to be fulfilled	see above
Difficult and expensive	



## Molecular Techniques?



## Does UPOV allow molecular techniques (DNA profiles) in the examination of Distinctness, Uniformity and Stability ("DUS")?

It is important to note that, in some cases, varieties may have a different DNA profile but be phenotypically identical, whilst, in other cases, varieties which have a large phenotypic difference may have the same DNA profile for a particular set of molecular markers (e.g. some mutations).

In relation to the use of molecular markers that are not related to phenotypic differences, the concern is that it might be possible to use a limitless number of markers to find differences between varieties at the genetic level that are not reflected in phenotypic characteristics.

## STATUS OF UPOV DOCUMENTS CONCERNING MOLECULAR TECHNIQUES

### 1. PREVIOUSLY ADOPTED

Document reference	Title
UPOV/INF/17/1	Guidelines for DNA Profiling: Molecular Marker Selection and Database Construction ("BMT Guidelines")
UPOV/INF/18/1	Possible Use of Molecular Markers in the Examination of Distinctness, Uniformity and Stability

### 2. ADOPTED IN OCTOBER 2013

Document reference	Title
TGP/15	Guidance on the Use of Biochemical and Molecular Markers in the Examination of Distinctness, Uniformity and Stability (DUS)

### TGP/15/1 (Technical Guidelines Protocol)

"Guidance on the Use of Biochemical and Molecular Markers in the Examination of Distinctness, Uniformity and Stability (DUS)"

The purpose of this document is to provide guidance on the use of biochemical and molecular markers in the examination of Distinctness, Uniformity and Stability (DUS) on the basis of the models in document UPOV/INF/18 that have received a positive assessment and for which accepted examples have been provided.

→ Adopted by the Council of UPOV in October, 2013.



## Model: Characteristic-specific molecular markers

**Example: gene specific marker for herbicide tolerance introduced by genetic modification**


On the basis that:

[...]

- there is verification of the reliability of the link between the marker and the characteristic;

- different markers for the same characteristic are different methods for examining the same characteristic;

[...]



## TGP/7 : "Development of Test Guidelines"

### Additional Information and guidance on Asterisked, grouping and TQ characteristics

### Standard Test Guidelines Characteristic

Function	Criteria
1.Characteristics that are <b>accepted by UPOV for examination of DUS</b> and from which members of the Union can select those suitable for their particular circumstances.	1.Must satisfy the criteria for use of any characteristic for DUS as set out in <b>Chapter 4, section 4.2</b> .  2.Must have been <b>used</b> to develop a variety description <b>by at least one member of the Union</b> .  3.Where there is a long list of such characteristics and, where considered appropriate, there may be an indication of the extent of use of each characteristic.

### Asterisked Characteristic

7. Table of Characteristics/Tableau des caractères/Merkmalstabelle/Tabla de caracteres

Char. No.	English	français	Deutsch	español	Example Varieties Exemples Beispielsorten Variedades ejemplo	Note/ Nota
(*)	Plant: growth habit	Plante : port	Pflanze: Wuchsform	Planta: porte		
QN	upright	dressé	aufrecht	erecto	Imppink	1
	semi-upright	semi dressé	halbaufrecht	semierecto	D0158-1	2
	spreading	étalé	breitwüchsig	abierto	Sunsem 03	3
	semi-trailing	semi-étalé	halbhängend	semirrastrero	Impsaf	4
	trailing	coureux	hängend	rastrero	Organza	5

### Asterisked Characteristic

Function	Criteria
1.Characteristics that are important <b>for the international harmonization of variety descriptions</b> .	1.Must be a characteristic included in the Test Guidelines.  2. <b>Should always be examined</b> for DUS and included in the variety description <b>by all members of the Union</b>  <b>EXCEPT</b> when the state of expression of a preceding characteristic or regional environmental conditions render this inappropriate.  3.Must be useful for function 1.  4.Particular care should be taken before selection of disease resistance characteristics.

### Grouping Characteristic

5. Grouping of Varieties and Organization of the Growing Trial

5.1 The selection of varieties of common knowledge to be grown in the trial with the candidate varieties and the way in which these varieties are divided into groups to facilitate the assessment of distinctness are aided by the use of grouping characteristics.

5.2 Grouping characteristics are those in which the documented states of expression, even where produced at different locations, can be used, either individually or in combination with other such characteristics: (a) to select varieties of common knowledge that can be excluded from the growing trial used for examination of distinctness; and (b) to organize the growing trial so that similar varieties are grouped together.

5.3 The following have been agreed as useful grouping characteristics:

(a) Plant: growth habit (characteristic 1)  
(b) Leaf blade: variegation (characteristic 11)  
(c) Upper lobes of corolla: main color (characteristic 24), with the following groups:

Gr. 1: white  
Gr. 2: yellow  
Gr. 3: orange  
Gr. 4: pink  
Gr. 5: red  
Gr. 6: red purple  
Gr. 7: violet  
Gr. 8: blue

### Apple: Fruit color



### Apple: Fruit color



#### 10. Technical Questionnaire

TECHNICAL QUESTIONNAIRE	Page (x) of (y)	Reference Number:
		Application date: (not to be filled in by the applicant)
<p>TECHNICAL QUESTIONNAIRE to be completed in connection with an application for plant breeders' rights</p>		
1. Subject of the Technical Questionnaire		
1.1 Botanical name	<input type="text" value="Malus domestica Borkh."/>	
1.2 Common name	<input type="text" value="Apple"/>	
2. Applicant		
Name	<input type="text"/>	
Address	<input type="text"/>	
Telephone No.	<input type="text"/>	

TECHNICAL QUESTIONNAIRE	Page (x) of (y)	Reference Number:
5. Characteristics of the variety to be indicated (the number in brackets refers to the corresponding characteristic in Test Guidelines; please mark the note which best corresponds).		
Characteristics	Example Varieties	Note
<b>5.5 Fruit: hue of over color - with bloom removed</b> (37)		
orange red	Cox's Orange Pippin, Egremont Russet	1[ ]
pink red	Cripps Pink, Delcourt	2[ ]
red	Alaska, Galaxy, Red Elstar, Royal Prince	3[ ]
purple red	Red Jonaprince, Spartan	4[ ]
brown red	Fiesta, Johna, Lord Burglary	5[ ]
<b>5.6 Fruit: pattern of over color</b> (39)		
only solid flush	Red Jonaprince, Richard Delicious	1[ ]
solid flush with weakly defined stripes	Galaxy	2[ ]
solid flush with strongly defined stripes	Jonagored	3[ ]
weakly defined flush with strongly defined stripes	Groverstein	4[ ]
only stripes (no flush)	Helios	5[ ]
flushed and mottled	Elstar	6[ ]
flushed, striped and mottled	Jonagold	7[ ]

### Grouping Characteristic

Function	Criteria
characteristics in which the <b>documented states of expression</b> , even where recorded <b>at different locations</b> , can be used either individually or in combination with other such characteristics:	1.(a) Qualitative characteristics or (b) Quantitative or pseudo-qualitative characteristics which provide useful discrimination between the varieties of common knowledge from documented states of expression recorded at different locations.
1. <b>to select varieties of common knowledge that can be excluded from the growing trial</b> used for examination of distinctness, and/or	2. Must be useful for functions 1 and 2.
2. <b>to organize the growing trial so that similar varieties are grouped together</b>	3. Should be an <b>asterisked characteristic</b> and/or included in the <b>Technical Questionnaire</b> or application form.

### Relationship between functions

- GROUPING CHARACTERISTICS** selected from the Table of Characteristics should, in general, **receive an asterisk** in the Table of Characteristics and be **included in the Technical Questionnaire**.
- TQ CHARACTERISTICS** selected from the Table of Characteristics should, in general, **receive an asterisk** in the Table of Characteristics and be **used as grouping characteristics**. TQ characteristics are **not restricted** to those characteristics used as grouping characteristics;
- ASTERISKED CHARACTERISTICS** are **not restricted** to those characteristics selected as grouping or TQ characteristics.

### 3. GUIDANCE ON DRAFTING TEST GUIDELINES (Document TGP/7)

#### UPOV provides guidance by:

- The "General Introduction" (TG/1/3)
  - General technical principles
  - Organization of DUS Testing
  - Associated "TGP" Documents (e.g. statistical methods)

AND

- "Test Guidelines"
  - Species/Crop-specific recommendations developed by crop experts
  - TGP/7 "Development of Test Guidelines" adopted

### 3. GUIDANCE ON DRAFTING TEST GUIDELINES

#### *a) Subject of the Test Guidelines, Material Required and Method of Examination*

#### Example

1. Subject of these Test Guidelines
  - These Test Guidelines apply to all varieties of *Theobroma cacao* L.
2. Material Required
  - 2.2 The material is to be supplied in the form of seed or plants.
  - 2.3 The minimum quantity of plant material, to be supplied by the applicant, should be:
    - seed-propagated varieties: 20 fresh seeds
    - vegetatively propagated varieties: 5 plants

46

#### Example

##### Method of Examination

##### 3.1 Number of Growing Cycles

- 3.1.1 The minimum duration of tests should normally be two independent growing cycles.
- In particular, it is essential that the trees produce a satisfactory crop of fruit in each of the two growing cycles.
- 3.1.2 The growing cycle is considered to be the duration of a single growing season, beginning with vegetative growth, followed by flowering and fruit harvest.

##### 3.4 Test Design

- 3.4.1 Each test should be designed to result in a total of at least 10 plants in the case of seed-propagated plants or, in the case of vegetatively propagated varieties, in a total of at least 5 plants.

#### Example

##### Method of Examination

##### Assessment of Distinctness

##### 4.1.4 Number of Plants / Parts of Plants to be Examined

Seed-propagated varieties: [...] all observations on single plants should be made on 10 plants or parts taken from each of 10 plants and any other observations made on all plants in the test, disregarding any off-type plants.

Vegetatively propagated varieties: [...] all observations should be made on 5 plants or parts taken from each of 5 plants, disregarding any off-type plants.

48



## Example Method of Examination

### 4.2 Uniformity

- 4.2.2 Vegetatively propagated varieties
- For the assessment of uniformity of vegetatively propagated varieties, a **population standard of 1% and an acceptance probability of 95%** should be applied. In the case of a sample size of 5 plants, no off-types are allowed.
- 4.2.3 Seed propagated varieties
- The assessment of uniformity for seed-propagated varieties should be according to the **recommendations for cross-pollinated varieties in the General Introduction**.

49


## 10 Chapters of UPOV Test Guidelines

1. Subject of the Test Guidelines
2. Material Required
3. Methods of Examination
4. Assessment of Distinctness, Uniformity and Stability
5. Grouping of Varieties and Organization of the Growing Trial
6. Introduction to the Table of Characteristics
- 7. Table of Characteristics**
8. Explanation on the Table of Characteristics
9. Literature
10. Technical Questionnaire

## TGP/7 : "Development of Test Guidelines"

### Section 3. Guidance for Drafting Test Guidelines

- The **TG Template**
- Additional Standard Wording** for the TG Template
- Guidance Notes** for the TG Template



## 3. GUIDANCE ON DRAFTING TEST GUIDELINES

*b) Method of observation (MS, MG, VS, VG)*

7. Table of Characteristics/ Tableau des caractères/ Merkmalstabelle/ Tabla de caracteres

	English	français	deutsch	español	Example Varieties/ Exemples/ Beispielsorten/ Variedades ejemplo	Note/ Nota
1.	<b>VG</b> Plant: density of foliage	Plante : densité du feuillage	Pflanze: Dichte des Laubes	Planta: densidad del follaje		
QN (a)	sparse	faible	locker	escasa	Ise-imo	3
	medium	moyenne	mittel	media	Morimoto-imo	5
	dense	dense	dicht	densa	Gankumijika-taisho	7
2.	<b>VG</b> Plant: number of branches	Plante : nombre de ramifications	Pflanze: Anzahl Triebe	Planta: número de ramas		
QN (a)	few	petit	gering	bajo	Ise-imo	3
	medium	moyen	mittel	medio	Fusaongi	5
	many	grand	groß	alto	Segoshi-2	7

### Method of Observation

#### **M: Measurement:**

an objective observation against a calibrated, linear scale e.g. using a ruler, weighing scales, colorimeter, dates, counts, etc.);

#### **V: Visual observation:**

includes observations where the expert uses reference points (e.g. diagrams, example varieties, side-by-side comparison) or non-linear charts (e.g. color charts).

"Visual" observation refers to the sensory observations of the expert and, therefore, also includes smell, taste and touch.

## TGP/9/1 "Examining Distinctness"

Method of propagation of the variety	Type of expression of characteristic		
	QL (QUAL itative)	PQ (PSEUDO qualitative)	QN (QUANT itative)
Vegetatively propagated, self-pollinated	Notes (VG)	Notes (VG) Side-by-side (VG)	Notes (VG/MG/MS) Side-by-side (VG) Statistics (MG/MS)
Cross-pollinated	Notes (VG) Statistics (VS*)	Notes (VG) Side-by-side (VG) Statistics (VS*)	Statistics ([MG]/MS/VS) Side-by-side (VG) Notes (VG/MG/MS)
Hybrids	Notes (VG) Statistics (VS*)	Notes (VG) Side-by-side (VG) Statistics (VS*)	**

## TGP/9/1 "Examining Distinctness"

**V = Visual observation**

Method of propagation of the variety	Type of expression of characteristic		
	QL (QUAL itative)	PQ (PSEUDO qualitative)	QN (QUANT itative)
Vegetatively propagated, Self-pollinated	Notes (VG)	Notes (VG) Side-by-side (VG)	Notes (VG/MG/MS) Side-by-side (VG) Statistics (MG/MS)
Cross-pollinated	Notes (VG) Statistics (VS*)	Notes (VG) Side-by-side (VG) Statistics (VS*)	Statistics ([MG]/MS/VS) Side-by-side (VG) Notes (VG/MG/MS)
Hybrids	Notes (VG) Statistics (VS*)	Notes (VG) Side-by-side (VG) Statistics (VS*)	**

## TGP/9/1 "Examining Distinctness"

**V = Visual observation or  
M = Measurement**

Method of propagation of the variety	Type of expression of characteristic		
	QL (QUAL itative)	PQ (PSEUDO qualitative)	QN (QUANT itative)
Vegetatively propagated, self-pollinated	Notes (VG)	Notes (VG) Side-by-side (VG)	Notes (VG/MG/MS) Side-by-side (VG) Statistics (MG/MS)
Cross-pollinated	Notes (VG) Statistics (VS*)	Notes (VG) Side-by-side (VG) Statistics (VS*)	Statistics ([MG]/MS/VS) Side-by-side (VG) Notes (VG/MG/MS)
Hybrids	Notes (VG) Statistics (VS*)	Notes (VG) Side-by-side (VG) Statistics (VS*)	**


## Type of Record (for the purposes of distinctness)

**G:** **single record** for a variety, or a **GROUP** of plants or parts of plants;


In most cases, "G" provides a single record per variety and it is not possible or necessary to apply statistical methods in a plant-by-plant analysis for the assessment of distinctness.

**S:** **records** for a number of **SINGLE**, individual **plants** or parts of plants ...

## Single record for a group of plants or parts of plants (G)



## Records for a number of single, individual plants or parts of plants (S)



## EXERCISE

### 3. GUIDANCE ON DRAFTING TEST GUIDELINES

*c) Types of Expression (QL, PQ, QN),  
notes and distinctness;*

## TYPE OF EXPRESSION OF CHARACTERISTICS (QL, QN, PQ)

### Types of Expression

**QL: QUALITATIVE**

**QN: QUANTITATIVE**

**PQ: PSEUDO-QUALITATIVE**

7. Table of Characteristics/ Tableau des caractères/ Merkmalstabelle/ Tabla de caracteres						
Char. No.	English	français	Deutsch	español	Example Varieties Exemples Beispielsorten Variedades ejemplo	Note/ Nota
1. (*)	Plant: growth habit	Plante : port	Pflanze: Wuchsform	Planta: porte		
QN	upright	dressé	aufrecht	erecto	Inuppink	1
	semi-upright	semi dressé	halbaufrecht	semierecto	D0158-1	2
	spreading	étalé	breitwüchsig	abierto	Sunmem 03	3
	semi-trailing	semi-étalé	halbhängend	semirrastrero	Inupsaf	4
	trailing	coureux	hängend	rastrero	Organza	5
2. (+)	Plant: height	Plante : hauteur	Pflanze: Höhe	Planta: altura		
QN	short	basse	niedrig	baja	Yateye	3
	medium	moyenne	mittel	media	D0158-1	5
	tall	haute	hoch	alta	Inuppink	7


### QUALITATIVE Characteristics

“Qualitative characteristics” are those that are **expressed in discontinuous states** (e.g. sex of plant: dioecious female (1), dioecious male (2), monoecious unisexual (3), monoecious hermaphrodite (4)).

These states are self-explanatory and independently meaningful. All states are necessary to describe the full range of the characteristic, and every form of expression can be described by a single state. The order of states is not important. As a rule, the **characteristics are not influenced by environment**.

### Qualitative characteristic

Clematis: Leaf: type




### Qualitative (QL) characteristic?

Anthocyanin coloration: QL (=absent / present)?

**NO!**

	Variety A	Variety B	Variety C
Environment A	absent	present	absent
Environment B	absent	present	present

### QL, QN or PQ?




### QUANTITATIVE Characteristics

“Quantitative characteristics” are those where the expression covers the full range of variation from one extreme to the other. The **expression can be recorded on a one-dimensional, continuous or discrete, linear scale**. The range of expression is divided into a number of states for the purpose of description (e.g. length of stem: very short (1), short (3), medium (5), long (7), very long (9)). The division seeks to provide, as far as is practical, an even distribution across the scale. The Test Guidelines do not specify the difference needed for distinctness. The states of expression should, however, be meaningful for DUS assessment.

### Quantitative Characteristic



### QL, QN or PQ?






## PSEUDO-QUALITATIVE Characteristics




In the case of “pseudo-qualitative characteristics,” the **range of expression is at least partly continuous, but varies in more than one dimension** (e.g. shape: ovate (1), elliptic (2), circular (3), obovate (4)) and cannot be adequately described by just defining two ends of a linear range. In a similar way to qualitative (discontinuous) characteristics – hence the term “pseudo-qualitative” – each individual state of expression needs to be identified to adequately describe the range of the characteristic.

## Example



## QL, QN or PQ?



## EXERCISE

## NOTES and DISTINCTNESS according to TYPE OF EXPRESSION (QL, PQ, QN)

## Types of Expression


**QL: QUALITATIVE**

**QN: QUANTITATIVE**

**PQ: PSEUDO-QUALITATIVE**

### Qualitative characteristic

Clematis: Leaf: type



### Qualitative Characteristics (special cases)

Char No.	Method of Expression	English	français	deutsch	español	Example Varieties/ Exemples/ Beispielsorten/ Variedades ejemplo	Note/ Nota
1.	MS Plant: ploidy						
QL		diploid					2
		tetraploid					4
3.	VG Stem: anthocyanin coloration						
QL		absent				Gumpoong	1
		present				Chunpoong, Gopoong	9

### Qualitative Characteristics: distinctness

In qualitative characteristics, the difference between two varieties may be considered clear if one or more characteristics have expressions that fall into **two different states in the Test Guidelines**. Varieties should not be considered distinct for a qualitative characteristic if they have the same state of expression.

(e.g. sex of plant: dioecious female (1), dioecious male (2), monoecious unisexual (3), monoecious hermaphrodite (4)).

## Types of Expression


**QL: QUALITATIVE**

**QN: QUANTITATIVE**


**PQ: PSEUDO-QUALITATIVE**

## PSEUDO-QUALITATIVE Characteristics

In the case of “pseudo-qualitative characteristics,” the **range of expression is at least partly continuous, but varies in more than one dimension** (e.g. shape: ovate (1), elliptic (2), circular (3), obovate (4)) and cannot be adequately described by just defining two ends of a linear range. In a similar way to qualitative (discontinuous) characteristics – hence the term “pseudo-qualitative” – each individual state of expression needs to be identified to adequately describe the range of the characteristic.



## Rose: flower color




## PSEUDO-QUALITATIVE Characteristics (typical examples)

24. Flower: color of the center (+)	Fleur: couleur du centre	Farbe der Mitte	Flor: color del centro	
PQ green	vert	grün	verde	1
yellow	jaune	gelb	amarillo	2
orange	orange	orange	naranja	3
pink	rose	rosa	rosa	4
red	rouge	rot	rojo	5
purple	pourpre	purpur	purpura	6

## Pseudo-Qualitative Characteristics: **distinctness**

A different state in the Test Guidelines may not be sufficient to establish distinctness (see also section 5.5.2.3). However, in certain circumstances, varieties described by the same state of expression may be clearly distinguishable.



## Types of Expression

QL: QUALITATIVE

QN: QUANTITATIVE

PQ: PSEUDO-QUALITATIVE


## QUANTITATIVE Characteristics

“Quantitative characteristics” are those where the expression covers the full range of variation from one extreme to the other. The **expression can be recorded on a one-dimensional, continuous or discrete, linear scale**. The range of expression is divided into a number of states for the purpose of description (e.g. length of stem: very short (1), short (3), medium (5), long (7), very long (9)). The division seeks to provide, as far as is practical, an even distribution across the scale. The Test Guidelines do not specify the difference needed for distinctness. The states of expression should, however, be meaningful for DUS assessment.


### Quantitative Characteristics: distinctness

Quantitative characteristics are considered for distinctness according to the method of observation and the features of propagation of the variety concerned...

### Quantitative Characteristic



### Quantitative Characteristic



### Quantitative Characteristics (1-9)

weak/strong  
short/long  
small/large

Note	State
1	very weak (or: absent or very weak)
2	very weak to weak
3	<b>weak</b>
4	weak to medium
5	<b>medium</b>
6	medium to strong
7	<b>strong</b>
8	strong to very strong
9	very strong

Note	State
1	very small (or: absent or very small)
2	very small to small
3	<b>small</b>
4	small to medium
5	<b>medium</b>
6	medium to large
7	<b>large</b>
8	large to very large
9	very large



## Quantitative Characteristics (1-9)

Standard Range Version 1	Standard Range Version 2	Standard Range Version 3	Standard Range Version 4
1 very weak (or: absent or very weak)	1 very weak (or: absent or very weak)	-	-
3 weak	3 weak	3 weak	3 weak
5 medium	5 medium	5 medium	5 medium
7 strong	7 strong	7 strong	7 strong
9 very strong	-	9 very strong	-

## Quantitative Characteristics (1-9)

State	Example 1	Example 2	Example 3	Example 4
	Size relative to:	Angle:	Position:	Length in relation to:
1	much smaller	very acute	at base	equal
3	moderately smaller	moderately acute	one quarter from base	slightly shorter
5	same size	right angle	in middle	moderately shorter
7	moderately larger	moderately obtuse	one quarter from apex end	much shorter
9	much larger	very obtuse	at apex	very much shorter

## Quantitative Characteristics (at least 3 notes)

Example 2	
1	e.g. absent or weak ( <i>absent or weakly expressed</i> )
2	moderate (or medium) ( <i>moderately expressed</i> )
3	strong ( <i>strongly expressed</i> )

State	Example 1
	<b>Stem: attitude</b>
1	erect
3	semi-erect
5	prostrate

## NOTES

*versus*

## SIDE-BY-SIDE COMPARISON

## (Quantitative characteristics)

## TGP/9/1 "Examining Distinctness"

### 5.2 Approaches for assessing distinctness

#### 5.2.1 Introduction

5.2.1.1 Approaches for assessment of distinctness based on the growing trial can be summarized as follows:

- Side-by-side visual comparison** in the growing trial (see Section 5.2.2);
- Assessment by Notes / single variety records ("Notes")**: the assessment of distinctness is based on the recorded state of expression of the characteristics of the variety (see Section 5.2.3);
- Statistical analysis of growing trial data:

### Quantitative Characteristics: distinctness

The General Introduction explains that, in the case of visually observed quantitative characteristics:

"5.2.2.2 **A direct comparison between two similar varieties is always recommended**, since direct pairwise comparisons are the most reliable. In each comparison, **a difference between two varieties is acceptable as soon as it can be assessed visually and could be measured, although such measurement might be impractical or require unreasonable effort.**"

## TGP/9/1 "Examining Distinctness"

5.2.3.1.2 Where the requirements for distinctness assessment by Notes / single variety records are met it would usually also be possible to make a side-by-side visual comparison. However, in the case of assessment by Notes / single variety records, such proximity is not required, which is a particular advantage where the growing trial contains a large number of varieties and where there are limited possibilities for ensuring that all similar varieties are grouped together in the growing trial. ...

On the other hand, because the varieties are not the subject of a side-by-side visual comparison, the difference required between varieties as a basis for distinctness is, with the exception of qualitative characteristics (see below), somewhat greater.

[illegible]

...and comparison with descriptions in databases





### Quantitative Characteristics: distinctness


## Test Guidelines (TGP/7 proposed revised text)

Difference of **two Notes** to represent a clear difference if the **comparison** between two varieties is performed **at the level of Notes**:

## WHY?



## "Two Note" rule...



...means at least ONE note difference!

### Quantitative Characteristics: distinctness

Test Guidelines (TGP/7 proposed revised text)

Difference of **two Notes** to represent a clear difference if the **comparison** between two varieties is performed **at the level of Notes**:

### Quantitative Characteristics: distinctness

TG/233/1 Diascia/Diascie, 2007-03-28 - 9 -						
	English	français	Deutsch	español	Example Varieties/ Exemples/ Beispielsorten/ Variedades ejemplo	Note/ Nota
6. (*)	(a) Leaf blade: length	Limbe: longueur	Blattspreite: Länge	Limbo: longitud		
QN	short	courte	kurz	corto	Codier, Strawberry Sundae	3
	medium	moyenne	mittel	medio	Codiusse	5
	long	longue	lang	largo	Bahusilapi, Bahuswhit	7


**1 to 9 scale: Notes 1 and 3, Notes 2 and 4, Notes 3 and 5 etc.**  
represent a clear difference

### Quantitative Characteristics: distinctness

TG/233/1 Diascia/Diascie, 2007-03-28 - 9 -						
	English	français	Deutsch	español	Example Varieties/ Exemples/ Beispielsorten/ Variedades ejemplo	Note/ Nota
5.	Stem: anthocyanin coloration below inflorescence	Tige: pigmentation anthocyanique sous inflorescence	Trieb: Anthocyanfärbung unter dem Blütenstand	Tallo: pigmentación antocianica por debajo de la inflorescencia		
QN	absent or weak	absente ou faible	fehlend oder gering	ausente o débil	Heccharn	1
	medium	moyenne	mittel	media	Hecrace	2
	strong	forte	stark	fuerte		3

**1 to 3 scale: only Notes 1 and 3** represent a clear difference

## Process levels other than Notes...



**Transformation of Observations and Measurements into Notes for Distinctness and for Variety Descriptions**

Beate Rücker  
Federal Variety Office, Hannover, Germany

Seminar on DUS Testing, Geneva, March 18-20, 2010

UPOV Documents

First restricted areas

CAJ	Administrative and Legal Committee
CAJ-AG	Administrative and Legal Committee Advisory Group
TC	Technical Committee
TC-AG	Technical Committee Advisory Group
TC-AG-1	Technical Working Party for Agricultural Crops
TC-AG-2	Technical Working Party for Horticultural and Ornamental Crops
TC-AG-3	Technical Working Party for Pasture and Forage Crops
TC-AG-4	Technical Working Party for Ornamental Plants and Forest Trees
TC-AG-5	Technical Working Party for Vegetables
TC-AG-6	Working Group on Biotechnological and Molecular Techniques, and DNA Profiling in Plant Breeding
TC-AG-7	Ad hoc Subgroup of Technical and Legal Experts of Biotechnological and Molecular Techniques
TC-AG-8	Working Group on Biotechnological and Molecular Techniques, and DNA Profiling in Plant Breeding - Crop Subgroups
TC-AG-9	Ad hoc Working Group to Study the Impact of Plant Breeders' Rights
TC-AG-10	Ad hoc Working Group on the Publication of Variety Descriptions
TC-AG-11	Ad hoc Working Group on Variety Denominations
TC-AG-12	TC-AG-12: Training
TC-AG-13	UPOV, Geneva, March 18 to 20, 2010

## 3. GUIDANCE ON DRAFTING TEST GUIDELINES


### d) Shape and Color Characteristics

## TGP/14: Shape

Characteristics related to shape, could use the following components:

- Shape: e.g. ovate (1), elliptic (2), circular (3), obovate (4)...
- Ratio length/ width (from low to high)
- Position of broadest part
- Shape of base
- Shape of apex
- Lateral outline

## TGP/14: Shape




## TGP/14: Shape

1.6 The following chart (Chart for Other Plane Shapes) illustrates some other common plane shapes:

### Chart for Other Plane Shapes

For each of the shapes below, ranges for ratio length/width (or ratio width/length) and position of broadest part can be developed, in a similar way to that shown in the Chart for Simple Symmetric Plane Shapes (Section 1.5).




## TGP/14: Shape

Alternative 1:  
ratio length/width



Alternative 2:  
Shape



## TGP/14: Shape



### Alternative 1

- (a) position of broadest part (QN):  
e.g. strongly towards base (1); moderately towards base (3); at middle (5); moderately towards apex (7); strongly towards apex (9)
- (b) ratio length/width (QN):  
e.g. very low (1); low (3); medium (5); high (7); very high (9)

## TGP/14: Shape

Alternative 2  
General shape (PQ): triangular (1); ovate (2); circular (3); elliptic (4); oblong (5); linear (6); obovate (7); oblanceolate (8); spatulate (9); obtriangular (10)

(Note: Where the overall shape is presented as a single pseudo-qualitative characteristic, the order of states should be: primary under broadest part below middle to broadest part above middle, secondary order, broad to narrow (low to high ratio length/width).)

		broadest part		
		(below middle)	at middle	(above middle)
level of precision	narrow (high)		6 linear	
	width (ratio length/width)		5 oblong	7 obovate
	width (ratio length/width)	1 triangular	2 ovate	3 circular
	broad (low)		4 elliptic	8 oblanceolate

## TGP/14: Color

		state of expression	example
level of precision	low	single color	yellow, orange, red
	medium	color range	(a) yellow, yellow orange, orange, orange red, red (b) white, yellowish white, yellow, yellowish orange
	high	intensity	light yellow, medium yellow, dark yellow
	very high	RHS Colour Chart No.	RHS 41 B

Species?  
Level of variation?

## TGP/14: Color

### Single color

- A single color has the lowest precision to describe the state of expression.
- Example: Flower: color: white (1); yellow (2); orange (3); red (4)

## TGP/14: Color Color range

- (a) In color combinations the second color indicates the predominant color with **blending of both colors, resulting in what can look like a single color**. For example in "green red" the predominant color is red and in "red green" the predominant color is green.
- Example: Flower: color: white (1); yellow white (2); yellow (3); yellow orange (4); orange (5)
- (b) The use of "ish" in color combinations indicates that there is a **predominant color** (e.g. yellow) together with another minor color. For example,
- Example: Flower: color: whitish (1); yellowish (2); greenish (3)

## TGP/14: Color Intensity

- Depending on the organ described, the intensity can be presented either in relation to a single color or in combination with different colors (example 2).
- Example 1: Leaf: green color of upper side: light (3); medium (5); dark (9)
- Example 2: Flower: color: white (1); light yellow (2); medium yellow (3); dark yellow (4); orange (5)

## TGP/14: Color Color Chart

- The "RHS Colour Chart" because of its worldwide availability.
  - UPOV names for colors in document TGP/14: ANNEX.
- "Because daylight varies, color determinations made against a color chart should be made either in a suitable cabinet providing artificial daylight or in the middle of the day in a room without direct sunlight. The spectral distribution of the illuminant for artificial daylight should conform with the CIE Standard of Preferred Daylight D 6500 and should fall within the tolerances set out in the British Standard 950, Part 1. These determinations should be made with the plant part placed against a white background".
- Observations should not be made in direct sunlight. The observations should be made on a cloudy day with sufficient light intensity, or in a shaded area.

Allocation of UPOV Color Groups for each RHS Color in RHS Reference order  
RHS COLORS (RHS COLOUR CHART, EDITIONS 1986, 1995, 2001 AND 2007)  
BY UPOV COLOR GROUPS

UPOV group No.	No. RHS	English	français	deutsch	español
11	001A	yellow	jaune	gelb	amarillo
5	001B	yellow green	vert-jaune	gelbgrün	verde amarillento
5	001C	yellow green	vert-jaune	gelbgrün	verde amarillento
5	001D	yellow green	vert-jaune	gelbgrün	verde amarillento
11	002A	yellow	jaune	gelb	amarillo
11	002B	yellow	jaune	gelb	amarillo
5	002C	yellow green	vert-jaune	gelbgrün	verde amarillento
5	002D	yellow green	vert-jaune	gelbgrün	verde amarillento
11	003A	yellow	jaune	gelb	amarillo
11	003B	yellow	jaune	gelb	amarillo
11	003C	yellow	jaune	gelb	amarillo
5	003D	yellow green	vert-jaune	gelbgrün	verde amarillento
11	004A	yellow	jaune	gelb	amarillo
11	004B	yellow	jaune	gelb	amarillo
5	004C	yellow green	vert-jaune	gelbgrün	verde amarillento
10	004D	light yellow	jaune clair	hellgelb	amarillo claro
11	005A	yellow	jaune	gelb	amarillo
11	005B	yellow	jaune	gelb	amarillo
11	005C	yellow	jaune	gelb	amarillo
10	005D	light yellow	jaune clair	hellgelb	amarillo claro
11	006A	yellow	jaune	gelb	amarillo
11	006B	yellow	jaune	gelb	amarillo
11	006C	yellow	jaune	gelb	amarillo
10	006D	light yellow	jaune clair	hellgelb	amarillo claro
11	007A	yellow	jaune	gelb	amarillo
11	007B	yellow	jaune	gelb	amarillo
11	007C	yellow	jaune	gelb	amarillo
11	007D	yellow	jaune	gelb	amarillo

## TGP/14: Color APPROACHES TO DESCRIBE COLORS AND COLOR PATTERNS

- depends on the number of colors...
- the types of color distribution...
- and the number of color patterns possible for the species concerned.

## TGP/14: Color

Approach according to the size of the surface area

- (a) only a few colors, a few types of color distribution and a few patterns to be described,
- the colors are described according to the size of the surface area they cover

**“The main color is the color with the largest surface area.  
In cases where the areas of the main and secondary color are  
too similar to reliably decide which color has the largest area,  
[the darkest color] / [the color...[location]Q]  
is considered to be the main color.”**

## TGP/14: Color

### Approach according to tissue layers

- one layer is covering the other:
- (a) Ground color (**not always the largest surface area**):
  - (i) the **first color to appear** chronologically.
  - (ii) has a **continuous dispersion** across the surface.
- (b) Over color (not always occupying the smallest surface area):
  - a **second color**, such as a flush, spots or blotches developed over time.

### APPLE – TG/14/9

35. (*)	Fruit: ground color		37. (*)	Fruit: hue of over color – with bloom removed	
PQ	(f) not visible	1	PQ	(f) orange red	1
	whitish yellow	2		pink red	2
	yellow	3		red	3
	whitish green	4		purple red	4
	yellow green	5		brown red	5
	green	6			

### Phalaenopsis (TG/213/2(proj.7))



**Petal: ground color – RHS Colour Chart 155A - white**  
**Petal: over color – RHS Colour Chart 83A – dark violet**


## TGP/14: Color

### Approach according to defined parts of an organ

- (a) **If the different parts of a plant organ can have different colors**, the color of these different parts can be described separately.
- Example:
  - Petal: color of margin
  - Petal: color of middle zone
  - Petal: color of base
- (b) When an organ has **one color with different intensities**, the parts of the organ which are lighter or darker could be described as follows:
- Example:
  - Ray floret: color distribution on upper side:
    - lighter towards base (1); even (2); lighter towards apex (3)

## TGP/14: Color

Ad. 12: Outer tepal: main color of **central zone**  
 Ad. 13: Outer tepal: main color of **top zone** (green tip excluded)  
 Ad. 14: Outer tepal: main color of **lateral zone**  
 Ad. 15: Outer tepal: main color of **basal zone**



## Approach according to the RHS Colour Chart number ("Lisbon" approach)


- All colors of the plant part concerned are assessed using the RHS Colour Charts first.
- The color should first be described, followed by:
  - distribution,
  - pattern
  - area,
  - conspicuousness of the color (if necessary).
- The same sequence should be followed for color two, color three and so on. I

## Heuchera and Heucherella (TG/280/1)



- 36. Leaf blade: color one – RHS Colour Chart – Yellow-Green 144C
- 37. Leaf blade: color one: distribution – marginal zone (7)
- 38. Leaf blade: color one: pattern – solid or nearly solid (5)
- 39. Leaf blade: color one: total area – very small to small (2)
- 40. Leaf blade: color two – RHS Colour Chart – Greyed-Orange 176B
- 41. Leaf blade: color two: distribution – along veins (2)
- 42. Leaf blade: color two: pattern – solid or nearly solid (5)
- 43. Leaf blade: color two: total area – small (3)
- 44. Leaf blade: color three – RHS Colour Chart – Greyed-Orange 177D but more grey
- 45. Leaf blade: color three: distribution – between veins in intermediate zone (6)
- 46. Leaf blade: color three: pattern – solid or nearly solid (5)
- 47. Leaf blade: color three: total area – large (7)
- 48. Leaf blade: color four – RHS Colour Chart – not applicable
- 49. Leaf blade: color four: distribution – none (1)
- 50. Leaf blade: color four: pattern – not applicable
- 51. Leaf blade: color four: total area – not applicable

## TGP/14: Color



## TGP/14: Color

### Order of states of expression

- normally presented in the following order: white, green, yellow, orange, pink, red, purple, violet, blue, brown, black
- chronological appearance of the color (e.g. as the fruit ripens)

## 3. GUIDANCE ON DRAFTING TEST GUIDELINES

### e) Example Varieties





TG/13/9  
Lettuce/Laitue/Salat/Lachuga, 2004-03-31  
- 7 -

7. Table of Characteristics/ Tableau des caractères/ Merkmalstabelle/ Tabla de caracteres


	English	français	Deutsch	español	Example Varieties Exemples Beispielsorten Variedades ejemplo	Note/ Nota
1. (*)	Seed: color	Semence: couleur	Samen: Farbe	Semilla: color		
	white	blanche	weiß	blanco	Verpia	1
	yellow	jaune	gelb	amarillo	Durango	2
	black	noire	schwarz	negro	Kagraner Sommer	3
2. (*) (*)	Seedling: anthocyanin coloration	Plantule: pigmentation anthocyanique	Keimflanze: Anthocyanfärbung	Plantula: pigmentación antocianica		
	absent	absente	fehlend	ausente	Verpia	1
	present	présente	vorhanden	presente	Pirat	9
3.	Seedling: size of cotyledon (fully developed)	Plantule: taille du cotylédon (à complet développement)	Keimflanze: Größe des Keimblatts (voll entwickelt)	Plantula: tamaño del cotiledón (plenamente desarrollado)		
	small	petit	klein	pequeño	Romance	3
	medium	moyen	mittel	medio	Expresse	5
	large	grand	groß	grande	Verpia	7

TG/219/1 Perilla/Pérille/Perilla/Perilla, 2004-03-31 - 10 -					
English	français	deutsch	español	Example Varieties/ Ejemplos/ Beispielsorten/ Variedades ejemplo	Note/ Nota
14. VG Leaf blade: intensity of purplish color of lower side	Limbe: intensité de la couleur pourpre de la face inférieure	Blattspreite: Intensität der Purpurfarbe der Unterseite	Limbe: intensidad del color púrpura del envés		
QN (a) very light	très claire	sehr hell	muy claro		1
light	claire	hell	claro	Perlime	3
medium	moyenne	mittel	medio		5
dark	foncée	dunkel	oscuro	Perro	7
very dark	très foncée	sehr dunkel	muy oscuro	Bora, Purple	9
15. VG Leaf blade: profile	Limbe: profil	Blattspreite: Profil	Limbe: perfil		
QN (a) concave	concave	konkav	cóncavo	Perro	3
plane	plan	flach	plano	Pergo, Sacyempul	5
convex	convexe	konvex	convexo		7

TG/219/1 Brachycome/Brachy Compositum, 2005-04-06 - 7 -					
English	français	deutsch	español	Example Varieties/ Ejemplos/ Beispielsorten/ Variedades ejemplo	Note/ Nota
1. (*)	Plant: growth type	Plante: type de croissance	Pflanze: Wuchstyp	Planta: tipo de crecimiento	
QL (a)	basal clusters	en amas à la base	basale Büschel	en racimos basales	1
	bushy	boisonnant	buschig	arborescent	2
2. (*)	Only varieties with limb, smooth type	Varia à type de calice	Nur Sorten mit blühenden	Solo variedades con tipo de crecimiento	
	Plant: predominant attitude of stems	dominant Plant: pour le plus fréquent des tiges	dominante Plant: Anzahl der Triebe	dominante Plant: porte prédominante de la tige	
QN (a)	upright	droites	aufrecht	erecto	1
	semi upright	demi-droites	halbaufrecht	semierecto	3
	horizontal	horizontales	horizontal	horizontal	5
3. (*)	Only varieties with limb, smooth type	Varia à type de calice	Nur Sorten mit blühenden	Solo variedades con tipo de crecimiento	
	Plant: number of stems	dominant Plant: Anzahl der Triebe	dominante Plant: Anzahl der Triebe	dominante Plant: número de tallos	
QN (a)	few	peu nombreuses	klein	bajo	3
	medium	moyennement nombreuses	mittel	medio	5
	many	nombreuses	groß	alto	7
4. (*)	Plant: height including flowers	Plante: hauteur, fleurs comprises	Pflanze: Höhe einschließlich Blüten	Planta: altura, incluidas las flores	
QN (a)	short	basse	niedrig	corta	Maril Gras 3
	medium	moyenne	mittel	media	Breakaday 5
	tall	élevée	hoch	larga	Happy Face Pink 7







### 3. GUIDANCE ON DRAFTING TEST GUIDELINES

*f) The process for developing UPOV Test Guidelines, including: TG Template; Additional Standard Wording; and Guidance Notes;*

#### Genera and Species

- **>3,400 genera and species** with varieties examined for PBR
- **>3,300 genera and species** for which UPOV members have practical DUS experience
- **301Test Guidelines** adopted

Note: **301Test Guidelines** estimated to cover **91% of PBR-related varieties in UPOV Plant Variety Database**

#### PRIORITY for UPOV Test Guidelines

**PRIORITY** for species or crops with high:

- number of **authorities** receiving PBR applications;
- number of **PBR applications**;
- number of **foreign applications** received by UPOV members;
- **economic importance**;
- level of **breeding activity**

#### EXAMPLE (New Test Guidelines)

Test Guidelines: ***Plantus magnifica* L.**  
(Common name: **Alpha**)

Technical Working Party: **TWX**

TWX (2013):	Alpha (proj. <b>1</b> )
TWX (2014):	Alpha (proj. <b>2</b> )
TWX (2015):	Alpha (proj. <b>3</b> )
Enlarged Editorial Committee (2016):	Alpha (proj. <b>4</b> )
Technical Committee (2016):	Alpha (proj. <b>5</b> )
Final adopted document (2016):	<b>TG/500/1</b>

#### **TGP/7 :“Development of Test Guidelines”**

**Procedure for the Introduction and Revision of UPOV Test Guidelines**

Proposals (New TG, Revisions, Corrections)  
Criteria to be observed  
Approval  
Preparation of draft TG for the TWP  
Leading Expert  
Subgroup  
Submission to the TC  
Requirements for “final” draft  
Consideration by the TC-EDC  
Adoption of the TG by the TC

## Web-Based TG Template

### Table of Characteristics

UPOV International Union for the Protection of New Varieties of Plants

Home Members News Dashboard

Name Subject Material Examination Assessments Characteristics Literature Technical Questions Status Review

#### 7. Table of Characteristics

Search Adopted Characteristics

Flower stem length

Search Results List

Select	Seq No.	Name	Status of Expression/Notes	Example Varieties *	Grouping	Type of Expression	Methods of Observation	Growth Stages	Explanation	TG Name	TG Reference
<input checked="" type="radio"/>	18	Flower stem length	short3 medium5 long7	Happy Face Pink Strawberry Mousse, Mely Mousse	(C)	QN			(+)	Brachycome	TG2291
<input type="radio"/>	25	Flowering stem length of flowering part	short3 medium5 long7		(C)	QN	VG/MS			Flax-Ry, Daniela	TG2891
<input type="radio"/>	54	Flowering stem length	short3 medium5 long7	Malagasy Brass Lettuce French Quarter	(D)	QN	VG/MS		(+)	Heuchera, Heuchera	TG2891

152

## Table of Characteristics

Enter New Characteristics

Name	Status of Expression	Notes	Example Varieties	*	Grp	Type of Expr	Methods of Obs	Type of Plot	Growth Stages	Add to TGS	Expl. on media char.	Expl. on several char.
Flower stem length	short	5	Baron Balin Baris	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	medium	5		<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	long	7		<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

153

## Choosing ASW (and associated Guidance Notes)

UPOV International Union for the Protection of New Varieties of Plants

Home Members News Dashboard

Name Subject Material Examination Assessments Characteristics Literature Technical Questions Status Review

#### Method of Examination

Number of Growing Cycles

☐ Single growing cycle

☒ Two independent growing cycles

Please select if applicable:

☐ Other

Please specify (This box accepts 4000 characters)

☐ Is a satisfactory crop of fruit required?

☐ Fruit species with clearly defined dormant period

☐ Fruit species with no clearly defined dormant period

Additional Information (This box accepts 4000 characters)

Number of growing cycles (ASW 2)

Explanation of the growing cycle (GN 1)

Explanation of the growing cycle (ASW 3)

154

## Comment Function for Interested Experts

Name	Subject	Material	Examination	Assessments	Characteristics	Literature	Technical Questions	Status	Review			
Table of Characteristics												
List of Characteristics												
View Grouping Summary												
View explanation covering several characteristics												
Seq.No.	Name	States of Expression/Notes	Example Varieties	*	Grouping	Type of Expression	Methods of Observation/Type of Plot	Growth Stages	Add to TGS	Explanation covering several characteristics	Explanation covering individual characteristic	Add IE Comments
1	Plant growth habit	upright1 semi upright2 spreading3	Nagami Mitsu Fushimi	<input checked="" type="checkbox"/>	<input type="checkbox"/>	QN	VG		<input type="checkbox"/>	<a href="#">View Explanation</a>	<a href="#">View Explanation</a>	<a href="#">Add Comments</a>
2	Plant density of branches	sparsa3 medium5 densa7	Tatsumoto-Matsui Mitsu Matsui	<input checked="" type="checkbox"/>	<input type="checkbox"/>	QN	VG		<input type="checkbox"/>	<a href="#">View Explanation</a>	<a href="#">View Explanation</a>	<a href="#">Add Comments</a>
3	One-year-old shoot length	short3 medium5 long7	Nagami Mitsu Tatsumoto-Matsui	<input checked="" type="checkbox"/>	<input type="checkbox"/>	QN	MS VG		<input type="checkbox"/>	<a href="#">View Explanation</a>	<a href="#">View Explanation</a>	<a href="#">Add Comments</a>
4	One-year-old shoot thickness	thry1 medium3 thick5	Morumi Nagami Mitsu	<input checked="" type="checkbox"/>	<input type="checkbox"/>	QN	MS VG		<input type="checkbox"/>	<a href="#">View Explanation</a>	<a href="#">View Explanation</a>	<a href="#">Add Comments</a>
5	One-year-old shoot length of internode	short3 medium5 long7	Nagami Mitsu Tatsumoto-Matsui	<input checked="" type="checkbox"/>	<input type="checkbox"/>	QN	MS VG		<input type="checkbox"/>	<a href="#">View Explanation</a>	<a href="#">View Explanation</a>	<a href="#">Add Comments</a>

155

## 4. AGENDA for the TWP Session

</

## EXCHANGING INFORMATION

UPOV Technical Working Party for Agricultural Crops (TWA), Forty-Third Session, Mar del Plata, Argentina					
	Monday, November 17 Start 8:00	Tuesday, November 18 Start 8:30	Wednesday, November 19 Start 8:00	Thursday, November 20 Start 8:30	Friday, November 21 Start 8:30
08.30	1. Opening 2. Adoption of the agenda (TWA43/1) (new) 3. Short reports on developments in EUC (a) Reports from members and observers (TWA43/29 Prior.) (b) Reports on developments within UPOV (TWA43/24)	TOP documents (prior) TOPB: Trial Design and Techniques Used in DU Examination Uniformity due to Different Observers (TWA43/15) Method of Calculation of UO/U (TWA43/16) Examining CUS in Bulk Samples (TWA43/17) Producing Variety Descriptions (TWA43/18) Blind Randomized Trials (TWA43/19)	8:00-9:00 Wheat (FR)  Technical Visit Departure: 9:00	4. Improving the Effectiveness of the Uniformity and Exchangeability Workshop (TWA43/11)  5. Molecular Techniques (TWA43/2)	8. Information and databases (a) UPOV information databases (TWA43/5) (b) Variety description databases (TWA43/6) (c) Exchangeable software (TWA43/7) (d) Electronic application systems (TWA43/8)  10. Recommendations on Test Guidelines
10.45	COFFEE	COFFEE		COFFEE	COFFEE
11.00	6. TOP documents (TWA43/2 and TWA43/20 Add.) TOPB: Glossary of Terms Used in UPOV Documents (TWA43/22) TOPB: Development of Test Guidelines Plant material submitted for examination (TWA43/12 and TWA43/13 Add.) Coverage of the Test Guidelines (TWA43/14) Drafting to Test Guidelines (TWA43/14)	TOP documents (prior) TOPB: Trial Design and Techniques Used in DU Examination Image Analysis (TWA43/20) Visually observed characteristics (TWA43/21) TOPB: Examining Distinctness (TWA43/23) Schematic overview Photographs Single Measurement (MG)  New proposals for Test Guidelines	Return: 19:00	7. Variety denominations (TWA43/4)  9. Uniformity assessment (TWA43/9)  10. Development of a regional set of example varieties for wheat in South America  11. Experience with new Types and Species (cont'd)  14. Guidance for drafters of TGAs (TWA43/10)	13. UPOV 2008 Presentation 15. Future sessions 17. Adoption of report 18. Closing of the session
12.30	LUNCH	LUNCH		LUNCH	LUNCH
14.00	*Uruguay (BR) *Uruguay (AR)	*Austria (JP) *Uruguay (DK)		*Canada (BR/NE) *Austria (JP)	
15.30	COFFEE	COFFEE		COFFEE	15.00 END OF SESSION
16.00	*Sorghum (ES)	Wheat (FR)		Castor bean (ZA) Reserve	
17.30		11. Experience with new Types and Species Presentation by electronic means *Uruguay (prior) (NG)		Reserve Reserve	
19.00	RECEPTION				
21.00					

## AN OPPORTUNITY for TRAINING

	TWA	TWC	TWF	TWO	TWW	BMT
1994	Spain	Israel	New Zealand	Australia	United Kingdom	France
1995	Germany	Poland	United Kingdom	Netherlands	Netherlands	Netherlands
1996	Greece	Germany	Israel	Israel	Czech Rep.	
1997	Uruguay	Hungary	Netherlands	Denmark	Spain	United Kingdom
1998	France	Belgium	Australia	New Zealand	Poland	USA
1999	Canada	Finland	Slovakia	Czech Rep.	Germany	
2000	Sweden	Ukraine	Hungary	Hungary	France	France
2001	Mexico	Czech Rep.	Spain	Japan	Italy	Germany
2002	Brazil	Mexico	Argentina	Ecuador	Japan	
2003	Japan	Denmark	Canada	Canada	Netherlands	Japan
2004	Poland	China (workshop)	Germany	Germany	Rep. of Korea	
2005	New Zealand	Canada	Japan	Rep. of Korea	Slovakia	USA
2006	China	Kenya	Brazil	Brazil	Mexico	Rep. of Korea
2007	Hungary	Romania	Rep. of Korea	China	Kenya	
2008	South Africa	Rep. of Korea	Portugal	Netherlands	Poland	Spain
2009	Rep. of Korea	USA	France	European Union	China	
2010	Croatia	European Union	Mexico	Mexico	Bulgaria	Canada
2011	Brazil	Geneva - UPOV	Japan	Japan	USA	Brazil
2012	France	Rep. Moldova	China	Rep. of Korea	Netherlands	

## 5. FEEDBACK FROM PARTICIPANTS

Survey to seek views on improving the effectiveness of the Preparatory Workshops