Method of observation (V/M; G/S)

TG/250/1 Yam/Igname/Yamswurzel/Ñame, 2009-04-01 - 7 -

7. Table of Characteristics/Tableau des caractères/Merkmalstabelle/Tabla de caracteres

		English	français	deutsch	español	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	Note/ Nota
1.	VG	Plant: density of foliage	Plante : densité du feuillage	Pflanze: Dichte des Laubes	Planta: densidad del follaje		
QN	(a)	sparse	faible	locker	escasa	Ise-imo	3
		medium	moyenne	mittel	media	Morimoto-imo	5
		dense	dense	dicht	densa	Gankumijika-taisho	7
2.	VG	Plant: number of branches	Plante : nombre de ramifications	Pflanze: Anzahl Triebe	Planta: número de ramas		
QN	(a)	few	petit	gering	bajo	Ise-imo	3
		medium	moyen	mittel	medio	Fusaougi	5
		many	grand	groß	alto	Segoshi-2	7

Method of Observation

M: Measurement:

an objective **observation against a calibrated, linear scale** e.g. using a ruler, weighing scales, colorimeter, dates, counts, etc.);

V: Visual observation:

includes observations where the expert uses **reference points** (e.g. diagrams, example varieties, side-by-side comparison) or non-linear charts (e.g. color charts).

"Visual" observation refers to the sensory observations of the expert and, therefore, also **includes smell, taste and touch**.

TGP/9/1 "Examining Distinctness"

	Type of expression of characteristic			
Method of propagation of the variety	Q L (QUAL itatative)	PQ (PSEUDO qualitative)	Q N (QUANT itative)	
Vegetatively propagated, self-pollinated	Notes (VG)	Notes (VG) Side-by-side (VG)	<i>Notes (VG/MG/MS) Side-by-side (VG) Statistics (MG/MS)</i>	
Cross-pollinated	<i>Notes (VG) Statistics (VS*)</i>	<i>Notes (VG) Side-by-side (VG) Statistics (VS*)</i>	<i>Statistics ([MG]/MS/VS) Side-by-side (VG) Notes (VG/MG/MS)</i>	
Hybrids	<i>Notes (VG) Statistics (VS*)</i>	Notes (VG) Side-by-side (VG) Statistics (VS*)	**	

TGP/9/1 "Examining Distinctness"

	V= Visual o		
	Туре о	ristic	
Method of propagation of the variety	QL (QUAL itatative)	PQ (PSEUDO qualitative)	QN (QUANT itative)
Vegetatively propagated, Self-pollinated	Notes (VG)	Notes (VG) Side-by-side (VG)	<i>Notes (VG/MG/MS) Side-by-side (VG) Statistics (MG/MS)</i>
Cross-pollinated	Notes (VG) Statistics (VS*)	Notes (VG) Side-by-side (VG) Statistics (VS*)	<i>Statistics ([MG]/MS/VS) Side-by-side (VG) Notes (VG/MG/MS)</i>
Hybrids	Notes (VG) Statistics (VS*)	Notes (VG) Side-by-side (VG) Statistics (VS*)	**

TGP/9/1 "Examining Distinctness"

	ual observation Measureme		
	acteristic		
Method of propagation of the variety	QL (QUAL itatative)	PQ (PSEUDO qualitative	Q N (QUANT itative)
Vegetatively propagated, self-pollinated	Notes (VG)	Notes (VG) Side-by-side (VG)	Notes (VG/MG/MS) Side-by-side (VG) Statistics (MG/MS)
Cross-pollinated	<i>Notes (VG) Statistics (VS*)</i>	<i>Notes (VG) Side-by-side (VG) Statistics (VS*)</i>	<i>Statistics ([MG]/MS/VS) Side-by-side (VG) Notes (VG/MG/MS)</i>
Hybrids	<i>Notes (VG) Statistics (VS*)</i>	Notes (VG) Side-by-side (VG) Statistics (VS*)	**

Type of Record

(for the purposes of distinctness)

<u>G</u>: single record for a variety, or a **GROUP of plants** or parts of plants;

In most cases, "G" provides a single record per variety and it is not possible or necessary to apply statistical methods in a plantby-plant analysis for the assessment of distinctness.

S: records for a number of **SINGLE**, individual **plants** or parts of plants ...

Single record for a group of plants or parts of plants (G)

Section 4.3.2.3 Example (VG): Flower: type (tulip: vegetatively propagated)



Section 4.3.2.3 Example (VG): Lowest leaf: hairiness of leaf sheaths (barley: self-pollinated)

single variety record

Section 4.3.2.3 Example (MG): Plant: height (wheat: self-pollinated)

Section 4.3.2.4 Example: (statistical analysis)





