

TG/PRUNU_PAD(proj.1)

ORIGINAL: English DATE: 2007-06-01

INTERNATIONAL UNION FOR THE PROTECTION OF NEW VARIETIES OF PLANTS GENEVA

DRAFT

BIRD CHERRY

UPOV species code: PRUNU PAD

Prunus padus L.

GUIDELINES

FOR THE CONDUCT OF TESTS

FOR DISTINCTNESS, UNIFORMITY AND STABILITY

prepared by an expert from Hungary

to be considered by the Technical Working Party for Ornamental Plants and Forest Trees at its fortieth session, to be held in Kunming, China, from July 2 to 6, 2007

Alternative Names:*

Botanical name	English	French	German	Spanish
Prunus padus L.	Bird cherry, European bird cherry	Merisier á grappes	Trubenkirsche	Cereso de racimo

The purpose of these guidelines ("Test Guidelines") is to elaborate the principles contained in the General Introduction (document TG/1/3), and its associated TGP documents, into detailed practical guidance for the harmonized examination of distinctness, uniformity and stability (DUS) and, in particular, to identify appropriate characteristics for the examination of DUS and production of harmonized variety descriptions.

ASSOCIATED DOCUMENTS

These Test Guidelines should be read in conjunction with the General Introduction and its associated TGP documents.

^{*} These names were correct at the time of the introduction of these Test Guidelines but may be revised or updated. [Readers are advised to consult the UPOV Code, which can be found on the UPOV Website (www.upov.int), for the latest information.]

TG/PRUNU_PAD(proj.1) Bird Cherry, 2007-06-01 - 2 -

<u>TA</u>	ABLE OF CONTENTS	<u>PAGE</u>
1.	SUBJECT OF THESE TEST GUIDELINES	2
2.	MATERIAL REQUIRED	
3.	METHOD OF EXAMINATION	
	3.1 Number of Growing Cycles	
	3.2 Testing Place	
	3.3 Conditions for Conducting the Examination	
	3.4 Test Design	
	3.5 Number of Plants / Parts of Plants to be Examined	
	3.6 Additional Tests	4
4.	ASSESSMENT OF DISTINCTNESS, UNIFORMITY AND STABILITY	4
	4.1 Distinctness	4
	4.2 Uniformity	5
	4.3 Stability	
5.	GROUPING OF VARIETIES AND ORGANIZATION OF THE GROWING TRIAL	
6.	INTRODUCTION TO THE TABLE OF CHARACTERISTICS	6
	6.1 Categories of Characteristics	6
	6.2 States of Expression and Corresponding Notes	6
	6.3 Types of Expression	6
	6.4 Example Varieties	
	6.5 Legend	7
7.	TABLE OF CHARACTERISTICS/TABLEAU DES	
	CARACTÈRES/MERKMALSTABELLE/TABLA DE CARACTERES	8
8.	EXPLANATIONS ON THE TABLE OF CHARACTERISTICS	14
9.	LITERATURE	17
10.	TECHNICAL QUESTIONNAIRE	18

1. Subject of these Test Guidelines

These Test Guidelines apply to all varieties of *Prunus padus* L. of the family of Rosaceae, and its other hybrids as far as they are morphologically similar.

2. Material Required

- 2.1 The competent authorities decide on the quantity and quality of the plant material required for testing the variety and when and where it is to be delivered. Applicants submitting material from a State other than that in which the testing takes place must ensure that all customs formalities and phytosanitary requirements are complied with.
- 2.2 The material is to be supplied in the form of three-year-old trees grafted on a rootstock.

In the case of grafted plants, the rootstock to be used is specified by the competent authority.

2.3 The minimum quantity of plant material, to be supplied by the applicant, should be:

6 trees

- 2.4 The plant material supplied should be visibly healthy, not lacking in vigor, nor affected by any important pest or disease.
- 2.5 The plant material should not have undergone any treatment which would affect the expression of the characteristics of the variety, unless the competent authorities allow or request such treatment. If it has been treated, full details of the treatment must be given.

3. Method of Examination

3.1 Number of Growing Cycles

The minimum duration of tests should normally be: two independent growing cycles.

3.2 Testing Place

Tests are normally conducted at one place. In the case of tests conducted at more than one place, guidance is provided in TGP/9 "Examining Distinctness".

3.3 Conditions for Conducting the Examination

3.3.1 The tests should be carried out under conditions ensuring satisfactory growth for the expression of the relevant characteristics of the variety and for the conduct of the examination.

3.3.2 The recommended method of observing the characteristic is indicated by the following key in the second column of the Table of Characteristics.

MG: single measurement of a group of plants or parts of plants

MS: measurement of a number of individual plants or parts of plants

VG: visual assessment by a single observation of a group of plants or parts of plants

VS: visual assessment by observation of individual plants or parts of plants

3.3.3 Observation of color by eye

Because daylight varies, color determinations made against a color chart should be made either in a suitable cabinet providing artificial daylight or in the middle of the day in a room without direct sunlight. The spectral distribution of the illuminant for artificial daylight should conform with the CIE Standard of Preferred Daylight D 6500 and should fall within the tolerances set out in the British Standard 950, Part I. These determinations should be made with the plant part placed against a white background.

3.4 Test Design

- 3.4.1 Each test should be designed to result in a total of at least 6 trees.
- 3.4.2 The design of the tests should be such that plants or parts of plants may be removed for measurement or counting without prejudice to the observations which must be made up to the end of the growing cycle.
- 3.5 Number of Plants / Parts of Plants to be Examined

Unless otherwise indicated, all observations should be made on 6 plants or parts taken from each of 6 plants."

3.6 Additional Tests

Additional tests, for examining relevant characteristics, may be established.

- 4. <u>Assessment of Distinctness, Uniformity and Stability</u>
- 4.1 Distinctness
 - 4.1.1 General Recommendations

It is of particular importance for users of these Test Guidelines to consult the General Introduction prior to making decisions regarding distinctness. However, the following points are provided for elaboration or emphasis in these Test Guidelines.

4.1.2 Consistent Differences

The differences observed between varieties may be so clear that more than one growing cycle is not necessary. In addition, in some circumstances, the influence of the environment is not such that more than a single growing cycle is required to provide

assurance that the differences observed between varieties are sufficiently consistent. One means of ensuring that a difference in a characteristic, observed in a growing trial, is sufficiently consistent is to examine the characteristic in at least two independent growing cycles.

4.1.3 Clear Differences

Determining whether a difference between two varieties is clear depends on many factors, and should consider, in particular, the type of expression of the characteristic being examined, i.e. whether it is expressed in a qualitative, quantitative, or pseudo-qualitative manner. Therefore, it is important that users of these Test Guidelines are familiar with the recommendations contained in the General Introduction prior to making decisions regarding distinctness.

4.2 Uniformity

- 4.2.1 It is of particular importance for users of these Test Guidelines to consult the General Introduction prior to making decisions regarding uniformity. However, the following points are provided for elaboration or emphasis in these Test Guidelines:
- 4 2. 2 For the assessment of uniformity of vegetatively propagated varieties, a population standard of 1 % and an acceptance probability of at least 95 % should be applied. In the case of a sample size of 6 plants, 1 off-type is allowed.

4.3 Stability

- 4.3.1 In practice, it is not usual to perform tests of stability that produce results as certain as those of the testing of distinctness and uniformity. However, experience has demonstrated that, for many types of variety, when a variety has been shown to be uniform, it can also be considered to be stable.
- 4.3.2 Where appropriate, or in cases of doubt, stability may be tested, either by growing a further generation, or by testing a new plant stock to ensure that it exhibits the same characteristics as those shown by the previous material supplied.

5. Grouping of Varieties and Organization of the Growing Trial

- 5.1 The selection of varieties of common knowledge to be grown in the trial with the candidate varieties and the way in which these varieties are divided into groups to facilitate the assessment of distinctness are aided by the use of grouping characteristics.
- 5.2 Grouping characteristics are those in which the documented states of expression, even where produced at different locations, can be used, either individually or in combination with other such characteristics: (a) to select varieties of common knowledge that can be excluded from the growing trial used for examination of distinctness; and (b) to organize the growing trial so that similar varieties are grouped together.

- 5.3 The following have been agreed as useful grouping characteristics:
 - (a) Leaf blade: color on upper side: (characteristic 11)
 - (b) Leaf blade: variegation: (characteristic 13)
 - (c) Petal: color: (characteristic 27)
- 5.4 Guidance for the use of grouping characteristics, in the process of examining distinctness, is provided through the General Introduction.
- 6. <u>Introduction to the Table of Characteristics</u>
- 6.1 Categories of Characteristics
 - 6.1.1 Standard Test Guidelines Characteristics

Standard Test Guidelines characteristics are those which are approved by UPOV for examination of DUS and from which members of the Union can select those suitable for their particular circumstances.

6.1.2 Asterisked Characteristics

Asterisked characteristics (denoted by *) are those included in the Test Guidelines which are important for the international harmonization of variety descriptions and should always be examined for DUS and included in the variety description by all members of the Union, except when the state of expression of a preceding characteristic or regional environmental conditions render this inappropriate.

6.2 States of Expression and Corresponding Notes

States of expression are given for each characteristic to define the characteristic and to harmonize descriptions. Each state of expression is allocated a corresponding numerical note for ease of recording of data and for the production and exchange of the description.

6.3 Types of Expression

An explanation of the types of expression of characteristics (qualitative, quantitative and pseudo-qualitative) is provided in the General Introduction.

6.4 Example Varieties

Where appropriate, example varieties are provided to clarify the states of expression of each characteristic.

TG/PRUNU_PAD(proj.1) Bird Cherry, 2007-06-01

6.5 Legend

(*) Asterisked characteristic – see Chapter 6.1.2

QL: Qualitative characteristic – see Chapter 6.3 QN: Quantitative characteristic – see Chapter 6.3

PQ: Pseudo-qualitative characteristic – see Chapter 6.3

MG, MS, VG, VS: See Chapter 3.3.2

(a)-(e) See Explanations on the Table of Characteristics in Chapter 8.1

(+) See Explanations on the Table of Characteristics in Chapter 8.2

7. <u>Table of Characteristics/Tableau des caractères/Merkmalstabelle/Tabla de caracteres</u>

		English	français	deutsch	español	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	Note/ Nota
1.	VG	Tree: vigor		(CPVO: Vigor is more a VCU characteristic)			
QN	(a)	weak				Nana	3
		medium				Colorata	5
		strong				Albertii, Watereri	7
2. (*) (+)	VG	Tree: habit					
PQ	(a)	upright				Albertii	1
		semi-upright					2
		spreading				Colorata	3
		drooping				Pendula	4
3. (*) (+)	VG	Tree: shape of crown					
PQ	(a)	narrow conic					1
		broad conic				Albertii	2
		ovate					3
		semi-globose				Nana	4
		globose					5
4.	VG	Bud:color					
PQ	(a)	purple				Colorata	1
		brown				Watereri	2
5.	VG	One - year-old shoot: thickness					
QN	(a)	thin					3
		medium					5
		thick				Nana	7

	· · · · · · · · · · · · · · · · · · ·		français	deutsch	español	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	Note/ Nota
6.	MS	One - year-old shoot: length					
QN	(a)	short					3
		medium					5
		long					7
7. (*)	VG	Young shoot: color		(CPVO: should before char.5)	be put		
PQ	(b)	green				Nana	1
		purple brown				Colorata, Rózsaszí Május	n 2
		brown					3
8.	VG	Leaf blade: shape					
(+)							
PQ	(c)	ovate				Albertii	1
		elliptic					2
		obovate				var. laxa	3
9.	VG	Leaf blade: lobing					
QL	(c)	absent					1
		present				Heterophylla	2
10. (*)	VG	Leaf blade: color of young leaves		(CPVO: no need mention (again) this is already in	, since		
PQ	(b)	yellow					1
		green				Albertii	2
		bronze green				Watereri	3
		brown red				Colorata	4

		English	français	deutsch	español	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	Note/ Nota
11. (*)	VG	Leaf blade: color on upper side	l				
PQ	(c)	yellow				f.aurea	1
		green				Colorata	2
		red purple					3
		brownish				Rózsaszín május	4
12.	VG	Leaf blade: glossiness of upper side					
QN	(c)	absent or weak					1
		medium					2
		strong					3
13. (*)	VG	Leaf blade: variegation					
QL	(c)	absent				Watereri	1
		present				Aucubifolia	9
14.	VG	Only varieties with variegation: Leaf blade: distribution of variegation					
QL	(c)	only bordered					1
		bordered and speckled					2
		only speckled				Aucubifolia	3
15.	VG	Only varieties with variegation: Leaf blade: number of colors					
QN	(c)	two				Aucubifolia	1
		three					2
		more than three					3

		English	français	deutsch	español	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	Note/ Nota
16.	VG	Only varieties with variegation: Leaf blade: main color of upper side		(CPVO: no need to limit this to variegated varieties only)			
PQ	(c)	white					1
		yellow					2
		green				Aucubifolia	3
		purple					4
		brownish					5
17.	VG	Only varieties with variegated leaves: Leaf blade: secondary color of upper side.					
PQ	(c)	white					1
		yellow				Aucubifolia	2
		green					3
		purple					4
18. (*)	VG	Leaf blade: color of veins on lower side					
PQ	(c)	green					1
		redish				Rózsaszín május	2
19.	VG	Petiole: persistence of stipules	•				
PQ	(c) (d) (e)	short					1
		long				Albertii	2
20.	VG	Inflorescence: attitude					
PQ	(d)	upwards				Stricta	1
		outwards					2
		downwards				Watereri	3

		English	français	deutsch	español	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	Note/ Nota
21.	MS	Inflorescence: len	gth				
(+)							
QN	(d)	short					3
		medium				Colorata	5
		long				Watereri	7
22.	VG	Inflorescence: density					
QN	(d)	sparse					3
		medium					5
		dense				Nana	7
23.	VG	Flower bud: color					
PQ	(d)	white					1
		green yellow				Albertii	2
		pink				Colorata	3
24.	MS	Flower: diameter					
QN	(d)	small					3
		medium					5
		large				Watereri	7
25. (*)	VG	Flower: type					
QL	(d)	single					1
		semi double				Plena	2
		double					3
26.	MG	Flower: fragrance					
QN	(d)	absent					1
		weakly present					2
		strongly present				Rózsaszín május	3

TG/PRUNU_PAD(proj.1) Bird Cherry, 2007-06-01 - 13 -

		English	français	deutsch	español	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	Note/ Nota
27. (*)	VG	Petal: color					
PQ	(d)	white				Albertii, Waterii	1
		light pink					2
		medium pink				Colorata	3
		dark pink				Rózsaszín május	4
28.	VG	Fruit: shape					
PQ	(e)	globose					1
		ellipsoid					2
29.	MS	Fruit: size					
QN	(e)	small					3
		medium					5
		large					7
30.	VG	Fruit : color					
PQ	(e)	yellow white				Leucocarpos	1
		yellow green				Chlorocarpos	2
		dark red					3
		red brown				Colorata	4
		black				Watereri	5

8. Explanations on the Table of Characteristics

8.1 Explanations covering several characteristics

Characteristics containing the following key in the second column of the Table of Characteristics should be examined as indicated below:


- (a) <u>Tree/One-year -old shoot:</u> observations on the tree and the one year-old shoot should be made during the dormant season. Observations on the one year-old shoot should be made on the middle third of the shoot.
- (b) Shoot and young leaf: observations should be made on the young shoot and leaves
- (c) <u>Mature leaf:</u> observations on the leaf should be made in summer on fully developed leaves from the middle third of a current season's shoot.
- (d) <u>Inflorescence and flower:</u> observations should be made on fully developed flowers at full flowering.
- (e) Fruit: observations should be made on fruits at the time of maturity.

8.2 Explanations for individual characteristics

Ad. 2 Tree: habit











spreading




drooping

Ad.3 Tree shape of crown






Ad. 8 Leaf blade: shape



Ad. 21 Inflorescence: length



TG/PRUNU_PAD(proj.1) Bird Cherry, 2007-06-01 - 17 -

9. <u>Literature</u>

Uusitalo,M., 2004: European bird cherry (Prunus padus L.) a biodiverse wild plant for horticulture.MTT Agrifood Researach Finnland. Jokioinen SF (www.mtt.fi/met/pdf/met 61.pdf)

Krüssmann, G., 1978: Handbuch der Laubgehölze Berlin, DE, Band III pp38

10. <u>Technical Questionnaire</u>

TEC	CHNICAL QUESTIONNAIRE	Ξ	Page {x} of {y}	Reference Number:
				Application date: (not to be filled in by the applicant)
			NICAL QUESTIONN tion with an application	NAIRE on for plant breeders' rights
1.	Subject of the Technical Que	esti	ionnaire	
	1.1 Botanical name	Prı	ınus padus L.	
	1.2 Common name	Bir	d cherry	
	_			
2.	Applicant			
	Name			
	Address			
	Telephone No.			
	Fax No.			
	E-mail address			
	Breeder (if different from ap	pli	cant)	
3.	Proposed denomination and	bre	eeder's reference	
	Proposed denomination (if available)			
	Breeder's reference			

TEC	CHNI	CAL QU	JESTIONNAIRE I	Page {x} of {y}	Reference Nu	mber:	
[#] 4.	Info	Information on the breeding scheme and propagation of the variety 4.1 Breeding scheme					
		Variety resulting from: 4.1.1 Crossing					
			(b) partially know (please state k	parent varieties) vn cross known parent variety(ies))	[]	
		4.1.2	(c) unknown cross Mutation (please state parent v			[]	
		4.1.3	Discovery and developeds (please state where a and how developed)	and when discovered		[]	
		4.1.4	Other (please provide deta	uils)		[]	
		4.1.4		uils)		[]	

[#] Authorities may allow certain of this information to be provided in a confidential section of the Technical Questionnaire.

TECHNIC	CAL QI	UESTIONNAIRE	Page {x} of {y}	Reference Nun	nber:		
4.2 Meth	4.2 Method of propagating the variety						
	4.2.1	Vegetative propaga	ation				
		(a) cuttings(b) in vitro pr(c) other (stat			[] [] []		
	4.2.2	Seed			[]		
	4.2.3	Other (please provide det	eails)		[]		

TECHNICAL QUESTIONNAIRE Page {x} of {y} Reference Number:

5. Characteristics of the variety to be indicated (the number in brackets refers to the corresponding characteristic in Test Guidelines; please mark the note which best corresponds).

	Characteristics	Example Varieties	Note
5.1 (3) (+)	Tree: shape of crown		1[]
	narrow conic		2[]
	broad conic	Albertii	3[]
	ovate		4[]
	semi globose	Nana	5[]
	globose	Berg	6[]
5.2 (7) (*)	Shoot color of young shoot		
	green	Nana	1[]
	purple brown	Colorata, Rózsaszín majus	2[]
	brown		3[]
5.3 (10) (*)	Leaf blade: color of young leaves		
	yellow		1[]
	green	Albertii	2[]
	bronze green	Watereri	3[]
	brown red	Colorata	4[]
5.4 (11) (*)	Leaf blade: color on the upper side		
	yellow	f.aurea	1[]
	green		2[]
	red purple	g	3[]
	brownish	Rózsaszín május	4[]

TECI	HNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:	
5.5 (13) (*)	Leaf blade: variegation			
	absent		Watereri	1[]
	present		Aucubifolia	9[]
5.4 (25) (*)	Flower: type			
	single			1[]
	semi double		Plena	2[]
	double			3[]
5.4 (27) (*)	Petal: color			
	white		Albertii, Watereri	1[]
	light pink			2[]
	medium pink		Colorata	3[]
	dark pink		Rózsaszín május	4[]

TECHNICAL QUESTI	Page {x} of {y}		Reference Number:				
6. Similar varieties and differences from these varieties Please use the following table and box for comments to provide information on how your candidate variety differs from the variety (or varieties) which, to the best of your knowledge, is (or are) most similar. This information may help the examination authority to conduct its examination of distinctness in a more efficient way.							
Denomination(s) of variety(ies) similar to your candidate variety	Characteristic(s) in which your candidate variety differs from the similar variety(ies)		Describe the expression of the characteristic(s) for the similar variety(ies)		Describe the expression of the characteristic(s) for your candidate variety		
Example	Flower color		orange		orange red		
Comments:							

TEC	HNIC	'AL QI	JESTIC	ONNAIRE	Page	{x} of	`{y}	Referer	nce Number:		
#7	#										
[#] 7.	Additional information which may help in the examination of the variety										
7.1	In addition to the information provided in sections 5 and 6, are there any additional characteristics which may help to distinguish the variety?										
	Yes	[]		No	[]					
	(If y	es, plea	ase pro	vide details)							
7.2	Are	there a	ny spec	cial condition	ns for g	rowing	g the vari	ety or co	nducting the	exami	nation?
	Yes	[]		No	[]					
	(If yes, please provide details)										
7.3	Other information										
	,	7.3.1	M	ain use							
			(a)	garden /land	dscapin	g nlan	t		[]		
			(b)	pot plant		8 P	.•		[]		
			(c) (d)	cut-flower other					[]		
			. ,	se provide d	etails)				l J		
66 A			1	1 .	1 6	41	• ,	1 11		41	T 1 1 1
"A representative color photograph of the variety should accompany the Technical Questionnaire."											
L											

[#] Authorities may allow certain of this information to be provided in a confidential section of the Technical Questionnaire.

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:					
8. Authorization for release							
(a) Does the variety require prior authorization for release under legislation concerning the protection of the environment, human and animal health?							
Yes []	No []						
(b) Has such authorization b	(b) Has such authorization been obtained?						
Yes []	No []						
If the answer to (b) is yes, please attach a copy of the authorization.							
9. Information on plant material t	o be examined or subn	nitted for examination.					
9.1 The expression of a characteristic or several characteristics of a variety may be affected by factors, such as pests and disease, chemical treatment (e.g. growth retardants or pesticides), effects of tissue culture, different rootstocks, scions taken from different growth phases of a tree, etc.							
9.2 The plant material should not have undergone any treatment which would affect the expression of the characteristics of the variety, unless the competent authorities allow or request such treatment. If the plant material has undergone such treatment, full details of the treatment must be given. In this respect, please indicate below, to the best of your knowledge, if the plant material to be examined has been subjected to:							
(a) Microorganisms (e.g. vir	us, bacteria, phytoplas	ma) Yes [] No []					
(b) Chemical treatment (e.g.	(b) Chemical treatment (e.g. growth retardant, pesticide)						
(c) Tissue culture	(c) Tissue culture						
(d) Other factors	(d) Other factors Yes [] No						
Please provide details for where you have indicated "yes".							
10. I hereby declare that, to the best of my knowledge, the information provided in this form is correct:							
Applicant's name							
Signature Date							