

UPOV

TG/CACAO(proj.3)

ORIGINAL: English

DATE: 2010-08-08

INTERNATIONAL UNION FOR THE PROTECTION OF NEW VARIETIES OF PLANTS

GENEVA

DRAFT

CACAO

UPOV Code: THEOB_CAC

Theobroma cacao L.

GUIDELINES

FOR THE CONDUCT OF TESTS

FOR DISTINCTNESS, UNIFORMITY AND STABILITY

prepared by experts from Mexico

to be considered by the

Technical Working Party for Fruit Crops

*at its forty-first session, to be held in Cuernavaca, Morelos State, Mexico,
from September 27 to October 1, 2010*

Alternative Names: *

<i>Botanical name</i>	<i>English</i>	<i>French</i>	<i>German</i>	<i>Spanish</i>
<i>Theobroma cacao</i> L.	Cacao	Cacaoyer	Schokolade	Cacao

The purpose of these guidelines (“Test Guidelines”) is to elaborate the principles contained in the General Introduction (document TG/1/3), and its associated TGP documents, into detailed practical guidance for the harmonized examination of distinctness, uniformity and stability (DUS) and, in particular, to identify appropriate characteristics for the examination of DUS and production of harmonized variety descriptions.

ASSOCIATED DOCUMENTS

These Test Guidelines should be read in conjunction with the General Introduction and its associated TGP documents.

* These names were correct at the time of the introduction of these Test Guidelines but may be revised or updated. [Readers are advised to consult the UPOV Code, which can be found on the UPOV Website (www.upov.int), for the latest information.]

<u>TABLE OF CONTENTS</u>	<u>PAGE</u>
1. SUBJECT OF THESE TEST GUIDELINES.....	3
2. MATERIAL REQUIRED	3
3. METHOD OF EXAMINATION.....	3
3.1 Number of Growing Cycles	3
3.2 Testing Place	3
3.3 Conditions for Conducting the Examination.....	3
3.4 Test Design	4
3.5 Additional Tests	4
4. ASSESSMENT OF DISTINCTNESS, UNIFORMITY AND STABILITY	4
4.1 Distinctness	4
4.2 Uniformity.....	5
4.3 Stability	6
5. GROUPING OF VARIETIES AND ORGANIZATION OF THE GROWING TRIAL.....	6
6. INTRODUCTION TO THE TABLE OF CHARACTERISTICS	7
6.1 Categories of Characteristics.....	7
6.2 States of Expression and Corresponding Notes.....	7
6.4 Example Varieties	8
6.5 Legend.....	8
7. TABLE OF CHARACTERISTICS/TABLEAU DES CARACTERES/MERKMALSTABELLE/TABLA DE CARACTERES.....	9
8. EXPLANATIONS ON THE TABLE OF CHARACTERISTICS	17
8.1 Explanations covering several characteristics	17
8.2 Explanations for individual characteristics	17
9. LITERATURE	21
10. TECHNICAL QUESTIONNAIRE	22

1. Subject of these Test Guidelines

These Test Guidelines apply to all varieties of *Theobroma cacao* L.

2. Material Required

2.1 The competent authorities decide on the quantity and quality of the plant material required for testing the variety and when and where it is to be delivered. Applicants submitting material from a State other than that in which the testing takes place must ensure that all customs formalities and phytosanitary requirements are complied with.

2.2 The material is to be supplied in the form of seed or plants.

2.3 The minimum quantity of plant material, to be supplied by the applicant, should be:

seed-propagated varieties: 50 fresh seeds
vegetatively propagated varieties: 10 plants

In the case of seed, the seed should meet the minimum requirements for germination, species and analytical purity, health and moisture content, specified by the competent authority.

2.4 The plant material supplied should be visibly healthy, not lacking in vigor, nor affected by any important pest or disease.

2.5 The plant material should not have undergone any treatment which would affect the expression of the characteristics of the variety, unless the competent authorities allow or request such treatment. If it has been treated, full details of the treatment must be given.

3. Method of Examination

3.1 *Number of Growing Cycles*

3.1.1 The minimum duration of tests should normally be two independent growing cycles. In particular, it is essential that the trees produce a satisfactory crop of fruit in each of the two growing cycles.

3.1.2 The growing cycle is considered to be the duration of a single growing season, beginning with vegetative growth, followed by flowering and fruit harvest.

3.2 *Testing Place*

Tests are normally conducted at one place. In the case of tests conducted at more than one place, guidance is provided in TGP/9 "Examining Distinctness".

3.3 *Conditions for Conducting the Examination*

The tests should be carried out under conditions ensuring satisfactory growth for the expression of the relevant characteristics of the variety and for the conduct of the examination.

3.4 *Test Design*

3.4.1 Each test should be designed to result in a total of at least 10 plants in the case of seed-propagated plants or, in the case of vegetatively propagated varieties, in a total of at least 5 plants.

3.4.2 The design of the tests should be such that plants or parts of plants may be removed for measurement or counting without prejudice to the observations which must be made up to the end of the growing cycle.

3.5 *Additional Tests*

Additional tests, for examining relevant characteristics, may be established.

4. Assessment of Distinctness, Uniformity and Stability

4.1 *Distinctness*

4.1.1 General Recommendations

It is of particular importance for users of these Test Guidelines to consult the General Introduction prior to making decisions regarding distinctness. However, the following points are provided for elaboration or emphasis in these Test Guidelines.

Further guidance is provided in documents TGP/9 “Examining Distinctness” and TGP/8 “Trial Design and Techniques Used in the Examination of Distinctness, Uniformity and Stability”.

4.1.2 Consistent Differences

The differences observed between varieties may be so clear that more than one growing cycle is not necessary. In addition, in some circumstances, the influence of the environment is not such that more than a single growing cycle is required to provide assurance that the differences observed between varieties are sufficiently consistent. One means of ensuring that a difference in a characteristic, observed in a growing trial, is sufficiently consistent is to examine the characteristic in at least two independent growing cycles.

4.1.3 Clear Differences

Determining whether a difference between two varieties is clear depends on many factors, and should consider, in particular, the type of expression of the characteristic being examined, i.e. whether it is expressed in a qualitative, quantitative, or pseudo-qualitative manner. Therefore, it is important that users of these Test Guidelines are familiar with the recommendations contained in the General Introduction prior to making decisions regarding distinctness.

4.1.4 Number of Plants / Parts of Plants to be Examined

4.1.4.1 Unless otherwise indicated, for seed-propagated varieties, all observations for the purposes of distinctness should be made on 10 plants or parts taken from each of 10 plants, disregarding any off-type plants.

4.1.4.2 Unless otherwise indicated, for vegetatively propagated varieties, all observations for the purpose of distinctness should be made on five plants or parts taken from each of five plants, disregarding any off-type plants.

4.1.5 Method of Observation

The recommended method of observing the characteristic for the purposes of distinctness is indicated by the following key in the second column of the Table of Characteristics (see document TGP/9 “Examining Distinctness”, Section 4 “Observation of characteristics”):

MG: single measurement of a group of plants or parts of plants

MS: measurement of a number of individual plants or parts of plants

VG: visual assessment by a single observation of a group of plants or parts of plants

VS: visual assessment by observation of individual plants or parts of plants

Type of observation: visual (V) or measurement (M)

“Visual” observation (V) is an observation made on the basis of the expert’s judgment. For the purposes of this document, “visual” observation refers to the sensory observations of the experts and, therefore, also includes smell, taste and touch. Visual observation includes observations where the expert uses reference points (e.g. diagrams, example varieties, side-by-side comparison) or non-linear charts (e.g. color charts). Measurement (M) is an objective observation against a calibrated, linear scale e.g. using a ruler, weighing scales, colorimeter, dates, counts, etc.

Type of record: for a group of plants (G) or for single, individual plants (S)

For the purposes of distinctness, observations may be recorded as a single record for a group of plants or parts of plants (G), or may be recorded as records for a number of single, individual plants or parts of plants (S). In most cases, “G” provides a single record per variety and it is not possible or necessary to apply statistical methods in a plant-by-plant analysis for the assessment of distinctness.”

In cases where more than one method of observing the characteristic is indicated in the Table of Characteristics (e.g. VG/MG), guidance on selecting an appropriate method is provided in document TGP/9, Section 4.2.

4.2 *Uniformity*

4.2.1 It is of particular importance for users of these Test Guidelines to consult the General Introduction prior to making decisions regarding uniformity. However, the following points are provided for elaboration or emphasis in these Test Guidelines:

4.2.2 Vegetatively propagated varieties

For the assessment of uniformity of vegetatively propagated varieties, a population standard of 1% and an acceptance probability of 95% should be applied. In the case of a sample size of 5 plants, no off-types are allowed.

4.2.3 Cross-pollinated varieties

The assessment of uniformity for seed-propagated varieties should be according to the recommendations for cross-pollinated varieties in the General Introduction.

4.2.4 Hybrid varieties

The assessment of uniformity for hybrid varieties depends on the type of hybrid and should be according to the recommendations for hybrid varieties in the General Introduction.

4.2.5 Uniformity assessment by off-types (all characteristics observed on the same sample size)

For the assessment of uniformity, a population standard of 1% and an acceptance probability of at least 95% should be applied. In the case of a sample size of 10 plants, 1 off-type is allowed.

For the assessment of uniformity of vegetatively propagated varieties, a population standard of 1% and an acceptance probability of at least 95% should be applied. In the case of a sample size of 5 plants, no off-types are allowed.

4.3 *Stability*

4.3.1 In practice, it is not usual to perform tests of stability that produce results as certain as those of the testing of distinctness and uniformity. However, experience has demonstrated that, for many types of variety, when a variety has been shown to be uniform, it can also be considered to be stable.

4.3.2 Where appropriate, or in cases of doubt, stability may be further examined by testing a new seed or plant stock to ensure that it exhibits the same characteristics as those shown by the initial material supplied.

5. Grouping of Varieties and Organization of the Growing Trial

5.1 The selection of varieties of common knowledge to be grown in the trial with the candidate varieties and the way in which these varieties are divided into groups to facilitate the assessment of distinctness are aided by the use of grouping characteristics.

5.2 Grouping characteristics are those in which the documented states of expression, even where produced at different locations, can be used, either individually or in combination with other such characteristics: (a) to select varieties of common knowledge that can be excluded from the growing trial used for examination of distinctness; and (b) to organize the growing trial so that similar varieties are grouped together.

5.3 The following have been agreed as useful grouping characteristics:

- (a) Young flush leaf: color (characteristic 5)
- (b) Petiole: axil spot (characteristic 6)
- (c) Flower: anthocyanin on sepal (characteristic 10)
- (d) Fruit: shape (characteristic 13)
- (e) Fruit: basal constriction (characteristic 14)
- (f) Fruit: shape of apex (characteristic 15)
- (g) Fruit: color (characteristic 21)

5.4 Guidance for the use of grouping characteristics, in the process of examining distinctness, is provided through the General Introduction and document TGP/9 “Examining Distinctness”.

6. Introduction to the Table of Characteristics

6.1 *Categories of Characteristics*

6.1.1 Standard Test Guidelines Characteristics

Standard Test Guidelines characteristics are those which are approved by UPOV for examination of DUS and from which members of the Union can select those suitable for their particular circumstances.

6.1.2 Asterisked Characteristics

Asterisked characteristics (denoted by *) are those included in the Test Guidelines which are important for the international harmonization of variety descriptions and should always be examined for DUS and included in the variety description by all members of the Union, except when the state of expression of a preceding characteristic or regional environmental conditions render this inappropriate.

6.2 *States of Expression and Corresponding Notes*

6.2.1 States of expression are given for each characteristic to define the characteristic and to harmonize descriptions. Each state of expression is allocated a corresponding numerical note for ease of recording of data and for the production and exchange of the description.

6.2.2 In the case of qualitative and pseudo-qualitative characteristics (see Chapter 6.3), all relevant states of expression are presented in the characteristic. However, in the case of quantitative characteristics with 5 or more states, an abbreviated scale may be used to minimize the size of the Table of Characteristics. For example, in the case of a quantitative characteristic with 9 states, the presentation of states of expression in the Test Guidelines may be abbreviated as follows:

State	Note
small	3
medium	5
large	7

However, it should be noted that all of the following 9 states of expression exist to describe varieties and should be used as appropriate:

State	Note
very small	1
very small to small	2
small	3
small to medium	4
medium	5
medium to large	6
large	7
large to very large	8
very large	9

6.2.3 Further explanation of the presentation of states of expression and notes is provided in document TGP/7 “Development of Test Guidelines”.

6.3 *Types of Expression*

An explanation of the types of expression of characteristics (qualitative, quantitative and pseudo-qualitative) is provided in the General Introduction.

6.4 *Example Varieties*

Where appropriate, example varieties are provided to clarify the states of expression of each characteristic.

6.5 *Legend*

(*) Asterisked characteristic – see Chapter 6.1.2

QL Qualitative characteristic – see Chapter 6.3

QN Quantitative characteristic – see Chapter 6.3

PQ Pseudo-qualitative characteristic – see Chapter 6.3

MG, MS, VG, VS – see Chapter 4.1.5

(a)-(c) See Explanations on the Table of Characteristics in Chapter 8.1

(+) See Explanations on the Table of Characteristics in Chapter 8

7. Table of Characteristics/Tableau des caractères/Merkmalstabelle/Tabla de caracteres

	English	français	deutsch	español	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	Note/ Nota
1.	Leaf blade: size					
QN	(a) small					3
	medium					5
	Large					7
2.	Leaf blade: base					
(+)	(a) acute				RIM-220, ICS-6, ETT-164	1
PQ	obtuse				POUND-12, RIM-234, RIM-52	2
	rounded				RIM-52, RIM-41	3
	cordate				SPA-9	4
3.	Leaf blade: intensity of green color					
QN	(a) light				IQ-1, RIM-226	1
	medium				RIM-234, RIM-52	2
	dark				RIM-229, ETT-169, SPA-9	3
4.	Leaf blade: apex					
(+)						
PQ	(a) acuminate					1
	apiculate					2
	acute					3

	English	français	deutsch	español	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	Note/ Nota
5. (*) (+)	Young flush leaf: color					
PQ	light green					1
	medium green					2
	brown					3
	light red					4
	medium red					5
	dark red					6
6. (*) (+)	Petiole: axil spot					
QL	(a) absent					1
	present					9
7.	Flower: anthocyanin of pedicel					
PQ	absent or weak					1
	moderate					2
	strong					3
8.	Flower: length of sepal					
QN	short					3
	medium					5
	long					7
9.	Flower: width of sepal					
QN	short					3
	medium					5
	long					7

	English	français	deutsch	español	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	Note/ Nota
10. (*)	Flower: anthocyanin on sepal					
QN	absent or very weak					1
	weak					3
	moderate					5
	strong					7
11.	Flower: anthocyanin on ligula					
PQ	absent or very weak					1
	weak					3
	moderate					5
	strong					7
12.	Flower: color of stamen filament					
PQ	white					1
	reddish					2
	purple					3
13. (*) (+)	Fruit: shape					
PQ	circular				SIAL-407	1
	elliptic				RIM-88	2
	oblong				EET-80, Carmelo-1	3
	obovate				EET-48	4
14. (*) (+)	Fruit: basal constriction					
QN	(b) absent or very weak					1
	weak					3
	moderate					5
	strong					7

	English	français	deutsch	español	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	Note/ Nota
15. (* (+)	Fruit: shape of apex					
PQ	(b)	waisted				1
		acute				2
		obtuse				3
		rounded				4
16.	Fruit: length					
QN	(c)	short				3
		medium				5
		long				7
17.	Fruit: diameter					
QN	(c)	small				3
		medium				5
		large				7
18.	Fruit: length/ diameter ratio					
QN	(c)	moderately elongated				3
		medium				5
		moderately compressed				7
19. (*	Fruit: surface					
QN	(b)	smooth			IMC-67	3
		medium			UF-29, PA-121, RIM-105	5
		rough			RIM-24, RIM-68	7

	English	français	deutsch	español	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	Note/ Nota
20.	Fruit: ridge pair separation					
(+)						
QN	(b) fused					1
	slightly separated					2
	medium separated					3
	well separated					4
21.	Fruit: color					
(*)						
(+)						
PQ	(c) green	NEW MX				1
	yellow				Forastero	2
	orange					3
	medium red					4
	dark red					5
	purple					6
22.	Fruit: exocarp thickness					
(*)						
(+)						
QN	(c) thin				RIM-230	3
	medium				IMC-67	5
	thick				EET-164	7
23.	Fruit: color of pulp					
QL	(c) white					1
	cream					2

	English	français	deutsch	español	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	Note/ Nota
24.	Fruit: sweetness of pulp					
(+)						
QN	(c)	low				3
		medium				5
		high				7
25.	Fruit: number of seeds					
QN	(c)	few				3
		medium				5
		many				7
26.	Seed: shape in longitudinal section					
(*)						
(+)						
PQ		oblong			PA-13, SIAL-407, SIAL-93	1
		elliptic			POUND-7, CATONGO,	2
		ovate			UF-11	3
27.	Seed: length					
QN	(c)	short				3
		medium				5
		long				7
28.	Seed: width					
QN	(c)	narrow				1
		medium				3
		broad				5

	English	français	deutsch	español	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	Note/ Nota
29.	Seed: ratio length/width					
QN	(c)					1
					moderately elongated	
					medium	2
					moderately compressed	3
30.	Seed: thickness					
QN	(c)					1
					thin	
					medium	2
					thick	3
31.	Seed: coat thickness					
QN	(c)					1
					thin	
					medium	2
					thick	3
32.	Seed: cotyledon color					
	(+)					
PQ	(c)					1
					white	
					cream	2
					pink	3
					dark red	4
					dark purple	5
33.	Seed: total fat content					
	(+)					
QN	(c)					3
					low	
					medium	5
					high	7

ISF to supply
method


	English	français	deutsch	español	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	Note/ Nota
34.	Seed: free fatty acid		ISF to supply			
(+)			method			
QN	(c) low					3
	medium					5
	high					7

8. Explanations on the Table of Characteristics

8.1 *Explanations covering several characteristics*

Characteristics containing the following key in the second column of the Table of Characteristics should be examined as indicated below:


- (a) Observations on the leaf which should be made on fully developed leaves, when the first fruit is fully developed.
- (b) Observations should be made on fully developed fruit, before physiological maturity.
- (c) Observations should be made on fruit at physiological maturity.





Cacao flower parts

8.2 *Explanations for individual characteristics*

Ad. 2: Leaf blade: base



Ad. 4: Leaf blade: apex



Ad. 5: Young flush leaf: color



light green




medium green



brown



light red



medium red




dark red


Ad. 6: Petiole: axil spot




Ad. 13: Fruit: shape




circular



elliptic




oblong




obovate


Ad. 14: Fruit: basal constriction




Ad. 15: Fruit: shape of apex




Ad. 22: Fruit: ridge pair separation



Ad. 21: Fruit: color




Ad. 22: Fruit: exocarp thickness



Ad. 24: Fruit: sweetness of pulp

To be determined by refractometer

Ad. 26: Seed: shape in longitudinal section



Ad. 32: Seed: cotyledon color



Ad. 33: Seed: total fat content

ISF to provide method

Ad. 34: Seed: free fatty acid content

ISF to provide method

9. Literature

Engels, J. M.M.; Bartley; B.G.D., Enriquez, G.A., 1980: Cacao descriptors, their states and modus operandi. Turrialba, 30(2). CR, pp. 209-218.

Engels, J.M.M., 1981: Genetic Resources of Cacao. A Catalogue of the CATIE Collection. CATIE. Plant Genetic Resources Unit. Technical series. Technical bulletin; No. 7 Turrialba, CR, 196 p.

10. Technical Questionnaire

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
		Application date: (not to be filled in by the applicant)
TECHNICAL QUESTIONNAIRE to be completed in connection with an application for plant breeders' rights		
1. Subject of the Technical Questionnaire		
1.1 Botanical name	<input type="text" value="Theobroma cacao L."/>	
1.2 Common name	<input type="text" value="Cacao"/>	
2. Applicant		
Name	<input type="text"/>	
Address	<input type="text"/>	
Telephone No.	<input type="text"/>	
Fax No.	<input type="text"/>	
E-mail address	<input type="text"/>	
Breeder (if different from applicant)	<input type="text"/>	
3. Proposed denomination and breeder's reference		
Proposed denomination (if available)	<input type="text"/>	
Breeder's reference	<input type="text"/>	

#4. Information on the breeding scheme and propagation of the variety

4.1 Breeding scheme

Variety resulting from:

4.1.1 Crossing

- (a) controlled cross []
 (please state parent varieties)

(.....)	x	(.....)
female parent		male parent

- (b) partially known cross []
 (please state known parent variety(ies))

(.....)	x	(.....)
female parent		male parent

- (c) unknown cross []

- 4.1.2 Mutation []
 (please state parent variety)

--

- 4.1.3 Discovery and development []
 (please state where and when discovered and how developed)

--

- 4.1.4 Other []
 (please provide details)

--

Authorities may allow certain of this information to be provided in a confidential section of the Technical Questionnaire.

4.2 Method of propagating the variety

4.2.1 Seed-propagated varieties

- (a) Self-pollination []
- (b) Cross-pollination []
- (i) population []
- (ii) synthetic variety []
- (c) Hybrid []
- (d) Other []
- (please provide details)

--

4.2.1 Vegetative propagation

- (a) cuttings []
- (b) *in vitro* propagation []
- (c) grafting []
- (d) other (state method) []

--

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
-------------------------	-----------------	-------------------

5. Characteristics of the variety to be indicated (the number in brackets refers to the corresponding characteristic in Test Guidelines; please mark the note which best corresponds).

Characteristics	Example Varieties	Note
5.1 Young flush leaf: color (5)		
light green		1[]
medium green		2[]
brown		3[]
light red		4[]
medium red		5[]
dark red		6[]
5.2 Petiole: axil spot (6)		
absent		1[]
present		9[]
5.3 Flower: anthocyanin on sepal (10)		
absent or very weak		1[]
very weak		2[]
weak		3[]
weak to moderate		4[]
moderate		5[]
moderate to strong		6[]
strong		7[]
strong to very strong		8[]
very strong		9[]

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
Characteristics	Example Varieties	Note
5.4 Flower: anthocyanin on sepal (13)		
circular		1[]
elliptic		2[]
oblog		3[]
obovate		4[]
5.5 Fruit: basal constriction (14)		
absent or very weak		1[]
very weak to weak		2[]
weak		3[]
weak to moderate		4[]
moderate		5[]
moderate to strong		6[]
strong		7[]
strong to very strong		8[]
very strong		9[]
5.6 Fruit: shape of apex (15)		
waisted		1[]
acute		2[]
obtuse		3[]
rounded		4[]

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
-------------------------	-----------------	-------------------

Characteristics	Example Varieties	Note
5.7 Fruit: color (21)		
green		1[]
yellow		2[]
orange		3[]
medium red		4[]
dark red		5[]
purple		6[]

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
-------------------------	-----------------	-------------------

6. Similar varieties and differences from these varieties

Please use the following table and box for comments to provide information on how your candidate variety differs from the variety (or varieties) which, to the best of your knowledge, is (or are) most similar. This information may help the examination authority to conduct its examination of distinctness in a more efficient way.

Denomination(s) of variety(ies) similar to your candidate variety	Characteristic(s) in which your candidate variety differs from the similar variety(ies)	Describe the expression of the characteristic(s) for the similar variety(ies)	Describe the expression of the characteristic(s) for your candidate variety
		<i>e.g. note 6</i>	<i>e.g. note 3</i>
<i>Example</i>	<i>Fruit: color</i>	<i>e.g. purple</i>	<i>e.g. orange</i>

Comments:

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
<p>#7. Additional information which may help in the examination of the variety</p> <p>7.1 In addition to the information provided in sections 5 and 6, are there any additional characteristics which may help to distinguish the variety?</p> <p>Yes [] No []</p> <p>(If yes, please provide details)</p> <p>7.2 Are there any special conditions for growing the variety or conducting the examination?</p> <p>Yes [] No []</p> <p>(If yes, please provide details)</p> <p>7.3 Other information</p> <p>A representative color image of the variety should accompany the Technical Questionnaire.</p>		
<p>8. Authorization for release</p> <p>(a) Does the variety require prior authorization for release under legislation concerning the protection of the environment, human and animal health?</p> <p>Yes [] No []</p> <p>(b) Has such authorization been obtained?</p> <p>Yes [] No []</p> <p>If the answer to (b) is yes, please attach a copy of the authorization.</p>		

Authorities may allow certain of this information to be provided in a confidential section of the Technical Questionnaire.

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
-------------------------	-----------------	-------------------

9. Information on plant material to be examined or submitted for examination.

9.1 The expression of a characteristic or several characteristics of a variety may be affected by factors, such as pests and disease, chemical treatment (e.g. growth retardants or pesticides), effects of tissue culture, different rootstocks, scions taken from different growth phases of a tree, etc.

9.2 The plant material should not have undergone any treatment which would affect the expression of the characteristics of the variety, unless the competent authorities allow or request such treatment. If the plant material has undergone such treatment, full details of the treatment must be given. In this respect, please indicate below, to the best of your knowledge, if the plant material to be examined has been subjected to:

- | | | |
|---|---------|--------|
| (a) Microorganisms (e.g. virus, bacteria, phytoplasma) | Yes [] | No [] |
| (b) Chemical treatment (e.g. growth retardant, pesticide) | Yes [] | No [] |
| (c) Tissue culture | Yes [] | No [] |
| (d) Other factors | Yes [] | No [] |

Please provide details for where you have indicated “yes”.

.....

10. I hereby declare that, to the best of my knowledge, the information provided in this form is correct:

Applicant's name

Signature

Date

[End of document]