TECHNICAL WORKING PARTY FOR FRUIT CROPS

Forty-fourth Session

PREPARATORY WORKSHOP

Napier, New Zealand April 28, 2013

PROGRAM

- 1. Introduction to UPOV and the role of UPOV Technical Working Parties (TWPs)
- 2. Overview of the General Introduction (document TG/1/3 and TGP documents)
 - Characteristics as the Basis for DUS Examination and Selection of Characteristics
- 3. Guidance on drafting Test Guidelines (document TGP/7)
 - a) Subject of the Test Guidelines, Material Required and Method of Examination;
 - b) Method of Observation (MS, MG, VS, VG);
 - c) Types of Expression (QL, PQ, QN), notes and distinctness;
 - d) Shape and Color Characteristics;
 - e) Example Varieties:
 - f) The process for developing UPOV Test Guidelines, including: TG Template; Additional Standard Wording; and Guidance Notes;
- 4. Agenda for the TWP Session
- 5. Feedback from participants

1. INTRODUCTION TO UPOV AND THE ROLE OF UPOV TECHNICAL WORKING PARTIES (TWPS)


UPOV: INDEPENDENT INTERGOVERNMENTAL ORGANIZATION


The International Convention for the Protection of New Varieties of Plants established in 1961


The International Union for the Protection of New Varieties of Plants


Union internationale pour la protection des obtentions végétales











Role of the BMT The BMT is a group open to DUS experts, biochemical and molecular specialists and plant breeders, whose role is to: Review general developments in biochemical and molecular techniques; Maintain an awareness of relevant applications of biochemical and molecular techniques in plant breeding; Consider the possible application of biochemical and molecular (iii) techniques in DUS testing and report its considerations to the TC; If appropriate, establish guidelines for biochemical and molecular methodologies and their harmonization [...]; Consider initiatives from TWPs, for the establishment of crop (v) specific subgroups [...]; Develop guidelines regarding the management and harmonization of databases of biochemical and molecular information, in conjunction with the TWC: Receive reports from Crop Subgroups and the BMT Review Group; Provide a forum for discussion on the use of biochemical and molecular techniques in the consideration of essential derivation and variety identification.

2. OVERVIEW OF THE GENERAL INTRODUCTION (document TG/1/3 and TGP documents) a) Characteristics as the Basis for DUS Examination b) Selection of Characteristics

OVERVIEW OF THE GENERAL INTRODUCTION
(document TG/1/3 and TGP documents)

 a) Characteristics as the Basis for DUS Examination

 b) Selection of Characteristics


THE CONDITIONS FOR GRANTING A BREEDER'S RIGHT Criteria to be satisfied NOVELTY DISTINCTNESS UNIFORMITY STABILITY "DUS"


THE CONDITIONS FOR GRANTING A BREEDER'S RIGHT


Other conditions

- VARIETY DENOMINATION
- FORMALITIES
- PAYMENT OF FEES

NO OTHER CONDITIONS!







2. OVERVIEW OF THE GENERAL INTRODUCTION (document TG/1/3 and TGP documents)

- a) Characteristics as the Basis for DUS Examination
 - b) Selection of Characteristics

"CHARACTERISTICS"

- may have direct commercial relevance
 - Flower color (ornamental)
 - Fruit color
- but commercial relevance NOT required
 - Leaf shape

Selection of Characteristics

The basic requirements that a characteristic should fulfill before it is used for DUS testing or producing a variety description are that its expression (TG/1/3: Section 4.2.1):


- (a) results from a given genotype or combination of genotypes;
- (b) is sufficiently consistent and repeatable in a particular environment;
- (c) exhibits sufficient variation between varieties to be able to establish distinctness;
- (d) is capable of precise definition and recognition;
- (e) allows uniformity requirements to be fulfilled;
- (f) allows **stability requirements** to be fulfilled, meaning that it produces consistent and repeatable results after repeated propagation or, where appropriate, at the end of each cycle of propagation.

Selection of Characteristics


- Yield ???
- Straw strength ???

Etc.

Selection of Characte	eristic	S	
Criteria	Fruit: color	Leaf: shape	Yield
(a) results from a given genotype or combination of genotypes	Yes	Yes	
(b) sufficiently consistent and repeatable in a particular environment	Yes	Yes	
(c) exhibits sufficient variation between varieties to be able to establish distinctness	Yes	Yes	
(d) is capable of precise definition and recognition	Yes	Yes	
(e) allows uniformity requirements to be fulfilled	Yes	Yes	
(f) allows stability requirements to be fulfilled	Yes	Yes	
Commercial value	Yes	No	
ACCEPTABILITY	Yes	Yes	





Criteria	Disease Resistance
(a) results from a given genotype or combination of genotypes	*Knowledge of nature of genetic control of resistance is important
(b) sufficiently consistent and repeatable in a particular environment	*Standardize conditions (greenhouse / laboratory) & methodology *Standardize inoculum *Ring-test
(c) exhibits sufficient variation between varieties to be able to establish distinctness	*Susceptible / Resistant OR varying degrees or resistance?
(d) is capable of precise definition and recognition	*Define and recognize races and strains
(e) allows uniformity requirements to be fulfilled	see above
(f) allows stability requirements to be fulfilled	see above




TGP/7: "Development of Test Guidelines"


Additional Information and guidance on Asterisked, grouping and TQ characteristics






Asterisked Characteristic				
Function	Criteria			
Characteristics that are important for the international harmonization of variety	Must be a characteristic included in the Test Guidelines.			
descriptions.	Should always be examined for DUS and included in the variety description by a members of the Union			
	EXCEPT when the state of expression of a preceding characteristic or regional environmental conditions render this inappropriate.			
	3.Must be useful for function 1.			
	4.Particular care should be taken before selection of disease resistance characteristics.			











Grouping Characteristic characteristics in which the Qualitative characteristics or documented states of expression, even where recorded at different locations, can be (b) Quantitative or pseudo-qualitative characteristics which provide useful discrimination between the varieties of common knowledge from documented states of expression recorded at different locations. used either individually or in combination with other such characteristics: to select varieties of common 2.Must be useful for functions 1 and 2 knowledge that can be excluded from the growing trial 3. Should be an asterisked characteristic used for examination of and/or included in the Technical distinctness, and/or Questionnaire or application form. to organize the growing trial so that similar varieties are grouped together

(a) GROUPING CHARACTERISTICS selected from the Table of Characteristics should, in general, receive an asterisk in the Table of Characteristics and be included in the Technical Questionnaire. (b) TO CHARACTERISTICS selected from the Table of Characteristics should, in general, receive an asterisk in the Table of Characteristics and be used as grouping characteristics. TO characteristics are not restricted to those characteristics used as grouping characteristics; (c) ASTERISKED CHARACTERISTICS are not restricted to those characteristics selected as grouping or TO characteristics.

3. GUIDANCE ON DRAFTING TEST GUIDELINES (Document TGP/7)

3. GUIDANCE ON DRAFTING TEST GUIDELINES

a) Subject of the Test Guidelines, Material Required and Method of Examination

UPOV provides guidance by:

- The "General Introduction" (TG/1/3)
 - General technical principles
 - Organization of DUS Testing
 - Associated "TGP" Documents (e.g. statistical methods)


AND

- "Test Guidelines"
 - Species/Crop-specific recommendations developed by crop experts
 - TGP/7 "Development of Test Guidelines" adopted



TGP/7
"Development of Test
Guidelines"

TGP/7: "Development of Test Guidelines" Section 1. Introduction 1077-12- breaks | broadware part | SECTION 1: NTRODUCTION 11. UPON Two Guidelines as the Basis for the DES Two The Gueral Instanction (Chapter), assenting a periodic species, or other purpo) of varieties, there represent a sager and lawnomical registric first restanction of the varieties, there represent a sager and lawnomical registric first restanction of the varieties, or only another with the twic principles contained in the Gueral Introduction, should fine the companion of the same production of



10 Chapters of UPOV Test Guidelines

- 1. Subject of the Test Guidelines
- 2. Material Required
- 3. Methods of Examination
- 4. Assessment of Distinctness, Uniformity and Stability
- 5. Grouping of Varieties and Organization of the Growing
- 6. Introduction to the Table of Characteristics
- 7. Table of Characteristics
- 8. Explanation on the Table of Characteristics
- 9. Literature
- 10. Technical Questionnaire


10 Chapters of UPOV Test Guidelines

- 1. Subject of the Test Guidelines
- 2. Material Required
- 3. Methods of Examination
- 4. Assessment of Distinctness, Uniformity and Stability
- 5. Grouping of Varieties and Organization of the Growing
- 6. Introduction to the Table of Characteristics
- 7. Table of Characteristics
- 8. Explanation on the Table of Characteristics
- 9. Literature
- 10. Technical Questionnaire

10 Chapters of UPOV Test Guidelines | Test | Test

3. GUIDANCE ON DRAFTING TEST GUIDELINES

b) Method of observation (MS, MG, VS, VG)



Method of Observation


M: Measurement:


an objective observation against a calibrated, linear scale e.g. using a ruler, weighing scales, colorimeter, dates, counts, etc.);

V: Visual observation:

includes observations where the expert uses reference points (e.g. diagrams, example varieties, side-by-side comparison) or non-linear charts (e.g. color charts).

"Visual" observation refers to the sensory observations of the expert and, therefore, also includes smell, taste and touch.






TGP/9/1 "Examining Distinctness" V= Visual observation or M= Measurement					
Type of expression of characteristic					
Method of propagation of the variety	QL (QUAL itatative)	PQ (PSEUDO qualitative		QN (QUANT itative)	
Vegetatively propagated, self-pollinated	Notes (VG)	Notes (VG) Side-by-side (VG)		Notes (VG/MG/MS) Side-by-side (VG) Statistics (MG/MS)	
Cross-pollinated	Notes (VG) Statistics (VS*)	Notes (VG) Side-by-side (VG) Statistics (VS*)		Statistics ([MG]/MS/VS) Side-by-side (VG) Notes (VG/MG/MS)	
Hybrids	Notes (VG) Statistics (VS*)	Notes (VG) Side-by-side (VG) Statistics (VS*)		sk sk	


Type of Record (for the purposes of distinctness)

single record for a variety, or a **GROUP of plants** or parts of plants;

In most cases, "G" provides a single record per variety and it is not possible or necessary to apply statistical methods in a plant-by-plant analysis for the assessment of distinctness.

<u>s</u>: records for a number of <u>sINGLE</u>, individual <u>plants</u> or parts of plants ...





EXERCISE

3. GUIDANCE ON DRAFTING TEST GUIDELINES

c) Types of Expression (QL, PQ, QN), notes and distinctness;


TYPE OF EXPRESSION OF CHARACTERISTICS (QL, QN, PQ)

Types of Expression

QL: QUALITATIVE

QN: QUANTITATIVE


PQ: PSEUDO-QUALITATIVE







"Qualitative characteristics" are those that are expressed in discontinuous states (e.g. sex of plant: dioecious female (1), dioecious male (2), monoecious unisexual (3), monoecious hermaphrodite (4)).

These states are self-explanatory and independently meaningful. All states are necessary to describe the full range of the characteristic, and every form of expression can be described by a single state. The order of states is not important. As a rule, the characteristics are not influenced by environment.









QUANTITATIVE Characteristics


"Quantitative characteristics" are those where the expression covers the full range of variation from one extreme to the other. The expression can be recorded on a one-dimensional, continuous or discrete, linear scale. The range of expression is divided into a number of states for the purpose of description (e.g. length of stem: very short (1), short (3), medium (5), long (7), very long (9)). The division seeks to provide, as far as is practical, an even distribution across the scale. The Test Guidelines do not specify the difference needed for distinctness. The states of expression should, however, be meaningful for DUS assessment.










In the case of "pseudo-qualitative characteristics," the **range of expression is at least partly continuous, but varies in more than one dimension** (e.g. shape: ovate (1), elliptic (2), circular (3), obovate (4)) and cannot be adequately described by just defining two ends of a linear range. In a similar way to qualitative (discontinuous) characteristics – hence the term "pseudo-qualitative" – each individual state of expression needs to be identified to adequately describe the range of the characteristic.













NOTES and DISTINCTNESS according to TYPE OF EXPRESSION (QL, PQ, QN)

Types of Expression OL: QUALITATIVE QN: QUANTITATIVE PQ: PSEUDO-QUALITATIVE





Qualitative Characteristics: **distinctness**

In qualitative characteristics, the difference between two varieties may be considered clear if one or more characteristics have expressions that fall into **two different states in the Test Guidelines**. Varieties should not be considered distinct for a qualitative characteristic if they have the same state of expression.

(e.g. sex of plant: dioecious female (1), dioecious male (2), monoecious unisexual (3), monoecious hermaphrodite (4)).

Types of Expression


QL: QUALITATIVE


QN: QUANTITATIVE


PQ: PSEUDO-QUALITATIVE

PSEUDO-QUALITATIVE Characteristics

In the case of "pseudo-qualitative characteristics," the range of expression is at least partly continuous, but varies in more than one dimension (e.g. shape: ovate (1), elliptic (2), circular (3), obovate (4)) and cannot be adequately described by just defining two ends of a linear range. In a similar way to qualitative (discontinuous) characteristics — hence the term "pseudo-qualitative" — each individual state of expression needs to be identified to adequately describe the range of the characteristic.








Pseudo-Qualitative Characteristics: distinctness

A different state in the Test Guidelines may not be sufficient to establish distinctness (see also section 5.5.2.3). However, in certain circumstances, varieties described by the same state of expression may be clearly distinguishable.



Types of Expression

QL: QUALITATIVE

QN: QUANTITATIVE


PO: PSFUDO-OUALITATIVE


QUANTITATIVE Characteristics


"Quantitative characteristics" are those where the expression covers the full range of variation from one extreme to the other. The expression can be recorded on a one-dimensional, continuous or discrete, linear scale. The range of expression is divided into a number of states for the purpose of description (e.g. length of stem: very short (1), short (3), medium (5), long (7), very long (9)). The division seeks to provide, as far as is practical, an even distribution across the scale. The Test Guidelines do not specify the difference needed for distinctness. The states of expression should, however, be meaningful for DUS assessment.


Quantitative Characteristics: distinctness


Quantitative characteristics are considered for distinctness according to the method of observation and the features of propagation of the variety concerned...














NOTES

Versus

SIDE-BY-SIDE COMPARISON

(Quantitative characteristics)

TGP/9/1 "Examining Distinctness"

5.2 Approaches for assessing distinctness

5.2.1 Introduction

- 5.2.1.1 Approaches for assessment of distinctness based on the growing trial can be summarized as follows:
 - (a) **Side-by-side visual comparison** in the growing trial (see Section 5.2.2):
 - (b) Assessment by Notes / single variety records ("Notes"): the assessment of distinctness is based on the recorded state of expression of the characteristics of the variety

(see Section 5.2.3);

(c) Statistical analysis of growing trial data:

Quantitative Characteristics: distinctness


The General Introduction explains that, in the case of visually observed quantitative characteristics:

"5.5.2.2.2 A direct comparison between two similar varieties is always recommended, since direct pairwise comparisons are the most reliable. In each comparison, a difference between two varieties is acceptable as soon as it can be assessed visually and could be measured, although such measurement might be impractical or require unreasonable effort."

TGP/9/1 "Examining Distinctness"

5.2.3.1.2 Where the requirements for distinctness assessment by Notes / single variety records are met it would usually also be possible to make a side-by-side visual comparison. However, in the case of assessment by Notes / single variety records, such proximity is not required, which is a particular advantage where the growing trial contains a large number of varieties and where there are limited possibilities for ensuring that all similar varieties are grouped together in the growing trial. ...

On the other hand, because the varieties are not the subject of a side-by-side visual comparison, the difference required between varieties as a basis for distinctness is, with the exception of qualitative characteristics (see below), somewhat greater.




Quantitative Characteristics: distinctness


Quantitative characteristics are considered for distinctness according to the method of observation and the features of propagation of the variety concerned.

Test Guidelines (TGP/7 proposed revised text)

Difference of **two Notes to represent a clear difference if** the **comparison** between two varieties is performed **at the level of Notes**:

WHY?







Quantitative Characteristics: distinctness

Quantitative characteristics are considered for distinctness according to the method of observation and the features of propagation of the variety concerned.

Test Guidelines (TGP/7 proposed revised text)

Difference of **two Notes to represent a clear difference if** the **comparison** between two varieties is performed **at the level of Notes**:








3. GUIDANCE ON DRAFTING TEST GUIDELINES


d) Shape and Color Characteristics


TGP/14: Shape

Characteristics related to shape, could use the following components:

- Shape: e.g. ovate (1), elliptic (2), circular (3), obovate (4)...
- Ratio length/ width (from low to high)
- Postion of broadest part
- Shape of base
- Shape of apex
- Lateral outline








Alternative I

(a) position of broadest part (CN);
9.9. strongly branch spec (1); moderately towards base (3); at middle (5); moderately branch spec (7), strongly branch spec (9)

(b) table lengthwidth (CN);
6.9. yetry low (1); low (3); medium (5); high (7); very high (9);



	TGP/14: Color					
		state of expression	example			
	low	single color	yellow, orange, red			
level of precision	ĺ	color range	(a) yellow, yellow orange, orange, orange red, red (b) white, yellowish white, yellow, yellowish orange			
level of	\downarrow	intensity	light yellow, medium yellow, dark yellow			
	high	RHS Colour Chart No.	RHS 41 B			
			Species?			
		Le	evel of variation?			

TGP/14: Color Single color

- · A single color has the lowest precision to describe the state of expression.
- Example: Flower: color: white (1); yellow (2); orange (3); red (4)

TGP/14: Color Color range

- (a) In color combinations the second color indicates the predominant color with blending of both colors, resulting in what can look like a single color. For example in "green red" the predominant color is green and in "red green" the predominant color is green.
- Example: Flower: color: white (1); yellow white (2); yellow (3); yellow orange (4); orange (5)
- (b) The use of "ish" in color combinations indicates that there is a predominant color (e.g. yellow) together with another minor color. For example,
- yellowish, covers all colors which are predominantly yellow (would include, for example, white yellow; brown yellow; orange yellow; etc.)
- yellowish green covers all colors which are predominantly green with some yellow (would include, for example, white yellow green; brown yellow green; orange yellow green etc.)
- Example: Flower: color: whitish (1); yellowish (2); greenish (3)

TGP/14: Color **Intensity**

- Depending on the organ described, the intensity can be presented either in relation to a single color or in combination with different colors (example 2).
- Example 1: Leaf: green color of upper side: light (3); medium (5); dark (9)
- Example 2: Flower: color: white (1); light yellow (2); medium yellow (3); dark yellow (4); orange (5)

TGP/14: Color Color Chart

- The "RHS Colour Chart" because of its worldwide availability.

 5 editions of this color chart, dating from 1966, 1986, 1995, 2001 and 2007.

 Reference number of the RHS color, color name and edition of the chart to be mentioned.

 - UPOV names for colors in ANNEX.
 Other color charts might also be appropriate.
- "Because daylight varies, color determinations made against a color chart should be made either in a suitable cabinet providing artificial daylight or in the middle of the day in a room without direct sunlight. The spectral distribution of the illuminant for artificial daylight should conform with all CIE Standard of Preferred Daylight D 6500 and should fall within the tolerances set out in the British Standard 950, Part 1. These determinations should be made with the plant part placed against a white background".
- Observations should not be made in direct sunlight. The observations should be made on a cloudy day with sufficient light intensity, or in a shaded area.

Allocation of UPOV Color Groups for each RHS Color in RHS Reference order RHS COLORS (RHS COLOUR CHART, EDITIONS 1986, 1995, 2001 AND 2007) BY UPOV COLOR GROUPS yellow green yellow green yellow green yellow yellow yellow yellow yellow yellow green ightyellow green ightyellow yellow yellow

TGP/14: Color Order of states of expression

- normally presented in the following order: white, green, yellow, orange, pink, red, purple, violet, blue, brown, black
- chronological appearance of the color (e.g. as the fruit ripens)


TGP/14: Color APPROACHES TO DESCRIBE COLORS AND COLOR PATTERNS

- depends on the number of colors...
- the types of color distribution...
- and the number of color patterns possible for the species concerned.

TGP/14: Color

Approach according to the size of the surface area


- (a) only a few colors, a few types of color distribution and a few patterns to be described,
- the colors are described according to the size of the surface area they cover



TGP/14: Color Approach according to tissue layers

- one layer is covering the other:
- (a) Ground color (not always the largest surface area):
 - (i) the first color to appear chronologically.
 - (ii) has a continuous dispersion across the surface.
- (b) Over color (not always occupying the smallest surface area):
 - a second color, such as a flush, spots or blotches developed over time.

	APPLE – TG/14/9						
35. (*)		Fruit: ground color		37. (*)		Fruit: hue of over color – with bloom removed	
PQ	(f)	not visible	1	PQ	(f)	orange red	1
		whitish yellow	2			pink red	2
		yellow	3			red	3
		whitish green	4			purple red	4
		yellow green	5			brown red	5
		green	6				



TGP/14: Color

Approach according to defined parts of an organ

- (a) If the different parts of a plant organ can have different colors, the color of these different parts can be described separately.
- Example:

 - Petal: color of margin
 Petal: color of middle zone
 Petal: color of base
- (b) When an organ has one color with different intensities, the parts of the organ which are lighter or darker could be described as follows:
- Example:
- Ray floret: color distribution on upper side:


 lighter towards base (1); even (2); lighter towards apex (3)




Approach according to the RHS Colour Chart number ("Lisbon" approach)


- · All colors of the plant part concerned are assessed using the RHS Colour Charts first.
- · The color should first be described, followed by:


 - distribution,
 - Pattern
 - conspicuousness of the color (if necessary).
- The same sequence should be followed for color two, color three and so on. I








3. GUIDANCE ON DRAFTING TEST GUIDELINES e) Example Varieties












Example Varieties – the need in characteristics used to harmonize descriptions and which are influenced by the environment



3. GUIDANCE ON DRAFTING TEST GUIDELINES

f) The process for developing UPOV Test Guidelines, including: TG Template; Additional Standard Wording; and Guidance Notes:

Genera and Species

- >3,000 genera and species with varieties examined for PBR
- >2,700 genera and species for which UPOV members have practical DUS experience
- 295 Test Guidelines adopted

Note: 295 Test Guidelines estimated to cover 90% of PBR-related varieties in UPOV Plant Variety Database

PRIORITY for UPOV Test Guidelines

PRIORITY for species or crops with high:

- number of authorities receiving PBR applications;
- number of PBR applications;
- number of foreign applications received by UPOV members;
- economic importance;
- level of breeding activity

EXAMPLE (New Test Guidelines)

Test Guidelines: *Plantus magnifica* L.


(Common name: Alpha)

Technical Working Party: TWX


TWX (2013): Alpha (proj.1)
TWX (2014): Alpha (proj.2)
TWX (2015): Alpha (proj.3)

Enlarged Editorial Committee (2016):
Technical Committee (2016):
Final adopted document (2016):


Alpha (proj.4)
Alpha (proj.5)
TG/500/1




4. AGENDA for the TWP Session




EXCHANGING INFORMATION



AN OPPORTUNITY
for
TRAINING





5. FEEDBACK FROM PARTICIPANTS

From TC/49/10:

<u>Survey to seek views on improving the</u> <u>effectiveness of the Preparatory Workshops</u>

10. In conjunction with the survey of participants at the TWP session in 2013 (see document TC/49/3 "Matters arising from the Technical Working Parties") it is proposed to conduct a survey of participants in the preparatory workshop in 2013, with a view to seeking improvements to the effectiveness of the Preparatory Workshops

[See document TC/49/41 Report on Conclusions, paragraph 21]

THANK YOU