

TG/CANNA(proj.5) ORIGINAL: English DATE: 2009-07-29

INTERNATIONAL UNION FOR THE PROTECTION OF NEW VARIETIES OF PLANTS

GENEVA



CANNA

UPOV Code: CANNA

Canna L.

GUIDELINES

FOR THE CONDUCT OF TESTS

FOR DISTINCTNESS, UNIFORMITY AND STABILITY

prepared by experts from France

to be considered by the Technical Working Party for Ornamental Plants and Forest Trees at its forty-second session, to be held in Angers, France, from September 14 to 18, 2009

Alternative Names:*

Botanical name	English	French	German	Spanish
Canna L.	Canna, Indian Shot	Balisier, Canna	Blumenrohr	Achira, Platanillo

The purpose of these guidelines ("Test Guidelines") is to elaborate the principles contained in the General Introduction (document TG/1/3), and its associated TGP documents, into detailed practical guidance for the harmonized examination of distinctness, uniformity and stability (DUS) and, in particular, to identify appropriate characteristics for the examination of DUS and production of harmonized variety descriptions.

ASSOCIATED DOCUMENTS

These Test Guidelines should be read in conjunction with the General Introduction and its associated TGP documents.

^{*} These names were correct at the time of the introduction of these Test Guidelines but may be revised or updated. [Readers are advised to consult the UPOV Code, which can be found on the UPOV Website (www.upov.int), for the latest information.]

TG/CANNA(proj.5) Canna, 2009-07-29 - 2 -

TABLE OF CONTENTS

PAGE

1.	SUBJEC	T OF THESE TEST GUIDELINES
2.	MATERI	AL REQUIRED
3.	METHO	D OF EXAMINATION
	3.1 Nun	nber of Growing Cycles
	3.2 Test	ting Place
	3.3 Con	ditions for Conducting the Examination
	3.4 Test	t Design4
	3.5 Nun	nber of Plants / Parts of Plants to be examined4
	3.6 Add	litional Tests4
4.	ASSESSI	MENT OF DISTINCTNESS, UNIFORMITY AND STABILITY4
	4.1 Dist	inctness4
	4.2 Unit	formity4
	4.3 Stab	5 vility
5.	GROUPI	NG OF VARIETIES AND ORGANIZATION OF THE GROWING TRIAL5
6.		UCTION TO THE TABLE OF CHARACTERISTICS
	6.1 Cate	egories of Characteristics
	6.2 State	es of Expression and Corresponding Notes
	6.3 Тур	es of Expression
	6.4 Exa	mple Varieties
	6.5 Lege	end6
7.		OF CHARACTERISTICS/TABLEAU DES FÈRES/MERKMALSTABELLE/TABLA DE CARACTERES7
0		
8.		VATIONS ON THE TABLE OF CHARACTERISTICS
	-	lanations covering several characteristics
0	-	lanations for individual characteristics
9.		ГURE
10.	TECHNI	CAL QUESTIONNAIRE18

1. <u>Subject of these Test Guidelines</u>

These Test Guidelines apply to all varieties of Canna L.

2. <u>Material Required</u>

2.1 The competent authorities decide on the quantity and quality of the plant material required for testing the variety and when and where it is to be delivered. Applicants submitting material from a State other than that in which the testing takes place must ensure that all customs formalities and phytosanitary requirements are complied with.

2.2 The material is to be supplied in the form of rhizomes or young plants which will flower within one year and display all characteristics of the variety.

2.3 The minimum quantity of plant material, to be provided by the applicant, should be:

10 young plants, or rhizomes,

which will flower within one year and display all characteristics of the variety.

2.4 The plant material supplied should be visibly healthy, not lacking in vigor, nor affected by any important pest or disease.

2.5 The plant material should not have undergone any treatment which would affect the expression of the characteristics of the variety, unless the competent authorities allow or request such treatment. If it has been treated, full details of the treatment must be given.

3. <u>Method of Examination</u>

3.1 Number of Growing Cycles

The minimum duration of tests should normally be a single growing cycle.

3.2 Testing Place

Tests are normally conducted at one place. In the case of tests conducted at more than one place, guidance is provided in TGP/9 "Examining Distinctness".

3.3 Conditions for Conducting the Examination

3.3.1 The tests should be carried out under conditions ensuring satisfactory growth for the expression of the relevant characteristics of the variety and for the conduct of the examination.

3.3.3 Because daylight varies, color determinations made against a color chart should be made either in a suitable cabinet providing artificial daylight or in the middle of the day in a room without direct sunlight. The spectral distribution of the illuminant for artificial daylight should conform with the CIE Standard of Preferred Daylight D 6500 and should fall within the tolerances set out in the British Standard 950, Part I. These determinations should be made with the plant part placed against a white background.

3.4 Test Design

3.4.1 Each test should be designed to result in a total of at least 8 plants.

3.4.2 The design of the tests should be such that plants or parts of plants may be removed for measurement or counting without prejudice to the observations which must be made up to the end of the growing cycle.

3.5 Number of Plants / Parts of Plants to be examined

Unless otherwise indicated, all observations should be made on 8 plants or parts taken from each of 8 plants.

3.6 Additional Tests

Additional tests, for examining relevant characteristics, may be established.

4. Assessment of Distinctness, Uniformity and Stability

4.1 Distinctness

4.1.1 General Recommendations

It is of particular importance for users of these Test Guidelines to consult the General Introduction prior to making decisions regarding distinctness. However, the following points are provided for elaboration or emphasis in these Test Guidelines.

4.1.2 Consistent Differences

The differences observed between varieties may be so clear that more than one growing cycle is not necessary. In addition, in some circumstances, the influence of the environment is not such that more than a single growing cycle is required to provide assurance that the differences observed between varieties are sufficiently consistent. One means of ensuring that a difference in a characteristic, observed in a growing trial, is sufficiently consistent is to examine the characteristic in at least two independent growing cycles.

4.1.3 Clear Differences

Determining whether a difference between two varieties is clear depends on many factors, and should consider, in particular, the type of expression of the characteristic being examined, i.e. whether it is expressed in a qualitative, quantitative, or pseudo-qualitative manner. Therefore, it is important that users of these Test Guidelines are familiar with the recommendations contained in the General Introduction prior to making decisions regarding distinctness.

4.2 Uniformity

4.2.1 It is of particular importance for users of these Test Guidelines to consult the General Introduction prior to making decisions regarding uniformity. However, the following points are provided for elaboration or emphasis in these Test Guidelines:

4.2.2 For the assessment of uniformity, a population standard of 1% and an acceptance probability of at least 95% should be applied. In the case of a sample size of 8 plants, 1 off-type is allowed.

4.3 Stability

4.3.1 In practice, it is not usual to perform tests of stability that produce results as certain as those of the testing of distinctness and uniformity. However, experience has demonstrated that, for many types of variety, when a variety has been shown to be uniform, it can also be considered to be stable.

4.3.2 Where appropriate, or in cases of doubt, stability may be tested, either by growing a further generation, or by testing a new plant stock to ensure that it exhibits the same characteristics as those shown by the previous material supplied.

5. Grouping of Varieties and Organization of the Growing Trial

5.1 The selection of varieties of common knowledge to be grown in the trial with the candidate varieties and the way in which these varieties are divided into groups to facilitate the assessment of distinctness are aided by the use of grouping characteristics.

5.2 Grouping characteristics are those in which the documented states of expression, even where produced at different locations, can be used, either individually or in combination with other such characteristics: (a) to select varieties of common knowledge that can be excluded from the growing trial used for examination of distinctness; and (b) to organize the growing trial so that similar varieties are grouped together.

5.3 The following have been agreed as useful grouping characteristics:

- (a) Plant: height at beginning of flowering (characteristic 1)
- (b) Leaf blade: main color (characteristic 6)
- (c) Leaf blade: secondary color (characteristic 7)
- (d) Staminode: number of colors (characteristic 17)
- (e) Staminode: main color (characteristic 18)

5.4 Guidance for the use of grouping characteristics, in the process of examining distinctness, is provided through the General Introduction.

6. <u>Introduction to the Table of Characteristics</u>

6.1 *Categories of Characteristics*

6.1.1 Standard Test Guidelines Characteristics

Standard Test Guidelines characteristics are those which are approved by UPOV for examination of DUS and from which members of the Union can select those suitable for their particular circumstances.

6.1.2 Asterisked Characteristics

Asterisked characteristics (denoted by *) are those included in the Test Guidelines which are important for the international harmonization of variety descriptions and should always be examined for DUS and included in the variety description by all members of the Union, except when the state of expression of a preceding characteristic or regional environmental conditions render this inappropriate.

6.2 States of Expression and Corresponding Notes

States of expression are given for each characteristic to define the characteristic and to harmonize descriptions. Each state of expression is allocated a corresponding numerical note for ease of recording of data and for the production and exchange of the description.

6.3 Types of Expression

An explanation of the types of expression of characteristics (qualitative, quantitative and pseudo-qualitative) is provided in the General Introduction.

6.4 Example Varieties

Where appropriate, example varieties are provided to clarify the states of expression of each characteristic.

- 6.5 Legend
- (*) Asterisked characteristic see Chapter 6.1.2
- QL: Qualitative characteristic see Chapter 6.3
- QN: Quantitative characteristic see Chapter 6.3
- PQ: Pseudo-qualitative characteristic see Chapter 6.3
- (a) See Explanations on the Table of Characteristics in Chapter 8.1
- (+) See Explanations on the Table of Characteristics in Chapter 8.2

7. <u>Table of Characteristics/Tableau des caractères/Merkmalstabelle/Tabla de caracteres</u>

	English	français	deutsch	español	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	Note/ Nota
1. (*) (+)	Plant: height at beginning of flowering	Plante: hauteur au début de la floraisor	1			
QN	short	basse			Tafraout	3
	medium	moyenne			Oiseau de feu	5
	tall	haute			Liberté	7
2. (+)	Plant: growth habit	Plante: port	Illustrations to be provided, have you got some pictures or photos for the different growth habit, FR has not.		Fr proposal : example variety for note 1: Liberté to replace Florence Waugham	
QN	upright	dressé			Florence Waugham	1
	upright to semi upright	dressé à demi dressé				2
	semi upright	demi dressé			Pretoria, Prince Charmant	3
3. (*)	Leaf blade: length	Limbe foliaire : longueur				
QN	short	courte			Lolita, Turcano	3
	medium	moyenne			Oiseau d'or	5
	long	longue			Liberté	7
4. (*)	Leaf blade: width	Limbe foliaire : largeur		FR proposal New chara glossiness of foliage 3 weak Strasbourg 5medium Oiseau D'Or 7 strong Russian Red	: Fr proposal : example variety for note 1: Caballero to replace Lucifer	
QN	narrow	étroite			Lucifer	3
	medium	moyenne			Oiseau de feu	5
	broad	large			Liberté	7

TG/CANNA(proj.5) Canna, 2009-07-29 - 8 -

	English	français	deutsch	español	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	Note/ Nota
5. (*)	Leaf: color of veins	Feuille : couleur des nervures	8			
QN	absent or very weak	absent ou très faible			Confetii	1
	weak	faible			Bonnezeau	3
	medium	moyenne			Oiseau d'Or	5
	strong	forte			Louis Cottin	7
	very strong	très forte			Durban	9
6. (*) (+)	Leaf blade: main color	Limbe foliaire : couleur principale				
PQ	RHS Colour Chart (indicate reference number)	Code RHS des couleurs (indiquer le numéro de référence))			
7. (*)	Leaf blade: secondary color	Limbe foliaire : couleur secondaire				
PQ	green	vert			Oiseau d'or	1
	yellow green	jaune vert				2
	yellowish white	blanc jaunâtre			Stuttgart	3
	yellow	jaune			Panach	4
	orange	orange			Andaloucia	5
	orange brown	orange marron				6
	brown	marron				7
	purple	violet			Liberté	8

TG/CANNA(proj.5) Canna, 2009-07-29 - 9 -

		English	français	deutsch	español	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	Note/ Nota
8. (*) (+)		Leaf blade: pattern of secondary color	Limbe foliaire: distribution de la couleur secondaire	Fr has no illustration for the different levels			
PQ?		along veins	le long des nervures			Panach/Andaloucia	1
		along veins and diffused	le long des veines et diffuse			Liberté	2
		diffused	diffuse				3
		marginal					4
		blotched					5
		marbled				Stuttgart	6
9.		Plant: position of the inflorescence in relation to foliage	Plant : position relative de l'inflorescence par rapport au feuillage				
QN	(a)	at same level	au même niveau			Flamèche	1
		moderately above	légèrement au dessus			Félix Ragot	2
		strongly above	nettement au dessus			Liberté	3
10.		Inflorescence: length excluding peduncle	Inflorescence : longueur en excluant le pédoncule		Fr proposal: to replace Liberté by Marabout		
QN	(a)	short	courte			Flamèche	3
		medium	moyenne			Roi Soleil	5
		long	longue			Liberté	7
11. (+)		Inflorescence: thickness at top of peduncle	Inflorescence : épaisseur en haut du pédoncule	L			
QN	(a)	thin	fine			Diana, Gracia	3
		medium	moyenne			Extra	5
		thick	épaisse			Pallagszépe	7

TG/CANNA(proj.5) Canna, 2009-07-29 - 10 -

		English	français	deutsch	español	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	Note/ Nota
12. (+)		Inflorescence: arrangement of staminodes	Inflorescence : position des staminodes				
QN	(a)	free	libre			Perkéo	1
		intermediate	intermédiaire				2
		overlapping	se chevauchant			Peau Rouge	3
13. (+)		Staminode: type	Staminode : type	Fr has no illustration for this char.			
QL?	(a)	single	simple			Plantagenet	1
		double	double			C .	2
14. (*)		Staminode: size (excluding first flower)	Staminode : taille (en excluant la première fleur)				
QN	(a)	very small	très petite			Stuttgart	1
		small	petite			Yara	3
		medium	moyenne			Roi Soleil	5
		large	grande			Liberté	7
15 . (+)		Staminode: reflexin (open flower)	ng Staminode: courbure (fleur ouverte)				
QN	(a)	weak	faible			Angèle Martin	1
		medium	moyenne			Peau rouge	2
		strong	forte			Florence Waugham	3
16 QN ?		Staminode: undulation					
		absent or weak					1
		medium					2
		strong				Alberich	3

TG/CANNA(proj.5) Canna, 2009-07-29

- 11 -

		English	français	deutsch	español	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	Note/ Nota
17. (*)		Staminode: number of colors	Staminode : nombre de couleurs	2			
QN	(a)	one	une			Roi Soleil	1
		two	deux			En Avant, Reine Charlotte	2
		more than two	plus de deux				3
18. (*) (+)		Staminode: main color	Staminode : couleur principale		Fr proposal: to replace Oiseau d'or by Niagara and Extase by Carmen		
QN?	(a)	cream	crème			Oiseau d'or	1
		yellow	jaune			Félix Ragot	2
		orange	orange			Liberté	3
		pink	rose			Extase	4
		red	rouge			Roi Soleil	5
19.		Staminode: flush	Staminode: zone irisée				
QL	(a)	absent	absent				1
		present	présent				9
20.		Staminode: color of flush	Staminode: couleur de la zone irisée				
?	(a)	yellowish white	blanc jaunâtre				1
		yellow	jaune				2
		yellow orange	jaune orange				3
		red	rouge				4
21.		Staminode: stripes	Staminode: stries				
?	(a)	absent	absentes				1
		present	présentes				9

TG/CANNA(proj.5) Canna, 2009-07-29 - 12 -

		English	français	deutsch	español	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	Note/ Nota
22.		Staminode: color of stripes	Staminode: couleur des stries				
?	(a)	yellowish white	blanc jaunâtre				1
		yellow	jaune				2
		yellow orange	jaune orange				3
		red	rouge				4
23.		Staminode: blotch	Staminode: taches				
?	(a)	absent	absentes			Brillant, Oiseau d'or	1
		present	présentes			Dollar	9
24.		Staminode: color of blotch	Staminode: couleur des taches				
?	(a)	yellowish white	blanc jaunâtre				1
		yellow	jaune				2
		yellow orange	jaune orange				3
		red	rouge			Dollar	4
25.		Staminode: marginal zone	Staminode: bordure				
?	(a)	absent	absente			Brillant	1
		present	présente			Reine Charlotte	9
26.		Staminode: color of marginal zone	Staminode: couleur de la bordure				
?	(a)	yellowish white	blanc jaunâtre				1
		yellow	jaune			Lolita, Lucifer, Reine Charlotte	2
		yellow orange	jaune orange				3
		orange	orange				4
		pink	rose				
		orange red	rouge orangé				
		red	rouge				4

TG/CANNA(proj.5) Canna, 2009-07-29 - 13 -

	English	français	deutsch	español	Example Varieties/ Exemples/ Beispielssorten/ Variedades ejemplo	Note/ Nota
27. (*)	Time of flowering	Époque de floraison	I			
QN	very early	très précoce	FR proposal: to dele	ete		1
	early	précoce			Corial	3
	medium	moyenne			Roi Soleil	5
	late	tardive			Liberté	7
	very late	très tardive	FR proposal: to dele	ete		9
28.	Rhizome: color of skin	Rhizome : couleur de l'épiderme				
QL	yellow brown	beige			Pax	1
	pinkish	rosé			Gracia	2


8. <u>Explanations on the Table of Characteristics</u>

8.1 Explanations covering several characteristics

Characteristics containing the following key in the second column of the Table of Characteristics should be examined as indicated below:

(a) all observations on the staminode should be made on an open flower

General terminology/Terminologie générale



Flower of Canna indica

8.2 *Explanations for individual characteristics*

Ad. 1: Plant: height at beginning of flowering

Plant height includes the inflorescence (the flower spike) and is determined at the beginning of flowering.

Ad. 2: Plant: growth habit


[illustration to be provided]

TG/CANNA(proj.5) Canna, 2009-07-29 - 15 -

Ad. 6: Leaf blade: main color

The main color is the color with the largest surface area.


Ad. 8: Leaf blade: pattern of secondary color



Ad. 11: Inflorescence: thickness at top of peduncle



Ad. 12: Inflorescence: arrangement of staminodes





intermediate

overlapping

TG/CANNA(proj.5) Canna, 2009-07-29 - 16 -

Ad. 13: Staminode: type

to be provided

Ad. 15: Staminode: reflexing (open flower)



Ad. 18: Staminode: main color

The main color is the color with the largest surface area.

9. <u>Literature</u>

Cooke, I., 2001: Gardeners Guide to Growing Cannas, Timber Press, 160 pp.

TG/CANNA(proj.5) Canna, 2009-07-29 - 18 -

10. <u>Technical Questionnaire</u>

TEC	HNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
			Application date: (not to be filled in by the applicant)
		HNICAL QUESTION ction with an application	NAIRE on for plant breeders' rights
1.	Subject of the Technical Ques	tionnaire	
	1.1.1 Botanical name	anna L.	
	1.1.2 Common name	anna	
	1.2 Species		
2.	Applicant		
	Name		
	Address		
	Telephone No.		
	Fax No.		
	E-mail address		
	Breeder (if different from app	licant)	
3.	Proposed denomination and b	reeder's reference	
	Proposed denomination (if available)		
	Breeder's reference		

TG/CANNA(proj.5) Canna, 2009-07-29 - 19 -

TECHNICAL QU	JESTIONNAIRE Page {x} of {y}	Reference Number:							
[#] 4. Information	[#] 4. Information on the breeding scheme and propagation of the variety								
4.1 Breedi	Breeding scheme								
Variet	y resulting from:								
4.1.1	Crossing								
	 (a) controlled cross (please state parent varieties) (b) partially known cross (please state known parent variety(integration) 	[] [] es))							
	(c) unknown cross	[]							
4.1.2	Mutation (please state parent variety)	[]							
4.1.3	Discovery and development (please state where and when discovered and how developed)	[]							
4.1.4	Other (please provide details)	[]							
4.2 Metho	d of propagating the variety								
4.2.1	Vegetative propagation								
(a) cuttings	[]							
(b) <i>in vitro</i> propagation	[]							
(c) other (state method)	[]							
4.2.2	Seed	[]							
4.2.3	Other please provide details)	[]							

 $^{^{*}}$ Authorities may allow certain of this information to be provided in a confidential section of the Technical Questionnaire.

TG/CANNA(proj.5) Canna, 2009-07-29 - 20 -

Reference Number: TECHNICAL QUESTIONNAIRE Page $\{x\}$ of $\{y\}$ Characteristics of the variety to be indicated (the number in brackets refers to the 5. corresponding characteristic in Test Guidelines; please mark the note which best corresponds). Characteristics **Example Varieties** Note 5.1 Plant: total height at beginning of flowering (1) short Tarfraout 3[] 5[] medium Oiseau de feu tall Liberté 7[] 5.2(i) Leaf blade: main color (6) RHS Colour Chart (indicate reference number) 5.2(ii) Leaf blade: main color (6) yellowish white 1[] yellow 2[] Pretoria yellow green 3[] Oiseau d'or 4[] green orange 5[] orange brown 6[] brown 7[] Liberté purple 8[]

TG/CANNA(proj.5) Canna, 2009-07-29 - 21 -

TECI	HNICAL QUESTIONNAIRE Page {x} of {y}	Reference Number:	
	Characteristics	Example Varieties	Note
5.3 (7)	Leaf blade: secondary color		
	green	Oiseau d'or	1[]
	yellow green		2[]
	yellowish white	Stuttgart	3[]
	yellow	Panach	4[]
	orange	Andaloucia	5[]
	orange brown		6[]
	brown		7[]
	purple	Liberté	8[]
5.4 (17)	Staminode: number of colors		
	one	Roi Soleil	1[]
	two	En Avant, Reine Charlotte	2[]
	more than two		3[]
5.5 (18)	Staminode: main color		
	cream	Oiseau d'Or	1[]
	yellow	Félix Ragot	2[]
	orange	Liberté	3[]
	pink	Extase	4[]
	red	Roi Soleil	5[]

TG/CANNA(proj.5) Canna, 2009-07-29 - 22 -

	- 22 -		
TECHNICAL QUESTI	ONNAIRE Page {x}	of {y} Reference Nu	imber:
Please use the followin candidate variety differ is (or are) most similar	rs from the variety (or va	mments to provide infor arieties) which, to the bes help the examination au	t of your knowledge,
Denomination(s) of variety(ies) similar to your candidate variety	Characteristic(s) in which your candidate variety differs from the similar variety(ies)	Describe the expression the characteristic(s) for t similar variety(ies)	
Example	Flower color	orange	orange red
Comments:			

TG/CANNA(proj.5) Canna, 2009-07-29 - 23 -

TECHNICAL QUESTIONNAIRE		Page {x} of {y}	Reference Number:				
[#] 7.	. Additional information which may help in the examination of the variety						
7.1	In addition to the information provided in sections 5 and 6, are there any additional characteristics which may help to distinguish the variety?						
	Yes []	No []					
	(If yes, please provide details)						
7.2	Are there any special conditions for growing the variety or conducting the examination?						
	Yes []	No []					
	(If yes, please provide details)						
7.3	Other information						
	7.3.1 Main use						
	 (a) garden plant (b) pot plant (c) cut-flower (d) other (please provide 	[] [] []					
Tech	7.3.2 A representative color photograph of the variety should accompany the Technical Questionnaire.						
8.	Authorization for release						
	(a) Does the variety require prior authorization for release under legislation concerning the protection of the environment, human and animal health?						
	Yes []	No []					
	(b) Has such authorization been obtained?						
	Yes []	No []					
	If the answer to (b) is yes, please attach a copy of the authorization.						

 $^{^{\#}}$ Authorities may allow certain of this information to be provided in a confidential section of the Technical Questionnaire.

TG/CANNA(proj.5) Canna, 2009-07-29 - 24 -

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
-------------------------	-----------------	-------------------

9. Information on plant material to be examined or submitted for examination.

9.1 The expression of a characteristic or several characteristics of a variety may be affected by factors, such as pests and disease, chemical treatment (e.g. growth retardants or pesticides), effects of tissue culture, different rootstocks, scions taken from different growth phases of a tree, etc.

9.2 The plant material should not have undergone any treatment which would affect the expression of the characteristics of the variety, unless the competent authorities allow or request such treatment. If the plant material has undergone such treatment, full details of the treatment must be given. In this respect, please indicate below, to the best of your knowledge, if the plant material to be examined has been subjected to:

	(a)	Microorganisms (e.g. virus, bacteria, phytoplasma)	Yes []	No []				
	(b)	Chemical treatment (e.g. growth retardant, pesticide)	Yes []	No []				
	(c)	Tissue culture	Yes []	No []				
	(d) Other factors			No []				
	Please provide details for where you have indicated "yes".							
10. I hereby declare that, to the best of my knowledge, the information provided in this form is correct:								
L	Appli	cant's name						
	Signa	ture Date						

[End of document]