

**TWO/44/21****ORIGINAL:** English**DATE:** October 11, 2011

INTERNATIONAL UNION FOR THE PROTECTION OF NEW VARIETIES OF PLANTS
GENEVA

**TECHNICAL WORKING PARTY FOR ORNAMENTAL PLANTS
AND FOREST TREES**

Forty-Fourth Session
Fukuyama City, Hiroshima Prefecture, Japan
November 7 to 11, 2011

**PROPOSAL FOR A PARTIAL REVISION OF THE TEST GUIDELINES FOR
KALANCHOE (DOCUMENT TG/78/4)**

Document prepared by an expert from Germany

1. It is proposed that the Test Guidelines for Kalanchoe (document TG/78/4) be amended as follows:

2. Characteristic 32 “Corolla lobe: distribution of secondary color” of the Test Guidelines for Kalanchoe (document TG/78/4 dated 2008-04-09)

Current wording:

32. (*) (+)	Corolla lobe: distribution of secondary color	Lobe de la corolle : distribution de la couleur secondaire	Kronzipfel: Verteilung der Sekundärfarbe	Lóbulo de la corola: distribución del color secundario		
PQ	(d) at margin only	en bordure seulement	nur am Rand	únicamente en el margen	Alcedo	1
	at margin and at base	en bordure et à la base	am Rand und an der Basis	en el margen y en la base	Mipinkstar	2
	at base only	à la base seulement	nur an der Basis	únicamente en la base	Impromero	3
	at base and in median stripe	à la base et une raie médiane	an der Basis und als Mittelstreifen	en la base y en la estría central	Milos	4
	median stripe only	raie médiane seulement	nur als Mittelstreifen	únicamente estría central		5
	mainly on one half	principalement sur une moitié	hauptsächlich auf einer Hälfte	principalmente en una mitad	Rewiros	6
	dotted	pointillée	gepunktet	salpicado	Greco	7
	brindled	panachée	gescheckt	pinto		8

Proposal

To add a new state of expression: at apex (9)

3. Characteristic 38 "Only varieties with double flowers: Outer corolla lobe: distribution of secondary color"

Current wording:

38.		<u>Only varieties with double flowers:</u>	<u>Variétés à fleurs doubles seulement :</u>	<u>Nur Sorten mit gefüllten Blüten:</u>	<u>Únicamente variedades con flores dobles:</u>	
(+)		Outer corolla lobe: distribution of secondary color	lobe extérieur de la corolle : distribution de la couleur secondaire	Äußerer Kronzipfel: Verteilung der Sekundärfarbe	Lóbulo exterior de la corola: distribución del color secundario	
PQ	(c)	at margin only	en bordure seulement	nur am Rand	únicamente en el margen	1
		at margin and at base	en bordure et à la base	am Rand und an der Basis	en el margen y en la base	2
		at base only	à la base seulement	nur an der Basis	únicamente en la base	3
		at base and in median stripe	à la base et une raie médiane	an der Basis und als Mittelstreifen	en la base y en la estría central	4
		median stripe only	raie médiane seulement	nur als Mittelstreifen	únicamente estría central	5
		mainly on one half	principalement sur une moitié	hauptsächlich auf einer Hälfte	principalmente en una mitad	6
		dotted	pointillé	gepunktet	salpicado	7
		brindled	panachée	gescheckt	pinto	8

Proposal

To add a new state of expression: at apex (9)

4. Explanations on the Table of Characteristics:

Ad. 32: Corolla lobe: distribution of secondary color

Ad. 38: Only varieties with double flowers: outer corolla lobe: distribution of secondary color



9

at apex

[End of document]