



TG/27/7(proj.3)

ORIGINAL: English

DATE: 2016-05-04

## INTERNATIONAL UNION FOR THE PROTECTION OF NEW VARIETIES OF PLANTS

Geneva

DRAFT

## FREESIA

UPOV Code(s): FREES

*Freesia* Eckl. ex Klatt

## GUIDELINES

## FOR THE CONDUCT OF TESTS

## FOR DISTINCTNESS, UNIFORMITY AND STABILITY

*prepared by experts from the Netherlands**to be considered by the*

*Technical Working Party for Ornamental Plants and Forest Trees  
at its forty-ninth session, to be held in Gimcheon City, Republic of Korea,  
from 2016-06-13 to 2016-06-17*

*Disclaimer: this document does not represent UPOV policies or guidance*

Alternative names:\*

<i>Botanical name</i>	<i>English</i>	<i>French</i>	<i>German</i>	<i>Spanish</i>
<i>Freesia</i> Eckl. ex Klatt	Freesia	Freesia	Freesie	Freesia

The purpose of these guidelines ("Test Guidelines") is to elaborate the principles contained in the General Introduction (document TG/1/3), and its associated TGP documents, into detailed practical guidance for the harmonized examination of distinctness, uniformity and stability (DUS) and, in particular, to identify appropriate characteristics for the examination of DUS and production of harmonized variety descriptions.

## ASSOCIATED DOCUMENTS

These Test Guidelines should be read in conjunction with the General Introduction and its associated TGP documents.

\* These names were correct at the time of the introduction of these Test Guidelines but may be revised or updated. [Readers are advised to consult the UPOV Code, which can be found on the UPOV Website ([www.upov.int](http://www.upov.int)), for the latest information.]

<u>TABLE OF CONTENTS</u>	<u>PAGE</u>
1. SUBJECT OF THESE TEST GUIDELINES.....	<a href="#">3</a>
2. MATERIAL REQUIRED.....	<a href="#">3</a>
3. METHOD OF EXAMINATION.....	<a href="#">4</a>
3.1 Number of Growing Cycles.....	<a href="#">4</a>
3.2 Testing Place.....	<a href="#">4</a>
3.3 Conditions for Conducting the Examination.....	<a href="#">4</a>
3.4 Test Design.....	<a href="#">4</a>
3.5 Additional Tests.....	<a href="#">4</a>
4. ASSESSMENT OF DISTINCTNESS, UNIFORMITY AND STABILITY.....	<a href="#">5</a>
4.1 Distinctness.....	<a href="#">5</a>
4.2 Uniformity.....	<a href="#">5</a>
4.3 Stability.....	<a href="#">5</a>
5. GROUPING OF VARIETIES AND ORGANIZATION OF THE GROWING TRIAL.....	<a href="#">6</a>
6. INTRODUCTION TO THE TABLE OF CHARACTERISTICS.....	<a href="#">7</a>
6.1 Categories of Characteristics.....	<a href="#">7</a>
6.2 States of Expression and Corresponding Notes.....	<a href="#">7</a>
6.3 Types of Expression.....	<a href="#">7</a>
6.4 Example Varieties.....	<a href="#">7</a>
6.5 Legend.....	<a href="#">7</a>
7. TABLE OF CHARACTERISTICS/TABLEAU DES CARACTÈRES/MERKMALSTABELLE/TABLA DE CARACTERES.....	<a href="#">8</a>
8. EXPLANATIONS ON THE TABLE OF CHARACTERISTICS.....	<a href="#">9</a>
8.1 Explanations covering several characteristics.....	<a href="#">9</a>
8.2 Explanations for individual characteristics.....	<a href="#">9</a>
9. LITERATURE.....	<a href="#">9</a>
10. TECHNICAL QUESTIONNAIRE.....	<a href="#">11</a>

1. Subject of these Test Guidelines

These Test Guidelines apply to all varieties of *Freesia* Eckl. ex Klatt.

2. Material Required

- 2.1 The competent authorities decide on the quantity and quality of the plant material required for testing the variety and when and where it is to be delivered. Applicants submitting material from a State other than that in which the testing takes place must ensure that all customs formalities and phytosanitary requirements are complied with.
- 2.2 The material is to be supplied in the form of corms, able to show all the characteristics in the first year of examination.
- 2.3 The minimum quantity of plant material, to be supplied by the applicant, should be:
- 30 corms
- 2.4 The plant material supplied should be visibly healthy, not lacking in vigor, nor affected by any important pest or disease.
- 2.5 The plant material should not have undergone any treatment which would affect the expression of the characteristics of the variety, unless the competent authorities allow or request such treatment. If it has been treated, full details of the treatment must be given.

### 3. Method of Examination

#### 3.1 *Number of Growing Cycles*

The minimum duration of tests should normally be a single growing cycle.

#### 3.2 *Testing Place*

Tests are normally conducted at one place. In the case of tests conducted at more than one place, guidance is provided in TGP/9 "Examining Distinctness".

#### 3.3 *Conditions for Conducting the Examination*

3.3.1 The tests should be carried out under conditions ensuring satisfactory growth for the expression of the relevant characteristics of the variety and for the conduct of the examination.

3.3.2 Because daylight varies, color determinations made against a color chart should be made either in a suitable cabinet providing artificial daylight or in the middle of the day in a room without direct sunlight. The spectral distribution of the illuminant for artificial daylight should conform with the CIE Standard of Preferred Daylight D 6500 and should fall within the tolerances set out in the British Standard 950, Part I. These determinations should be made with the plant part placed against a white background. The color chart and version used should be specified in the variety description.

#### 3.4 *Test Design*

3.4.1 Each test should be designed to result in a total of at least 20 plants.

3.4.2 The design of the tests should be such that plants or parts of plants may be removed for measurement or counting without prejudice to the observations which must be made up to the end of the growing cycle.

#### 3.5 *Additional Tests*

Additional tests, for examining relevant characteristics, may be established.

#### 4. Assessment of Distinctness, Uniformity and Stability

##### 4.1 *Distinctness*

###### 4.1.1 General Recommendations

It is of particular importance for users of these Test Guidelines to consult the General Introduction prior to making decisions regarding distinctness. However, the following points are provided for elaboration or emphasis in these Test Guidelines.

###### 4.1.2 Consistent Differences

The differences observed between varieties may be so clear that more than one growing cycle is not necessary. In addition, in some circumstances, the influence of the environment is not such that more than a single growing cycle is required to provide assurance that the differences observed between varieties are sufficiently consistent. One means of ensuring that a difference in a characteristic, observed in a growing trial, is sufficiently consistent is to examine the characteristic in at least two independent growing cycles.

###### 4.1.3 Clear Differences

Determining whether a difference between two varieties is clear depends on many factors, and should consider, in particular, the type of expression of the characteristic being examined, i.e. whether it is expressed in a qualitative, quantitative, or pseudo-qualitative manner. Therefore, it is important that users of these Test Guidelines are familiar with the recommendations contained in the General Introduction prior to making decisions regarding distinctness.

###### 4.1.4 Number of plants or parts of plants to be Examined

Unless otherwise indicated, for the purposes of distinctness, all observations on single plants should be made on 10 plants or parts of plants taken from each of 10 plants and any other observations made on all plants in the test, disregarding any off-type plants.

###### 4.1.5 Method of Observation

The recommended method of observing the characteristic for the purposes of distinctness is indicated by the following key in the second column of the Table of Characteristics (see document TGP/9 "Examining Distinctness", Section 4 "Observation of characteristics"):

MG: single measurement of a group of plants or parts of plants

MS: measurement of a number of individual plants or parts of plants

VG: visual assessment by a single observation of a group of plants or parts of plants

VS: visual assessment by observation of individual plants or parts of plants

Type of observation: visual (V) or measurement (M)

"Visual" observation (V) is an observation made on the basis of the expert's judgment. For the purposes of this document, "visual" observation refers to the sensory observations of the experts and, therefore, also includes smell, taste and touch. Visual observation includes observations where the expert uses reference points (e.g. diagrams, example varieties, side-by-side comparison) or non-linear charts (e.g. color charts). Measurement (M) is an objective observation against a calibrated, linear scale e.g. using a ruler, weighing scales, colorimeter, dates, counts, etc.

Type of record: for a group of plants (G) or for single, individual plants (S)

For the purposes of distinctness, observations may be recorded as a single record for a group of plants or parts of plants (G), or may be recorded as records for a number of single, individual plants or parts of plants (S). In most cases, "G" provides a single record per variety and it is not possible or necessary to apply statistical methods in a plant-by-plant analysis for the assessment of distinctness.

In cases where more than one method of observing the characteristic is indicated in the Table of Characteristics (e.g. VG/MG), guidance on selecting an appropriate method is provided in document TGP/9, Section 4.2.

## 4.2 *Uniformity*

- 4.2.1 It is of particular importance for users of these Test Guidelines to consult the General Introduction prior to making decisions regarding uniformity. However, the following points are provided for elaboration or emphasis in these Test Guidelines:
- 4.2.2 For the assessment of uniformity, a population standard of 1% and an acceptance probability of at least 95% should be applied. In the case of a sample size of 20 plants, 1 off-type is allowed.

## 4.3 *Stability*

- 4.3.1 In practice, it is not usual to perform tests of stability that produce results as certain as those of the testing of distinctness and uniformity. However, experience has demonstrated that, for many types of variety, when a variety has been shown to be uniform, it can also be considered to be stable.
- 4.3.2 Where appropriate, or in cases of doubt, stability may be further examined by testing a new plant stock to ensure that it exhibits the same characteristics as those shown by the initial material supplied.

5. Grouping of Varieties and Organization of the Growing Trial
- 5.1 The selection of varieties of common knowledge to be grown in the trial with the candidate varieties and the way in which these varieties are divided into groups to facilitate the assessment of distinctness are aided by the use of grouping characteristics.
- 5.2 Grouping characteristics are those in which the documented states of expression, even where produced at different locations, can be used, either individually or in combination with other such characteristics: (a) to select varieties of common knowledge that can be excluded from the growing trial used for examination of distinctness; and (b) to organize the growing trial so that similar varieties are grouped together.
- 5.3 The following have been agreed as useful grouping characteristics:
- (a) Plant: height (characteristic 1)
  - (b) Spike: length (characteristic 11)
  - (c) Flower: type (characteristic 19)
  - (d) Perianth: main color of inner side of outer segments (characteristic 35)  
with the following groups  
Gr. 1: white  
Gr. 2: yellow  
Gr. 3: yellow orange  
Gr. 4: orange  
Gr. 5: pink  
Gr. 6: red  
Gr. 7: violet  
Gr. 8: blue violet  
Gr. 9: blue
  - (e) Perianth: main color of inner side of inner segment (characteristic 43)  
with the following groups  
Gr. 1: white  
Gr. 2: yellow  
Gr. 3: yellow orange  
Gr. 4: orange  
Gr. 5: pink  
Gr. 6: red  
Gr. 7: violet  
Gr. 8: blue violet  
Gr. 9: blue
- 5.4 Guidance for the use of grouping characteristics, in the process of examining distinctness, is provided through the General Introduction and document TGP/9 "Examining Distinctness".

## 6. Introduction to the Table of Characteristics

### 6.1 *Categories of Characteristics*

#### 6.1.1 Standard Test Guidelines Characteristics

Standard Test Guidelines characteristics are those which are approved by UPOV for examination of DUS and from which members of the Union can select those suitable for their particular circumstances.

#### 6.1.2 Asterisked Characteristics

Asterisked characteristics (denoted by \*) are those included in the Test Guidelines which are important for the international harmonization of variety descriptions and should always be examined for DUS and included in the variety description by all members of the Union, except when the state of expression of a preceding characteristic or regional environmental conditions render this inappropriate.

### 6.2 *States of Expression and Corresponding Notes*

6.2.1 States of expression are given for each characteristic to define the characteristic and to harmonize descriptions. Each state of expression is allocated a corresponding numerical note for ease of recording of data and for the production and exchange of the description.

6.2.2 In the case of qualitative and pseudo-qualitative characteristics (see Chapter 6.3), all relevant states of expression are presented in the characteristic. However, in the case of quantitative characteristics with 5 or more states, an abbreviated scale may be used to minimize the size of the Table of Characteristics. For example, in the case of a quantitative characteristic with 9 states, the presentation of states of expression in the Test Guidelines may be abbreviated as follows:

State	Note
small	3
medium	5
large	7

However, it should be noted that all of the following 9 states of expression exist to describe varieties and should be used as appropriate:

State	Note
very small	1
very small to small	2
small	3
small to medium	4
medium	5
medium to large	6
large	7
large to very large	8
very large	9

6.2.3 Further explanation of the presentation of states of expression and notes is provided in document TGP/7 "Development of Test Guidelines".

### 6.3 *Types of Expression*

An explanation of the types of expression of characteristics (qualitative, quantitative and pseudo-qualitative) is provided in the General Introduction.

### 6.4 *Example Varieties*

Where appropriate, example varieties are provided to clarify the states of expression of each characteristic.



6.5 Legend

	English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
1	2	3	4	5	6	7
	<b>Name of characteristics in English</b>	<b>Nom du caractère en français</b>	<b>Name des Merkmals auf Deutsch</b>	<b>Nombre del carácter en español</b>		
	states of expression	types d'expression	Ausprägungsstufen	tipos de expresión		

1 Characteristic number

2 (\*) Asterisked characteristic – see Chapter 6.1.2

3 Type of expression

QL Qualitative characteristic – see Chapter 6.3

QN Quantitative characteristic – see Chapter 6.3

PQ Pseudo-qualitative characteristic – see Chapter 6.3

4 Method of observation (and type of plot, if applicable)

MG, MS, VG, VS – see Chapter 4.1.5

5 (+) See Explanations on the Table of Characteristics in Chapter 8.2

6 (a)-(g) See Explanations on the Table of Characteristics in Chapter 8.1

7 Not applicable

7. Table of Characteristics/Tableau des caractères/Merkmalstabelle/Tabla de caracteres

	English		français		deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
<b>1. (*)</b>	<b>QN</b>	<b>MG/MS/VG</b>	<b>(+)</b>	<b>(a)</b>				
	<b>Plant: height</b>							
	short		basse		niedrig		baja	Fragrant Sunburst 3
	medium		moyenne		mittel		media	Golden Passion 5
	tall		haute		hoch		alta	Algarve 7
<b>2. (*)</b>	<b>QN</b>	<b>MG/MS/VG</b>		<b>(a), (b)</b>				
	<b>Leaf blade: length</b>							
	short							Grumpy 3
	medium							Anouk 5
	long							Pink Devotion 7
<b>3.</b>	<b>QN</b>	<b>MG/MS/VG</b>		<b>(a), (b)</b>				
	<b>Leaf blade: width</b>							
	narrow							Lovely Lake 3
	medium							Golden Passion 5
	broad							Clementine 7
<b>4.</b>	<b>QN</b>	<b>VG</b>		<b>(a), (b)</b>				
	<b>Leaf blade: intensity of green color</b>							
	light							1
	medium							Pink Passion 2
	dark							White Pearl 3
<b>5. (*)</b>	<b>QN</b>	<b>VG</b>		<b>(a), (b)</b>				
	<b>Leaf blade: attitude of distal part</b>							
	erect							Golden Passion 1
	horizontal							Red Passion 2
	drooping							Hofuni 3
<b>6. (*)</b>	<b>QN</b>	<b>MG/MS/VG</b>	<b>(+)</b>	<b>(a)</b>				
	<b>Peduncle: length</b>							
	short		courte		kurz		corta	Vapogom 3
	medium		moyenne		mittel		media	Golden Passion 5
	long		longue		lang		larga	Red Mountain 7

	English		français		deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
7.	QN	MG/MS/VG	(+)	(a)				
	<b>Peduncle: thickness</b>							
	thin		mince	dünn	fino	Vapogom	1	
	medium		moyenne	mittel	medio	Golden Passion	2	
	thick		épaisse	dick	grueso	Moon River	3	
8. (*)	QN	MG/MS/VG	(+)	(a)				
	<b>Peduncle: number of branches</b>							
	few						1	
	medium						2	
	many						3	
9.	QN	VG		(a)				
	<b>Peduncle: rugosity</b>							
	absent or weak					Corvette	1	
	medium					Zafretweet	2	
	strong					Lovely Romance	3	
10. (*)	QN	VG	(+)	(a)				
	<b>Spike: angle with peduncle</b>							
	small						3	
	medium					Yellow Passion	5	
	large					Corvette	7	
11. (*)	QN	MG/MS/VG	(+)	(a)				
	<b>Spike: length</b>							
	short						3	
	medium					Yellow Passion	5	
	long					Clementine	7	
12. (*)	QN	MG/MS/VG		(a)				
	<b>Spike: number of flowers and buds</b>							
	few						3	
	medium					Golden Passion	5	
	many					Zantrechat	7	

	English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
<b>13. (*)</b>	<b>QN MG/VG</b>	<b>(+) (a)</b>				
	<b>Spike: length of rachis between first and second flower</b>					
	short				Fragrant Sunburst	1
	medium				Golden Passion	2
	long				Pink Attraction	3
<b>14. (*)</b>	<b>QN MG/VG</b>	<b>(+) (a)</b>				
	<b>Spike: length of rachis between second and third flower</b>					
	short				Fragrant Sunburst	1
	medium				Golden Passion	2
	long				Clementine	3
<b>15. (*)</b>	<b>QN VG</b>	<b>(+) (a)</b>				
	<b>Spike: zig-zag</b>					
	weak				Sunsett River	1
	medium				Clementine	2
	strong				Zafretweet	3
<b>16. (*)</b>	<b>QN VG</b>	<b>(+) (a)</b>				
	<b>Spike: curvature at distal part</b>					
	absent or weak				Zafretweet	1
	medium				Lovely River	2
	strong					3
<b>17. (*)</b>	<b>QN VG</b>	<b>(+) (a)</b>				
	<b>Spike: angle between the rows of flowers</b>					
	absent or small				Clementine	1
	medium				Zafretweet	2
	large				White Floret	3
<b>18. (*)</b>	<b>QN MG/VG</b>	<b>(+)</b>				
	<b>Flower bud: ratio length/width</b>					
	low				Lovely Romance	1
	medium				Lovely River	2
	high				Purple Velvet	3

	English		français		deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
19. (*)	QN	VG	(+)	(a), (c)				
	<b>Flower: type</b>							
	single						Golden Passion	1
	semi-double						Clementine	2
	double						Zafrevil	3
20.	QN	VG						
	<b>Flower: fragrance</b>							
	absent or weak						Delta River	1
	medium						Gold River	2
	strong						Belleville	3
21.	QN	MG/MS/VG		(a), (c), (f)				
	<b>Bract: length</b>							
	short						Moon River	1
	medium						Gold River	2
	long							3
22.	QN	VG		(a), (c), (f)				
	<b>Bract: intensity of green color</b>							
	light							1
	medium							2
	dark							3
23.	QN	VG		(a), (c), (f)				
	<b>Bract: anthocyanin coloration</b>		<b>Bractée: pigmentation anthocyanique</b>	<b>Hochblatt: Anthocyanfärbung</b>	<b>Bráctea: pigmentación antociánica</b>			
	absent or weak							1
	medium							2
	strong							3
24. (*)	QN	MG/MS/VG		(a), (c), (f)				
	<b>Perianth tube: length</b>							
	short		court	kurz	corto			1
	medium		moyen	mittel	medio	Lovely River		2
	long		long	lang	largo	Golden Passion		3

	English		français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
<b>25. (*)</b>	<b>PQ</b>	<b>VG</b>	<b>(a), (c), (f)</b>				
	<b>Perianth tube: main color</b>						
	RHS Colour Chart (indicate reference number)						
<b>26. (*)</b>	<b>QN</b>	<b>MG/MS/VG</b>	<b>(a), (c), (f)</b>				
	<b>Perianth throat: length</b>						
	short						1
	medium						2
	long						3
<b>27. (*)</b>	<b>QN</b>	<b>MG/VG</b>	<b>(a), (c), (f)</b>				
	<b>Perianth throat: width of distal part</b>						
	narrow					Zafretweet	1
	medium					Corvette	2
	broad					Clementine	3
<b>28.</b>	<b>PQ</b>	<b>VG</b>	<b>(a), (c), (f)</b>				
	<b>Perianth throat: main color of outer side</b>						
	RHS Colour Chart (indicate reference number)						
<b>29. (*)</b>	<b>PQ</b>	<b>VG</b>	<b>(a), (c), (f)</b>				
	<b>Perianth throat: main color of inner side</b>						
	RHS Colour Chart (indicate reference number)						
<b>30. (*)</b>	<b>QN</b>	<b>VG</b>	<b>(a), (c), (f)</b>				
	<b>Perianth throat: number of stripes on the ventral part of inner side</b>						
	few					Sunsett River	3
	medium					Red Passion	5
	many					Clementine	7

	English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
31. (*)	QN MG/VG	(a), (c), (d), (f)				
	<b>Perianth: length of outer segment</b>					
	short				Red Passion	3
	medium				Golden Passion	5
	long				Hofuni	7
32. (*)	QN MG/VG	(a), (c), (d), (f)				
	<b>Perianth: width of outer segment</b>					
	narrow				Fragrant Sunburst	3
	medium				Golden Passion	5
	broad				Zafremijou	7
33.	QN MG/VG	(+)	(a), (c), (d), (f)			
	<b>Perianth: ratio length/width of outer segments</b>					
	low					1
	medium					2
	high					3
34. (*)	QN VG	(a), (c), (d), (f)				
	<b>Perianth: position of broadest part of outer segments</b>					
	towards base					1
	at middle				Lovely Lake	2
	towards apex				Boulevard	3
35. (*)	PQ VG	(a), (c), (d), (e)				
	<b>Perianth: main color of inner side of outer segments</b>					
	RHS colour chart (indicate reference number)					
36. (*)	PQ VG	(a), (c), (d), (e), (f)				
	<b>Perianth: secondary color of inner side of outer segments (if present)</b>					
	RHS Colour Chart (indicate reference number)					

	English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
37. (*)	PQ VG	(+)	(a), (c), (d), (f)			
	<b>Perianth: pattern of secondary color of inner side of outer segment</b>					
	as a macule				Lovely Lake	1
	as a flush				Boulevard	2
	striped				Zafremijou	3
38. (*)	QN MG/VG		(a), (c), (d), (f)			
	<b>Perianth: length of inner segment</b>					
	short					3
	medium					5
	long					7
39. (*)	QN MG/VG		(a), (c), (f)			
	<b>Perianth: width of inner segment</b>					
	narrow					3
	medium					5
	broad				Golden Passion	7
40. (*)	QN MG/VG	(+)	(a), (c), (f)			
	<b>Perianth: ratio length/width of inner segment</b>					
	low					1
	medium					2
	high					3
41. (*)	QN VG		(a), (c), (f)			
	<b>Perianth: position of broadest part of inner segment</b>					
	towards base				Lovely Lake	1
	at middle				Zafrevil	2
	towards apex					3
42. (*)	QN VG	(+)	(a), (c), (d), (f)			
	<b>Perianth: attitude of inner segment</b>					
	semi-erect				Lovely White	1
	horizontal				Golden Passion	2
	reflexed					3



	English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
43. (*)	PQ VG	(a), (c), (d), (e), (f)				
	<b>Perianth: main color of inner side of inner segment</b>					
	RHS Colour Chart (indicate reference number)					
44. (*)	PQ VG	(a), (c), (d), (e), (f)				
	<b>Perianth: secondary color of inner side of inner segment</b>					
	RHS Colour Chart (indicate reference number)					
45. (*)	PQ VG	(a), (c), (d), (f)				
	<b>Perianth: pattern of secondary color of inner side of inner segment</b>					
	as a macule				Lovely Lake	1
	as a flush					2
	striped					3
46.	QN VG	(+) (a), (c), (d), (f)				
	<b>Perianth: size of macule of inner side of inner segment</b>					
	small					3
	medium					5
	large					7
47. (*)	PQ VG	(a), (c), (f), (g)				
	<b>Filament: main color</b>					
	white				Clementine	1
	yellow				Yellow Passion	2
	blue					3
48. (*)	QL VG	(+) (a), (c), (f), (g)				
	<b>Anther: main color</b>					
	white				Golden Passion	1
	violet				Red Passion	2

	English		français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
49. (*)	PQ	VG	(a), (c), (e), (f), (g)				
	<b>Style: main color</b>						
	white					Golden Passion	1
	yellow					Vancouver	2
	blue					Purple Velvet	3
50.	QN	VG	(+)	(a), (c), (f), (g)			
	<b>Stigma: position in relation to anthers</b>						
	below					Clementine	1
	same level					Golden Passion	2
	above					Red Passion	3
51. (*)	QN	MG/VG	(+)	(a), (c), (f), (g)			
	<b>Stigma: length of lobes</b>						
	short						1
	medium					Vancouver	2
	long					Clementine	3
52.	QN	VG	(+)	(a), (c), (f), (g)			
	<b>Stigma: appearance of lobes</b>						
	fine					Pink Devotion	1
	medium					Clementine	2
	coarse						3
53.	QN	VG	(+)	(a), (c), (f), (g)			
	<b>Stigma: color in relation to upper part of style</b>						
	lighter					Fragrant Sunburst	1
	same					Golden Passion	2
	darker					Red Passion	3


8. Explanations on the Table of Characteristics

8.1 *Explanations covering several characteristics*

Characteristics containing the following key in the second column of the Table of Characteristics should be examined as indicated below:

- (a) Observations on plant, peduncle, spike and flower should be made when 50% of the flowers on a spike have opened
- (b) Observations on leaves should be made on fully expanded leaves
- (c) Observations on bracts and flower should be made on fully open flowers of the main spike.
- (d) Observations on the inner and outer segments should be made on the largest segment of the flowers of the main spike
- (e) The main color is the color with the largest surface area. In cases where the areas of the main and secondary color are too similar to reliably decide which color has the largest area, the darker color is considered to be the main color. In cases where the areas of the secondary and tertiary color are approximately the same, the darker color will be the secondary color.

(f)



- (g) Observations on filament, anther, style and stigma should be observed on single and semi-double flowers only.


## 8.2 Explanations for individual characteristics

### Ad. 1: Plant: height



### Ad. 6: Peduncle: length

Peduncle length should be observed from the point of attachment of the upper lateral branch to the first flower of the spike





Ad. 7: Peduncle: thickness

Peduncle thickness should be observed at the middle third of the peduncle

Ad. 8: Peduncle: number of branches



Ad. 10: Spike: angle with peduncle



Ad. 11: Spike: length



Ad. 13: Spike: length of rachis between first and second flower



Ad. 14: Spike: length of rachis between second and third flower



Ad. 15: Spike: zig-zag



3  
weak



5  
medium



7  
strong

Ad. 16: Spike: curvature at distal part



1  
absent or weak



2  
medium



3  
strong

Ad. 17: Spike: angle between the rows of flowers



1  
absent or small



2  
medium



3  
large

Ad. 18: Flower bud: ratio length/width

Observations on bud should be made on the first flower of the main spike just before opening of the bud.



1  
low



2  
medium



3  
high

Ad. 19: Flower: type

Semi double flowers: flowers where the anthers are transformed into petals and the number of petals is more than 6 but less than 10. Double flowers: flowers where the anthers and style are transformed into petals and the number of petals is more than 10



1  
single



2  
semi double



3  
double



Ad. 33: Perianth: ratio length/width of outer segments



1  
low



2  
medium




3  
high

Ad. 37: Perianth: pattern of secondary color of inner side of outer segment



1  
as a macule



2  
as a flush



3  
striped

Ad. 40: Perianth: ratio length/width of inner segment



1  
low




2  
medium



3  
high

Ad. 42: Perianth: attitude of inner segment



Ad. 46: Perianth: size of macule of inner side of inner segment




Ad. 48: Anther: main color

Observations on the color should be made just before dehiscence of the anther.


Ad. 50: Stigma: position in relation to anthers

Observations on the position of the style should be made just before dehiscence of the anthers

Ad. 51: Stigma: length of lobes



1  
short



2  
medium



3  
long

Ad. 52: Stigma: appearance of lobes



1  
fine



2  
medium



3  
coarse

Ad. 53: Stigma: color in relation to upper part of style

observation on color of upper part of style should be made just before dehiscence of the anthers

9. Literature

Bryan, John. E., 2002: Bulbs. Timber Press. Portland, Oregon, US, page. 233 to page 235

Synge, Patrick M., 1961: Collins Guide to Bulbs. R & R Clark LTD, Edinburgh, UK, page 126 to page 127

Chittenden, Fred J., 1977: Dictionary of Gardening. Clarendon Press, Oxford, UK, page 836 to page 837

10. Technical Questionnaire

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
		Application date: (not to be filled in by the applicant)
TECHNICAL QUESTIONNAIRE to be completed in connection with an application for plant breeders' rights		
1. Subject of the Technical Questionnaire		
1.1	Botanical name	<input type="text" value="Freesia Eckl. ex Klatt"/>
1.2	Common name	<input type="text" value="Freesia"/>
2. Applicant		
	Name	<input type="text"/>
	Address	<input type="text"/>
	Telephone No.	<input type="text"/>
	Fax No.	<input type="text"/>
	E-mail address	<input type="text"/>
	Breeder (if different from applicant)	<input type="text"/>
3. Proposed denomination and breeder's reference		
	Proposed denomination (if available)	<input type="text"/>
	Breeder's reference	<input type="text"/>

#4. Information on the breeding scheme and propagation of the variety

4.1 Breeding scheme

Variety resulting from:

4.1.1 Crossing

(a) controlled cross [ ]

(please state parent varieties)

(.....) x (.....)  
female parent male parent

(b) partially known cross [ ]

(please state known parent variety(ies))

(.....) x (.....)

female parent male parent

(c) unknown cross [ ]

4.1.2 Mutation

[ ]

(please state parent variety)

4.1.3 Discovery and development [ ]

(please state where and when discovered and how developed)

4.1.4 Other [ ]

(please provide details)

# Authorities may allow certain of this information to be provided in a confidential section of the Technical Questionnaire.

4.2 Method of propagating the variety

4.2.1 Vegetative propagation

- (a) Corms [ ]  
(b) Other (state method) [ ]

- 4.2.2 Other [ ]  
(Please provide details)

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
-------------------------	-----------------	-------------------

5. Characteristics of the variety to be indicated (the number in brackets refers to the corresponding characteristic in Test Guidelines; please mark the note which best corresponds).		
Characteristics	Example Varieties	Note
<b>5.1 Plant: height</b>		
<b>(1)</b>		
short	Fragrant Sunburst	3 [ ]
medium	Golden Passion	5 [ ]
tall	Algarve	7 [ ]
<b>5.2 Spike: length</b>		
<b>(11)</b>		
short		3 [ ]
medium	Yellow Passion	5 [ ]
long	Clementine	7 [ ]
<b>5.3 Flower: type</b>		
<b>(19)</b>		
single	Golden Passion	1 [ ]
semi-double	Clementine	2 [ ]
double	Zafrevil	3 [ ]
<b>5.4 Perianth: main color of inner side of outer segments</b>		
<b>(35)</b>		
RHS colour chart (indicate reference number)		
<b>5.5 Perianth: main color of inner side of inner segment</b>		
<b>(43)</b>		
RHS Colour Chart (indicate reference number)		



TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
-------------------------	-----------------	-------------------

6. Similar varieties and differences from these varieties

*Please use the following table and box for comments to provide information on how your candidate variety differs from the variety (or varieties) which, to the best of your knowledge, is (or are) most similar. This information may help the examination authority to conduct its examination of distinctness in a more efficient way.*

Denomination(s) of variety(ies) similar to your candidate variety	Characteristic(s) in which your candidate variety differs from the similar variety(ies)	Describe the expression of the characteristic(s) for the <b>similar</b> variety(ies)	Describe the expression of the characteristic(s) for <b>your</b> candidate variety
<i>Example</i>	<i>Plant: height</i>	<i>short</i>	<i>medium</i>
Comments:			

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
-------------------------	-----------------	-------------------

#7. Additional information which may help in the examination of the variety

7.1 In addition to the information provided in sections 5 and 6, are there any additional characteristics which may help to distinguish the variety?

Yes  No

(If yes, please provide details)

7.2 Are there any special conditions for growing the variety or conducting the examination?

Yes  No

(If yes, please provide details)

7.3 Other information

A representative color photograph of the variety displaying its main distinguishing feature(s), should accompany the Technical Questionnaire. The photograph will provide a visual illustration of the candidate variety which supplements the information provided in the Technical Questionnaire.

The key points to consider when taking a photograph of the candidate variety are:

- Indication of the date and geographic location
- Correct labeling (breeder's reference)
- Good quality printed photograph (minimum 10 cm x 15 cm) and/or sufficient resolution electronic format version (minimum 960 x 1280 pixels)

Further guidance on providing photographs with the Technical Questionnaire is available in document TGP/7 "Development of Test Guidelines", Guidance Note 35 (<http://www.upov.int/tgp/en/>).

[The link provided may be deleted by members of the Union when developing authorities' own test guidelines.]

8. Authorization for release

(a) Does the variety require prior authorization for release under legislation concerning the protection of the environment, human and animal health?

Yes [ ] No [ ]

(b) Has such authorization been obtained?

Yes [ ] No [ ]

If the answer to (b) is yes, please attach a copy of the authorization.

9. Information on plant material to be examined or submitted for examination

9.1 The expression of a characteristic or several characteristics of a variety may be affected by factors, such as pests and disease, chemical treatment (e.g. growth retardants or pesticides), effects of tissue culture, different rootstocks, scions taken from different growth phases of a tree, etc.

9.2 The plant material should not have undergone any treatment which would affect the expression of the characteristics of the variety, unless the competent authorities allow or request such treatment. If the plant material has undergone such treatment, full details of the treatment must be given. In this respect, please indicate below, to the best of your knowledge, if the plant material to be examined has been subjected to:

- |     |   |         |        |
|-----|---|---------|--------|
| (a) | Microorganisms (e.g. virus, bacteria, phytoplasma)    | Yes [ ] | No [ ] |
| (b) | Chemical treatment (e.g. growth retardant, pesticide) | Yes [ ] | No [ ] |
| (c) | Tissue culture  | Yes [ ] | No [ ] |
| (d) | Other factors   | Yes [ ] | No [ ] |

Please provide details for where you have indicated "yes".

.....

10. I hereby declare that, to the best of my knowledge, the information provided in this form is correct:

Applicant's name

Signature

Date

[End of document]