



TWV/42/14

ORIGINAL: English

DATE: June 19, 2008

INTERNATIONAL UNION FOR THE PROTECTION OF NEW VARIETIES OF PLANTS
GENEVA

TECHNICAL WORKING PARTY FOR VEGETABLES

Forty-Second Session
Cracow, Poland, June 23 to 27, 2008

EXAMPLE VARIETIES FOR THE TEST GUIDELINES FOR CAULIFLOWER

Document prepared by the Office of the Union

1. At its forty-first session, held in Nairobi, Kenya, from June 11 to 15, 2007, the Technical Working Party for Vegetables (TWV) considered documents TG/45/7(proj.3) and TWV/41/11 and agreed that the following characteristics should be considered to replace characteristics 26.1 to 26.3 in document TG/45/7(proj.3):

| | |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 26.1 | to read “Earliness in spring planting trial (50% at harvest maturity)”, with the states: very early (1); early (3); medium (5); late (7); very late (9) |
| 26.2 | to read “Earliness in summer planting trial (50% at harvest maturity)”, with the states: earliness rating 1 (1); earliness rating 2 (2); etc. up to earliness rating 18 (18) |

2. It was agreed that the leading expert, Mr. François Boulineau (France), would circulate a list of example varieties for the proposed characteristics to all interested experts for comment.

3. Mr. Boulineau has developed an alternative proposal for replacement of characteristics 26.1 to 26.3 in document TG/45/7(proj.3), together with example varieties, for consideration by the TWV, as follows:

| | | | |
|------------|---------------------------------------|------------------|---|
| 26. | Earliness in spring plantation | | |
| | very early | Baldo, Viviane | 1 |
| | very early to early | Labiron, Sevilla | 2 |
| | early | Calido, Decora | 3 |
| | early to medium | Montano | 4 |
| | medium | | 5 |
| | medium to late | Barkha, Megha | 6 |
| | late | Eagle, Linero | 7 |
| | late to very late | Edith, Sublime | 8 |
| | very late | Planita, Phantom | 9 |

| | | | |
|------------|------------------------------------------------|--|---|
| 27. | Type of production in summer plantation | | |
| | annual | | 1 |
| | biennial | | 2 |

| | | | |
|-------------|------------------------------------------------------|--------------------|---|
| 28.1 | Earliness in summer plantation (annual types) | | |
| | very early | Candid Charm | 1 |
| | very early to early | Frémont, Subito | 2 |
| | early | Nessie, Snow Crown | 3 |
| | early to medium | Aviso, Barcelona | 4 |
| | medium | Bruce, Nautilus | 5 |
| | medium to late | Tertes, Akita | 6 |
| | late | Dova, Paradiso | 7 |
| | late to very late | Amistad, Neven | 8 |
| | very late | Belot, Taroke | 9 |

| | | | |
|-------------|--------------------------------------------------------|--------------------|---|
| 28.2 | Earliness in summer plantation (biennial types) | | |
| | very early | Astral, Triomphant | 1 |
| | very early to early | Deniol, Pierrot | 2 |
| | early | Fanch, Médaillon | 3 |
| | early to medium | Ourasis, Protector | 4 |
| | medium | Diamen, Merwen | 5 |
| | medium to late | Kernis, Milliau | 6 |
| | late | Atao, Vogue | 7 |
| | late to very late | Admirable, Nomad | 8 |
| | very late | Charif, Mezdon | 9 |

[End of Annex and of document]