## **EXERCISE ON METHOD OF OBSERVATION**

Please, indicate:

1 - which method(s) of observation are not appropriate (-) and

2 – which method(s) of observation are probably most appropriate (+/++)

MG: single measurement of a group of plants or parts of plants

MS: measurement of a number of individual plants or parts of plants

VG: visual assessment by a single observation of a group of plants or parts of plants

VS: visual assessment by observation of individual plants or parts of plants

## Exercise 1

| Background information Crop: cross pollinated grass Number of Growing Cycles: The minimum duration of tests should normally be two independent growing cycles. Test Design: Each test should be designed to result in a total of at least 60 spaced plants which should be divided between at least 2 replicates.  |       |      |    |
|--|-------|------|----|
| Characteristic: Plant: natural height at inflorescence emergence   |       |      |    |
| MG 🗌   | MS    | VG 🗌 | VS |
| Exercise 2  Background information Crop: vegetatively propagated ornamental variety Number of Growing Cycles: The minimum duration of tests should normally be a single growing cycle. Test Design: each test should be designed to result in a total of at least 10 plants.   |       |      |    |
| <u>Characteristic:</u> Plant: height   | t<br> |      |    |
| MG   | MS    | VG   | VS |
| Exercise 3  Background information Crop: vegetatively propagated ornamental variety Number of Growing Cycles: The minimum duration of tests should normally be a single growing cycle. Test Design: Each test should be designed to result in a total of at least 10 plants Characteristic: Plant: type with states deciduous (1) – evergreen (2)                          |       |      |    |
| MG   | MS    | VG   | VS |
| Exercise 4  Background information Crop: cross-pollinated varieties Number of Growing Cycles: The minimum duration of tests should normally be two independent growing cycles Test Design: Each test should be designed to result in a total of at least 60 plants, which should be divided between two or more replicates. Characteristic: Time of beginning of flowering |       |      |    |
| MG 🗌   | MS    | VG   | vs |