

UNION INTERNATIONALE POUR LA PROTECTION DES OBTENTIONS VÉGÉTALES

Genève

COMITÉ TECHNIQUE

Quarante-neuvième session
Genève, 18 – 20 mars 2013

RÉVISION DU DOCUMENT TGP/8 : DEUXIÈME PARTIE : TECHNIQUES UTILISÉES
 DANS L'EXAMEN DHS, NOUVELLE SECTION : EXAMEN DE CARACTÈRES
 AU MOYEN DE L'ANALYSE D'IMAGES

Document établi par le Bureau de l'Union

1. L'objet du présent document est de faire rapport sur :

- a) les résultats du questionnaire sur les logiciels et le matériel utilisés pour l'analyse d'images;
- b) les exposés consacrés à l'analyse d'images" au Groupe de travail technique sur les systèmes d'automatisation et les programmes d'ordinateur (TWC), à sa trentième session; et
- c) l'élaboration du document TGP/8 : deuxième partie : Techniques utilisées dans l'examen DHS, nouvelle section : "Examen de caractères au moyen de l'analyse d'images".

Informations générales

2. À sa quarante-huitième session, tenue à Genève du 26 au 28 mars 2012, le Comité technique (TC) a examiné la proposition portant sur une nouvelle section : "Examen de caractères au moyen de l'analyse d'images" sur la base de l'annexe VII du document TC/48/19 Rev. "Révision du document TGP/8 : Protocole d'essai et techniques utilisées dans l'examen de la distinction, de l'homogénéité et de la stabilité". Le TC a approuvé l'élaboration d'un questionnaire par M. Gerie van der Heijden (Pays-Bas), le président du Groupe de travail technique sur les systèmes d'automatisation et les programmes d'ordinateurs (TWC), et le Bureau de l'Union, sur les logiciels et le matériel utilisés pour l'analyse d'images, qui serait transmis aux représentants des membres de l'UPOV siégeant aux TC et TWC. Les résultats de ce questionnaire ont été présentés au TWC à sa trentième session, qui s'est tenue du 26 au 29 juin à Chisinau (République de Moldova) (voir le paragraphe 56 du document TC/48/22 "Compte rendu des conclusions").

Questionnaire de l'UPOV sur les logiciels et le matériel utilisés pour l'analyse d'images

3. A sa trentième session tenue à Chisinau, du 26 au 29 juin 2012, le TWC a suivi l'exposé d'un expert des Pays-Bas intitulé "Survey on Software and Hardware used for Image Analysis", qui est reproduit dans le document TWC/30/39. Il est convenu que les informations fournies par la France et la Finlande devraient être incorporées dans ce document (voir le paragraphe 79 du document TWC/30/41 "Report").

4. L'annexe I du présent document (seulement en anglais*) contient l'analyse du questionnaire de l'UPOV sur l'analyse d'images présenté dans le document TWC/30/39 ainsi que les informations fournies par la Finlande et la France.

5. *Le TC est invité à prendre note des informations sur les logiciels et le matériel utilisés pour l'analyse d'images telles qu'elles figurent à l'annexe I du présent document.*

Logiciel AIM pour l'analyse d'images

6. À sa trentième session, le TWC a suivi l'exposé d'un expert de la France sur le logiciel AIM de gestion d'analyse d'images, qui est reproduit dans le document TWC/30/31 et l'annexe II du présent document (seulement en anglais*). Il a noté que les caractéristiques de ce logiciel étaient disponibles en français et que ledit logiciel pouvait être mis gratuitement à disposition par son développeur (Groupe d'étude et de contrôle des variétés et des semences (GEVES)). Le TWC a indiqué que la formation à l'utilisation de ce logiciel et sa traduction en anglais seraient essentielles pour qu'il soit largement utilisé. Il est par ailleurs convenu que ce logiciel pourrait être inclus dans la liste des logiciels échangeables. Le TWC a demandé au Bureau de l'Union d'aider à traduire le logiciel en anglais (voir les paragraphes 77 et 78 du document TWC/30/41 "Report").

7. *Le TC est invité à prendre note que la recommandation du TWC concernant l'inclusion du logiciel AIM de la France dans le document UPOV/INF/16 "Logiciels échangeables" et que la demande au Bureau de l'Union de traduire le logiciel AIM en anglais sont examinées dans le document TC/49/12.*

Document TGP/8 : deuxième partie : "Techniques utilisées dans l'examen DHS, nouvelle section : Examen de caractères au moyen de l'analyse d'images"

8. À sa quarante-huitième session, le TC a examiné la proposition portant sur une nouvelle section 12 intitulée "Examen de caractères au moyen de l'analyse d'images" dans le document TGP/8. Il est convenu que la sous-section 12.1 "Introduction" de cette nouvelle section "Examen de caractères au moyen de l'analyse d'images" devrait être remaniée afin d'expliquer que l'analyse d'images constitue une méthode de substitution à l'observation d'un caractère plutôt qu'une méthode principale d'observation d'un caractère. Le TC est convenu que le TWC devrait mettre au point une sous-section 12.3 intitulée "Indications sur l'utilisation de l'analyse d'images" et qu'une nouvelle section devrait être établie sur la base de l'examen des documents TWC/29/21 "The Use of Image Tool in Measurements of Grain Length of Rye (*Secale cereale* L.), TWC/29/27 "Image Analysis in the Czech Republic" et TWC/29/29 "Image Analysis in the Netherlands". Les rédacteurs seraient des experts des Pays-Bas (premier rédacteur), de la République tchèque, de la Finlande et du Royaume-Uni (voir les paragraphes 56 à 58 du document TC/48/22 "Compte rendu des conclusions").

9. À sa trentième session, le TWC est convenu qu'un projet de nouvelle section : Examen de caractères au moyen de l'analyse d'images pour le document TGP/8 "Protocole d'essai et techniques utilisés dans l'examen de la distinction, de l'homogénéité et de la stabilité" devrait être élaboré par un expert des Pays-Bas en collaboration avec un expert de l'Union européenne pour les sessions des TWP en 2013 (voir le paragraphe 80 du document TWC/30/41 "Report").

10. *Le TC est invité à prendre note des plans d'élaboration de la nouvelle section : "Examen de caractères au moyen de l'analyse d'images" aux fins de son inclusion dans le document TGP/8, deuxième partie : Techniques utilisées dans l'examen DHS, comme indiqué dans les paragraphes 8 et 9 du présent document.*

[Les annexes suivent]

* À sa réunion des 9 et 10 janvier 2013, le TC-EDC est convenu qu'il n'était pas opportun de traduire le texte pour la quarante-neuvième session du TC.

ANNEXE I

(SEULEMENT EN ANGLAIS)

ANALYSIS OF UPOV QUESTIONNAIRE ON IMAGE ANALYSIS


Prepared by Gerie van der Heijden (Netherlands)

INTRODUCTION


1. A questionnaire on image analysis (see Appendix I to this Annex, which was an Annex to E-12/106) was sent to the UPOV members in April 2012. The aim of the questionnaire was to gain insight in the frequency and way of use of image analysis in the different member states.
2. The questionnaire was returned by 21 UPOV members. The United Kingdom returned two questionnaires, one from England (NIAB) and one from Scotland (SASA), so there were 22 questionnaires in total. For sake of simplicity, England and Scotland are here treated as two different respondents. Results are shown in Appendix II to this Annex.

USE AND PURPOSE OF IMAGE ANALYSIS

3. In total ten respondents stated that image analysis is being used on a routine basis in their work, where France also uses it non-routine. Italy only uses it for non-routine purposes at the moment. Ten respondents do not use image analysis and have no further plans to use it, one country (Republic of Moldova) has plans to use it (see Figure 1 and Appendix II to this Annex).



4. The main purpose of image analysis is for DUS assessment. It is only occasionally used for variety description, finding common knowledge varieties or supporting evidence (see Figure 2 and Appendix II).



CROPS AND CHARACTERISTICS

5. The crops for which image analysis is being used are (in alphabetic order):

1. Barley	18. Rape
2. Brassica crops	19. Red clover
3. Brussels sprouts	20. Rice
4. Carrot	21. Running beans
5. Field bean	22. Rye
6. Flax	23. Seeds/grains various crops
7. Fodder radish	24. Sugar Beet (cotyledon)
8. French bean	25. Watercress
9. Impatiens	26. Wheat
10. Maize	27. White mustards
11. Oats	28. Willow (leaves)
12. Oilseed rape	
13. Onion	
14. Ornamentals	
15. Parsnip	
16. Pea	
17. Pelargonium	

6. Image analysis is mainly being used to measure the size and shape of seeds, leaves and roots/bulbs. A few ornamental crops like Pelargonium and Impatiens are listed. Also for these crops, the characteristics are size and shape related. France is the only country that uses it for color. No characteristics were mentioned which measure texture or variegation patterns.

7. All respondents who use image analysis on a routine basis, use it as intermediate data for the DUS decision. France also uses it to store information for future use.

TECHNICAL ISSUES

8. Eight respondents use a camera, five respondents use a scanner (two respondents use both options). All use a regular PC or workstation.
9. Every UPOV member has its own software system. Most respondents use commercially available software or open source software which they have adopted themselves. Only Italy uses off-the-shelf software. In some cases the software can be made available to other UPOV members (under conditions). See Appendix II for details.
10. The size of the data is hardly limiting with current disks. The largest reported database is about 300 GB.

RECORDING CONDITIONS

11. All respondents use some form of calibration for determining the size of an object. In general the lighting conditions are also standardized and verified. Color calibration is not mentioned.

[L'appendice I suit]

UPOV QUESTIONNAIRE ON IMAGE ANALYSIS AS SENT TO UPOV MEMBERS

Please complete the following questions. You can attach a separate sheet(s) to provide a more complete answer if necessary (e.g. if you have different projects/purposes with image analysis).

Name of person answering the questionnaire:

Country:.....

Organization.....

Contact Information:

Address:

Tel:..... Fax:.....

E-Mail:

I. GENERAL QUESTIONS

1. Use of image analysis in your country

- Yes
 - Routine-basis
 - Non routine-basis
- No
 - Planning to use
 - No plans to use

* If the answer to the above question is "Yes", please go to the following questions. Otherwise please just return this sheet to the designated persons shown at the bottom of the circular.

2. UPOV Technical Working Party(ies) and document references in which information has previously been provided:

- BMT [document reference:] e.g. BMT/XX/XX]
- TWA [document reference:]
- TWO [document reference:]
- TWV [document reference:]
- TWF [document reference:]
- TWC [document reference:]
- TC [document reference:]
- CAJ [document reference:]

3. Purpose(s) of the work with image analysis:

- Variety description
- DUS assessment
- To find varieties of common knowledge to compare with candidate varieties in the DUS growing trials
- Supporting evidence in selected cases
- To evaluate possibilities of the method for future use
- Molecular data (e.g. banding patterns in electrophoresis gels)
- Other purpose, (please provide details):

4. Application of image analysis (species, characteristics, etc.)

5. Status of the image analysis data:

- Provided by breeder for information on voluntary basis
- Compulsory requirement for the breeder as part of the application
- As intermediate data to obtain information before the DUS decision
- To keep as retrievable information for use in other studies
- Other status, namely (please provide details):

6. Please provide a short indication of the costs and savings involved in applying image analysis.

7. Please provide other remarks, if any.

II. TECHNICAL QUESTIONS

* In the case of another person(s) (e.g. IT technicians) answering the following questions, please specify below the person's name, organization/title, telephone, fax number and e-mail address in order for us to contact them when necessary:

.....

1. Hardware used (make, model, type, etc.) by steps:

- To obtain images:
- To keep and process data:
- To show images on screen or paper:

2. Software used (make, title, version, etc.) by steps:

- To obtain images:
- To keep and process data:
- To show images on screen or paper

3. Is the hardware/software commercially available?

(To obtain images)

- Yes, from
- Partially, we added own routines/macros
- No, specifically developed
-

(To keep and process data)

- Yes, from
- Partially, we added own routines/macros
- No, specifically developed

(To show images on screen and paper)

- Yes, from
- Partially, we added own routines/macros
- No, specifically developed

4. With regard to the software specifically developed for you, is it also available to other UPOV members?

- Yes
- No
- Under certain conditions (please specify the condition below)

5. Please summarize the recording conditions (standardization of light, sampling density, camera type, calibration procedure, etc.)

6. Approximate volume of data kept (either Megabytes, or number of varieties, number of features, number of images, etc.)

7. Other remarks (if any):

NB: If you use image analysis for other work than variety testing (seed testing, checks for purity in maintenance, etc.) and you are willing to give information, please do so.

Please return the completed questionnaire no later than May 11, 2012 by e-mail to:

VAN DER HEIJDEN, Gerie

with copies to:
Biometris, Wageningen-UR
Droevendaalsesteeg 1
6708PB, NL-Wageningen
NETHERLANDS
Tel: +31 317 480 750
Fax: +31 317 483 554
E-mail: gerie.vanderheijden@wur.nl

MARKKANEN, Sami

Control Department
Seed Certification Unit
Finnish Food Safety Authority
EVIRA
P.O.Box 111
FIN-32201 Loimaa, Finland
Tel : +358 7829 45 43
Fax : +358 77 25 317
E-mail: sami.markkanen@evira.fi

UPOV

34, chemin des Colombettes
P.O.Box 16
CH-1211 Geneva 20
SWITZERLAND
Tel: (41) 22 338 9111
Fax : (41) 22 733 03 36
E-mail : upov.mail@upov.int

[L'appendice II suit]

Results of UPOV questionnaire on Image Analysis

Member state	1. Use of image analysis				2. UPOV Document	3. Purpose		
	Yes routine	Yes no routine	No/ plan	No/ No plan		Variety description	DUS assessment	Other
Czech Republic*	1				TWC/29/27		1	
Denmark*	1						1	
Georgia				1				
Germany*	1				TWO/29/17		1	Common knowledge varieties
Finland	1				TWC/29/21		1	
France	1	1			TWC/30/31		1	Future use and VCU
Ireland				1				
Israel				1				
Italy*		1				1	1	
Japan				1				
Latvia				1				
Republic of Moldova			1					
Netherlands*	1				TWC/29/29	1	1	Supporting evidence
Paraguay				1				
Poland*	1						1	
Russia				1				
South Africa				1				
Spain*	1					1	1	
Sweden*				1				
United Kingdom (NIAB)	1				TWC/29/19	1	1	Supporting evidence
United Kingdom (SASA)*	1				TWA 33/10, TWC 22/7, TWC 26/21 REV, TWC 29/19 (Image-in), TWC 19/6 (Visor)		1	
United States of America				1				

*) Respondents in grey area have provided more information. See following pages.

Czech Republic

Application:

- Pea: leaves, stipules, standards, sepals
- Oilseed rape: petals, cotyledons

Technical

1. Hardware camera	1. Hardware processing	1. Hardware display	3. Commercially available	4. Available to other members
Sceye 3rd generation ' proprietary light system	common PC	common PC		
2. Software recording	2. Software processing	2. Software display/print		
Sceye	Matlab computational system, core + Image analysis toolbox (http://www.mathworks.com/)	outputs of Matlab are saved as common image files, no special software is required	Capture: http://www.sceye.eu/en/products/product-history . Process: partially, added own	No

5. Recording conditions	6. Volume of data	7. Other remarks
Image obtained in dark chamber, resolution 300 pt, calibration using coin.	Per year: Pea 5 GB, Oilseed rape 20 GB.	Image analysis in the Czech Republic is still under development, primary goal: testing suitable characteristics for pea and oilseed rape

Denmark

Application:

- Rape seed: Cotyledon, Petals and Siliqua
- Barley: Ear length, Ear length of awns
- Wheat. Ear length

Cost/saving:

Total cost for hard and software of applying image analysis are approximately 20.000 euros. Cost savings are mainly obtained in the image analysis of Rape seed characteristics of the siliqua. An advantage using image analysis is that it is possible to retrieve the image of the actual recorded data.

Technical:

1. Hardware camera	1. Hardware processing	1. Hardware display	3. Commercially available	4. Available to other members
PC and flatbed scanner (plustec A3)	PC	PC		
2. Software recording	2. Software processing	2. Software display/print	3. Commercially available	4. Available to other members
Videometer image analysis progra	Videometer image analysis progra	Microsoft picture viewer	No, specifically developed	Possible to buy if you contact: http://videometer.com/ with a reference to The Danish AgriFish Agency, Department of Variety Testing
5. Recording conditions	6. Volume of data	7. Other remarks		
The material samples (cotyledon and petals) shall be fixed on paper with adhesive plastic foil. The paper has preprinted barcode, plot number etc.. The paper with the fixed the material are put in the flatbed scanner. Before image analysis of each characteristic can begin the software should calibrated using a calibration sheet from the developer	Approximately 14 Gb per year			

Germany

Applications:

- Pea, pelargonium, impatiens, willow (leaves)
- Rape, mustard, fodder radish (leaves, flowers)
- Red clover (Cotyledon leaves, first leaves)

Costs/savings:

Depending on crop and object savings are higher than costs.

Other remark:

There is a need for a programmer with special knowledge how (at least part-time). It is possible to scan images at first and to make measurements later when there is more time therefore.

Technical:

1. Hardware camera	1. Hardware processing	1. Hardware display	3. Commercially available	4. Available to other members
2. Software recording	2. Software processing	2. Software display/print		
5. Recording conditions		6. Volume of data	7. Other remarks	
flatbed scanner, digital camera	HP workstation xw4400	19" monitor		
standard software (scanner, digital camera)	SCIL-Image with self-programmed routines	JAVA program to retrieve images from database	Recording: Yes, from HP and Canon. Process: No no. Display: partially	

Scanner: scan calibration circle ($\varnothing 12\text{cm}$) to get the resolution
we don't use the color information
digital camera: flash (ring flash)
and background light

2011: 80 GB
image data
(14.300 files)

Finland

Application

- Rye: grain length

Cost/savings:

After arranging the seeds for the picture and taking of photographs, the analysis takes only a portion of time compared to manual measurements. Accurate costs and savings of IA has not been done, but roughly 10-20% of time is needed by using IA in these measurements.

1. Hardware camera	1. Hardware processing	1. Hardware display	4. Available to other members
Canon EOS 500D	PC	Dell screen	
2. Software recording	2. Software processing	2. Software display/print	3. Commercially available
" UTHSCSA ImageTool for Windows Version 3.0	Windows picture manager	Capture: in camera shops, Process: downloadable from http://compdent.uthscsa.edu/dig/itdesc.html , Display: Windows Office 2012	
5. Recording conditions			6. Volume of data 7. Other remarks
Calibration: Seeds are kept close to each others in the picture to avoid distortion by the objective. The ruler is used for calibration of the scale in 130 MB/each the picture before taking the analysis picture. Scale of 1 cm is included in DUS year each variety's pictures for calibration in the IT program			

France

Application

Crops:

- Carrot, Rape,
 - Ornamentals,
 - Seed/Grains various crops,
 - Wheat,
 - Barley,
 - Maize,
 - Oat,
 - Pea.

Characters:

Width, Length, Area, perimeter, Curve length, Curve Width, Color, Mean distance, fineness of foliage, attack disease on leaves, how plant cover the ground, ...

1. Hardware camera	1. Hardware processing	1. Hardware display		
2. Software recording	2. Software processing	2. Software display/print	3. Commercially available	4. Available to other members
different cameras (Nikon, Canon, Sony, HP, Olympus) and scanners (Epson, HP)	HP workstation	HP workstation		
standard software (scanner, digital camera)	Aim Software (Own development) + ImageJ (with own macros, plugins)	Aim software	Yes, from GEVES	Yes
5. Recording conditions			6. Volume of data	7. Other remarks

Italy

Application

- Rice: grain size

Costs/savings:

Cost of system (software+scanner) € 8000.

Technical:

1. Hardware camera	1. Hardware processing	1. Hardware display	3. Commercially available	4. Available to other members
Scanner Epson Perfection V7000	PC	Normal monitor		
2. Software recording	2. Software processing	2. Software display/print	3. Commercially available	4. Available to other members
Winseedle 2010a	Winseedle 2010a	Winseedle 2010a	Yes, Regent instruments	Commercially available
5. Recording conditions	6. Volume of data	7. Other remarks		
Winseedle comes with an optical scanner and a special lighting system that minimizes shadows				

The Netherlands

Applications:

- Flax : length, width of seed; Under construction: length, width and ratio length/width of boll
 - Sugar beet: length, width, area cotyledons:
 - French beans and Running beans: length (excluding beak), width, total length and degree of curvature of pod; length of beak
 - Pea: length, width, degree of curvature of pod
 - Carrot: length, max. width, ratio length/width, width of crown, form factor, mean width, ratio width/length of root; Under construction: root shape

Technical

1. Hardware camera	1. Hardware processing	1. Hardware display	2. Software recording	2. Software processing	3. Commercially available	4. Available to other members
D90 + AF-S Nikkor 18-105mm/3.5-4.5	HP Compaq	HP Compaq	NKremote 1.2 software for Windows	ImageJ with custom made plugin. Windows Excel, Genstat for statistical analysis	Microsoft Office Picture Manager	Camera hardware/software commercially available; Processing: ImageJ specifically developed. Windows Office and Genstat commercially available (own routines added)
5. Recording conditions	6. Volume of data	7. Other remarks				
Calibration with use of calibration disc. Standardization of light – variable per crop, determination of the exposure of the photographed objects (shutter time, diaphragm and the quantity of light) is based on the histogram which is available via the software (NKremote) for the camera. Specific requirements per crop such a orientation of the objects, e.g. carrot all carrots need to be oriented horizontal.		To be discussed				

Poland

Applications:

- Our application is measuring 8 characteristics of oilseed rape and white mustard using scanned bitmap pictures. Results are written to database

Technical:

1. Hardware camera	1. Hardware processing	1. Hardware display		
HP Scanjet 4850				
2. Software recording	2. Software processing	2. Software display/print	3. Commercially available	4. Available to other members
HP Software	Skaner-Sten	Skaner-Sten	Process and display: specifically developed	No
5. Recording conditions			6. Volume of data	7. Other remarks
Calibration: we have to scan the model of colour and size and test it using "Skaner" application.			about 1000 images per year, (6GB per year)	

Spain

Applications:

- Characteristics of grain (length and width) in rice, chickpea, etc

Technical:

1. Hardware camera	1. Hardware processing	1. Hardware display	2. Software recording	2. Software processing	2. Software display/print	3. Commercially available	4. Available to other members
COLOR VIDEO CAMERA; MODEL: JVC TK-C1481B	COMPUTER: DELL DIMENSION DIM5000, INTEL PENTIUM4 3GHZ, 256 MB RAM	LCD MONITOR; DELL E1705C	MIP 4 ADVANCED 5.01.02	MIP 4 ADVANCED 5.01.02	MICROSOFT EXCEL 2007	Yes, from Digital Image Systems (DIS)	No
5. Recording conditions	6. Volume of data	7. Other remarks	LIGHT= 2 36W	SAMPLING DENSITY: 12 – 50 grains for variety	CAMERA TYPE: color video camera	CALIBRATION PROCEDURE: We use a ruler as reference and we follow the calibration instructions of the program.	approx 50 KB per variety

Sweden

Remark:

We are using a seed scanner for analysis of "other species" in cereals. This machine uses image analysis (a camera connected to a computer with programs for the different cereal species) for distinguishing between the seed in the sample and other seeds. In a sample it sorts out around 10% of the seeds, both of other seeds and seeds that are somehow considered not OK, so instead of manually going through 1000 gr the analyst can go through around 100 gr. This saves a lot of time. The scanner can be loaded with up to 30 samples and works even during nights.

United Kingdom (NIAB)

Applications:

- Oilseed.rape: cotyledon measurements;
- Oilseed.rape: siliqua measurements;
- Oilseed.rape: flower measurements;
- Field.Bean: leaf measurements;
- Field.Bean: siliqua measurements;

Technical:

1. Hardware camera	1. Hardware processing	1. Hardware display	2. Software recording	2. Software processing	2. Software display/print	3. Commercially available	4. Available to other members
Digital SLR (Olympus E-1 camera), Kaiser R2- CP Image Capture Set	Optiplex 788, quadcore with 64 Bit operating system	Dual PC monitors	Bespoke program Analysis application written in C++ and Olympus Studio Controller	Bespoke program Analysis application written in C++ and Olympus Studio Controller	Bespoke program Analysis application written in C++ and Olympus Studio Controller	No	No

5. Recording conditions

The Digital System is based on a digital camera using 2 11w lights @ 6000k which equate to natural light. The camera is suspended above a level surface. A reference object is incorporated into every picture. The IA program links with the Olympus studio Controller. The controller has special routines to handle camera aperture white noise etc. The linkage program has been specifically adapted by a consultant to allow menu driven options for each crop and to allow the entry of plot numbers.

Once the controller has taken a picture the file is downloaded and re-opened by the IA program running in the background. The IA program will automatically analyze the picture and store the results in a data file. This allows the user to move any touching or irregular objects, thus equating to a live system. However the Controller can be used in isolation, storing the images to be batch processed at a later time. Once all plots have been photographed and analyzed via the batch process, thumbnail images can be examined and any outliers can be removed.

6. Volume of data

300 GB

United Kingdom (SASA)

Applications:

- Pea: Stipule measurement, Petiole measurement, Pod measurement, Peduncle measurement; Leaflet measurement, Seed shape measurement;
- Parsnip: Root measurement;
- Brassica crops: Cotyledon measurement;
- Brussels Sprout: Sprout measurement;
- Watercress: Foliage measurement;

Costs/savings:

Automated image measurements perform at least as well as manual measurements. Overall costs between manual (more recording) and imaged (more collection) measurements are about the same – but IA enables measured characters to be recorded which could not be done manually (e.g. leaflet area). Image library becomes available 1) For reference; 2) For data checking 3) for subsequently developed characters

Other remark:

We have downloaded a copy of the freely available Image-J software and have used it to investigate the possibility of assessing seed shape in large seeded crops but as yet we have not used this method in relation to variety testing.

Technical:

1. Hardware camera	1. Hardware processing	1. Hardware display	2. Software recording	2. Software processing	3. Commercially display/print	4. Available to other members
Canon EOS 450 DSLR (lab) Nikon D700 DSLR (studio)	SASA network	SASA network PCs (Dell) and printers (various)	Canon	Imag-in' Automatic Measurement Program (Biomathematics and Statistics Scotland) and 'Portfolio' v8.5 image database (Extensis).	Portfolio	camera and display yes, processing software no
						No
						6. Volume of data

5. Recording conditions

The Digital System is based on a digital camera using 2 11w lights @ 6000k which equate to natural light. The camera is suspended above a level surface. A reference object is incorporated into every picture. The IA program links with the Olympus studio Controller. The controller has special routines to handle camera aperture white noise etc. The linkage program has been specifically adapted by a consultant to allow menu driven options for each crop and to allow the entry of plot numbers.

Once the controller has taken a picture the file is downloaded and re-opened by the IA program running in the background. The IA program will automatically analyze the picture and store the results in a data file.


This allows the user to move any touching or irregular objects, thus equating to a live system. However the Controller can be used in isolation, storing the images to be batch processed at a later time. Once all plots have been photographed and analyzed via the batch process, thumbnail images can be examined and any outliers can be removed.

300 GB

ANNEXE II

(SEULEMENT EN ANGLAIS)

AIM: MANAGEMENT OF IMAGE ANALYSIS – EXPERIENCE FROM FRANCE



Groupe d'Étude et de contrôle
des Variétés Et des Semences

AIM


Management of Image
Analysis

Experience from France

June 26 to June 29, 2012 (*Chisinau, Republic of Moldova*)

Nom de l'orateur – Titre de la présentation - date

1 



Groupe d'Étude et de contrôle
des Variétés Et des Semences

PROGRAM OF THE TALK

- ✿ GENERAL ARCHITECTURE OF AIM APPLICATION
- ✿ Major reasons which have justified the implementation of Image analysis solution like Aim
- ✿ MAIN FUNCTIONALITIES PROVIDED BY AIM APPLICATION
- ✿ DATA MODEL OF AIM

Nom de l'orateur – Titre de la présentation - date

2 

Groupe d'Étude et de contrôle
des Variétés Et des Semences

BEFORE TO START

This presentation is not a training course on how to use ImageJ or on particular method of image analysis but rather on a tool that we've developed using to manage different projects :

- dealing with image analysis
- With on the one hand **ImageJ**
- and on the other hand a **Database**.

This tool named AIM (A = Analysis , IM = IMage) pilot the backoffice to declare, display, store, launch, retrieve,

Nom de l'orateur – Titre de la présentation - date

3

Groupe d'Étude et de contrôle
des Variétés Et des Semences

GENERAL ARCHITECTURE

The Aim application is based on the following architecture

A front office → Graphic Interface written with the development tool Windev to manage studies (Declare, Retrive, Export, Calculate, Levels of aggregation, ...)

A back office → Image analysis software with the freeware ImageJ to define processing applied on images

Database software with Hyperfile or Oracle to store data provide by the graphic interface and Image analysis

```
graph TD; GI[Graphic Interface (Windev)] <--> DB[Database (HyperFile/Oracle)]; GI <--> IAS[Image analysis software (ImageJ)]; FO[Front Office] --- GI; FO --- DB; BO[Back Office] --- GI; BO --- IAS;
```

Nom de l'orateur – Titre de la présentation - date

4



Groupe d'Étude et de contrôle
des Variétés Et des Semences

Main reasons

The main purpose of Aim is to centralized and shared image analysis at GEVES

Through this main goal :

- Centralized processing
- Ease processing
- Share our knowledge and experiences
- Standardize the results and controls
- Use benefits offer by database (Integrity, Access rights, Backup, Query, Link with other information system,)

Nom de l'orateur – Titre de la présentation - date

5



Groupe d'Étude et de contrôle
des Variétés Et des Semences


MAIN FUNCTIONALITIES

Through differents examples we are going to show the use of AIM application :

- 1^{er} – How to define and store macros Image-J
- 2nd – How to declare the framework of studies
- 3^{ème} – How to launch processing on images
- 4^{ème} – How to integrate measurement calculate by processing on images into database
- 5^{ème} – How to define and calculate new variables dynamically
- 6^{ème} – How to group/aggregate results (to the variety, to the replicate,...)

Nom de l'orateur – Titre de la présentation - date

6

 Groupe d'Etude et de contrôle
des Variétés Et des Semences

Main functionalities


Example 1 : Assess how plant cover the ground

Context = The user has a list of images of several varieties and he wants to assess how each of these varieties cover the ground.

- Define a macro to separate the plant covering from the uncovered ground and measuring the ratio.
- Declare the framework of the study.
- Load images and launch analysis on each image.
- Open and store the file result.

Nom de l'orateur – Titre de la présentation - date

7 

 Groupe d'Etude et de contrôle
des Variétés Et des Semences

Main functionalities

Example 3 : Assess attack disease on leaves

Context = The user has several varieties and he wants to assess the attack of disease on leaf in controlled environment. He scans one image per variety and on each image he's got several leaves.

- Define a macro to calculate the ratio between the area cover by disease and the area of leaf
- Define the framework of the study.
- Load images, select macros ImageJ and launch processing.
- Open the file result and integrate its content into database.
- Transform area from pixels to square millimeters

Nom de l'orateur – Titre de la présentation - date

8 

Groupe d'Étude et de contrôle des Variétés Et des Semences

Main functionalities


Example 3 : Assessement de finesse de feuillage

Context = The user has several varieties of carrot and he wants to assess the fineness of foliage. He scans one image per variety and on each image he's got several leaves

- Define a macro to calculate the ratio between area of leaves and perimeter of leaves.
- Define precisely the framework of the study.
- Load images, select macros ImageJ and launch processing.
- Open the file result and integrate its content into database.
- Define several grouping to get results for :
 - Each Replicate
 - Each Variety
 -

Nom de l'orateur – Titre de la présentation - date

9



[Fin de l'annexe et du document]