

# INTERNATIONAL UNION FOR THE PROTECTION OF NEW VARIETIES OF PLANTS

Geneva

**COSMOS**

UPOV Code: COSMO

*Cosmos Cav.*

## GUIDELINES

### FOR THE CONDUCT OF TESTS

### FOR DISTINCTNESS, UNIFORMITY AND STABILITY

Alternative Names:<sup>\*</sup>

Botanical name	English	French	German	Spanish
Cosmos Cav.	Cosmos	Cosmos	Kosmee, Schmuckkörbchen	Cosmos, Mirasol

The purpose of these guidelines (“Test Guidelines”) is to elaborate the principles contained in the General Introduction (document TG/1/3), and its associated TGP documents, into detailed practical guidance for the harmonized examination of distinctness, uniformity and stability (DUS) and, in particular, to identify appropriate characteristics for the examination of DUS and production of harmonized variety descriptions.

## ASSOCIATED DOCUMENTS

These Test Guidelines should be read in conjunction with the General Introduction and its associated TGP documents.

\* These names were correct at the time of the introduction of these Test Guidelines but may be revised or updated. [Readers are advised to consult the UPOV Code, which can be found on the UPOV Website ([www.upov.int](http://www.upov.int)), for the latest information.]

<u>TABLE OF CONTENTS</u>	<u>PAGE</u>
1. SUBJECT OF THESE TEST GUIDELINES.....	3
2. MATERIAL REQUIRED.....	3
3. METHOD OF EXAMINATION.....	3
3.1 NUMBER OF GROWING CYCLES .....	3
3.2 TESTING PLACE .....	3
3.3 CONDITIONS FOR CONDUCTING THE EXAMINATION.....	3
3.4 TEST DESIGN.....	3
3.5 ADDITIONAL TESTS.....	4
4. ASSESSMENT OF DISTINCTNESS, UNIFORMITY AND STABILITY .....	4
4.1 DISTINCTNESS .....	4
4.2 UNIFORMITY .....	5
4.3 STABILITY.....	5
5. GROUPING OF VARIETIES AND ORGANIZATION OF THE GROWING TRIAL.....	5
6. INTRODUCTION TO THE TABLE OF CHARACTERISTICS .....	6
6.1 CATEGORIES OF CHARACTERISTICS .....	6
6.2 STATES OF EXPRESSION AND CORRESPONDING NOTES .....	6
6.3 TYPES OF EXPRESSION.....	7
6.4 EXAMPLE VARIETIES.....	7
6.5 LEGEND .....	7
7. TABLE OF CHARACTERISTICS/TABLEAU DES CARACTÈRES/MERKMALSTABELLE/TABLA DE CARACTERES .....	8
8. EXPLANATIONS ON THE TABLE OF CHARACTERISTICS.....	14
8.1 EXPLANATIONS COVERING SEVERAL CHARACTERISTICS .....	14
8.2 EXPLANATIONS FOR INDIVIDUAL CHARACTERISTICS .....	14
9. LITERATURE .....	23
10. TECHNICAL QUESTIONNAIRE.....	24

1. Subject of these Test Guidelines

These Test Guidelines apply to all varieties of *Cosmos Cav.*

2. Material Required

2.1 The competent authorities decide on the quantity and quality of the plant material required for testing the variety and when and where it is to be delivered. Applicants submitting material from a State other than that in which the testing takes place must ensure that all customs formalities and phytosanitary requirements are complied with.

2.2 The material is to be supplied in the form of seeds or young plants.

2.3 The minimum quantity of plant material, to be supplied by the applicant, should be:

seed-propagated varieties: sufficient seeds to produce 50 plants;  
vegetatively propagated varieties: 10 young plants.

In the case of seed, the seed should meet the minimum requirements for germination, species and analytical purity, health and moisture content, specified by the competent authority.

2.4 The plant material supplied should be visibly healthy, not lacking in vigor, nor affected by any important pest or disease.

2.5 The plant material should not have undergone any treatment which would affect the expression of the characteristics of the variety, unless the competent authorities allow or request such treatment. If it has been treated, full details of the treatment must be given.

3. Method of Examination

3.1 *Number of Growing Cycles*

The minimum duration of tests should normally be a single growing cycle.

3.2 *Testing Place*

Tests are normally conducted at one place. In the case of tests conducted at more than one place, guidance is provided in TGP/9 "Examining Distinctness".

3.3 *Conditions for Conducting the Examination*

3.3.1 The tests should be carried out under conditions ensuring satisfactory growth for the expression of the relevant characteristics of the variety and for the conduct of the examination.

3.3.2 Because daylight varies, color determinations made against a color chart should be made either in a suitable cabinet providing artificial daylight or in the middle of the day in a room without direct sunlight. The spectral distribution of the illuminant for artificial daylight should conform with the CIE Standard of Preferred Daylight D 6500 and should fall within the tolerances set out in the British Standard 950, Part I. These determinations should be made with the plant part placed against a white background. The color chart and version used should be specified in the variety description.

3.4 *Test Design*

3.4.1 Each test should be designed to result in a total of at least 50 plants for seed propagated varieties or 10 plants for vegetatively propagated varieties.

3.4.2 The design of the tests should be such that plants or parts of plants may be removed for measurement or counting without prejudice to the observations which must be made up to the end of the growing cycle.

### 3.5 Additional Tests

Additional tests, for examining relevant characteristics, may be established.

## 4. Assessment of Distinctness, Uniformity and Stability

### 4.1 *Distinctness*

#### 4.1.1 General Recommendations

It is of particular importance for users of these Test Guidelines to consult the General Introduction prior to making decisions regarding distinctness. However, the following points are provided for elaboration or emphasis in these Test Guidelines.

#### 4.1.2 Consistent Differences

The differences observed between varieties may be so clear that more than one growing cycle is not necessary. In addition, in some circumstances, the influence of the environment is not such that more than a single growing cycle is required to provide assurance that the differences observed between varieties are sufficiently consistent. One means of ensuring that a difference in a characteristic, observed in a growing trial, is sufficiently consistent is to examine the characteristic in at least two independent growing cycles.

#### 4.1.3 Clear Differences

Determining whether a difference between two varieties is clear depends on many factors, and should consider, in particular, the type of expression of the characteristic being examined, i.e. whether it is expressed in a qualitative, quantitative, or pseudo-qualitative manner. Therefore, it is important that users of these Test Guidelines are familiar with the recommendations contained in the General Introduction prior to making decisions regarding distinctness.

#### 4.1.4 Number of Plants / Parts of Plants to be Examined

Unless otherwise indicated, for the purposes of distinctness, all observations on single plants should be made on 20 plants or parts taken from each of 20 plants for seed propagated varieties or 9 plants or parts taken from each of 9 plants for vegetatively propagated varieties and any other observations made on all plants in the test, disregarding any off-type plants.

#### 4.1.5 Method of Observation

The recommended method of observing the characteristic for the purposes of distinctness is indicated by the following key in the second column of the Table of Characteristics (see document TGP/9 "Examining Distinctness", Section 4 "Observation of characteristics"):

- MG: single measurement of a group of plants or parts of plants
- MS: measurement of a number of individual plants or parts of plants
- VG: visual assessment by a single observation of a group of plants or parts of plants
- VS: visual assessment by observation of individual plants or parts of plants

Type of observation: visual (V) or measurement (M)

"Visual" observation (V) is an observation made on the basis of the expert's judgment. For the purposes of this document, "visual" observation refers to the sensory observations of the experts and, therefore, also includes smell, taste and touch. Visual observation includes observations where the expert uses reference points (e.g. diagrams, example varieties, side-by-side comparison) or non-linear charts (e.g. color charts). Measurement (M) is an objective observation against a calibrated, linear scale e.g. using a ruler, weighing scales, colorimeter, dates, counts, etc.

Type of record: for a group of plants (G) or for single, individual plants (S)

For the purposes of distinctness, observations may be recorded as a single record for a group of plants or parts of plants (G), or may be recorded as records for a number of single, individual plants or parts of plants (S). In most cases, "G" provides a single record per variety and it is not possible or necessary to apply statistical methods in a plant-by-plant analysis for the assessment of distinctness.

In cases where more than one method of observing the characteristic is indicated in the Table of Characteristics (e.g. VG/MG), guidance on selecting an appropriate method is provided in document TGP/9, Section 4.2.

#### 4.2 *Uniformity*

It is of particular importance for users of these Test Guidelines to consult the General Introduction prior to making decisions regarding uniformity. However, the following points are provided for elaboration or emphasis in these Test Guidelines:

- (a) seed-propagated varieties

The assessment of uniformity should be according to the recommendations for cross-pollinated varieties in the General Introduction.

- (b) vegetatively propagated varieties

For the assessment of uniformity, a population standard of 1% and an acceptance probability of at least 95% should be applied. In the case of a sample size of 10 plants, 1 off-type is allowed.

#### 4.3 *Stability*

4.3.1 In practice, it is not usual to perform tests of stability that produce results as certain as those of the testing of distinctness and uniformity. However, experience has demonstrated that, for many types of variety, when a variety has been shown to be uniform, it can also be considered to be stable.

4.3.2 Where appropriate, or in cases of doubt, stability may be further examined by testing a new seed or plant stock to ensure that it exhibits the same characteristics as those shown by the initial material supplied.

### 5. Grouping of Varieties and Organization of the Growing Trial

5.1 The selection of varieties of common knowledge to be grown in the trial with the candidate varieties and the way in which these varieties are divided into groups to facilitate the assessment of distinctness are aided by the use of grouping characteristics.

5.2 Grouping characteristics are those in which the documented states of expression, even where produced at different locations, can be used, either individually or in combination with other such characteristics: (a) to select varieties of common knowledge that can be excluded from the growing trial used for examination of distinctness; and (b) to organize the growing trial so that similar varieties are grouped together.

5.3 The following have been agreed as useful grouping characteristics:

- (a) Flower head: disc type (characteristic 13)
- (b) Flower head: collar segments (characteristic 14)
- (c) Ray floret: type (characteristic 19)
- (d) Ray floret: main color of inner side (characteristic 25) with the following color groups:
  - Gr. 1: white
  - Gr. 2: yellow
  - Gr. 3: orange
  - Gr. 4: pink
  - Gr. 5: red
  - Gr. 6: purple red
  - Gr. 7: brown red

- (e) Ray floret: secondary color of inner side (characteristic 26) with the following color groups:
- Gr. 1: white  
Gr. 2: yellow  
Gr. 3: orange  
Gr. 4: pink  
Gr. 5: red  
Gr. 6: purple red  
Gr. 7: brown red

5.4 Guidance for the use of grouping characteristics, in the process of examining distinctness, is provided through the General Introduction and document TGP/9 "Examining Distinctness".

## 6. Introduction to the Table of Characteristics

### 6.1 *Categories of Characteristics*

#### 6.1.1 Standard Test Guidelines Characteristics

Standard Test Guidelines characteristics are those which are approved by UPOV for examination of DUS and from which members of the Union can select those suitable for their particular circumstances.

#### 6.1.2 Asterisked Characteristics

Asterisked characteristics (denoted by \*) are those included in the Test Guidelines which are important for the international harmonization of variety descriptions and should always be examined for DUS and included in the variety description by all members of the Union, except when the state of expression of a preceding characteristic or regional environmental conditions render this inappropriate.

### 6.2 *States of Expression and Corresponding Notes*

6.2.1 States of expression are given for each characteristic to define the characteristic and to harmonize descriptions. Each state of expression is allocated a corresponding numerical note for ease of recording of data and for the production and exchange of the description.

6.2.2 In the case of qualitative and pseudo-qualitative characteristics (see Chapter 6.3), all relevant states of expression are presented in the characteristic. However, in the case of quantitative characteristics with 5 or more states, an abbreviated scale may be used to minimize the size of the Table of Characteristics. For example, in the case of a quantitative characteristic with 9 states, the presentation of states of expression in the Test Guidelines may be abbreviated as follows:

State	Note
small	3
medium	5
large	7

However, it should be noted that all of the following 9 states of expression exist to describe varieties and should be used as appropriate:

State	Note
very small	1
very small to small	2
small	3
small to medium	4
medium	5
medium to large	6
large	7
large to very large	8
very large	9

6.2.3 Further explanation of the presentation of states of expression and notes is provided in document TGP/7 "Development of Test Guidelines".

### 6.3 *Types of Expression*

An explanation of the types of expression of characteristics (qualitative, quantitative and pseudo-qualitative) is provided in the General Introduction.

### 6.4 *Example Varieties*

Where appropriate, example varieties are provided to clarify the states of expression of each characteristic.

### 6.5 *Legend*

(*)	Asterisked characteristic	– see Chapter 6.1.2
QL	Qualitative characteristic	– see Chapter 6.3
QN	Quantitative characteristic	– see Chapter 6.3
PQ	Pseudo-qualitative characteristic	– see Chapter 6.3
MG, MS, VG, VS		– see Chapter 4.1.5
(a)-(c)	See Explanations on the Table of Characteristics in Chapter 8.1	
(+)	See Explanations on the Table of Characteristics in Chapter 8.2.	

7. Table of Characteristics/Tableau des caractères/Merkmalstabelle/Tabla de caracteresticas

					Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
		English	français	deutsch	español	
1.	VG	Plant: growth habit	Plante : type de croissance	Pflanze: Wuchsform	Planta: porte	
(+)						
QN		upright	dressé	aufrecht	erguido	1
		semi upright	demi-dressé	halbaufrecht	semierguido	2
		spreading	étalé	breitwüchsig	extendido	3
2.	VG/ MS	Plant: height	Plante : hauteur	Pflanze: Höhe	Planta: altura	
(*)						
QN		short	basse	niedrig	baja	Sunny Yellow
		medium	moyenne	mittel	media	Sunset
		tall	haute	hoch	alta	Sensation Radiance
3.	VG/ MS	Stem: number of primary branches	Tige : nombre de ramifications primaires	Trieb: Anzahl Seitentriebe erster Ordnung	Tallo: número de ramas primarias	
(+)						
QN		few	petit	gering	bajo	Sunset
		medium	moyen	mittel	medio	5
		many	grand	groß	alto	Sensation Radiance
4.	VG	Stem: anthocyanin coloration	Tige : pigmentation anthocyanique	Trieb: Anthocyanfärbung	Tallo: pigmentación antociánica	
(*)						
QN		absent or very weak	absente ou très faible	fehlend oder sehr gering	ausente o muy débil	Sunny Yellow
		weak	faible	gering	débil	Sunrise
		medium	moyenne	mittel	media	Sunset
		strong	forte	stark	intensa	4
5.	VG	Stem: pubescence	Tige : pubescence	Trieb: Behaarung	Tallo: pubescencia	
QN		absent or sparse	absente ou peu dense	fehlend oder dünn	ausente o laxa	Sunrise
		medium	moyenne	mittel	media	Orange Flare
		dense	dense	dicht	densa	3
6.	VG/ MS	Leaf: length	Feuille : longueur	Blatt: Länge	Hoja: longitud	
(*) (+)						
QN	(a)	short	courte	kurz	corta	Sunrise
		medium	moyenne	mittel	media	Sensation Radiance
		long	longue	lang	larga	7
7.	VG/ MS	Leaf: width	Feuille : largeur	Blatt: Breite	Hoja: anchura	
(*) (+)						
QN	(a)	narrow	étroite	schmal	estrecha	Sunrise
		medium	moyenne	mittel	media	Orange Flare
		broad	large	breit	ancha	Sensation Radiance
						7

					Example Varieties Exemples Beispielsorten Variedades ejemplo	Note/ Nota
		English	français	deutsch	español	
8.	VG	Leaf: intensity of green color	Feuille : intensité de la couleur verte	Blatt: Intensität der Grünfärbung	Hoja: intensidad del color verde	
QN	(a)	light	claire	hell	claro	1
		medium	moyenne	mittel	medio	Sunset
		dark	foncée	dunkel	oscuro	Orange Flare
9.	VG	Leaf: number of lobes (+)	Feuille : nombre de lobes	Blatt: Anzahl Lappen	Hoja: número de lóbulos	
QN	(a)	absent or very few	nul ou très petit	fehlend oder sehr gering	ninguno o muy bajo	1
		few	petit	gering	bajo	2
		medium	moyen	mittel	medio	3
		many	grand	hoch	alto	4
		very many	très grand	sehr hoch	muy alto	5
10.	VG/ MS	Leaf: width of terminal lobe (if present) (+)	Feuille : largeur du lobe terminal (si présent)	Blatt: Breite des terminalen Lappens (falls vorhanden)	Hoja: anchura del lóbulo terminal (si está presente)	
QN	(a)	narrow	étroit	schmal	estrecho	Sunny Yellow
		medium	moyen	mittel	medio	Sunrise
		broad	large	breit	ancho	7
11.	VG/ MS	Peduncle: length	Pédoncule : longueur	Blütenstandstiellänge	Pedúnculo: longitud	
QN		short	court	kurz	corto	Sunny Yellow
		medium	moyen	mittel	medio	Sunrise
		long	long	lang	largo	Sunset
12.	VG	Flower head: attitude (+)	Capitule : port	Blütenstand: Haltung	Capítulo: porte	
QN		upwards	vers le haut	aufwärts	ascendente	1
		outwards	vers l'extérieur	waagerecht	orientado hacia el exterior	2
		downwards	vers le bas	abwärts	orientado hacia abajo	3
13.	VG (*) (+)	Flower head: disc type	Capitule : type de disque	Blütenstand: Scheibentyp	Capítulo: tipo de disco	
QL		daisy	marguerite	margaritenförmig	margarita	1
		anemone	anémone	anemonenförmig	anémona	Bridal Bouquet COS
14.	VG (*) (+)	Flower head: collar segments	Capitule : segments de collarrette	Blütenstand: Kragensegmente	Capítulo: segmentos del collar	
QL		absent	absents	fehlend	ausentes	1
		present	présents	vorhanden	presentes	Red Illusion
						9

					Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
		English	français	deutsch	español	
15. (*) (+)	VG/ MS	Flower head: number of ray florets	Capitule : nombre de fleurons	Blütenstand: Anzahl Zungenblüten	Capítulo: número de flores liguladas	
QN		very few	très petit	sehr gering	muy bajo	1
		few	petit	gering	bajo	Sunset
		medium	moyen	mittel	medio	3
		many	grand	hoch	alto	Double Click
		very many	très grand	sehr hoch	muy alto	5
16. (*) (+)	VG/ MS	Flower head: diameter	Capitule : diamètre	Blütenstand: Durchmesser	Capítulo: diámetro	
QN		small	petit	klein	pequeño	Sunrise
		medium	moyen	mittel	medio	5
		large	grand	groß	grande	Sensation Radiance
17. (*) (+)	VG/ MS	Flower head: disc diameter	Capitule : diamètre du disque	Blütenstand: Scheiben- durchmesser	Capítulo: diámetro del disco	
QN		very small	très petit	sehr klein	muy pequeño	1
		small	petit	klein	pequeño	Sensation Radiance
		medium	moyen	mittel	medio	3
		large	grand	groß	grande	Bridal Bouquet COS
		very large	très grand	sehr groß	muy grande	5
18. (*) (+)	VG/ MS	Flower head: disc diameter relative to flower head diameter	Capitule : diamètre du disque par rapport au diamètre du capitule	Blütenstand: Scheiben- durchmesser im Verhältnis zum Durchmesser des Blütenstands	Capítulo: diámetro del disco con respecto al diámetro del capítulo	
QN		very small	très petit	sehr klein	muy pequeño	1
		small	petit	klein	pequeño	Sensation Radiance
		medium	moyen	mittel	medio	3
		large	grand	groß	grande	Bridal Bouquet COS
		very large	très grand	sehr groß	muy grande	5
19. (*) (+)	VG	Ray floret: type	Fleuron : type	Zungenblüte: Typ	Flor ligulada: tipo	
PQ		ligulate	ligulé	zungenförmig	loriforme	1
		ligulate and tubular	ligulé et tubulaire	zungenförmig und röhrenförmig	loriforme y tubular	2
		tubular	tubulaire	röhrenförmig	tubular	3

					Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota	
		English	français	deutsch	español		
<b>20.</b>	<b>VG</b>	<b>Ray floret: longitudinal axis</b>	<b>Fleuron : axe longitudinal</b>	<b>Zungenblüte: Längsachse</b>	<b>Flor ligulada: eje longitudinal</b>		
(+)							
QN	(b)	strongly incurved	fortement incurvé	stark aufgebogen	muy incurvado	1	
		moderately incurved	moyennement incurvé	mäßig aufgebogen	moderadamente incurvado	2	
		weakly incurved	faiblement incurvé	schwach aufgebogen	débilmente incurvado	3	
		straight	droit	gerade	recto	4	
		weakly reflexed	faiblement réfléchi	schwach zurückgebogen	débilmente reflexo	5	
		moderately reflexed	moyennement réfléchi	mäßig zurückgebogen	moderadamente reflexo	6	
		strongly reflexed	fortement réfléchi	stark zurückgebogen	muy reflexo	7	
<b>21.</b>	<b>VG</b>	<b>Ray floret: curved part of axis</b>	<b>Fleuron : partie incurvée de l'axe</b>	<b>Zungenblüte: gebogener Teil der Längsachse</b>	<b>Flor ligulada: parte curvada del eje</b>		
(+)							
PQ	(b)	none	aucune	keiner	ninguna	1	
		tip	extrémité	die Spitze	punta	2	
		distal half	moitié distale	die distale Hälfte	mitad distal	3	
		distal three quarters	trois quarts distaux	das distale Dreiviertel	tres cuartos distales	4	
		entire length	longueur toute entière	die gesamte Länge	totalidad	5	
<b>22.</b>	<b>VG/ MS</b>	<b>Ray floret: length</b>	<b>Fleuron : longueur</b>	<b>Zungenblüte: Länge</b>	<b>Flor ligulada: longitud</b>		
(*) (+)							
QN	(b)	short	court	kurz	corta	Sunset	3
		medium	moyen	mittel	media		5
		long	long	lang	larga	Sensation Radiance	7
<b>23.</b>	<b>VG/ MS</b>	<b>Ray floret: width</b>	<b>Fleuron : largeur</b>	<b>Zungenblüte: Breite</b>	<b>Flor ligulada: anchura</b>		
(*) (+)							
QN	(b)	narrow	étroit	schmal	estrecha	Sunset	3
		medium	moyen	mittel	media	Sensation Radiance	5
		broad	large	breit	ancha		7
<b>24.</b>	<b>VG/ MS</b>	<b>Ray floret: ratio length/width</b>	<b>Fleuron : rapport longueur/largeur</b>	<b>Zungenblüte: Verhältnis Länge/Breite</b>	<b>Flor ligulada: relación longitud/anchura</b>		
(*) (+)							
QN	(b)	low	bas	klein	baja		3
		medium	moyen	mittel	media	Sensation Radiance	5
		high	élévé	groß	alta	Happy Ring	7
<b>25.</b>	<b>VG</b>	<b>Ray floret: main color of inner side</b>	<b>Fleuron : couleur principale de la face interne</b>	<b>Zungenblüte: Hauptfarbe der Innenseite</b>	<b>Flor ligulada: color principal de la cara interna</b>		
(*)							
PQ	(b) (c)	RHS Colour Chart (indicate reference number)	Code RHS des couleurs (indiquer le numéro de référence)	RHS-Farbkarte (Nummer angeben)	Carta de colores RHS (indíquese el número de referencia)		

					Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
		English	français	deutsch	español	
26. (*)	VG	Ray floret: secondary color of inner side	Fleuron : couleur secondaire de la face interne	Zungenblüte: Sekundärfarbe der Innenseite	Flor ligulada: color secundario de la cara interna	
PQ	(b) (c)	RHS Colour Chart (indicate reference number)	Code RHS des couleurs (indiquer le numéro de référence)	RHS-Farbkarte (Nummer angeben)	Carta de colores RHS (indíquese el número de referencia)	
27. (*) (+)	VG	Ray floret: distribution of secondary color of inner side	Fleuron : distribution de la couleur secondaire de la face interne	Zungenblüte: Verteilung der Sekundärfarbe der Innenseite	Flor ligulada: distribución del color secundario en la cara interna	
PQ	(b)	none	aucune	keine	inexistente	1
	(c)	basal zone	zone basale	in der basalen Zone	zona basal	2
		basal quarter	quart basal	im basalen Viertel	cuarto basal	3
		basal half	moitié basale	in der basalen Hälfte	mitad basal	4
		distal half	moitié distale	in der distalen Hälfte	mitad distal	5
		distal quarter	quart distal	im distalen Viertel	cuarto distal	6
		tip	extrémité	an der Spitze	punta	7
		band	bande	als Band	banda	8
		marginal zone	zone marginale	in der Randzone	zona del borde	9
		central zone	zone centrale	in der Mittelzone	zona central	10
		throughout	partout	überall	totalidad	11
28.	VG	Ray floret: pattern of secondary color of inner side	Fleuron : répartition de la couleur secondaire de la face interne	Zungenblüte: Muster der Sekundärfarbe der Innenseite	Flor ligulada: distribución del color secundario de la cara interna	
PQ	(b)	solid or nearly solid	uniforme ou presque	durchgefärbt oder fast durchgefärbt	uniforme o casi uniforme	1
	(c)	flushed	traces diffuses	geflammt	rubor	2
		striped	striée	gestreift	estriado	3
29.	VG	Ray floret: tertiary color of inner side	Fleuron : couleur tertiaire de la face interne	Zungenblüte: Tertiärfarbe der Innenseite	Flor ligulada: color terciario de la cara interna	
PQ	(b) (c)	RHS Colour Chart (indicate reference number)	Code RHS des couleurs (indiquer le numéro de référence)	RHS-Farbkarte (Nummer angeben)	Carta de colores RHS (indíquese el número de referencia)	

					Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
		English	français	deutsch	español	
30.	VG (+)	Ray floret: distribution of tertiary color of inner side	Fleuron : distribution de la couleur tertiaire de la face interne	Zungenblüte: Verteilung der Tertiärfarbe der Innenseite	Flor ligulada: distribución del color terciario en la cara interna	
PQ	(b)	none	aucune	keine	inexistente	1
	(c)	basal zone	zone basale	in der basalen Zone	zona basal	2
		basal quarter	quart basal	im basalen Viertel	cuarto basal	3
		basal half	moitié basale	in der basalen Hälfte	mitad basal	4
		distal half	moitié distale	in der distalen Hälfte	mitad distal	5
		distal quarter	quart distal	im distalen Viertel	cuarto distal	6
		tip	extrémité	an der Spitze	punta	7
		band	bande	als Band	banda	8
		marginal zone	zone marginale	in der Randzone	zona del borde	9
		central zone	zone centrale	in der Mittelzone	zona central	10
		throughout	partout	überall	totalidad	11
31.	VG	Ray floret: pattern of tertiary color of inner side	Fleuron : répartition de la couleur tertiaire de la face interne	Zungenblüte: Verteilung der Tertiärfarbe der Innenseite	Flor ligulada: distribución del color terciario de la cara interna	
PQ	(b)	solid or nearly solid	uniforme ou presque	durchgefärbt oder fast durchgefärbt	uniforme o casi uniforme	1
	(c)	flushed	traces diffuses	geflammt	rubor	2
		striped	striée	gestreift	estriado	3
32.	VG (*) (+)	Ray floret: main color of outer side	Fleuron : couleur principale de la face externe	Zungenblüte: Hauptfarbe der Außenseite	Flor ligulada: color principal de la cara externa	
PQ	(b) (c)	RHS Colour Chart (indicate reference number)	Code RHS des couleurs (indiquer le numéro de référence)	RHS-Farbkarte (Nummer angeben)	Carta de colores RHS (indíquese el número de referencia)	
33.	VG (*) (+)	Ray floret: incisions of apex	Fleuron : incisions de l'apex	Zungenblüte: Einschnitte der Spitze	Flor ligulada: incisiones del ápice	
QN	(b)	absent or very shallow	absentes ou très faibles	fehlend or sehr flach	ausentes o muy poco profundas	1
		shallow	faibles	flach	poco profundas	3
		medium	moyennes	mittel	de profundidad media	Sensation Radiance, Sunset
		deep	profondes	tief	profundas	5
34.	VG (*) (+)	Disc: main color	Disque : couleur principale	Scheibe: Hauptfarbe	Disco: color principal	
PQ		RHS Colour Chart (indicate reference number)	Code RHS des couleurs (indiquer le numéro de référence)	RHS-Farbkarte (Nummer angeben)	Carta de colores RHS (indíquese el número de referencia)	

8. Explanations on the Table of Characteristics

8.1 *Explanations covering several characteristics*

Characteristics containing the following key in the second column of the Table of Characteristics should be examined as indicated below:

Unless otherwise indicated, all observations should be made at the time of full flowering.

- (a) Observations on the leaf should be made on the leaves from the middle third of the stem.
- (b) Observations on the ray floret should be made on the outermost row of ray florets.
- (c) The main color is the color with the largest surface area, the secondary color is the color with the second largest surface area, and the tertiary color is the color with the third largest surface area. In cases where the area of the main and secondary colors are too similar to reliably decide which color has the largest area, the darkest color is considered to be the main color. In cases where the area of the secondary and tertiary colors are too similar to reliably decide which color has the second largest area, the darkest color is considered to be the secondary color.

8.2 *Explanations for individual characteristics*

Ad. 1: Plant: growth habit



1  
upright




2  
semi upright



3  
spreading


Ad. 3: Stem: number of primary branches

The primary branches are indicated by arrows in the following diagram.



Ad. 6: Leaf: length

Ad. 7: Leaf: width



Ad. 9: Leaf: number of lobes

For varieties that are very polymorphic the observation should consider the most frequent number of lobes.



1  
absent or very few



2  
few



3  
medium




4  
many




5  
very many


Ad. 10: Leaf: width of terminal lobe (if present)




Ad. 12: Flower head: attitude



Ad. 13: Flower head: disc type



Ad. 14: Flower head: collar segments



Ad. 15: Flower head: number of ray florets



In varieties with collar segments the number of ray florets should be observed excluding the collar segments.

Ad. 16: Flower head: diameter

Ad. 17: Flower head: disc diameter

Ad. 18: Flower head: disc diameter relative to flower head diameter


a: flower head diameter  
b: disc diameter




Ad. 17: Flower head: disc diameter

In varieties with collar segments the disc diameter should be observed excluding the collar segments.

Ad. 19: Ray floret: type



1  
ligulate



3  
tubular

Ad. 20: Ray floret: longitudinal axis



1  
strongly incurved




2  
moderately incurved




3  
weakly incurved




4  
straight



5  
weakly reflexed




6  
moderately reflexed




7  
strongly reflexed

Ad. 21: Ray floret: curved part of axis




Ad. 22: Ray floret: length

Ad. 23: Ray floret: width




Ad. 24: Ray floret: ratio length/width




Ad. 27: Ray floret: distribution of secondary color of inner side

Ad. 30: Ray floret: distribution of tertiary color of inner side



Ad. 33: Ray floret: incisions of apex



Ad. 34: Disc: main color

The color of disc should be observed just before anther dehiscence for daisy type, and at the time of full flowering for anemone type.

9. Literature

Bailey, L. H., Bailey, E. Z.: 1976: Hortus Third, A Concise Dictionary of Plants Cultivated in the United States and Canada. Macmillan. NewYork, US, p. 321

Huxley, A. (ed.), Griffiths, M.(ed.), Levy, M.(ed.),1999: The Royal Horticultural Society Dictionary of Gardening. Volume 1. A to C. Macmillan reference Ltd. London, GB, pp. 738-739

Everett, T. H., 1981: New York Botanical Garden Illustrated Encyclopedia of Horticulture. Garland Publishing. New York, US, pp. 890-891

Tsukamoto, Y., 1994: The Grand Dictionary of Horticulture Volume 1. The Shogakukan Ltd., Tokyo, JP, pp. 860-862

10. Technical Questionnaire

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
		Application date: (not to be filled in by the applicant)
<b>TECHNICAL QUESTIONNAIRE</b> to be completed in connection with an application for plant breeders' rights		
1. Subject of the Technical Questionnaire		
1.1 Genus	Cosmos Cav.	
1.2 Species (please complete)		
1.3 Common name	Cosmos	
2. Applicant		
Name		
Address		
Telephone No.		
Fax No.		
E-mail address		
Breeder (if different from applicant)		
3. Proposed denomination and breeder's reference		
Proposed denomination (if available)		
Breeder's reference		

TECHNICAL QUESTIONNAIRE

Page {x} of {y}

Reference Number:

#4. Information on the breeding scheme and propagation of the variety

4.1 Breeding scheme

Variety resulting from:

4.1.1 Crossing

- (a) controlled cross [ ]  
(please state parent varieties)

(.....) x (.....)  
female parent male parent

- (b) partially known cross [ ]  
(please state known parent variety(ies))

(.....) x (.....)  
female parent male parent

- (c) unknown cross [ ]

4.1.2 Mutation [ ]  
(please state parent variety)

4.1.3 Discovery and development [ ]  
(please state where and when discovered and how developed)

4.1.4 Other [ ]  
(please provide details)

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
-------------------------	-----------------	-------------------

4.2 Method of propagating the variety

4.2.1 Seed-propagated varieties

- (a) Self-pollination [ ]
- (b) Cross-pollination
  - (i) population [ ]
  - (ii) synthetic variety [ ]
- (c) Hybrid [ ]
- (d) Other [ ]  
(please provide details)

[ ]

4.2.2 Vegetative propagation

- (a) cuttings [ ]
- (b) *in vitro* propagation [ ]
- (c) other (state method) [ ]

[ ]

4.2.3 Other [ ]  
(please provide details)

[ ]

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
-------------------------	-----------------	-------------------

5. Characteristics of the variety to be indicated (the number in brackets refers to the corresponding characteristic in Test Guidelines; please mark the note which best corresponds).

Characteristics	Example Varieties	Note
<b>5.1 Plant: growth habit (1)</b>		
upright		1 [ ]
semi upright		2 [ ]
spreading		3 [ ]
<b>5.2 Flower head: disc type (13)</b>		
daisy		1 [ ]
anemone	Bridal Bouquet COS	2 [ ]
<b>5.3 Flower head: collar segments (14)</b>		
absent		1 [ ]
present	Red Illusion	9 [ ]
<b>5.4 Ray floret: type (19)</b>		
ligulate		1 [ ]
ligulate and tubular		2 [ ]
tubular		3 [ ]
<b>5.5 (i) Ray floret: main color of inner side (25)</b>	RHS Colour Chart (indicate reference number)	
<b>5.5 (ii) Ray floret: main color of inner side (25)</b>		
white		1 [ ]
yellow		2 [ ]
orange		3 [ ]
pink		4 [ ]
red		5 [ ]
purple red		6 [ ]
brown red		7 [ ]
other color (indicate)		8 [ ]

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
Characteristics	Example Varieties	Note
<b>5.6 (i) Ray floret: secondary color of inner side (26)</b>  RHS Colour Chart (indicate reference number)		
<b>5.6 (ii) Ray floret: secondary color of inner side (26)</b>		
white	1 [ ]	
yellow	2 [ ]	
orange	3 [ ]	
pink	4 [ ]	
red	5 [ ]	
purple red	6 [ ]	
brown red	7 [ ]	
other color (indicate)	8 [ ]	

TECHNICAL QUESTIONNAIRE

Page {x} of {y}

Reference Number:

6. Similar varieties and differences from these varieties

*Please use the following table and box for comments to provide information on how your candidate variety differs from the variety (or varieties) which, to the best of your knowledge, is (or are) most similar. This information may help the examination authority to conduct its examination of distinctness in a more efficient way.*

Denomination(s) of variety(ies) similar to your candidate variety	Characteristic(s) in which your candidate variety differs from the similar variety(ies)	Describe the expression of the characteristic(s) for the <b>similar</b> variety(ies)	Describe the expression of the characteristic(s) for <b>your</b> candidate variety
<i>Example</i>	<i>Plant: growth habit</i>	<i>upright</i>	<i>semi upright</i>
Comments:			

TECHNICAL QUESTIONNAIRE

Page {x} of {y}

Reference Number:

#7. Additional information which may help in the examination of the variety

7.1 In addition to the information provided in sections 5 and 6, are there any additional characteristics which may help to distinguish the variety?

Yes [ ] No [ ]

(If yes, please provide details)

7.2 Are there any special conditions for growing the variety or conducting the examination?

Yes [ ] No [ ]

(If yes, please provide details)

7.3 Other information

7.4 A representative color photograph of the variety displaying its main distinguishing feature(s), should accompany the Technical Questionnaire. The photograph will provide a visual illustration of the candidate variety which supplements the information provided in the Technical Questionnaire.

The key points to consider when taking a photograph of the candidate variety are:

- Indication of the date and geographic location
- Correct labeling (breeder's reference)
- Good quality printed photograph (minimum 10 cm x 15 cm) and/or sufficient resolution electronic format version (minimum 960 x 1280 pixels)

Further guidance on providing photographs with the Technical Questionnaire is available in document TGP/7 "Development of Test Guidelines", Guidance Note 35 (<http://www.upov.int/tgp/en/>).

[The link provided may be deleted by members of the Union when developing authorities' own test guidelines.]

8. Authorization for release

(a) Does the variety require prior authorization for release under legislation concerning the protection of the environment, human and animal health?

Yes [ ] No [ ]

(b) Has such authorization been obtained?

Yes [ ] No [ ]

If the answer to (b) is yes, please attach a copy of the authorization.

<sup>#</sup> Authorities may allow certain of this information to be provided in a confidential section of the Technical Questionnaire.

TECHNICAL QUESTIONNAIRE

Page {x} of {y}

Reference Number:

9. Information on plant material to be examined or submitted for examination

9.1 The expression of a characteristic or several characteristics of a variety may be affected by factors, such as pests and disease, chemical treatment (e.g. growth retardants or pesticides), effects of tissue culture, different rootstocks, scions taken from different growth phases of a tree, etc.

9.2 The plant material should not have undergone any treatment which would affect the expression of the characteristics of the variety, unless the competent authorities allow or request such treatment. If the plant material has undergone such treatment, full details of the treatment must be given. In this respect, please indicate below, to the best of your knowledge, if the plant material to be examined has been subjected to:

- |   |         |        |
|---|---------|--------|
| (a) Microorganisms (e.g. virus, bacteria, phytoplasma)    | Yes [ ] | No [ ] |
| (b) Chemical treatment (e.g. growth retardant, pesticide) | Yes [ ] | No [ ] |
| (c) Tissue culture  | Yes [ ] | No [ ] |
| (d) Other factors   | Yes [ ] | No [ ] |

Please provide details for where you have indicated "yes".

.....

10. I hereby declare that, to the best of my knowledge, the information provided in this form is correct:

Applicant's name

Signature

Date

[End of document]